

# Lesley M E Mccowan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2354150/publications.pdf>

Version: 2024-02-01

230  
papers

10,293  
citations

39113

52  
h-index

49824

91  
g-index

234  
all docs

234  
docs citations

234  
times ranked

10641  
citing authors

#	ARTICLE	IF	CITATIONS
1	External validation of prognostic models to predict stillbirth using International Prediction of Pregnancy Complications (<scp>IPPC</scp>) Network database: individual participant data meta-analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2022, 59, 209-219.	0.9	8
2	Relative importance of metabolic syndrome components for developing gestational diabetes. <i>Archives of Gynecology and Obstetrics</i> , 2022, 305, 995-1002.	0.8	5
3	Circulating serine peptidase inhibitor Kunitz type 1 (SPINT1) in the second trimester is reduced among pregnancies that end in low birthweight neonates: cohort study of 2006 pregnancies. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2022, 4, 100618.	1.3	1
4	Evaluation of the Growth Assessment Protocol (GAP) for antenatal detection of small for gestational age: The DESiGN cluster randomised trial. <i>PLoS Medicine</i> , 2022, 19, e1004004.	3.9	14
5	Associations between consumption of coffee and caffeinated soft drinks and late stillbirth—Findings from the Midland and North of England stillbirth case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 256, 471-477.	0.5	6
6	Maternal folate, one-carbon metabolism and pregnancy outcomes. <i>Maternal and Child Nutrition</i> , 2021, 17, e13064.	1.4	42
7	Associations between social and behavioural factors and the risk of late stillbirth – findings from the Midland and North of England Stillbirth case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 704-713.	1.1	18
8	Pregnancy outcomes in women with booking HbA1c $\geq 40$ mmol/mol compared with $< 49$ mmol/mol in South Auckland, New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 742-749.	0.4	1
9	Modification of maternal late pregnancy sleep position: a survey evaluation of a New Zealand public health campaign. <i>BMJ Open</i> , 2021, 11, e047681.	0.8	2
10	Case-Control study of prolactin and placental lactogen in SGA pregnancies. <i>Reproduction and Fertility</i> , 2021, 2, 244-250.	0.6	4
11	The associations between maternal BMI and gestational weight gain and health outcomes in offspring at age 1 and 7 years. <i>Scientific Reports</i> , 2021, 11, 20865.	1.6	8
12	Reduction in perinatal mortality among small for gestational age babies in New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 505-512.	0.4	1
13	Detection of small for gestational age babies and perinatal outcomes following implementation of the Growth Assessment Protocol at a New Zealand tertiary facility: An observational intervention study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 339-346.	0.4	8
14	A better understanding of the association between maternal perception of foetal movements and late stillbirth—findings from an individual participant data meta-analysis. <i>BMC Medicine</i> , 2021, 19, 267.	2.3	11
15	Stillbirth research: Recruitment barriers and participant feedback. <i>Women and Birth</i> , 2020, 33, 153-160.	0.9	5
16	The problem with counting fetal movements. <i>Women and Birth</i> , 2020, 33, e309.	0.9	1
17	Maternally perceived fetal movement patterns: The influence of body mass index. <i>Early Human Development</i> , 2020, 140, 104922.	0.8	8
18	Lower versus higher diagnostic criteria for the detection of gestational diabetes for reducing maternal and perinatal morbidity: study protocol for the GEMS randomised trial. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 547.	0.9	5

#	ARTICLE	IF	CITATIONS
19	The deleterious effects of cannabis during pregnancy on neonatal outcomes. Medical Journal of Australia, 2020, 212, 519-524.	0.8	35
20	Folic acid supplementation is associated with size at birth in the Screening for Pregnancy Endpoints (SCOPE) international prospective cohort study. Early Human Development, 2020, 147, 105058.	0.8	7
21	Probiotic treatment for women with gestational diabetes to improve maternal and infant health and well-being. The Cochrane Library, 2020, 6, CD012970.	1.5	18
22	The Effect of Interactions between Folic Acid Supplementation and One Carbon Metabolism Gene Variants on Small-for-Gestational-Age Births in the Screening for Pregnancy Endpoints (SCOPE) Cohort Study. Nutrients, 2020, 12, 1677.	1.7	15
23	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. PLoS ONE, 2020, 15, e0230861.	1.1	12
24	An analysis of omega-3 fatty acid status in a population of pregnant women with obesity, at higher risk of preterm birth. European Journal of Clinical Nutrition, 2020, 74, 1478-1482.	1.3	0
25	Sex- and growth-specific characteristics of small for gestational age infants: a prospective cohort study. Biology of Sex Differences, 2020, 11, 25.	1.8	5
26	The Pacific-specific CREBRF rs373863828 allele protects against gestational diabetes mellitus in Māori and Pacific women with obesity. Diabetologia, 2020, 63, 2169-2176.	2.9	14
27	Neonatal morbidity and small and large size for gestation: a comparison of birthweight centiles. Journal of Perinatology, 2020, 40, 732-742.	0.9	16
28	Childhood dietary patterns and body composition at age 6 years: the Children of Screening for Pregnancy Endpoints (SCOPE) study. British Journal of Nutrition, 2020, 124, 217-224.	1.2	9
29	Probiotics and Maternal Mental Health: A Randomised Controlled Trial among Pregnant Women with Obesity. Scientific Reports, 2020, 10, 1291.	1.6	34
30	Title is missing!. , 2020, 15, e0230861.		0
31	Title is missing!. , 2020, 15, e0230861.		0
32	Title is missing!. , 2020, 15, e0230861.		0
33	Title is missing!. , 2020, 15, e0230861.		0
34	Placental growth factor as an indicator of fetal growth restriction in late-onset small-for-gestational age pregnancies. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 89-95.	0.4	12
35	Association between maternally perceived quality and pattern of fetal movements and late stillbirth. Scientific Reports, 2019, 9, 9815.	1.6	20
36	Plasma folate and its association with folic acid supplementation, socio-demographic and lifestyle factors among New Zealand pregnant women. British Journal of Nutrition, 2019, 122, 910-918.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Trace biomarkers associated with spontaneous preterm birth from the maternal serum metabolome of asymptomatic nulliparous women – parallel case-control studies from the SCOPE cohort. <i>Scientific Reports</i> , 2019, 9, 13701.	1.6	11
38	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight. <i>JAMA Network Open</i> , 2019, 2, e1912614.	2.8	13
39	Relationships of maternal body mass index and plasma biomarkers with childhood body mass index and adiposity at 6 years: The Children of SCOPE study. <i>Pediatric Obesity</i> , 2019, 14, e12537.	1.4	15
40	A diurnal fetal movement pattern: Findings from a cross-sectional study of maternally perceived fetal movements in the third trimester of pregnancy. <i>PLoS ONE</i> , 2019, 14, e0217583.	1.1	12
41	Effect of antenatal dietary interventions in maternal obesity on pregnancy weight-gain and birthweight: Healthy Mums and Babies (HUMBA) randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 152.e1-152.e13.	0.7	58
42	Gestational diabetes and the risk of late stillbirth: a case-control study from England, UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 973-982.	1.1	52
43	The DESiGN trial (DEtection of Small for Gestational age Neonate), evaluating the effect of the Growth Assessment Protocol (GAP): study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 154.	0.7	16
44	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. <i>EclinicalMedicine</i> , 2019, 10, 49-57.	3.2	46
45	Lifestyle and pregnancy complications in polycystic ovary syndrome: The SCOPE cohort study. <i>Clinical Endocrinology</i> , 2019, 90, 814-821.	1.2	12
46	OP80 – Raised glucose concentration, diagnosis of gestational diabetes, and risk of late stillbirth: a causal mediation analysis in a case-control study from England, UK. , 2019, , .		0
47	Effect of Birth Weight and Early Pregnancy BMI on Risk for Pregnancy Complications. <i>Obesity</i> , 2019, 27, 237-244.	1.5	12
48	Beyond the headlines: Fetal movement awareness is an important stillbirth prevention strategy. <i>Women and Birth</i> , 2019, 32, 1-2.	0.9	19
49	Gestational weight gain in a multi-ethnic sample of pregnant women from Counties Manukau Health, Auckland, New Zealand. <i>New Zealand Medical Journal</i> , 2019, 132, 37-45.	0.5	2
50	Barriers to the prescription of LARCs in general practice in New Zealand-a qualitative research study. <i>New Zealand Medical Journal</i> , 2019, 132, 63-69.	0.5	1
51	Accuracy of point-of-care HbA1c testing in pregnant women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 643-647.	0.4	2
52	Asthma treatment impacts time to pregnancy: evidence from the international SCOPE study. <i>European Respiratory Journal</i> , 2018, 51, 1702035.	3.1	19
53	Evidence-based national guidelines for the management of suspected fetal growth restriction: comparison, consensus, and controversy. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S855-S868.	0.7	290
54	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. <i>BMJ Open</i> , 2018, 8, e020323.	0.8	6

#	ARTICLE	IF	CITATIONS
55	Pre-pregnancy fast food and fruit intake is associated with time to pregnancy. <i>Human Reproduction</i> , 2018, 33, 1063-1070.	0.4	44
56	Late stillbirth post mortem examination in New Zealand: Maternal decision-making. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 667-673.	0.4	12
57	Understanding the associations and significance of fetal movements in overweight or obese pregnant women: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 13-24.	1.3	21
58	Association between maternal sleep practices and late stillbirth – findings from a stillbirth case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 254-262.	1.1	74
59	Reply to: Response to placental growth factor as an indicator of fetal growth restriction in late-onset small-for-gestational age pregnancies. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, E24.	0.4	0
60	Metabolic syndrome in pregnancy and risk for adverse pregnancy outcomes: A prospective cohort of nulliparous women. <i>PLoS Medicine</i> , 2018, 15, e1002710.	3.9	117
61	Exercise in pregnancy: 1-year and 7-year follow-ups of mothers and offspring after a randomized controlled trial. <i>Scientific Reports</i> , 2018, 8, 12915.	1.6	13
62	The duration of sexual relationship and its effects on adverse pregnancy outcomes. <i>Journal of Reproductive Immunology</i> , 2018, 128, 16-22.	0.8	10
63	Vitamin D levels in an Australian and New Zealand cohort and the association with pregnancy outcome. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 251.	0.9	25
64	Antenatal risk factors associated with neonatal morbidity in large-for-gestational-age infants: an international prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1015-1024.	1.3	10
65	Discordant association of the CREBRF rs373863828 A allele with increased BMI and protection from type 2 diabetes in Māori and Pacific (Polynesian) people living in Aotearoa/New Zealand. <i>Diabetologia</i> , 2018, 61, 1603-1613.	2.9	61
66	Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth case-control study. <i>BMJ Open</i> , 2018, 8, e020031.	0.8	47
67	Maternal folic acid supplementation for the prevention of preeclampsia: A systematic review and meta-analysis. <i>Paediatric and Perinatal Epidemiology</i> , 2018, 32, 346-357.	0.8	36
68	The INSR rs2059806 single nucleotide polymorphism, a genetic risk factor for vascular and metabolic disease, associates with pre-eclampsia. <i>Reproductive BioMedicine Online</i> , 2017, 34, 392-398.	1.1	14
69	Enoxaparin for the prevention of preeclampsia and Intrauterine growth restriction in women with history: A randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 296.e1-296.e14.	0.7	66
70	Classification of causes and associated conditions for stillbirths and neonatal deaths. <i>Seminars in Fetal and Neonatal Medicine</i> , 2017, 22, 176-185.	1.1	46
71	Analysis of association of gene variants with obesity traits in New Zealand European children at 6 years of age. <i>Molecular BioSystems</i> , 2017, 13, 1524-1533.	2.9	12
72	Maternal plasma miRNAs as biomarkers during mid-pregnancy to predict later spontaneous preterm birth: a pilot study. <i>Scientific Reports</i> , 2017, 7, 815.	1.6	50

#	ARTICLE	IF	CITATIONS
73	Clinical and biochemical factors associated with preeclampsia in women with obesity. <i>Obesity</i> , 2017, 25, 460-467.	1.5	24
74	The sex of the foetus affects maternal blood glucose concentrations in overweight and obese pregnant women. <i>Journal of Obstetrics and Gynaecology</i> , 2017, 37, 667-669.	0.4	4
75	Nulliparity is associated with subtle adverse metabolic outcomes in overweight/obese mothers and their offspring. <i>Clinical Endocrinology</i> , 2017, 87, 545-551.	1.2	5
76	Exercise to Support Indigenous Pregnant Women to Stop Smoking: Acceptability to Māori. <i>Maternal and Child Health Journal</i> , 2017, 21, 2040-2051.	0.7	4
77	Survey of maternal sleep practices in late pregnancy in a multi-ethnic sample in South Auckland, New Zealand. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 190.	0.9	15
78	Clinical, ultrasound and molecular biomarkers for early prediction of large for gestational age infants in nulliparous women: An international prospective cohort study. <i>PLoS ONE</i> , 2017, 12, e0178484.	1.1	7
79	Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. <i>PLoS ONE</i> , 2017, 12, e0179396.	1.1	69
80	Maternal serum placental growth hormone, insulin-like growth factors and their binding proteins at 20 weeks gestation in pregnancies complicated by gestational diabetes mellitus. <i>Hormones</i> , 2017, 16, 282-290.	0.9	13
81	Prediction of Small for Gestational Age Infants in Healthy Nulliparous Women Using Clinical and Ultrasound Risk Factors Combined with Early Pregnancy Biomarkers. <i>PLoS ONE</i> , 2017, 12, e0169311.	1.1	35
82	Maternal serum placental growth hormone, insulin-like growth factors and their binding proteins at 20 weeks gestation in pregnancies complicated by gestational diabetes mellitus. <i>Hormones</i> , 2017, 13, 282-290.	0.9	6
83	Proposed new industry code on unhealthy food marketing to children and young people: will it make a difference?. <i>New Zealand Medical Journal</i> , 2017, 130, 94-101.	0.5	7
84	Knowledge and beliefs about nutrition and physical activity during pregnancy in women from South Auckland region, New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 471-483.	0.4	7
85	A randomised controlled demonstration trial of multifaceted nutritional intervention and or probiotics: the healthy mums and babies (HUMBA) trial. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 373.	0.9	8
86	A description of sleep behaviour in healthy late pregnancy, and the accuracy of self-reports. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 115.	0.9	28
87	Use of metabolomics for the identification and validation of clinical biomarkers for preterm birth: Preterm SAMBA. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 212.	0.9	33
88	The relationship between 25-hydroxyvitamin D concentration in early pregnancy and pregnancy outcomes in a large, prospective cohort. <i>British Journal of Nutrition</i> , 2016, 116, 1409-1415.	1.2	59
89	Human placental growth hormone is increased in maternal serum at 20 weeks of gestation in pregnancies with large-for-gestational-age babies. <i>Growth Factors</i> , 2016, 34, 203-209.	0.5	8
90	Placental growth factor as a marker of fetal growth restriction caused by placental dysfunction. <i>Placenta</i> , 2016, 42, 1-8.	0.7	159

#	ARTICLE	IF	CITATIONS
91	Maternal-placental syndrome and future risk of accelerated cardiovascular events in Parous Swedish women with systemic lupus erythematosus "a population-based retrospective cohort study with time-to-event analysis. <i>Rheumatology</i> , 2016, 55, 1235-1242.	0.9	13
92	Socio-economic status influences the relationship between obesity and antenatal depression: Data from a prospective cohort study. <i>Journal of Affective Disorders</i> , 2016, 202, 124-127.	2.0	22
93	Maternal marijuana use has independent effects on risk for spontaneous preterm birth but not other common late pregnancy complications. <i>Reproductive Toxicology</i> , 2016, 62, 77-86.	1.3	72
94	Development and use of a research productivity assessment tool for clinicians in low-resource settings in the Pacific Islands: a Delphi study. <i>Health Research Policy and Systems</i> , 2016, 14, 9.	1.1	6
95	Effects of antenatal exercise in overweight and obese pregnant women on maternal and perinatal outcomes: a randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 588-597.	1.1	92
96	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016, 387, 691-702.	6.3	481
97	INTERGROWTH-21st vs customized birthweight standards for identification of perinatal mortality and morbidity. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 509.e1-509.e7.	0.7	136
98	Interpregnancy weight gain "a modifiable cause of stillbirth?. <i>Lancet, The</i> , 2016, 387, 508-510.	6.3	1
99	The obesity associated <i>FTO</i> gene variant and the risk of adverse pregnancy outcomes: Evidence from the SCOPE study. <i>Obesity</i> , 2016, 24, 2600-2607.	1.5	16
100	Serum levels of endothelial glycocalyx constituents in women at 20 weeks' gestation who later develop gestational diabetes mellitus compared to matched controls: a pilot study. <i>BMJ Open</i> , 2016, 6, e011244.	0.8	7
101	Re: Diagnosis and management of late-onset fetal growth restriction. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 405-406.	0.4	0
102	Brief Report: Association Between Pregnancy Outcomes and Death From Cardiovascular Causes in Parous Women With Systemic Lupus Erythematosus: A Study Using Swedish Population Registries. <i>Arthritis and Rheumatology</i> , 2015, 67, 2376-2382.	2.9	17
103	Metabolite Profile of Cervicovaginal Fluids from Early Pregnancy Is Not Predictive of Spontaneous Preterm Birth. <i>International Journal of Molecular Sciences</i> , 2015, 16, 27741-27748.	1.8	16
104	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. <i>British Journal of Sports Medicine</i> , 2015, 49, 136-136.	3.1	1
105	Impact of using the international association of diabetes and pregnancy study groups criteria in South Auckland: prevalence, interventions and outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015, 55, 34-41.	0.4	30
106	Previous pregnancy loss has an adverse impact on distress and behaviour in subsequent pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1757-1764.	1.1	49
107	Prevalence and predictors of alcohol use during pregnancy: findings from international multicentre cohort studies. <i>BMJ Open</i> , 2015, 5, e006323.	0.8	92
108	Small-for-gestational-age pregnancies are at cumulative increased risk of stillbirth for each week pregnancy continues beyond 37 weeks. <i>Evidence-based Nursing</i> , 2015, 18, 26-26.	0.1	0

#	ARTICLE	IF	CITATIONS
109	Insulin family polymorphisms in pregnancies complicated by small for gestational age infants. <i>Molecular Human Reproduction</i> , 2015, 21, 745-752.	1.3	5
110	Exercise in pregnancies complicated by obesity: achieving benefits and overcoming barriers. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 442-449.	0.7	79
111	Risk Factors for Excessive Gestational Weight Gain in a Healthy, Nulliparous Cohort. <i>Journal of Obesity</i> , 2014, 2014, 1-9.	1.1	115
112	Early pregnancy metabolite profiling discovers a potential biomarker for the subsequent development of gestational diabetes mellitus. <i>Acta Diabetologica</i> , 2014, 51, 887-890.	1.2	55
113	Authors' reply: Angiogenic factors combined with clinical risk factors to predict preterm pre-eclampsia in nulliparous women: a predictive test accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 507-507.	1.1	1
114	Pregnancy Loss Managed by Cervical Dilatation and Curettage Increases the Risk of Spontaneous Preterm Birth. <i>Obstetrical and Gynecological Survey</i> , 2014, 69, 137-138.	0.2	0
115	Early Pregnancy Prediction of Preeclampsia in Nulliparous Women, Combining Clinical Risk and Biomarkers. <i>Hypertension</i> , 2014, 64, 644-652.	1.3	193
116	Building reproductive health research and audit capacity and activity in the pacific islands (BRRACAP) study: methods, rationale and baseline results. <i>BMC Medical Education</i> , 2014, 14, 121.	1.0	12
117	Antenatal exercise in overweight and obese women and its effects on offspring and maternal health: design and rationale of the IMPROVE (Improving Maternal and Progeny Obesity Via Exercise) randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 148.	0.9	21
118	The Midland and North of England Stillbirth Study (MiNESS). <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 171.	0.9	26
119	Prevalence and predictors of alcohol use during pregnancy: findings from international multi-centre cohort studies. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, A6.2-A7.	2.0	0
120	Angiogenic factors combined with clinical risk factors to predict preterm pre-eclampsia in nulliparous women: a predictive test accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1215-1223.	1.1	116
121	Elevated maternal lipids in early pregnancy are not associated with risk of intrapartum caesarean in overweight and obese nulliparous women. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 143.	0.9	13
122	Childhood cognitive development after fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 383-389.	0.9	17
123	The association of AGTR2 polymorphisms with preeclampsia and uterine artery bilateral notching is modulated by maternal BMI. <i>Placenta</i> , 2013, 34, 75-81.	0.7	27
124	Gestational weight gain and adverse pregnancy outcomes in a nulliparous cohort. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 167, 149-153.	0.5	92
125	Identifying risk factors for stillbirth. <i>BMJ, The</i> , 2013, 346, f416-f416.	3.0	1
126	Pregnancy loss managed by cervical dilatation and curettage increases the risk of spontaneous preterm birth. <i>Human Reproduction</i> , 2013, 28, 3197-3206.	0.4	41

#	ARTICLE	IF	CITATIONS
127	Exploration and confirmation of factors associated with uncomplicated pregnancy in nulliparous women: prospective cohort study. <i>BMJ, The</i> , 2013, 347, f6398-f6398.	3.0	45
128	A Label-free Selected Reaction Monitoring Workflow Identifies a Subset of Pregnancy Specific Glycoproteins as Potential Predictive Markers of Early-onset Pre-eclampsia. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 3148-3159.	2.5	41
129	The association of maternal ACE A11860G with small for gestational age babies is modulated by the environment and by fetal sex: a multicentre prospective case-control study. <i>Molecular Human Reproduction</i> , 2013, 19, 618-627.	1.3	12
130	Pacific Island publications in the reproductive health literature 2000-2011: With New Zealand as a reference. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 197-202.	0.4	12
131	Ethnicity and risk of caesarean section in a term, nulliparous <sc>N</sc>ew <sc>Z</sc>ealand obstetric cohort. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 258-264.	0.4	7
132	Independent risk factors for infants who are small for gestational age by customised birthweight centiles in a multi-ethnic <sc>N</sc>ew <sc>Z</sc>ealand population. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 136-142.	0.4	34
133	Association Between Maternal Alcohol Consumption in Early Pregnancy and Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2013, 122, 830-837.	1.2	61
134	Clinical Prediction in Early Pregnancy of Infants Small for Gestational Age by Customised Birthweight Centiles: Findings from a Healthy Nulliparous Cohort. <i>PLoS ONE</i> , 2013, 8, e70917.	1.1	36
135	The interaction between the maternal BMI and angiogenic gene polymorphisms associates with the risk of spontaneous preterm birth. <i>Molecular Human Reproduction</i> , 2012, 18, 459-465.	1.3	22
136	Plasma Clusterin Increased Prior to Small for Gestational Age (SGA) Associated With Preeclampsia and Decreased Prior to SGA in Normotensive Pregnancies. <i>Reproductive Sciences</i> , 2012, 19, 650-657.	1.1	10
137	A functional variant in ANGPT1 and the risk of pregnancies with hypertensive disorders and small-for-gestational-age infants. <i>Molecular Human Reproduction</i> , 2012, 18, 325-332.	1.3	16
138	<sc>A</sc>ntepartum haemorrhage of unknown origin and maternal cigarette smoking beyond the first trimester. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 161-166.	0.4	7
139	Antenatal care, identification of suboptimal fetal growth and risk of late stillbirth: <sc>F</sc>indings from the <sc>A</sc>uckland <sc>S</sc>tillbirth <sc>S</sc>tudy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 242-247.	0.4	52
140	Maternal and pathological pregnancy characteristics in customised birthweight centiles and identification of at-risk small-for-gestational-age infants: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 848-856.	1.1	47
141	Maternal obesity and postpartum haemorrhage after vaginal and caesarean delivery among nulliparous women at term: a retrospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 112.	0.9	66
142	A postal survey of maternal sleep in late pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 144.	0.9	81
143	Maternal knowledge of fetal movements in late pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 445-449.	0.4	18
144	Ethnicity, body mass index and risk of pre-eclampsia in a multiethnic <sc>N</sc>ew <sc>Z</sc>ealand population. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 552-558.	0.4	33

#	ARTICLE	IF	CITATIONS
145	Patterns of vaginal bleeding during the first 20 weeks of pregnancy and risk of pre-eclampsia in nulliparous women: results from the SCOPE study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1331-1338.	1.3	15
146	Perinatal Outcomes in Large Infants Using Customised Birthweight Centiles and Conventional Measures of High Birthweight. <i>Paediatric and Perinatal Epidemiology</i> , 2012, 26, 543-552.	0.8	36
147	The impact of maternal body mass index on the phenotype of pre-eclampsia: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 589-595.	1.1	35
148	Risk Factors for Preterm Birth in an International Prospective Cohort of Nulliparous Women. <i>PLoS ONE</i> , 2012, 7, e39154.	1.1	92
149	Clinical risk prediction for pre-eclampsia in nulliparous women: development of model in international prospective cohort. <i>BMJ: British Medical Journal</i> , 2011, 342, d1875-d1875.	2.4	343
150	Association Between Maternal Sleep Practices and Risk of Late Stillbirth: A Case-Control Study. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 601-602.	0.2	0
151	Effects of exercise training on maternal hormonal changes in pregnancy. <i>Clinical Endocrinology</i> , 2011, 74, 495-500.	1.2	51
152	The Auckland Stillbirth study, a case-control study exploring modifiable risk factors for third trimester stillbirth: methods and rationale. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 3-8.	0.4	42
153	Maternal Perception of Fetal Activity and Late Stillbirth Risk: Findings from the Auckland Stillbirth Study. <i>Birth</i> , 2011, 38, 311-316.	1.1	95
154	Paternal Contribution to Small for Gestational Age Babies: A Multicenter Prospective Study. <i>Obesity</i> , 2011, 19, 1035-1039.	1.5	45
155	Metabolic Profiling Uncovers a Phenotypic Signature of Small for Gestational Age in Early Pregnancy. <i>Journal of Proteome Research</i> , 2011, 10, 3660-3673.	1.8	99
156	Relationship between obesity, ethnicity and risk of late stillbirth: a case control study. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 3.	0.9	21
157	Association between maternal sleep practices and risk of late stillbirth: a case-control study. <i>BMJ: British Medical Journal</i> , 2011, 342, d3403-d3403.	2.4	107
158	Association of Vascular Endothelial Growth Factor <i>+936 C/T</i> Single-Nucleotide Polymorphism With Pregnancies Complicated by Small-for-Gestational-Age Babies. <i>JAMA Pediatrics</i> , 2011, 165, 1123.	3.6	8
159	Risk of First-Stage and Second-Stage Cesarean Delivery by Maternal Body Mass Index Among Nulliparous Women in Labor at Term. <i>Obstetrics and Gynecology</i> , 2011, 117, 1315-1322.	1.2	61
160	Prediction of Preeclampsia and Delivery of Small for Gestational Age Babies Based on a Combination of Clinical Risk Factors in High-Risk Women. <i>Hypertension in Pregnancy</i> , 2011, 30, 58-73.	0.5	17
161	Exercise Training in Pregnancy Reduces Offspring Size Without Changes in Maternal Insulin Sensitivity. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 565-566.	0.2	1
162	Risk factors for small-for-gestational-age infants by customised birthweight centiles: data from an international prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010, 117, 1599-1607.	1.1	114

#	ARTICLE	IF	CITATIONS
163	Transabdominal scanning of the cervix at the 20-week morphology scan: Comparison with transvaginal cervical measurements in a healthy nulliparous population. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 523-527.	0.4	40
164	Exercise Training in Pregnancy Reduces Offspring Size without Changes in Maternal Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2080-2088.	1.8	163
165	Robust Early Pregnancy Prediction of Later Preeclampsia Using Metabolomic Biomarkers. <i>Hypertension</i> , 2010, 56, 741-749.	1.3	242
166	Induction of labour for intrauterine growth restriction at term. <i>BMJ: British Medical Journal</i> , 2010, 341, c6768-c6768.	2.4	5
167	Spontaneous preterm birth and small for gestational age infants in women who stop smoking early in pregnancy: prospective cohort study. <i>BMJ, The</i> , 2009, 338, b1081-b1081.	3.0	224
168	Duration of sexual relationship and its effect on preeclampsia and small for gestational age perinatal outcome. <i>Journal of Reproductive Immunology</i> , 2009, 82, 66-73.	0.8	100
169	Risk factors for small for gestational age infants. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009, 23, 779-793.	1.4	282
170	A proteomic approach identifies early pregnancy biomarkers for preeclampsia: Novel linkages between a predisposition to preeclampsia and cardiovascular disease. <i>Proteomics</i> , 2009, 9, 2929-2945.	1.3	99
171	Changes in Doppler flow velocity waveforms and fetal size at 20 weeks gestation among cigarette smokers. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1300-1306.	1.1	33
172	Maternal complications and pregnancy outcome in women with mechanical prosthetic heart valves treated with enoxaparin. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 1585-1592.	1.1	188
173	Customised birthweight centiles are useful for identifying small-for-gestational-age babies in women with type 2 diabetes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009, 49, 180-184.	0.4	10
174	A comparison of the Perinatal Society of Australia and New Zealand Perinatal Death Classification system and relevant condition at death stillbirth classification systems. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009, 49, 467-471.	0.4	9
175	Patterns of Change in Uterine Artery Doppler Studies Between 20 and 24 Weeks of Gestation and Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2009, 113, 332-338.	1.2	39
176	Induction of labour: A comparison between controlled-release dinoprostone vaginal pessary (Cervidil®) and dinoprostone intravaginal gel (Prostin E2®). <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008, 48, 473-477.	0.4	13
177	Doppler Ultrasound in Pregnancies with Hypertension. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008, 32, 225-230.	0.4	3
178	Fetal growth restriction and other risk factors for stillbirth in a New Zealand setting. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 450-456.	0.4	32
179	Fetal growth restriction and other factors associated with neonatal death in New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 457-463.	0.4	8
180	The association between customised small for gestational age infants and pre-eclampsia or gestational hypertension varies with gestation at delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2007, 114, 478-484.	1.1	40

#	ARTICLE	IF	CITATIONS
181	Activated Endothelial Cells Resist Displacement by Trophoblast In Vitro. Placenta, 2007, 28, 743-747.	0.7	14
182	Small-for-gestational-age infants classified by customized or population birthweight centiles: impact of gestational age at delivery. American Journal of Obstetrics and Gynecology, 2007, 197, 239.e1-239.e5.	0.7	69
183	Customized Birthweight Centiles Predict SGA Pregnancies With Perinatal Morbidity. Obstetrical and Gynecological Survey, 2006, 61, 14-15.	0.2	0
184	Pregnancy outcome in women presenting with pre-eclampsia at less than 25 weeks gestation. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2006, 46, 407-412.	0.4	32
185	Re: Customised birthweight centiles predict SGA pregnancies with perinatal morbidity. Author's Reply. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 247-248.	1.1	1
186	Phagocytosis of Necrotic but Not Apoptotic Trophoblasts Induces Endothelial Cell Activation. Hypertension, 2006, 47, 116-121.	1.3	90
187	Customised birthweight centiles predict SGA pregnancies with perinatal morbidity. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1026-1033.	1.1	188
188	Antenatal antecedents of moderate or severe neonatal encephalopathy in term infants - a regional review. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2005, 45, 207-210.	0.4	28
189	Interaction of Jar choriocarcinoma cells with endothelial cell monolayers. Placenta, 2005, 26, 617-625.	0.7	26
190	Treatment for Cervical Intraepithelial Neoplasia and Risk of Preterm Delivery. JAMA - Journal of the American Medical Association, 2004, 291, 2100.	3.8	343
191	Antiphosphatidyl serine antibodies are more common in normotensive women with small for gestational age pregnancies. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2004, 44, 14-18.	0.4	0
192	A customised birthweight centile calculator developed for a New Zealand population. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2004, 44, 428-431.	0.4	135
193	Term birthweight centiles for babies from New Zealand's main ethnic groups. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2004, 44, 432-435.	0.4	18
194	Escherichia coli: a growing problem in early onset neonatal sepsis. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2004, 44, 558-561.	0.4	36
195	Antiphospholipid antibodies bind to activated but not resting endothelial cells: is an independent triggering event required to induce antiphospholipid antibody-mediated disease?. Thrombosis Research, 2004, 114, 101-111.	0.8	23
196	Perinatal predictors of growth patterns to 18 months in children born small for gestational age. Early Human Development, 2003, 74, 13-26.	0.8	37
197	Inherited thrombophilias are not increased in idiopathic small-for-gestational-age pregnancies. American Journal of Obstetrics and Gynecology, 2003, 188, 981-985.	0.7	49
198	Caring for pregnant women with diabetes. British Journal of Midwifery, 2002, 10, 434-439.	0.1	5

#	ARTICLE	IF	CITATIONS
199	Perinatal predictors of neurodevelopmental outcome in small-for-gestational-age children at 18 months of age. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 1069-1075.	0.7	104
200	Use of automated home blood pressure monitoring in pregnancy: Is it safe?. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1321-1328.	0.7	50
201	Associations between ethnicity and obstetric intervention in New Zealand. <i>New Zealand Medical Journal</i> , 2002, 115, 36-9.	0.5	5
202	Predicting preterm delivery: comparison of cervicovaginal interleukin (IL)-1 $\beta$ , IL-6 and IL-8 with fetal fibronectin and cervical dilatation. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001, 95, 154-158.	0.5	48
203	Maternal Satisfaction with Active Management of Labor: A Randomized Controlled Trial. <i>Birth</i> , 2001, 28, 225-235.	1.1	50
204	Abnormal uterine artery Doppler in small-for-gestational-age pregnancies is associated with later hypertension. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2001, 41, 56-60.	0.4	18
205	Enoxaparin treatment in women with mechanical heart valves during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, 633-637.	0.7	82
206	Umbilical artery Doppler studies in small for gestational age babies reflect disease severity. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 916-925.	1.1	89
207	Pregnancy outcomes and cardiac complications in women with mechanical, bioprosthetic and homograft valves. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 245-253.	1.1	171
208	Mid-trimester uterine artery Doppler screening as a predictor of adverse pregnancy outcome in high-risk women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 15, 7-12.	0.9	139
209	Enhanced Expression of Intercellular Adhesion Molecule-1 (ICAM-1) in Amnion with Term and Preterm Labour. <i>Placenta</i> , 2000, 21, 115-121.	0.7	14
210	Corticotropin-releasing hormone, corticotropin-releasing hormone $\alpha$ binding protein, and activin A in maternal serum: Prediction of preterm delivery and response to glucocorticoids in women with symptoms of preterm labor. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 643-648.	0.7	44
211	A pilot randomized controlled trial of two regimens of fetal surveillance for small-for-gestational-age fetuses with normal results of umbilical artery Doppler velocimetry. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 81-86.	0.7	97
212	Intercellular Adhesion Molecule-1 (ICAM-1) in Cervicovaginal Fluid of Women Presenting with Preterm Labor: Predictive Value for Preterm Delivery. <i>American Journal of Reproductive Immunology</i> , 2000, 43, 264-271.	1.2	10
213	Administration of low-dose aspirin to mothers with small for gestational age fetuses and abnormal umbilical Doppler studies to increase birthweight: a randomised double-blind controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 647-651.	1.1	40
214	Ultrasonographic measurement of liver length in the small-for-gestational-age fetus. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 180, 634-638.	0.7	41
215	Cytokine abundance in placental tissues: Evidence of inflammatory activation in gestational membranes with term and preterm parturition. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 1530-1536.	0.7	206
216	Perinatal predictors of growth at six months in small for gestational age babies. <i>Early Human Development</i> , 1999, 56, 205-216.	0.8	31

#	ARTICLE	IF	CITATIONS
217	Long-Term Survival and Valve-Related Complications in Young Women With Cardiac Valve Replacements. <i>Circulation</i> , 1999, 99, 2669-2676.	1.6	157
218	Antenatal Indomethacin—Adverse Fetal Effects Confirmed. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998, 38, 11-16.	0.4	77
219	Fetal fibronectin detection in preterm labor: Evaluation of a prototype bedside dipstick technique and cervical assessment. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 1553-1558.	0.7	25
220	Withdrawal of nifedipine capsules: jeopardising the treatment of acute severe hypertension in pregnancy?. <i>Medical Journal of Australia</i> , 1997, 166, 640-643.	0.8	29
221	Placenta Praevia Accreta with Delayed Hysterectomy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1996, 36, 476-479.	0.4	4
222	Perinatal morbidity in chronic hypertension. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996, 103, 123-129.	1.1	178
223	Normal Ranges for Doppler Flow Velocity Waveforms from Maternal Uterine and Fetal Umbilical Arteries. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1993, 33, 139-141.	0.4	17
224	Antihypertensive Drug Effects on Placental Flow Velocity Waveforms in Pregnant Women with Severe Hypertension. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1992, 32, 335-338.	0.4	21
225	Abnormal internal carotid and umbilical artery Doppler in the small for gestational age fetus predicts an adverse outcome. <i>Early Human Development</i> , 1992, 30, 249-259.	0.8	8
226	Uterine artery flow velocity waveforms in normal and growth-retarded pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 1988, 158, 499-504.	0.7	47
227	A transmission line modelling approach to the interpretation of uterine doppler waveforms. <i>Ultrasound in Medicine and Biology</i> , 1988, 14, 365-376.	0.7	64
228	Umbilical artery Doppler blood flow studies in the preterm, small for gestational age fetus. <i>American Journal of Obstetrics and Gynecology</i> , 1987, 156, 655-659.	0.7	60
229	Surveillance of twin pregnancy with umbilical arterial velocimetry. <i>American Journal of Obstetrics and Gynecology</i> , 1987, 156, 521.	0.7	1
230	Probiotics for treating women with gestational diabetes for improving maternal and fetal health and well-being. <i>The Cochrane Library</i> , 0, , .	1.5	5