

Wickliffe Abraham

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2355683/publications.pdf>

Version: 2024-02-01

159
papers

14,550
citations

23544

58
h-index

20343

116
g-index

161
all docs

161
docs citations

161
times ranked

10244
citing authors

#	ARTICLE	IF	CITATIONS
1	A brief history of the Australasian Neuroscience Society. <i>Journal of the History of the Neurosciences</i> , 2022, 31, 395-408.	0.1	1
2	Glutamate receptors and synaptic plasticity: The impact of Evans and Watkins. <i>Neuropharmacology</i> , 2022, 206, 108922.	2.0	18
3	Effect of soluble amyloid precursor protein-alpha on adult hippocampal neurogenesis in a mouse model of Alzheimer's disease. <i>Molecular Brain</i> , 2022, 15, 5.	1.3	6
4	Pathway-specific TNF-mediated metaplasticity in hippocampal area CA1. <i>Scientific Reports</i> , 2022, 12, 1746.	1.6	4
5	Dietary zinc supplementation rescues fear-based learning and synaptic function in the <i>Tbr1+/-</i> mouse model of autism spectrum disorders. <i>Molecular Autism</i> , 2022, 13, 13.	2.6	9
6	Neutrophil-vascular interactions drive myeloperoxidase accumulation in the brain in Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2022, 10, 38.	2.4	42
7	Partial Endothelial Nitric Oxide Synthase Deficiency Exacerbates Cognitive Deficit and Amyloid Pathology in the APP ^{swE} /PS1 ^{E9} Mouse Model of Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7316.	1.8	6
8	Contributions by metaplasticity to solving the Catastrophic Forgetting Problem. <i>Trends in Neurosciences</i> , 2022, 45, 656-666.	4.2	11
9	Glutamate receptors and metaplasticity in addiction. <i>Current Opinion in Pharmacology</i> , 2021, 56, 39-45.	1.7	24
10	Neurophysiological and molecular approaches to understanding the mechanisms of learning and memory. <i>Journal of the Royal Society of New Zealand</i> , 2021, 51, 4-23.	1.0	1
11	Lentivirus-Mediated Expression of Human Secreted Amyloid Precursor Protein-Alpha Promotes Long-Term Induction of Neuroprotective Genes and Pathways in a Mouse Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1075-1090.	1.2	4
12	Secreted Amyloid Precursor Protein-Alpha Enhances LTP Through the Synthesis and Trafficking of Ca ²⁺ -Permeable AMPA Receptors. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 660208.	1.4	10
13	Postsynaptic cell firing triggers bidirectional metaplasticity depending on the LTP induction protocol. <i>Journal of Neurophysiology</i> , 2021, 125, 1624-1635.	0.9	2
14	Association of childhood lead exposure with MRI measurements of structural brain integrity in midlife. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
15	Bilateral histone deacetylase 1 and 2 activity and enrichment at unique genes following induction of long-term potentiation in vivo. <i>Hippocampus</i> , 2021, 31, 389-407.	0.9	2
16	Association of Childhood Lead Exposure With MRI Measurements of Structural Brain Integrity in Midlife. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1970.	3.8	39
17	Altered brain arginine metabolism with age in the APP ^{swE} /PSEN1 ^{dE9} mouse model of Alzheimer's disease. <i>Neurochemistry International</i> , 2020, 140, 104798.	1.9	8
18	Plasma microRNA vary in association with the progression of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e047469.	0.4	1

#	ARTICLE	IF	CITATIONS
19	CNS Transduction Benefits of AAV-PHP.eB over AAV9 Are Dependent on Administration Route and Mouse Strain. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020, 19, 447-458.	1.8	71
20	Is plasticity of synapses the mechanism of long-term memory storage?. <i>Npj Science of Learning</i> , 2019, 4, 9.	1.5	201
21	Tumor Necrosis Factor- $\hat{\pm}$ -Mediated Metaplastic Inhibition of LTP Is Constitutively Engaged in an Alzheimer's Disease Model. <i>Journal of Neuroscience</i> , 2019, 39, 9083-9097.	1.7	21
22	The Tripeptide RER Mimics Secreted Amyloid Precursor Protein-Alpha in Upregulating LTP. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 459.	1.8	2
23	Secreted Amyloid Precursor Protein-Alpha Promotes Arc Protein Synthesis in Hippocampal Neurons. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 198.	1.4	16
24	Safety and neurochemical profiles of acute and sub-chronic oral treatment with agmatine sulfate. <i>Scientific Reports</i> , 2019, 9, 12669.	1.6	20
25	A C-terminal peptide from secreted amyloid precursor protein- $\hat{\pm}$ enhances long-term potentiation in rats and a transgenic mouse model of Alzheimer's disease. <i>Neuropharmacology</i> , 2019, 157, 107670.	2.0	14
26	Glutamate Receptor Trafficking and Protein Synthesis Mediate the Facilitation of LTP by Secreted Amyloid Precursor Protein-Alpha. <i>Journal of Neuroscience</i> , 2019, 39, 3188-3203.	1.7	35
27	Environmental enrichment increases prefrontal EEG power and synchrony with the hippocampus in rats with anterior thalamus lesions. <i>Hippocampus</i> , 2019, 29, 128-140.	0.9	7
28	Environmental enrichment effects on synaptic and cellular physiology of hippocampal neurons. <i>Neuropharmacology</i> , 2019, 145, 3-12.	2.0	108
29	Electrophysiological Investigation of Metabotropic Glutamate Receptor-Dependent Metaplasticity in the Hippocampus. <i>Methods in Molecular Biology</i> , 2019, 1941, 79-91.	0.4	4
30	Long-term potentiation expands information content of hippocampal dentate gyrus synapses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2410-E2418.	3.3	54
31	Genetic Targeting and Chemogenetic Inhibition of Newborn Neurons. <i>Human Gene Therapy Methods</i> , 2018, 29, 259-268.	2.1	0
32	Circulating Plasma microRNAs are Altered with Amyloidosis in a Mouse Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 835-852.	1.2	13
33	From Synaptic Metaplasticity to Behavioral Metaplasticity. <i>Neurobiology of Learning and Memory</i> , 2018, 154, 1-4.	1.0	17
34	Adult-born dentate granule cell excitability depends on the interaction of neuron age, ontogenetic age and experience. <i>Brain Structure and Function</i> , 2018, 223, 3213-3228.	1.2	12
35	Lentivirus-mediated expression of human secreted amyloid precursor protein-alpha prevents development of memory and plasticity deficits in a mouse model of Alzheimer's disease. <i>Molecular Brain</i> , 2018, 11, 7.	1.3	47
36	Altered plasma arginine metabolome precedes behavioural and brain arginine metabolomic profile changes in the APP ^{swe} /PS1 ^{E9} mouse model of Alzheimer's disease. <i>Translational Psychiatry</i> , 2018, 8, 108.	2.4	38

#	ARTICLE	IF	CITATIONS
37	Astrocytes and synaptic plasticity in health and disease. <i>Experimental Brain Research</i> , 2017, 235, 1645-1655.	0.7	65
38	Reinforcement determines the timing dependence of corticostriatal synaptic plasticity in vivo. <i>Nature Communications</i> , 2017, 8, 334.	5.8	78
39	Exposure to complex environments results in more sparse representations of space in the hippocampus. <i>Hippocampus</i> , 2017, 27, 1178-1191.	0.9	14
40	Secreted amyloid precursor protein-alpha can restore novel object location memory and hippocampal LTP in aged rats. <i>Neurobiology of Learning and Memory</i> , 2017, 138, 291-299.	1.0	27
41	Metaplasticity, 2017, .		0
42	Therapeutic Potential of Secreted Amyloid Precursor Protein APPs _β . <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 30.	1.4	91
43	MicroRNAs, miR-23a-3p and miR-151-3p, Are Regulated in Dentate Gyrus Neuropil following Induction of Long-Term Potentiation In Vivo. <i>PLoS ONE</i> , 2017, 12, e0170407.	1.1	16
44	The persistence of long-term potentiation in the projection from ventral hippocampus to medial prefrontal cortex in awake rats. <i>European Journal of Neuroscience</i> , 2016, 43, 811-822.	1.2	11
45	Computational modeling of heterosynaptic plasticity in the hippocampus. <i>BMC Neuroscience</i> , 2015, 16, .	0.8	0
46	Lentiviral vectors as tools to understand central nervous system biology in mammalian model organisms. <i>Frontiers in Molecular Neuroscience</i> , 2015, 8, 14.	1.4	88
47	Anterior thalamic nuclei lesions and recovery of function: Relevance to cognitive thalamus. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 54, 145-160.	2.9	37
48	Aging alters long-term potentiation-related gene networks and impairs synaptic protein synthesis in the rat hippocampus. <i>Neurobiology of Aging</i> , 2015, 36, 1868-1880.	1.5	22
49	A Voltage-Based STDP Rule Combined with Fast BCM-Like Metaplasticity Accounts for LTP and Concurrent Heterosynaptic LTD in the Dentate Gyrus In Vivo. <i>PLoS Computational Biology</i> , 2015, 11, e1004588.	1.5	40
50	Redistribution of Ionotropic Glutamate Receptors Detected by Laser Microdissection of the Rat Dentate Gyrus 48 h following LTP Induction In Vivo. <i>PLoS ONE</i> , 2014, 9, e92972.	1.1	12
51	A behavioral task for investigating action discovery, selection and switching: comparison between types of reinforcer. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 398.	1.0	7
52	Anterior thalamic lesions reduce spine density in both hippocampal CA1 and retrosplenial cortex, but enrichment rescues CA1 spines only. <i>Hippocampus</i> , 2014, 24, 1232-1247.	0.9	39
53	Mechanisms of heterosynaptic metaplasticity. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2014, 369, 20130148.	1.8	73
54	Association of aberrant neural synchrony and altered GAD67 expression following exposure to maternal immune activation, a risk factor for schizophrenia. <i>Translational Psychiatry</i> , 2014, 4, e418-e418.	2.4	50

#	ARTICLE	IF	CITATIONS
55	Altered arginine metabolism in Alzheimer's disease brains. <i>Neurobiology of Aging</i> , 2014, 35, 1992-2003.	1.5	148
56	Making Synapses Strong: Metaplasticity Prolongs Associativity of Long-Term Memory by Switching Synaptic Tag Mechanisms. <i>Cerebral Cortex</i> , 2014, 24, 353-363.	1.6	47
57	Rapid regulation of microRNA following induction of long-term potentiation in vivo. <i>Frontiers in Molecular Neuroscience</i> , 2014, 7, 98.	1.4	39
58	Time-dependent changes in gene expression induced by secreted amyloid precursor protein-alpha in the rat hippocampus. <i>BMC Genomics</i> , 2013, 14, 376.	1.2	35
59	Stress-induced metaplasticity: From synapses to behavior. <i>Neuroscience</i> , 2013, 250, 112-120.	1.1	100
60	Purinergic receptor- and gap junction-mediated intercellular signalling as a mechanism of heterosynaptic metaplasticity. <i>Neurobiology of Learning and Memory</i> , 2013, 105, 31-39.	1.0	15
61	Emerging roles of metaplasticity in behaviour and disease. <i>Trends in Neurosciences</i> , 2013, 36, 353-362.	4.2	164
62	Enhanced hippocampal neuronal excitability and LTP persistence associated with reduced behavioral flexibility in the maternal immune activation model of schizophrenia. <i>Hippocampus</i> , 2013, 23, 1395-1409.	0.9	50
63	Calcium-Dependent But Action Potential-Independent BCM-Like Metaplasticity in the Hippocampus. <i>Journal of Neuroscience</i> , 2012, 32, 6785-6794.	1.7	49
64	Effects of Environmental Enrichment Exposure on Synaptic Transmission and Plasticity in the Hippocampus. <i>Current Topics in Behavioral Neurosciences</i> , 2012, 15, 165-187.	0.8	59
65	Temporal Profiling of Gene Networks Associated with the Late Phase of Long-Term Potentiation In Vivo. <i>PLoS ONE</i> , 2012, 7, e40538.	1.1	52
66	Differential effects of strain, circadian cycle, and stimulation pattern on LTP and concurrent LTD in the dentate gyrus of freely moving rats. <i>Hippocampus</i> , 2012, 22, 1363-1370.	0.9	48
67	Secreted amyloid precursor proteins promote proliferation and glial differentiation of adult hippocampal neural progenitor cells. <i>Hippocampus</i> , 2012, 22, 1517-1527.	0.9	48
68	Rapidly induced gene networks following induction of long-term potentiation at perforant path synapses in vivo. <i>Hippocampus</i> , 2011, 21, 541-553.	0.9	37
69	Calcium/Calmodulin-Dependent Protein Kinase II Mediates Group I Metabotropic Glutamate Receptor-Dependent Protein Synthesis and Long-Term Depression in Rat Hippocampus. <i>Journal of Neuroscience</i> , 2011, 31, 7380-7391.	1.7	93
70	Hippocampal synaptic transmission and LTP in vivo are intact following bilateral vestibular deafferentation in the rat. <i>Hippocampus</i> , 2010, 20, 461-468.	0.9	17
71	Altered Plasticity in Hippocampal CA1, But Not Dentate Gyrus, Following Long-Term Environmental Enrichment. <i>Journal of Neurophysiology</i> , 2010, 103, 3320-3329.	0.9	48
72	Physiological effects of enriched environment exposure and LTP induction in the hippocampus in vivo do not transfer faithfully to in vitro slices. <i>Learning and Memory</i> , 2010, 17, 480-484.	0.5	29

#	ARTICLE	IF	CITATIONS
73	â€œSilentâ€™ priming of translation-dependent LTP by Î²-adrenergic receptors involves phosphorylation and recruitment of AMPA receptors. <i>Learning and Memory</i> , 2010, 17, 627-638.	0.5	58
74	Boundary Learning by Optimization with Topological Constraints. , 2010, , .		77
75	Priming of short-term potentiation and synaptic tagging/capture mechanisms by ryanodine receptor activation in rat hippocampal CA1. <i>Learning and Memory</i> , 2009, 16, 178-186.	0.5	58
76	Increased expression, but not postsynaptic localisation, of ionotropic glutamate receptors during the late-phase of long-term potentiation in the dentate gyrus in vivo. <i>Neuropharmacology</i> , 2009, 56, 66-72.	2.0	12
77	Secreted amyloid precursor protein-Î± upregulates synaptic protein synthesis by a protein kinase C-dependent mechanism. <i>Neuroscience Letters</i> , 2009, 460, 92-96.	1.0	52
78	Metaplasticity. , 2009, , 819-826.		2
79	Metaplasticity: tuning synapses and networks for plasticity. <i>Nature Reviews Neuroscience</i> , 2008, 9, 387-387.	4.9	842
80	Endogenous secreted amyloid precursor protein-Î± regulates hippocampal NMDA receptor function, long-term potentiation and spatial memory. <i>Neurobiology of Disease</i> , 2008, 31, 250-260.	2.1	163
81	LTP maintenance and its protein synthesis-dependence. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 260-268.	1.0	185
82	Differential Trafficking of AMPA and NMDA Receptors during Long-Term Potentiation in Awake Adult Animals. <i>Journal of Neuroscience</i> , 2007, 27, 14171-14178.	1.7	55
83	Dopamine D1/D5 Receptor Activation Reverses NMDA Receptor-Dependent Long-Term Depression in Rat Hippocampus. <i>Journal of Neuroscience</i> , 2007, 27, 2918-2926.	1.7	42
84	Priming of long-term potentiation mediated by ryanodine receptor activation in rat hippocampal slices. <i>Neuropharmacology</i> , 2007, 52, 118-125.	2.0	47
85	â€œHeterosynapticâ€™ LTD in the Dentate Gyrus of Anesthetized Rat Requires Homosynaptic Activity. <i>Journal of Neurophysiology</i> , 2007, 98, 1048-1051.	0.9	40
86	STDP rule endowed with the BCM sliding threshold accounts for hippocampal heterosynaptic plasticity. <i>Journal of Computational Neuroscience</i> , 2007, 22, 129-133.	0.6	39
87	Production, purification and functional validation of human secreted amyloid precursor proteins for use as neuropharmacological reagents. <i>Journal of Neuroscience Methods</i> , 2007, 164, 68-74.	1.3	21
88	Induction and activity-dependent reversal of persistent LTP and LTD in lateral perforant path synapses in vivo. <i>Neurobiology of Learning and Memory</i> , 2006, 86, 82-90.	1.0	33
89	Rapid visual stimulation induces N-methyl-D-aspartate receptor-dependent sensory long-term potentiation in the rat cortex. <i>NeuroReport</i> , 2006, 17, 511-515.	0.6	77
90	Enriched environment exposure regulates excitability, synaptic transmission, and LTP in the dentate gyrus of freely moving rats. <i>Hippocampus</i> , 2006, 16, 149-160.	0.9	61

#	ARTICLE	IF	CITATIONS
91	Memory Maintenance. <i>Current Directions in Psychological Science</i> , 2006, 15, 5-8.	2.8	8
92	Enriched environment exposure alters the input-output dynamics of synaptic transmission in area CA1 of freely moving rats. <i>Neuroscience Letters</i> , 2005, 391, 32-37.	1.0	39
93	Memory retention – the synaptic stability versus plasticity dilemma. <i>Trends in Neurosciences</i> , 2005, 28, 73-78.	4.2	274
94	Metabotropic Glutamate Receptor-Mediated Depression of the Slow Afterhyperpolarization Is Gated by Tyrosine Phosphatases in Hippocampal CA1 Pyramidal Neurons. <i>Journal of Neurophysiology</i> , 2004, 92, 2811-2819.	0.9	34
95	Dopamine D1/D5 receptor activation fails to initiate an activity-independent late-phase LTP in rat hippocampus. <i>Brain Research</i> , 2004, 1021, 92-100.	1.1	45
96	Stress-related phenomena. <i>Hippocampus</i> , 2004, 14, 675-676.	0.9	6
97	NMDA receptor regulation by amyloid- β^2 does not account for its inhibition of LTP in rat hippocampus. <i>Brain Research</i> , 2003, 968, 263-272.	1.1	85
98	Roles of amyloid precursor protein and its fragments in regulating neural activity, plasticity and memory. <i>Progress in Neurobiology</i> , 2003, 70, 1-32.	2.8	620
99	Long-term regulation of n-methyl-d-aspartate receptor subunits and associated synaptic proteins following hippocampal synaptic plasticity. <i>Neuroscience</i> , 2003, 118, 1003-1013.	1.1	61
100	Properties and Mechanisms of LTP Maintenance. <i>Neuroscientist</i> , 2003, 9, 463-474.	2.6	141
101	How long will long-term potentiation last?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2003, 358, 735-744.	1.8	203
102	Induction and Experience-Dependent Consolidation of Stable Long-Term Potentiation Lasting Months in the Hippocampus. <i>Journal of Neuroscience</i> , 2002, 22, 9626-9634.	1.7	278
103	Group I mGluRs Increase Excitability of Hippocampal CA1 Pyramidal Neurons by a PLC-Independent Mechanism. <i>Journal of Neurophysiology</i> , 2002, 88, 107-116.	0.9	94
104	NMDA receptor-mediated metaplasticity during the induction of long-term depression by low-frequency stimulation. <i>European Journal of Neuroscience</i> , 2002, 15, 1819-1826.	1.2	84
105	Priming stimulation of group II metabotropic glutamate receptors inhibits the subsequent induction of rat hippocampal long-term depression in vitro. <i>Neuroscience Letters</i> , 2001, 307, 13-16.	1.0	14
106	Heterosynaptic metaplasticity in the hippocampus in vivo: A BCM-like modifiable threshold for LTP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 10924-10929.	3.3	145
107	Metabotropic Glutamate Receptors Trigger Homosynaptic Protein Synthesis to Prolong Long-Term Potentiation. <i>Journal of Neuroscience</i> , 2000, 20, 969-976.	1.7	206
108	Sequential increase in Egr-1 and AP-1 DNA binding activity in the dentate gyrus following the induction of long-term potentiation. <i>Molecular Brain Research</i> , 2000, 77, 258-266.	2.5	35

#	ARTICLE	IF	CITATIONS
109	Metaplasticity: Key Element in Memory and Learning?. <i>Physiology</i> , 1999, 14, 85-85.	1.6	12
110	Long-Lasting Increase in Cellular Excitability Associated With the Priming of LTP Induction in Rat Hippocampus. <i>Journal of Neurophysiology</i> , 1999, 82, 3139-3148.	0.9	113
111	Immediate early gene transcription and synaptic modulation. <i>Journal of Neuroscience Research</i> , 1999, 58, 96-106.	1.3	54
112	A double dissociation within the hippocampus of dopamine D1/D5 receptor and β -adrenergic receptor contributions to the persistence of long-term potentiation. <i>Neuroscience</i> , 1999, 92, 485-497.	1.1	159
113	Immediate early gene transcription and synaptic modulation. , 1999, 58, 96.		1
114	Immediate early gene transcription and synaptic modulation. <i>Journal of Neuroscience Research</i> , 1999, 58, 96-106.	1.3	16
115	Priming of long-term potentiation induced by activation of metabotropic glutamate receptors coupled to phospholipase C. <i>Hippocampus</i> , 1998, 8, 160-170.	0.9	118
116	Biphasic changes in the levels of N-methyl-d-aspartate receptor-2 subunits correlate with the induction and persistence of long-term potentiation. <i>Molecular Brain Research</i> , 1998, 60, 21-27.	2.5	52
117	Synaptic activity-dependent modulation of mitochondrial gene expression in the rat hippocampus. <i>Molecular Brain Research</i> , 1998, 60, 50-56.	2.5	50
118	Sequence-independent Effects of Phosphorothioated Oligonucleotides on Synaptic Transmission and Excitability in the Hippocampus In Vivo. <i>Neuropharmacology</i> , 1997, 36, 345-352.	2.0	20
119	Metaplasticity: A new vista across the field of synaptic plasticity. <i>Progress in Neurobiology</i> , 1997, 52, 303-323.	2.8	340
120	Glucocorticoid Receptor Activation Lowers the Threshold for NMDA-Receptor-Dependent Homosynaptic Long-Term Depression in the Hippocampus Through Activation of Voltage-Dependent Calcium Channels. <i>Journal of Neurophysiology</i> , 1997, 78, 1-9.	0.9	93
121	Keeping faith with the properties of LTP. <i>Behavioral and Brain Sciences</i> , 1997, 20, 614-614.	0.4	1
122	Induction and reversal of long-term potentiation by repeated high-frequency stimulation in rat hippocampal slices. , 1997, 7, 137-145.		104
123	Long-Term Depression in Hippocampus. <i>Annual Review of Neuroscience</i> , 1996, 19, 437-462.	5.0	580
124	Metaplasticity: the plasticity of synaptic plasticity. <i>Trends in Neurosciences</i> , 1996, 19, 126-130.	4.2	1,415
125	Facilitation of long-term potentiation by prior activation of metabotropic glutamate receptors. <i>Journal of Neurophysiology</i> , 1996, 76, 953-962.	0.9	122
126	Low-frequency stimulation does not readily cause long-term depression or depotentiation in the dentate gyrus of awake rats. <i>Brain Research</i> , 1996, 722, 217-221.	1.1	47

#	ARTICLE	IF	CITATIONS
127	LTD: Many means to how many ends?. <i>Hippocampus</i> , 1996, 6, 30-34.	0.9	6
128	Bidirectional modification of CA1 synapses in the adult hippocampus in vivo. <i>Nature</i> , 1996, 381, 163-166.	13.7	170
129	Cooperative interactions among afferents govern the induction of homosynaptic long-term depression in the hippocampus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 11637-11641.	3.3	54
130	Reduction of the threshold for long-term potentiation by prior theta-frequency synaptic activity. <i>Hippocampus</i> , 1995, 5, 52-59.	0.9	73
131	Evidence for common expression mechanisms underlying heterosynaptic and associative long-term depression in the dentate gyrus. <i>Journal of Neurophysiology</i> , 1995, 74, 1244-1247.	0.9	30
132	Analysis of the decremental nature of LTP in the dentate gyrus. <i>Molecular Brain Research</i> , 1995, 30, 367-372.	2.5	23
133	Krox20 may play a key role in the stabilization of long-term potentiation. <i>Molecular Brain Research</i> , 1995, 28, 87-93.	2.5	93
134	Flip side of synaptic plasticity: Long-term depression mechanisms in the hippocampus. <i>Hippocampus</i> , 1994, 4, 127-135.	0.9	142
135	Immediate early gene expression associated with the persistence of heterosynaptic long-term depression in the hippocampus.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 10049-10053.	3.3	84
136	Modulation of hippocampal long-term potentiation and long-term depression by corticosteroid receptor activation. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1994, 22, 123-133.	1.2	75
137	Comparison of associative and non-associative conditioning procedures in the induction of LTD in CA1 of the hippocampus. <i>Synapse</i> , 1993, 14, 305-313.	0.6	32
138	Correlations between immediate early gene induction and the persistence of long-term potentiation. <i>Neuroscience</i> , 1993, 56, 717-727.	1.1	300
139	Brain-derived neurotrophic factor expression after long-term potentiation. <i>Neuroscience Letters</i> , 1993, 160, 232-236.	1.0	158
140	Differential expression of immediate early genes after hippocampal long-term potentiation in awake rats. <i>Molecular Brain Research</i> , 1993, 17, 279-286.	2.5	96
141	Priming of associative long-term depression in the dentate gyrus by \hat{I} , frequency synaptic activity. <i>Neuron</i> , 1992, 9, 79-84.	3.8	173
142	Correlation between the induction of an immediate early gene, <i>zif/268</i> , and long-term potentiation in the dentate gyrus. <i>Brain Research</i> , 1992, 580, 147-154.	1.1	162
143	NMDA-dependent heterosynaptic long-term depression in the dentate gyrus of anaesthetized rats. <i>Synapse</i> , 1992, 10, 1-6.	0.6	89
144	The involvement of L-type calcium channels in heterosynaptic long-term depression in the hippocampus. <i>Neuroscience Letters</i> , 1991, 130, 128-132.	1.0	115

#	ARTICLE	IF	CITATIONS
145	Heterosynaptic long-term depression is facilitated by blockade of inhibition in area CA1 of the hippocampus. <i>Brain Research</i> , 1991, 546, 336-340.	1.1	69
146	The role of immediate early genes in the stabilization of long-term potentiation. <i>Molecular Neurobiology</i> , 1991, 5, 297-314.	1.9	224
147	Effects of the NMDA antagonists CPP and MK-801 on radial arm maze performance in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 35, 785-790.	1.3	270
148	Effects of Dextromethorphan, a Nonopioid Antitussive, on Development and Expression of Amygdaloid Kindled Seizures. <i>Epilepsia</i> , 1990, 31, 496-502.	2.6	20
149	Induction of Fos-like immunoreactivity and the maintenance of long-term potentiation in the dentate gyrus of unanesthetized rats. <i>Molecular Brain Research</i> , 1990, 8, 267-274.	2.5	103
150	Maintenance of long-term potentiation in rat dentate gyrus requires protein synthesis but not messenger RNA synthesis immediately post-tetanzation. <i>Neuroscience</i> , 1989, 28, 519-526.	1.1	259
151	Long-term potentiation and the induction of c-fos mRNA and proteins in the dentate gyrus of unanesthetized rats. <i>Neuroscience Letters</i> , 1989, 101, 274-280.	1.0	184
152	Effects of the NMDA receptor/channel antagonists CPP and MK801 on hippocampal field potentials and long-term potentiation in anesthetized rats. <i>Brain Research</i> , 1988, 462, 40-46.	1.1	189
153	Long-term potentiation involves enhanced synaptic excitation relative to synaptic inhibition in guinea-pig hippocampus. <i>Journal of Physiology</i> , 1987, 394, 367-380.	1.3	156
154	Field potential evidence for long-term potentiation of feed-forward inhibition in the rat dentate gyrus. <i>Brain Research</i> , 1987, 401, 87-94.	1.1	75
155	Long-term potentiation in the hippocampus using depolarizing current pulses as the conditioning stimulus to single volley synaptic potentials. <i>Journal of Neuroscience</i> , 1987, 7, 774-780.	1.7	608
156	Heterosynaptic changes accompany long-term but not short-term potentiation of the perforant path in the anaesthetized rat. <i>Journal of Physiology</i> , 1985, 363, 335-349.	1.3	108
157	An analysis of the increase in granule cell excitability accompanying habituation in the dentate gyrus of the anesthetized rat. <i>Brain Research</i> , 1985, 331, 303-313.	1.1	20
158	Differences in synaptic transmission between medial and lateral components of the perforant path. <i>Brain Research</i> , 1984, 303, 251-260.	1.1	57
159	Asymmetric relationships between homosynaptic long-term potentiation and heterosynaptic long-term depression. <i>Nature</i> , 1983, 305, 717-719.	13.7	184