
## Dariusz Bielicki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2355790/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Colorectal cancer and Blastocystis sp. infection. Parasites and Vectors, 2021, 14, 200.	2.5	20
2	Colorectal cancer and Cryptosporidium spp. infection. PLoS ONE, 2018, 13, e0195834.	2.5	38
3	Immunohistochemical analysis of thymidylate synthase expression in gastric carcinoma: correlation with clinicopathological parameters and survival. Histology and Histopathology, 2017, 32, 193-201.	0.7	1
4	E2F1/TS Immunophenotype and Survival of Patients with Colorectal Cancer Treated with 5FU-Based Adjuvant Therapy. Pathology and Oncology Research, 2016, 22, 601-608.	1.9	12
5	Liver Expression of Sulphotransferase 2A1 Enzyme Is Impaired in Patients with Primary Sclerosing Cholangitis: Lack of the Response to Enhanced Expression of PXR. Journal of Immunology Research, 2015, 2015, 1-8.	2.2	16
6	NOD2/CARD15 mutations in Polish and Bosnian populations with and without Crohn's disease: prevalence and genotype-phenotype analysis. Bosnian Journal of Basic Medical Sciences, 2015, 15, 67-72.	1.0	6
7	Treatment of large colorectal neoplasms by endoscopic submucosal dissection. European Journal of Gastroenterology and Hepatology, 2014, 26, 607-615.	1.6	38
8	Thymidylate synthase expression and p21WAF1/p53 phenotype of colon cancers identify patients who may benefit from 5-fluorouracil based therapy. Cellular Oncology (Dordrecht), 2014, 37, 17-28.	4.4	12
9	Thymidylate Synthase Gene Polymorphism and Survival of Colorectal Cancer Patients Receiving Adjuvant 5-Fluorouracil. Genetic Testing and Molecular Biomarkers, 2013, 17, 799-806.	0.7	12
10	Prevalence of Cryptosporidium sp. In Patients with Colorectal Cancer. Polski Przeglad Chirurgiczny, 2012, 84, 348-51.	0.4	38
11	Expression of p21WAF1 in Astler–Coller stage B2 colorectal cancer is associated with survival benefit from 5FU-based adjuvant chemotherapy. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 431-438.	2.8	5
12	Effects of CYP2C19, MDR1, and interleukin 1-B gene variants on the eradication rate of Helicobacter pylori infection by triple therapy with pantoprazole, amoxicillin, and metronidazole. European Journal of Clinical Pharmacology, 2010, 66, 681-687.	1.9	36
13	Overexpression of 5-lipoxygenase in sporadic colonic adenomas and a possible new aspect of colon carcinogenesis. International Journal of Colorectal Disease, 2010, 25, 1079-1085.	2.2	41
14	lt is worth to examined larynx and hypopharynx during upper endoscopy?. Przeglad Gastroenterologiczny, 2010, 2, 99-103.	0.7	0
15	Diagnostic difficulties in a patient with Whipple's disease. Przeglad Gastroenterologiczny, 2010, 4, 222-225.	0.7	0
16	Nuclear thymidylate synthase expression in sporadic colorectal cancer depends on the site of the tumor. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2009, 454, 695-702.	2.8	6
17	Polymorphism of GSTM1 gene in patients with colorectal cancer and colonic polyps. Experimental and Toxicologic Pathology, 1999, 51, 321-325.	2.1	22
18	Increased PCNA/cyclin index correlates with severity of duodenitis defined by histological criteria. Virchows Archiv A, Pathological Anatomy and Histopathology, 1993, 422, 345-349.	1.4	5