Nobuo Uehara

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2356416/publications.pdf

Version: 2024-02-01

759233 677142 61 590 12 22 h-index citations g-index papers 62 62 62 625 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Colorimetric Assay of Glutathione Based on the Spontaneous Disassembly of Aggregated Gold Nanocomposites Conjugated with Water-Soluble Polymer. Langmuir, 2010, 26, 6818-6825.	3.5	74
2	Blue-to-Red Chromatic Sensor Composed of Gold Nanoparticles Conjugated with Thermoresponsive Copolymer for Thiol Sensing. Langmuir, 2007, 23, 11225-11232.	3.5	62
3	Polymer-functionalized Gold Nanoparticles as Versatile Sensing Materials. Analytical Sciences, 2010, 26, 1219-1228.	1.6	62
4	Simple and Selective Sensing of Cysteine Using Gold Nanoparticles Conjugated with a Thermoresponsive Copolymer Having Carboxyl Groups. Analytical Sciences, 2007, 23, 85-90.	1.6	27
5	Determination of Trace Amounts of Molybdenum in Rainwater and Snow by Graphite-Furnace Atomic Absorption Spectrometry after Solvent Extraction and Micro-Volume Back-Extraction. Analytical Sciences, 1996, 12, 953-957.	1.6	21
6	Speciation Arsenic(III) and Arsenic(V) in Natural Water by Graphite Furnace AAS after Coprecipitation with a Copper-Pyrrolidinedithiocarbamate Complex. Bunseki Kagaku, 2005, 54, 831-836.	0.2	19
7	Selective fluorometric determination of indium(III) by high-performance liquid chromatography with 2-methyl-8-quinolinol based on a ligand-exchange reaction of silanol groups. Journal of Chromatography A, 1997, 789, 395-401.	3.7	18
8	Simultaneous Determination of Platinum(II), Rhodium(III) and Palladium(II) with 2-(5-Bromo-2-pyridylazo)-5-(N-propyl-N-sulfopropylamino)phenol by High Performance Liquid Chromatography. Analytical Sciences, 1989, 5, 111-112.	1.6	16
9	Colorimetric Assay of Aminopeptidase N Activity Based on Inhibition of the Disassembly of Gold Nano-composites Conjugated with a Thermo-responsive Copolymer. Analytical Sciences, 2009, 25, 267-273.	1.6	16
10	Determination of Trace Amounts of Boron in Steel by Reversed-phase High-Performance Liquid Chromatography with Azomethine-H as a Precolumn Derivatizaion Agent Analytical Sciences, 2001, 17, 1421-1424.	1.6	14
11	Speciation of Chromium (III) and Chromium (VI) in River Water by Graphite Furnace Atomic Absorption Spectrometry after Cloud Point Extraction with Ammonium Pyrrolidinedithiocarbamate. Bunseki Kagaku, 2007, 56, 737-743.	0.2	14
12	Determination of Cobalt in Natural Water as a 2-(5-Bromo-2-pyridylazo)-5-(N-propyl-N-(3-sulfopropyl)amino)phenol Chelate by On-Line Preconcentration HPLC with Column-Switching Technique Analytical Sciences, 1998, 14, 343-347.	1.6	13
13	Silanol Effect on the Chromatographic Behavior of Tris(2-methyl-8-quinolinolato)gallium in High-Performance Liquid Chromatography Analytical Sciences, 1994, 10, 31-34.	1.6	12
14	Simultaneous Determination of Trace Amounts of Metals by High-Performance Liquid Chromatography after Preconcentration with Adsorption on Chlorotrifluoroethylene Polymer as Their Hexamethylenedithiocarbamate Complexes Analytical Sciences, 1996, 12, 761-766.	1.6	12
15	Fusion Growth of Gold Nanoparticles Induced by the Conformational Change of a Thermoresponsive Polymer Studied by Distance Distribution Functions. Journal of Physical Chemistry C, 2013, 117, 13602-13608.	3.1	11
16	Reproducing absorption spectra of pH indicators from RGB values of microscopic images. Talanta, 2020, 216, 120952.	5.5	11
17	Interaction of Poly(<i>N</i> -isopropylacrylamide) with Sodium Dodecyl Sulfate below the Critical Aggregation Concentration. Langmuir, 2014, 30, 6367-6372.	3.5	10
18	Analytical Chemistry for Advanced Technologies. Direct determination of boron in iron and Steel by ion-pair reversed-phase HPLC with a Laboratory-packed column Bunseki Kagaku, 2001, 50, 867-872.	0.2	9

#	Article	IF	CITATIONS
19	Spectrophotometric Characterization of Diazacrown Ethers Having Two Carbodithioate Groups Analytical Sciences, 2001, 17, 199-203.	1.6	9
20	Synthesis of a thermo-sensitive copolymer with hydroxamic acid group and its characteristics of metal-ion collection Bunseki Kagaku, 2001, 50, 257-262.	0.2	9
21	Dataset for reproducing absorption spectra of methyl orange from the RGB values of microscopic images. Data in Brief, 2020, 31, 105998.	1.0	9
22	Release of Nile Red from Thermoresponsive Gold Nanocomposites by Heating a Solution and the Addition of Glutathione. Analytical Sciences, 2012, 28, 1125-1132.	1.6	8
23	Determination of Metal Ions by High-Performance Liquid Chromatographic Separation of Their Pyrrolidinedithiocarbamate Complexes after Solvent Extraction Analytical Sciences, 1993, 9, 315-317.	1.6	7
24	Fabrication of thermoresponsive near-infrared fluorescent gold nanocomposites and their thermal manipulation. Sensors and Actuators B: Chemical, 2017, 247, 188-196.	7.8	7
25	Determination of Trace Amounts of Silver in High-Purity Aluminum by Graphite-Furnace Atomic Absorption Spectrometry after Solvent Extraction and Micro-Volume Back-Extraction. Analytical Sciences, 1996, 12, 959-962.	1.6	6
26	Thermal-induced growth of gold nanoparticles conjugated with thermoresponsive polymer without chemical reduction. Journal of Colloid and Interface Science, 2011, 359, 142-147.	9.4	6
27	Thermal-induced Immuno-nephelometry Using Gold Nanoparticles Conjugated with a Thermoresponsive Polymer for the Detection of Avidin. Analytical Sciences, 2015, 31, 495-501.	1.6	6
28	Specific turn-on near infrared fluorescence from non-fluorescent gold nanoclusters bearing sulfhydryl oligopeptides. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 538, 14-22.	4.7	6
29	Geometrical pH mapping of Microfluids by principal-component-analysis-based xyz-spectrum conversion method. Analytica Chimica Acta, 2021, 1182, 338952.	5.4	6
30	Fractional determination of vanadium (IV) and vanadium (V) in water samples by graphite-furnace AAS after solvent extraction with 1-butanol and 8-mercaptoquinoline Bunseki Kagaku, 2001, 50, 133-138.	0.2	5
31	Determination of cobalt in iron and steel by reversed-phase HPLC using 2-(5-bromo-2-pyridylazo)-5-[<i>N</i> - <i>n</i> -propyl- <i>N</i> -(3-sulfopropyl)amino]phenol chelate as a precolumn derivatizing reagent. Bunseki Kagaku, 2001, 50, 267-271.	0.2	5
32	Interaction Potential between Biological Sensing Nanoparticles Determined by Combining Small-Angle X-ray Scattering and Model-Potential-Free Liquid Theory. Journal of Physical Chemistry C, 2016, 120, 25564-25571.	3.1	5
33	Spontaneous growth of gold nanoclusters to form gold nanoparticles in the presence of high molecular weight poly(ethylene glycol). Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 585, 124113.	4.7	5
34	Manipulation of aggregation-induced emission of thermoresponsive fluorescent polymers having $Au(I)$ $\hat{a} \in S$ groups for a fluorescent chemosensor. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 618, 126459.	4.7	5
35	Development of Colorimetric Analysis with Smartphones-captured Images Based on RGB-spectrum Conversion Methods. Bunseki Kagaku, 2020, 69, 693-706.	0.2	5
36	Determination of Hydrophilic Organic Compounds in River Water by GC/MS Coupled with Solid-Phase Extraction Using Activated Carbon Cartridge. Bunseki Kagaku, 2007, 56, 1141-1146.	0.2	4

#	Article	IF	CITATIONS
37	Self-induced Variation of Enantiomeric Excess in Gold Nanoparticle Assemblies Induced by Cysteine. Chemistry Letters, 2016, 45, 1093-1095.	1.3	4
38	Sulfated Steelmaking Slags as Se(IV) Adsorbents: Effects of Preparation Conditions on Adsorption Performance. ISIJ International, 2021, 61, 506-512.	1.4	4
39	Determination of Zinc in Iron and Steel by Reversed-phase High-performance Liquid Chromatography with α, β, γ, δ-tetrakis(4-carboxyphenyl)porphine as a Precolumn Derivatizing Agent. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2003, 89, 914-919.	0.4	4
40	Comparison of hydrazone derivatives for reversed phase high performance liquid chromatography Bunseki Kagaku, 1994, 43, 195-201.	0.2	3
41	Simultaneous Determination of Copper, Iron and Nickel by High-Performance Liquid Chromatography after Preconcentration with Extraction and Back-Extraction Analytical Sciences, 1994, 10, 951-953.	1.6	3
42	Aggregation property of thermo-sensitive copolymers having polyamino groups and carboxyl groups Bunseki Kagaku, 2002, 51, 689-695.	0.2	3
43	Influence of alkali metal salts in migration solution for capillary zone electrophoretic behavior of heavy metal chelates with carbodithioate having aza-crown ring Bunseki Kagaku, 2002, 51, 533-538.	0.2	3
44	Determination of total antimony in river water by graphite furnace AAS after coprecipitation with manganese(IV) oxide. Bunseki Kagaku, 2004, 53, 1475-1479.	0.2	3
45	Tris(2-methyl-8-quinolinolato)gallium(III) as a Fluorescent Probe for Sensitive Silanol-Testing. Analytical Sciences, 2005, 21, 1099-1104.	1.6	3
46	Fluorometric Determination of Trace Amounts of Selenium in Steel by High-Performance Liquid Chromatography with 2,3-Diaminonaphthalene. Bunseki Kagaku, 2005, 54, 959-963.	0.2	3
47	Determination of Phenol and Chlorophenols in River Water in Tochigi Prefecture by GC/MS Coupled with Solid-Phase Extraction and Derivatization. Bunseki Kagaku, 2006, 55, 721-726.	0.2	3
48	Impact of Temperature on the Fusion Growth of Bimetallic Au–Pt Nanoparticles from Each Nanocluster Conjugated with a Thermoresponsive Polymer. Crystal Growth and Design, 2019, 19, 6199-6206.	3.0	3
49	Interaction potential surface between Raman scattering enhancing nanoparticles conjugated with a functional copolymer. Physical Chemistry Chemical Physics, 2019, 21, 16889-16894.	2.8	3
50	Total protein assay by PCA-based RGB-spectrum conversion methods with smartphone-acquired digital images. Analytical Sciences, 2022, 38, 869-880.	1.6	3
51	Separation of Metal lons by High Performance Liquid Chromatography after Precolumn Chelation with Eriochrome Red B. Analytical Sciences, 1991, 7, 507-509.	1.6	2
52	Speciation Analysis for Chromium(III) and Chromium(VI) after Micro Solvent Extraction with in situ Extractant Formation Method. Bunseki Kagaku, 2009, 58, 693-698.	0.2	2
53	Specific formation of hydrophobic aggregates of ionic thermoresponsive polymers with oppositely charged ionic surfactants under extremely dilute conditions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 560, 98-105.	4.7	2
54	Extraction of Free Magnesia from Steelmaking Slags Using Iodine–Ethanol Solutions. ISIJ International, 2018, 58, 1474-1479.	1.4	2

Nobuo Uehara

#	Article	IF	CITATIONS
55	Separation, Detection, and Functional Materials. Influence of alkali metal salts in an eluent for reversed phase HPLC separation of transition metal chelates with carbodithioate having an aza-crown ring Bunseki Kagaku, 1999, 48, 1141-1144.	0.2	1
56	Tris(2-methyl-8-quinolinolato)iron(III) as a Novel Spectrophotometric Probe for Silanol Detection. Analytical Sciences, 2006, 22, 421-426.	1.6	1
57	Speciation of Chromium(III) and Chromium(VI) by <i>in situ</i> Extractant Formation Method and Micro Solvent Extraction Method with Hydrophilic Organic Solvent. Bunseki Kagaku, 2016, 65, 433-438.	0.2	1
58	Sensing of Sulfhydryl Compounds with Thermoresponsive Gold Nanocomposites. Bunseki Kagaku, 2012, 61, 535-545.	0.2	0
59	Development of Sensing Functions of Gold Nanoparticles Conjugated with Thermoresponsive Polymers. Bunseki Kagaku, 2019, 68, 289-296.	0.2	O
60	Quantitative Reduction of Iron under Nitrogen Atmosphere for Potassium Dichromate Titration. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2021, 107, .	0.4	0
61	Determination of Free MgO in Steelmaking Slags by Solvent Extraction Using 2,2,2-trichloroethanol Combined with Atomic Absorption Spectrometry. ISIJ International, 2022, 62, 922-928.	1.4	0