List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2356747/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Subcutaneous treprostinil for the treatment of severe non-operable chronic thromboembolic pulmonary hypertension (CTREPH): a double-blind, phase 3, randomised controlled trial. Lancet Respiratory Medicine,the, 2019, 7, 239-248.	5.2	116
2	Altered fibrin clot properties in patients on long-term haemodialysis: relation to cardiovascular mortality. Nephrology Dialysis Transplantation, 2008, 23, 2010-2015.	0.4	64
3	Usefulness of the Evaluation of Left Ventricular Diastolic Function Changes During Stress Echocardiography in Predicting Exercise Capacity in Patients with Ischemic Heart Failure. Journal of the American Society of Echocardiography, 2008, 21, 834-840.	1.2	49
4	Summary of recommendations for the haemodynamic and angiographic assessment of the pulmonary circulation. Joint statement of the Polish Cardiac Society's Working Group on Pulmonary Circulation and Association of Cardiovascular Interventions. Kardiologia Polska, 2015, 73, 63-68.	0.3	44
5	Fractional diastolic and systolic pressure in the ascending aorta are related to the extent of coronary artery disease. American Journal of Hypertension, 2004, 17, 641-646.	1.0	42
6	Electrocardiogram for the Diagnosis of Right Ventricular Hypertrophy and Dilation in Idiopathic Pulmonary Arterial Hypertension. Circulation Journal, 2012, 76, 1744-1749.	0.7	38
7	Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). Journal of Clinical Medicine, 2020, 9, 173.	1.0	38
8	Pulmonary Artery Pulse Wave Velocity in Idiopathic Pulmonary Arterial Hypertension. Canadian Journal of Cardiology, 2013, 29, 683-690.	0.8	34
9	Competency in ECG Interpretation Among Medical Students. Medical Science Monitor, 2015, 21, 3386-3394.	0.5	31
10	Aortic Pulse Wave Velocity and Carotid-Femoral Pulse Wave Velocity: Similarities and Discrepancies. Hypertension Research, 2007, 30, 1151-1158.	1.5	30
11	Paraoxonase 2 Gene C311S Polymorphism Is Associated with a Risk of Large Vessel Disease Stroke in a Polish Population. Cerebrovascular Diseases, 2007, 23, 395-400.	0.8	29
12	Prevalence and prediction of renal artery stenosis in patients with coronary and supraaortic artery atherosclerotic disease. Nephrology Dialysis Transplantation, 2007, 23, 580-585.	0.4	27
13	Iron deficiency and hematological changes in adult patients after Fontan operation. Journal of Cardiology, 2014, 64, 384-389.	0.8	27
14	Activation of the nicotinamide N-methyltransferase (NNMT)-1-methylnicotinamide (MNA) pathway in pulmonary hypertension. Respiratory Research, 2016, 17, 108.	1.4	27
15	Mechanism and prognostic role of qR in V 1 in patients with pulmonary arterial hypertension. Journal of Electrocardiology, 2017, 50, 476-483.	0.4	27
16	Low-density lipoprotein cholesterol and survival in pulmonary arterial hypertension. Scientific Reports, 2017, 7, 41650.	1.6	24
17	Atherosclerosis progression affects the relationship between endothelial function and aortic stiffness. Atherosclerosis, 2009, 204, 250-254.	0.4	23
18	Balloon pulmonary angioplasty in chronic thromboembolic pulmonary hypertension: a multicentre registry. EuroIntervention, 2022, 17, 1104-1111.	1.4	23

#	Article	IF	CITATIONS
19	Decompensated Heart Failure Is a Strong Independent Predictor of Functional Outcome After Ischemic Stroke. Journal of Cardiac Failure, 2015, 21, 642-646.	0.7	21
20	Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). Therapeutic Advances in Chronic Disease, 2021, 12, 204062232110029.	1.1	21
21	Role of the Immune System Elements in Pulmonary Arterial Hypertension. Journal of Clinical Medicine, 2021, 10, 3757.	1.0	20
22	Autoantibodies against N-homocysteinylated proteins in patients on long-term haemodialysis. Nephrology Dialysis Transplantation, 2007, 22, 1685-1689.	0.4	19
23	Markers of Thrombogenesis and Fibrinolysis and Their Relation to Inflammation and Endothelial Activation in Patients with Idiopathic Pulmonary Arterial Hypertension. PLoS ONE, 2013, 8, e82628.	1.1	19
24	Triglyceride-to-High-Density Lipoprotein Cholesterol Ratio and Systemic Inflammation in Patients with Idiopathic Pulmonary Arterial Hypertension. Medical Science Monitor, 2019, 25, 746-753.	0.5	18
25	Database of Pulmonary Hypertension in the Polish Population (BNP‑PL): design of the registry. Kardiologia Polska, 2019, 77, 972-974.	0.3	18
26	The dynamic assessment of rightâ€ventricular function and its relation to exercise capacity in heart failure, 2010, 12, 260-267.	2.9	17
27	Knowledge of a patient-dependant phase of acute myocardial infarction in Polish adults: the role of physician's advice. European Journal of Public Health, 2011, 21, 603-608.	0.1	17
28	HDL Cholesterol as a Marker of Disease Severity and Prognosis in Patients with Pulmonary Arterial Hypertension. International Journal of Molecular Sciences, 2019, 20, 3514.	1.8	17
29	Influence of autoimmunity and inflammation on endothelial function and thrombosis in systemic lupus erythematosus patients. Clinical Rheumatology, 2018, 37, 2087-2093.	1.0	16
30	Right atrium enlargement predicts clinically significant supraventricular arrhythmia in patients with pulmonary arterial hypertension. Heart and Lung: Journal of Acute and Critical Care, 2018, 47, 237-242.	0.8	16
31	Pulmonary Artery Elastic Properties After Balloon Pulmonary Angioplasty in Patients With Inoperable Chronic Thromboembolic Pulmonary Hypertension. Canadian Journal of Cardiology, 2019, 35, 422-429.	0.8	16
32	Guidance for anticoagulation management in venous thromboembolism during the coronavirus disease 2019 pandemic in Poland: an expert opinion of the Section on Pulmonary Circulation of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 642-646.	0.3	16
33	Prognostic Value of Carotid Intima-Media Thickness in Detection of Coronary Atherosclerosis in Patients With Calcified Aortic Valve Stenosis. Journal of Ultrasound in Medicine, 2005, 24, 461-467.	0.8	15
34	Prognostic role of traditional cardiovascular risk factors in patients with idiopathic pulmonary arterial hypertension. Archives of Medical Science, 2019, 15, 1397-1406.	0.4	14
35	Children and Adolescents with Pulmonary Arterial Hypertension: Baseline and Follow-Up Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). Journal of Clinical Medicine, 2020, 9, 1717.	1.0	14
36	In vivo characterization of changes in composition of organized thrombus in patient with chronic thromboembolic pulmonary hypertension treated with balloon pulmonary angioplasty. International Journal of Cardiology, 2015, 186, 279-281.	0.8	13

#	Article	IF	CITATIONS
37	ECG Markers of Hemodynamic Improvement in Patients with Pulmonary Hypertension. BioMed Research International, 2018, 2018, 1-10.	0.9	13
38	Myocardial proteomic profile in pulmonary arterial hypertension. Scientific Reports, 2020, 10, 14351.	1.6	12
39	Higher levels of circulating naÃ ⁻ ve CD8+CD45RA+ cells are associated with lower extent of coronary atherosclerosis and vascular dysfunction. International Journal of Cardiology, 2018, 259, 26-30.	0.8	11
40	Overexpression of PD-1 on Peripheral Blood Lymphocytes in Patients with Idiopathic Pulmonary Arterial Hypertension and Its Association with High Viral Loads of Epstein-Barr Virus and Poor Clinical Parameters. Journal of Clinical Medicine, 2020, 9, 1966.	1.0	10
41	Asymmetric dimethylarginine represents a precious risk indicator for radial artery calcification in patients with advanced kidney disease. Polish Archives of Internal Medicine, 2018, 128, 157-165.	0.3	10
42	Expert opinion on the creating and operating of the regional Pulmonary Embolism Response Teams (PERT). Polish PERT Initiative. Cardiology Journal, 2020, 26, 623-632.	0.5	10
43	Perception of health control and self-efficacy in heart failure. Kardiologia Polska, 2016, 74, 168-178.	0.3	10
44	Polish Forum for Prevention Guidelines on overweight and obesity. Kardiologia Polska, 2008, 66, 594-6.	0.3	10
45	Pulmonary embolism response team: A multidisciplinary approach to pulmonary embolism treatment. Polish PERT Initiative Report. Kardiologia Polska, 2021, 79, 1311-1319.	0.3	10
46	ACE genotype, risk and causal relationship to stroke: Implications for treatment. Current Treatment Options in Cardiovascular Medicine, 2007, 9, 198-204.	0.4	9
47	Left Ventricular Mass is Preserved in Patients with Idiopathic Pulmonary Arterial Hypertension and Eisenmenger's Syndrome. Heart Lung and Circulation, 2014, 23, 454-461.	0.2	9
48	Changes in heart morphometric parameters over the course of a monocrotaline-induced pulmonary arterial hypertension rat model. Journal of Translational Medicine, 2020, 18, 262.	1.8	9
49	Hemodynamic Effects of Ultrasound-Assisted, Catheter-Directed, Very Low-Dose, Short-Time Duration Thrombolysis in Acute Intermediate–High Risk Pulmonary Embolism (from the EKOS-PL Study). American Journal of Cardiology, 2021, 141, 133-139.	0.7	9
50	Polish Forum for Prevention Guidelines on Hypertension: update 2017. Kardiologia Polska, 2017, 75, 282-285.	0.3	9
51	Association between carotid-femoral pulse wave velocity and overall cardiovascular risk score assessed by the SCORE system in urban Polish population. Kardiologia Polska, 2019, 77, 363-370.	0.3	9
52	Knowledge of rare diseases among health care students – the effect of targeted education. Przeglad Epidemiologiczny, 2017, 71, 80-89.	0.4	9
53	Changes in Exercise Capacity and Cardiac Performance in a Series of Patients with Eisenmenger's Syndrome Transitioned from Selective to Dual Endothelin Receptor Antagonist. Heart Lung and Circulation, 2012, 21, 671-678.	0.2	8
54	Fibrin structure in organized thrombotic material removed during pulmonary artery endarterectormy: the effect of vessel calibre. Journal of Thrombosis and Thrombolysis, 2016, 42, 212-217.	1.0	8

#	Article	IF	CITATIONS
55	Effect of ventricular function and volumes on exercise capacity in adults with repaired Tetralogy of Fallot. Indian Heart Journal, 2018, 70, 87-92.	0.2	8
56	Virtual Histology to Evaluate Mechanisms of Pulmonary Artery Lumen Enlargement in Response to Balloon Pulmonary Angioplasty in Chronic Thromboembolic Pulmonary Hypertension. Journal of Clinical Medicine, 2020, 9, 1655.	1.0	8
57	Polish Forum for Prevention Guidelines on Smoking: update 2017. Kardiologia Polska, 2017, 75, 409-411.	0.3	7
58	Central Pulse Pressure: Is It Really an Independent Predictor of Cardiovascular Risk?. Hypertension, 2008, 52, e4; author reply e5.	1.3	6
59	Usefulness of the Evaluation of Isovolumic and Ejection Phase Myocardial Signals during Stress Echocardiography in Predicting Exercise Capacity in Heart Failure Patients. Echocardiography, 2009, 26, 1050-1059.	0.3	6
60	Arterial stiffness in adult patients after coarctation of aorta repair and with bicuspid aortic valve. Acta Cardiologica, 2019, 74, 517-524.	0.3	6
61	The Impact of COVID-19 Pandemic on Children with Pulmonary Arterial Hypertension. Parental Anxiety and Attitudes. Follow-Up Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). Journal of Clinical Medicine, 2021, 10, 1640.	1.0	6
62	Staged treatment of central and peripheral lesions in chronic thromboembolic pulmonary hypertension. Polish Archives of Internal Medicine, 2016, 126, 97-99.	0.3	6
63	High-density lipoprotein cholesterol level and pulmonary artery vasoreactivity in patients with idiopathic pulmonary arterial hypertension. Polish Archives of Internal Medicine, 2018, 128, 440-446.	0.3	5
64	The coronavirus disease 2019 pandemic prevents patients with pulmonary hypertension from seeking medical help. Kardiologia Polska, 2020, 78, 916-918.	0.3	5
65	Randomized study to compare two ECG e-learning methods among medical students. Polish Archives of Internal Medicine, 2017, 128, 98-104.	0.3	5
66	Staged treatment of central and peripheral lesions in chronic thromboembolic pulmonary hypertension. , 2016, 126, 97-9.		5
67	Impact of the COVID-19 Pandemic on Pulmonary Hypertension Patients: Insights from the BNP-PL National Database. International Journal of Environmental Research and Public Health, 2022, 19, 8423.	1.2	5
68	Differences of psychological features in patients with heart failure with regard to gender and aetiology — Results of a CAPS-LOCK-HF (Complex Assessment of Psychological Status Located in Heart) Tj E	TQq00080 rg	BT 4 0verlock
69	Quality of life in adults with repaired tetralogy of Fallot. Kardiochirurgia I Torakochirurgia Polska, 2018, 15, 107-113.	0.1	4
70	Associations between Pharmacotherapy for Cardiovascular Diseases and Periodontitis. International Journal of Environmental Research and Public Health, 2021, 18, 770.	1.2	4
71	Electrocardiography in pulmonary hypertension. Polish Archives of Internal Medicine, 2019, 129, 440-441.	0.3	4
72	The prevalence of abnormal echocardiographic findings in a sample of urban adult population. Kardiologia Polska, 2014, 72, 42-49.	0.3	4

#	Article	IF	CITATIONS
73	Assessment of knowledge on cardiovascular disease risk factors by postal survey in residents of MaÅ,opolska Voivodeship. MaÅ,opolska CArdiovascular PReventive Intervention Study (M-CAPRI). Annals of Agricultural and Environmental Medicine, 2017, 24, 201-206.	0.5	4
74	Clinical classification of rare cardiac arrhythmogenic and conduction disorders, and rare arrhythmias. Polish Archives of Internal Medicine, 2019, 129, 154-159.	0.3	4
75	Polish Forum for Prevention Guidelines on Diabetes. Kardiologia Polska, 2008, 66, 1020-3.	0.3	4
76	Hemodynamic effects of balloon pulmonary angioplasty for the treatment of total and subtotal pulmonary artery occlusions in inoperable chronic thromboembolic pulmonary hypertension. International Journal of Cardiology, 2022, 361, 71-76.	0.8	4
77	Model of the Distribution of Diastolic Left Ventricular Posterior Wall Thickness in Healthy Adults and Its Impact on the Behavior of a String of Virtual Cardiomyocytes. Journal of Cardiovascular Translational Research, 2014, 7, 507-517.	1.1	3
78	Clinical response to calcium channel blockers in a hemodynamically unstable patient with reactive idiopathic pulmonary arterial hypertension. Archives of Medical Science, 2017, 2, 504-506.	0.4	3
79	Indwelling central venous catheter occlusion during chronic epoprostenol infusion. Journal of Heart and Lung Transplantation, 2018, 37, 938-940.	0.3	3
80	Temporal changes in the pattern of invasive angiography use and its outcome in suspected coronary artery disease: implications for patient management and healthcare resource utilization. Postepy W Kardiologii Interwencyjnej, 2018, 14, 247-257.	0.1	3
81	An expert opinion of the Polish Cardiac Society Working Group on Pulmonary Circulation and the Polish Society for Rheumatology on the diagnosis and treatment of pulmonary hypertension in patients with connective tissue disease. Kardiologia Polska, 2021, 79, 917-929.	0.3	3
82	Prolonged catheter balloon inflation for the treatment of hemoptysis complicating balloon pulmonary angioplasty. Polish Archives of Internal Medicine, 2017, 127, 129-130.	0.3	3
83	Ultrasound-assisted, catheter-directed, low-dose thrombolysis for the treatment of acute, intermediate-high risk pulmonary embolism. Polish Archives of Internal Medicine, 2018, 128, 394-395.	0.3	3
84	A study to evaluate the prevalence and determinants of stress coping strategies in heart failure patients in Poland (CAPS-LOCK-HF sub-study). Kardiologia Polska, 2016, 74, 1327-1331.	0.3	3
85	Time from symptom onset to final diagnosis of pulmonary arterial hypertension in Polish patients. Kardiologia Polska, 2020, 78, 750-752.	0.3	3
86	Polish Forum for Prevention Guidelines on Arterial Hypertension. Kardiologia Polska, 2007, 65, 1137-41.	0.3	3
87	Polish forum for prevention guidelines on smoking. Kardiologia Polska, 2008, 66, 125-6.	0.3	3
88	Polish forum for prevention guidelines on dyslipidaemia. Kardiologia Polska, 2008, 66, 1239-42.	0.3	3
89	Pregnancy in a Patient With Chronic Thromboembolic Pulmonary Hypertension After Successful Treatment with Balloon Pulmonary Angioplasty. Canadian Journal of Cardiology, 2020, 36, 589.e13-589.e16.	0.8	2
90	High CD200 Expression on T CD4+ and T CD8+ Lymphocytes as a Non-Invasive Marker of Idiopathic Pulmonary Hypertension–Preliminary Study. Journal of Clinical Medicine, 2021, 10, 950.	1.0	2

#	Article	IF	CITATIONS
91	Atrioventricular Conduction Delay Predicts Impaired Exercise Capacity in Patients with Heart Failure with Reduced Ejection Fraction. Medical Science Monitor, 2017, 23, 3989-3995.	0.5	2
92	Polish Forum for Prevention Guidelines on Dyslipidaemia: update 2016. Kardiologia Polska, 2017, 75, 187-190.	0.3	2
93	Ablation of arrhythmias in adult patients after Fontan operation. Polish Archives of Internal Medicine, 2013, 123, 723-725.	0.3	2
94	Polish Forum for Prevention Guidelines on Cardiovascular Risk Assessment: update 2016. Kardiologia Polska, 2017, 75, 84-86.	0.3	2
95	Changes in Inflammatory Markers in Patients with Chronic Thromboembolic Pulmonary Hypertension Treated with Balloon Pulmonary Angioplasty. Cells, 2022, 11, 1491.	1.8	2
96	Extended Precordial T Wave Inversions Are Associated with Right Ventricular Enlargement and Poor Prognosis in Pulmonary Hypertension. Journal of Clinical Medicine, 2021, 10, 2147.	1.0	1
97	Epoprostenol therapy for pulmonary arterial hypertension – first Polish experience. Polish Archives of Internal Medicine, 2018, 129, 65-68.	0.3	1
98	Polish Forum for Prevention Guidelines on Prophylactic Pharmacotherapy: update 2017. Kardiologia Polska, 2017, 75, 508-511.	0.3	1
99	Polish Forum for Prevention Guidelines on Diabetes: update 2017. Kardiologia Polska, 2017, 75, 628-631.	0.3	1
100	Pulmonary artery pressure matters – how to efficiently improve survival in pulmonary arterial hypertension (RCD code: Ilâ€1A.1). Journal of Rare Cardiovascular Diseases, 2017, 3, 110.	0.0	1
101	Ischaemic aetiology predicts exercise dyssynchrony in patients with heart failure with reduced ejection fraction. Kardiologia Polska, 2018, 76, 1450-1457.	0.3	1
102	"Challenging―phenotype of pulmonary arterial hypertension. Polish Archives of Internal Medicine, 2019, 130, 85-86.	0.3	1
103	Knowledge of cardiovascular disease (CVD) risk factors in population of MaÅ,opolska voivodeship in two independent cross-sectional studies. Przeglad Epidemiologiczny, 2018, 72, 75-85.	0.4	1
104	Cultural adaptation and validation of the Polish version of the Pulmonary Arterial Hypertension-Symptoms and Impact (PAH-SYMPACT) questionnaire. Kardiologia Polska, 2021, 79, 1372-1374.	0.3	1
105	Polish Forum for Prevention: a response to the European Society of Cardiology â€~call for action' in Poland. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 250-250.	3.1	0
106	Right Ventricular Epicardial Vascularisation in Patients With Pulmonary Arterial Hypertension. Heart Lung and Circulation, 2018, 27, 1428-1436.	0.2	0
107	Diastolic dyssynchrony and its exercise-induced changes affect exercise capacity in patients with heart failure with reduced ejection fraction. Cardiology Journal, 2019, , .	0.5	0
108	Standardy hemodynamicznej i angiograficznej oceny krÄżenia pÅ,ucnego Wspólne stanowisko Sekcji KrÄżenia PÅ,ucnego i Asocjacji Interwencji Sercowo-Naczyniowych Polskiego Towarzystwa Kardiologicznego. Kardiologia Polska, 2014, 72, 45-64.	0.3	0

#	Article	IF	CITATIONS
109	Relationship between knowledge of cardiovascular disease risk factors and watching educational television materials. MaÅ,opolska CArdiovascular PReventive Intervention Study (M-CAPRI). Polish Archives of Internal Medicine, 2017, 127, 608-613.	0.3	0
110	Response to the letter concerning the article: "Association between carotid-femoral pulse wave velocity and overall cardiovascular risk score assessed by the SCORE system in urban Polish population― Kardiologia Polska, 2019, 77, 411-412.	0.3	0
111	Pulmonary arterial hypertension and pulmonary hypertension due to left heart disease: so near and yet so far. Authors' reply. Polish Archives of Internal Medicine, 2020, 130, 350-351.	0.3	0
112	Recognition of emerging cardiac diagnoses byÂechocardiography in 5th-year medical students — the role of focused e-learning. Kardiologia Polska, 2021, 79, 1124-1126.	0.3	0
113	Effectiveness of single medical advice on emergency phone number knowledge in urban adult population"Health, Alcohol and Psychosocial Factors in Eastern Europe" substudy. Przeglad Epidemiologiczny, 2015, 69, 543-8, 649-52.	0.4	0
114	Stress associated with undergraduate medical courses: A translation and validation of the Perceived Medical School Stress Instrument into Polish and its adaptation to the Polish environment. Folia Medica Cracoviensia, 2020, 60, 55-66.	0.3	0