

Monira sarmin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2358059/publications.pdf>

Version: 2024-02-01

25
papers

98
citations

1936888

4
h-index

1473754

9
g-index

26
all docs

26
docs citations

26
times ranked

120
citing authors

#	ARTICLE	IF	CITATIONS
1	Invasive Fungal Infections in Under-Five Diarrheal Children: Experience from an Urban Diarrheal Disease Hospital. <i>Life</i> , 2022, 12, 94.	1.1	1
2	Characteristics of severely malnourished under-five children immunized with Bacillus Calmette-Guérin following Expanded Programme on Immunization schedule and their outcomes during hospitalization at an urban diarrheal treatment centre, Bangladesh. <i>PLoS ONE</i> , 2022, 17, e0262391.	1.1	0
3	Factors associated with mortality in severely malnourished hospitalized children who developed septic shock. <i>Journal of Infection in Developing Countries</i> , 2022, 16, 339-345.	0.5	4
4	Physical Quality of Life of Sepsis Survivor Severely Malnourished Children after Hospital Discharge: Findings from a Retrospective Chart Analysis. <i>Life</i> , 2022, 12, 379.	1.1	0
5	Comparative Clinical Characteristics, Laboratory Findings, and Outcomes of Hypoxemic and Non-Hypoxemic Patients Treated at a Makeshift COVID-19 Unit in Bangladesh: A Retrospective Chart Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2968.	1.0	2
6	The influence of demographic and meteorological factors on temporal patterns of rotavirus infection in Dhaka, Bangladesh. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .	1.2	2
7	Prevalence and outcome of anemia among children hospitalized for pneumonia and their risk of mortality in a developing country. <i>Scientific Reports</i> , 2022, 12, .	1.6	4
8	Early management of hypokalaemia in severely malnourished children under five could help to reduce deaths in developing countries. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 1658-1664.	0.7	4
9	Factors associated with severe sepsis in diarrheal adults and their outcome at an urban hospital, Bangladesh: A retrospective analysis. <i>PLoS ONE</i> , 2021, 16, e0257596.	1.1	1
10	Effect of hypertonic saline in the management of elevated intracranial pressure in children with cerebral edema: A systematic review and meta-analysis. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110048.	0.7	1
11	SARS-CoV-2 and dengue virus coinfection in an adult with beta-thalassemia (trait): A case report from Bangladesh with literature review. <i>Heliyon</i> , 2021, 7, e08229.	1.4	4
12	The Utility of Bedside Assessment Tools and Associated Factors to Avoid Antibiotic Overuse in an Urban PICU of a Diarrheal Disease Hospital in Bangladesh. <i>Antibiotics</i> , 2021, 10, 1255.	1.5	1
13	Intravenous Amoxicillin Plus Intravenous Gentamicin for Children with Severe Pneumonia in Bangladesh: An Open-Label, Randomized, Non-Inferiority Controlled Trial. <i>Life</i> , 2021, 11, 1299.	1.1	3
14	Pathogen-specific risk of seizure in children with moderate-to-severe diarrhoea: Case control study with follow-up. <i>Tropical Medicine and International Health</i> , 2020, 25, 1032-1042.	1.0	4
15	Cooked Green Banana in Hospitalized Children With Acute Watery Diarrhea Without Dehydration. <i>Indian Pediatrics</i> , 2020, 57, 1108-1109.	0.2	0
16	Efficacy of a Green Banana-Mixed Diet in the Management of Persistent Diarrhea: Protocol for an Open-Labeled, Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e15759.	0.5	4
17	Cooked Green Banana in Hospitalized Children With Acute Watery Diarrhea Without Dehydration. <i>Indian Pediatrics</i> , 2020, 57, 1108-1109.	0.2	0
18	Predictor of Death in Diarrheal Children Under 5 Years of Age Having Severe Sepsis in an Urban Critical Care Ward in Bangladesh. <i>Global Pediatric Health</i> , 2019, 6, 2333794X1986271.	0.3	4

#	ARTICLE	IF	CITATIONS
19	Herlyn-Werner-Wunderlich syndrome presenting with dysmenorrhea: a case report. <i>Journal of Medical Case Reports</i> , 2019, 13, 323.	0.4	9
20	Factors associated with cerebral edema in children under 5 years of age admitted in an intensive care unit and their outcome. <i>SAGE Open Medicine</i> , 2019, 7, 205031211987462.	0.7	2
21	Risk factors and outcome of <i>Shigella</i> encephalopathy in Bangladeshi children. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005561.	1.3	13
22	Determinants and Outcome of Metabolic Acidosis in Diarrheal Children Under 5 Years of Age in an Urban Critical Care Ward in Bangladesh. <i>Global Pediatric Health</i> , 2017, 4, 2333794X1774022.	0.3	2
23	Factors Associated with <i>Klebsiella</i> Bacteremia and Its Outcome in Under-Five Children Admitted with Diarrhea. <i>International Journal of Pediatrics (United Kingdom)</i> , 2016, 2016, 1-5.	0.2	6
24	Progression of severe sepsis to septic shock in under-five diarrheal children in an urban critical care ward in Bangladesh: Identifiable risks, blood isolates and outcome. <i>Bangladesh Critical Care Journal</i> , 2014, 2, 10-15.	0.1	1
25	Specialist hospital study shows that septic shock and drowsiness predict mortality in children under five with diarrhoea. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, e306-11.	0.7	26