

Benoit Lacombe

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2358214/benoit-lacombe-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

5,259
citations

36
h-index

58
g-index

58
ext. papers

6,350
ext. citations

9.5
avg. IF

5.32
L-index

#	Paper	IF	Citations
56	The Arabidopsis protein NPF6.2/NRT1.4 is a plasma membrane nitrate transporter and a target of protein kinase CIPK23. <i>Plant Physiology and Biochemistry</i> , 2021 , 168, 239-251	5.4	1
55	GARP transcription factors repress Arabidopsis nitrogen starvation response via ROS-dependent and -independent pathways. <i>Journal of Experimental Botany</i> , 2021 , 72, 3881-3901	7	5
54	Sugar and Nitrate Sensing: A Multi-Billion-Year Story. <i>Trends in Plant Science</i> , 2021 , 26, 352-374	13.1	16
53	Functional Characterization of the Arabidopsis Abscisic Acid Transporters NPF4.5 and NPF4.6 in Xenopus Oocytes. <i>Frontiers in Plant Science</i> , 2020 , 11, 144	6.2	14
52	Disruption of the Lotus japonicus transporter LjNPF2.9 increases shoot biomass and nitrate content without affecting symbiotic performances. <i>BMC Plant Biology</i> , 2019 , 19, 380	5.3	7
51	Getting to the Root of Plant Mineral Nutrition: Combinatorial Nutrient Stresses Reveal Emergent Properties. <i>Trends in Plant Science</i> , 2019 , 24, 542-552	13.1	44
50	Identification of Molecular Integrators Shows that Nitrogen Actively Controls the Phosphate Starvation Response in Plants. <i>Plant Cell</i> , 2019 , 31, 1171-1184	11.6	80
49	Phosphorus Transport in Arabidopsis and Wheat: Emerging Strategies to Improve P Pool in Seeds. <i>Agriculture (Switzerland)</i> , 2018 , 8, 27	3	5
48	Individual versus Combinatorial Effects of Silicon, Phosphate, and Iron Deficiency on the Growth of Lowland and Upland Rice Varieties. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	12
47	Transporters and Mechanisms of Hormone Transport in Arabidopsis. <i>Advances in Botanical Research</i> , 2018 , 87, 115-138	2.2	5
46	Responses to Systemic Nitrogen Signaling in Arabidopsis Roots Involve -Zeatin in Shoots. <i>Plant Cell</i> , 2018 , 30, 1243-1257	11.6	79
45	Substrate (un)specificity of Arabidopsis NRT1/PTR FAMILY (NPF) proteins. <i>Journal of Experimental Botany</i> , 2017 , 68, 3107-3113	7	84
44	The Arabidopsis guard cell outward potassium channel GORK is regulated by CPK33. <i>FEBS Letters</i> , 2017 , 591, 1982-1992	3.8	29
43	Nitrate supply to grapevine rootstocks - new genome-wide findings. <i>Journal of Experimental Botany</i> , 2017 , 68, 3999-4001	7	2
42	Plant Hormones: Key Players in Gut Microbiota and Human Diseases?. <i>Trends in Plant Science</i> , 2017 , 22, 754-758	13.1	23
41	TransDetect Identifies a New Regulatory Module Controlling Phosphate Accumulation. <i>Plant Physiology</i> , 2017 , 175, 916-926	6.6	16
40	The Nitrate Transporter Family Protein LjNPF8.6 Controls the N-Fixing Nodule Activity. <i>Plant Physiology</i> , 2017 , 175, 1269-1282	6.6	16

39	The world according to GARP transcription factors. <i>Current Opinion in Plant Biology</i> , 2017 , 39, 159-167	9.9	27
38	Combinatorial interaction network of transcriptomic and phenotypic responses to nitrogen and hormones in the <i>Arabidopsis thaliana</i> root. <i>Science Signaling</i> , 2016 , 9, rs13	8.8	62
37	Long-distance transport of phytohormones through the plant vascular system. <i>Current Opinion in Plant Biology</i> , 2016 , 34, 1-8	9.9	65
36	Transporters Involved in Root Nitrate Uptake and Sensing by. <i>Frontiers in Plant Science</i> , 2016 , 7, 1391	6.2	49
35	Long-distance nitrate signaling displays cytokinin dependent and independent branches. <i>Journal of Integrative Plant Biology</i> , 2016 , 58, 226-9	8.3	34
34	A new insight into root responses to external cues: Paradigm shift in nutrient sensing. <i>Plant Signaling and Behavior</i> , 2015 , 10, e1049791	2.5	6
33	Nitrate sensing and uptake in <i>Arabidopsis</i> are enhanced by ABI2, a phosphatase inactivated by the stress hormone abscisic acid. <i>Science Signaling</i> , 2015 , 8, ra43	8.8	125
32	GeneCloud Reveals Semantic Enrichment in Lists of Gene Descriptions. <i>Molecular Plant</i> , 2015 , 8, 971-3	14.4	12
31	AtNPF5.5, a nitrate transporter affecting nitrogen accumulation in <i>Arabidopsis</i> embryo. <i>Scientific Reports</i> , 2015 , 5, 7962	4.9	40
30	A unified nomenclature of NITRATE TRANSPORTER 1/PEPTIDE TRANSPORTER family members in plants. <i>Trends in Plant Science</i> , 2014 , 19, 5-9	13.1	403
29	<i>Arabidopsis</i> NRT1.1 is a bidirectional transporter involved in root-to-shoot nitrate translocation. <i>Molecular Plant</i> , 2013 , 6, 1984-7	14.4	77
28	ABA transport and transporters. <i>Trends in Plant Science</i> , 2013 , 18, 325-33	13.1	220
27	Leaf fructose content is controlled by the vacuolar transporter SWEET17 in <i>Arabidopsis</i> . <i>Current Biology</i> , 2013 , 23, 697-702	6.3	158
26	<i>Arabidopsis</i> WAT1 is a vacuolar auxin transport facilitator required for auxin homeostasis. <i>Nature Communications</i> , 2013 , 4, 2625	17.4	166
25	Natural variation at the FRD3 MATE transporter locus reveals cross-talk between Fe homeostasis and Zn tolerance in <i>Arabidopsis thaliana</i> . <i>PLoS Genetics</i> , 2012 , 8, e1003120	6	71
24	A framework integrating plant growth with hormones and nutrients. <i>Trends in Plant Science</i> , 2011 , 16, 178-82	13.1	207
23	Calcium-dependent modulation and plasma membrane targeting of the AKT2 potassium channel by the CBL4/CIPK6 calcium sensor/protein kinase complex. <i>Cell Research</i> , 2011 , 21, 1116-30	24.7	199
22	Preferential KAT1-KAT2 heteromerization determines inward K ⁺ current properties in <i>Arabidopsis</i> guard cells. <i>Journal of Biological Chemistry</i> , 2010 , 285, 6265-74	5.4	46

21	Nitrate-regulated auxin transport by NRT1.1 defines a mechanism for nutrient sensing in plants. <i>Developmental Cell</i> , 2010 , 18, 927-37	10.2	669
20	Heteromerization of Arabidopsis Kv channel alpha-subunits: Data and prospects. <i>Plant Signaling and Behavior</i> , 2008 , 3, 622-5	2.5	24
19	Molecular and functional characterization of a Na(+)-K(+) transporter from the Trk family in the ectomycorrhizal fungus <i>Hebeloma cylindrosporum</i> . <i>Journal of Biological Chemistry</i> , 2007 , 282, 26057-66	5.4	41
18	Increased functional diversity of plant K ⁺ channels by preferential heteromerization of the shaker-like subunits AKT2 and KAT2. <i>Journal of Biological Chemistry</i> , 2007 , 282, 486-94	5.4	55
17	Phytotoxicity and innate immune responses induced by Nep1-like proteins. <i>Plant Cell</i> , 2006 , 18, 3721-44	11.6	233
16	External K ⁺ modulates the activity of the Arabidopsis potassium channel SKOR via an unusual mechanism. <i>Plant Journal</i> , 2006 , 46, 269-81	6.9	113
15	Ca ²⁺ -dependent lipid binding and membrane integration of PopA, a harpin-like elicitor of the hypersensitive response in tobacco. <i>Molecular Microbiology</i> , 2005 , 58, 1406-20	4.1	45
14	Inward rectification of the AKT2 channel abolished by voltage-dependent phosphorylation. <i>Plant Journal</i> , 2005 , 44, 783-97	6.9	76
13	AtGLR3.4, a glutamate receptor channel-like gene is sensitive to touch and cold. <i>Planta</i> , 2005 , 222, 418-27	7.7	131
12	A unique voltage sensor sensitizes the potassium channel AKT2 to phosphoregulation. <i>Journal of General Physiology</i> , 2005 , 126, 605-17	3.4	49
11	GABA signaling: a conserved and ubiquitous mechanism. <i>Trends in Cell Biology</i> , 2003 , 13, 607-10	18.3	165
10	The K ⁺ channel KZM1 mediates potassium uptake into the phloem and guard cells of the C4 grass <i>Zea mays</i> . <i>Journal of Biological Chemistry</i> , 2003 , 278, 16973-81	5.4	74
9	A grapevine gene encoding a guard cell K(+) channel displays developmental regulation in the grapevine berry. <i>Plant Physiology</i> , 2002 , 128, 564-77	6.6	48
8	Outer pore residues control the H(+) and K(+) sensitivity of the Arabidopsis potassium channel AKT3. <i>Plant Cell</i> , 2002 , 14, 1859-68	11.6	40
7	The identity of plant glutamate receptors. <i>Science</i> , 2001 , 292, 1486-7	33.3	155
6	A shaker-like K(+) channel with weak rectification is expressed in both source and sink phloem tissues of Arabidopsis. <i>Plant Cell</i> , 2000 , 12, 837-51	11.6	181
5	A Shaker-Like K + Channel with Weak Rectification Is Expressed in Both Source and Sink Phloem Tissues of Arabidopsis. <i>Plant Cell</i> , 2000 , 12, 837	11.6	104
4	pH control of the plant outwardly-rectifying potassium channel SKOR. <i>FEBS Letters</i> , 2000 , 466, 351-4	3.8	64

3	Identification and disruption of a plant shaker-like outward channel involved in K ⁺ release into the xylem sap. <i>Cell</i> , 1998 , 94, 647-55	56.2	580
2	HRS1/HHOs GARP transcription factors and reactive oxygen species are regulators of Arabidopsis nitrogen starvation response		4
1	Revisiting the functional properties of NPF6.3/NRT1.1/CHL1 in xenopus oocytes		3