

Kazuhiro Uemura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2359468/kazuhiro-uemura-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

3,969
citations

23
h-index

60
g-index

60
ext. papers

4,113
ext. citations

6.4
avg, IF

5.49
L-index

#	Paper	IF	Citations
52	Crystal Structure of Platinum and Rhodium Discrete Hexanuclear Complex with Polyethylene Glycol. <i>X-ray Structure Analysis Online</i> , 2022 , 38, 25-26	0.2	
51	Evidence of electronic interactions between end platinum atoms of hexanuclear units in heterometallic one-dimensional chains. <i>Journal of Molecular Structure</i> , 2022 , 1250, 131694	3.4	
50	Improving the Solubility of Hexanuclear Heterometallic Extended Metal Atom Chain Compounds in Nonpolar Solvents by Introducing Alkyl Amine Moieties. <i>ACS Omega</i> , 2021 , 6, 18487-18503	3.9	2
49	Paramagnetic One-Dimensional Chain Complex Consisting of Three Kinds of Metallic Species Showing Magnetic Interaction through Metal-Metal Bonds. <i>Inorganic Chemistry</i> , 2020 , 59, 1692-1701	5.1	8
48	Modulation of Band Gaps toward Varying Conductivities in Heterometallic One-Dimensional Chains by Ligand Alteration and Third Metal Insertion. <i>ACS Omega</i> , 2020 , 5, 30502-30518	3.9	3
47	Improving isosteric heat of CO ₂ adsorption by introducing nitro moieties into jungle-gym-type porous coordination polymers. <i>Journal of Solid State Chemistry</i> , 2019 , 270, 11-18	3.3	3
46	Magnetic behavior in heterometallic one-dimensional chains or octanuclear complex regularly aligned with metal-metal bonds as RhRhPtPt. <i>Journal of Molecular Structure</i> , 2018 , 1162, 31-36	3.4	8
45	One-dimensional complexes extended by unbridged metal-metal bonds based on a HOMO-LUMO interaction at the d orbital between platinum and heterometal atoms. <i>Dalton Transactions</i> , 2017 , 46, 5474-5492	4.3	25
44	Isolation and characterization of a tetranuclear Pt-FeFe-Pt intermediate en route to the trinuclear Pt-Fe-Pt cluster. <i>Dalton Transactions</i> , 2017 , 46, 14012-14020	4.3	0
43	Integration of Paramagnetic Diruthenium Complexes into an Extended Chain by Heterometallic Metal-Metal Bonds with Diplatinum Complexes. <i>Inorganic Chemistry</i> , 2016 , 55, 7003-11	5.1	14
42	Heterometallic one-dimensional chain with tetradeca metal repetition constructed by amidate bridged dirhodium and pivalate bridged diplatinum complexes influenced by hydrogen bonding. <i>Dalton Transactions</i> , 2016 , 45, 12322-8	4.3	12
41	(113)Cd Nuclear Magnetic Resonance as a Probe of Structural Dynamics in a Flexible Porous Framework Showing Selective O ₂ /N ₂ and CO ₂ /N ₂ Adsorption. <i>Inorganic Chemistry</i> , 2016 , 55, 4166-72	5.1	25
40	Acetamidate-bridged paddlewheel dirhodium complex sandwiched by mononuclear platinum complexes with axial metal-metal bonds affording neutral heterometallic one-dimensional alignments. <i>Inorganica Chimica Acta</i> , 2015 , 424, 194-201	2.7	9
39	Mixed valency in quadruple hydrogen-bonded dimers of bis(biimidazolate)dirhodium complexes. <i>Inorganic Chemistry</i> , 2015 , 54, 2331-8	5.1	12
38	Two types of heterometallic one-dimensional alignment composed of acetamidate-bridged dirhodium and pivalamidate-bridged diplatinum complexes. <i>Inorganic Chemistry</i> , 2014 , 53, 4621-8	5.1	22
37	Syntheses, crystal structures and copper-binding capabilities of amidate-hanging platinum mononuclear complexes containing alkylamine moieties. <i>Polyhedron</i> , 2014 , 67, 513-519	2.7	4
36	Assembled structures of tetrakis(biimidazole)dirhodium complexes hydrogen-bonded with common inorganic anions. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2014 , 70, 1006-19	1.8	3

35	Paramagnetic one-dimensional chains comprised of trinuclear Pt-Cu-Pt and paddlewheel dirhodium complexes with metal-metal bonds. <i>Inorganic Chemistry</i> , 2013 , 52, 5535-50	5.1	29
34	Crystal structures and adsorption spectra of mono-dimensional hexanuclear heterometallic complexes with no bridge assisted rhodium-platinum bonds. <i>Polyhedron</i> , 2012 , 45, 35-42	2.7	14
33	One-dimensionally extended paddlewheel dirhodium complexes from metal-metal bonds with diplatinum complexes. <i>Inorganic Chemistry</i> , 2011 , 50, 7919-21	5.1	31
32	Synthesis, crystal structure, and characterization of a heterometallic one-dimensional complex with metal-metal bonds. <i>Inorganic Chemistry</i> , 2010 , 49, 7323-30	5.1	19
31	Two-step adsorption on jungle-gym-type porous coordination polymers: dependence on hydrogen-bonding capability of adsorbates, ligand-substituent effect, and temperature. <i>Inorganic Chemistry</i> , 2010 , 49, 10133-43	5.1	59
30	Syntheses, Crystal Structures and Adsorption Properties of Ultramicroporous Coordination Polymers Constructed from Hexafluorosilicate Ions and Pyrazine. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 2329-2337	2.3	85
29	Adsorption and Catalytic Properties of the Inner Nanospace of a Gigantic Ring-Shaped Polyoxometalate Cluster. <i>Angewandte Chemie</i> , 2009 , 121, 8859-8862	3.6	31
28	Adsorption and catalytic properties of the inner nanospace of a gigantic ring-shaped polyoxometalate cluster. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 8703-6	16.4	80
27	Syntheses, crystal structures, and water adsorption behaviors of jungle-gym-type porous coordination polymers containing nitro moieties. <i>Journal of Solid State Chemistry</i> , 2009 , 182, 2852-2857	3.3	25
26	Selective Gas Adsorption in One-Dimensional, Flexible CuII Coordination Polymers with Polar Units. <i>Chemistry of Materials</i> , 2009 , 21, 3346-3355	9.6	63
25	Temperature- and stoichiometry-controlled dimensionality in a magnesium 4,5-imidazolecarboxylate system with strong hydrophilic pore surfaces. <i>Inorganic Chemistry</i> , 2008 , 47, 6578-80	5.1	113
24	Carbon Membranes from Wood Materials and their Separation Properties. <i>Transactions of the Materials Research Society of Japan</i> , 2008 , 33, 825-828	0.2	3
23	Zipped-up chain-type coordination polymers: unsymmetrical amide-containing ligands inducing beta-sheet or helical structures. kazu-u@yamaguchi-u.ac.jp. <i>Chemistry - A European Journal</i> , 2008 , 14, 9565-76	4.8	42
22	Syntheses and crystal structures of straight or zigzag one-dimensional coordination polymers based on Cu(II) square pyramidal or Cu(I) tetrahedral coordination environments. <i>Polyhedron</i> , 2008 , 27, 2939-2942	2.7	8
21	Characterization of organic solvents adsorption/desorption on hydrophobic porous coordination polymers and their micro-crystals aggregation on mullite support. <i>Desalination</i> , 2008 , 234, 1-8	10.3	14
20	Syntheses and crystal structures of novel silver(I) coordination polymers based on linear or tetrahedral coordination environments. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 741-744	3.1	24
19	Two-step adsorption/desorption on a jungle-gym-type porous coordination polymer. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 6662-5	16.4	139
18	Two-Step Adsorption/Desorption on a Jungle-Gym-Type Porous Coordination Polymer. <i>Angewandte Chemie</i> , 2007 , 119, 6782-6785	3.6	22

17	Synthesis, Crystal Structures, and Oxidation States of MM ₂ X-Type PlatinumRhodium Dinuclear Complexes Having Amidate Bridging Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 809-815	2.3	11
16	Synthesis of amidate-hanging platinum mononuclear complexes by base hydrolysis of nitrile complexes. <i>Inorganica Chimica Acta</i> , 2007 , 360, 2623-2630	2.7	8
15	Isomerization reaction of head-to-head alpha-pyridonato-bridged ethylenediaminepalladium(II) binuclear complex, [Pd ₂ (en) ₂ (C ₅ H ₄ NO) ₂] ²⁺ , in aqueous solution. <i>Dalton Transactions</i> , 2006 , 1497-504	4.3	10
14	Hydrogen-bonded porous coordination polymers: structural transformation, sorption properties, and particle size from kinetic studies. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16122-30	16.4	102
13	A paramagnetic quasi-1D chain comprised of Pt/Rh possessing an unpaired electron. <i>Science and Technology of Advanced Materials</i> , 2006 , 7, 461-467	7.1	11
12	Flexible microporous coordination polymers. <i>Journal of Solid State Chemistry</i> , 2005 , 178, 2420-2429	3.3	333
11	Dynamic porous properties of coordination polymers inspired by hydrogen bonds. <i>Chemical Society Reviews</i> , 2005 , 34, 109-19	58.5	1298
10	Paramagnetic platinum-rhodium octamers bridged by halogen ions to afford a quasi-1D system. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 5459-64	16.4	52
9	Paramagnetic PlatinumRhodium Octamers Bridged by Halogen Ions To Afford a Quasi-1D System. <i>Angewandte Chemie</i> , 2005 , 117, 5595-5600	3.6	6
8	Thermodynamic aspect of reversible structural conversion induced by guest adsorption/desorption based on infinite Co(NCS) ₂ Py ₄ (Py=pyridine) system. <i>Journal of Thermal Analysis and Calorimetry</i> , 2005 , 81, 529-532	4.1	19
7	Expanding and shrinking porous modulation based on pillared-layer coordination polymers showing selective guest adsorption. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 3269-72	16.4	363
6	Cover Picture: Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption (Angew. Chem. Int. Ed. 25/2004). <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 3205-3205	16.4	
5	Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption. <i>Angewandte Chemie</i> , 2004 , 116, 3331-3334	3.6	91
4	Titelbild: Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption (Angew. Chem. 25/2004). <i>Angewandte Chemie</i> , 2004 , 116, 3267-3267	3.6	
3	A contrivance for a dynamic porous framework: cooperative guest adsorption based on square grids connected by amide-amide hydrogen bonds. <i>Journal of the American Chemical Society</i> , 2004 , 126, 3817-28	16.4	285
2	Novel flexible frameworks of porous cobalt(II) coordination polymers that show selective guest adsorption based on the switching of hydrogen-bond pairs of amide groups. <i>Chemistry - A European Journal</i> , 2002 , 8, 3586-600	4.8	374
1	Synthesis and Structures of Coordination Polymers with 4,4'-Dipyridyldisulfide. <i>Journal of Solid State Chemistry</i> , 2000 , 152, 113-119	3.3	53