
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2359919/publications.pdf Version: 2024-02-01



RVSZARD OLINSKI

#	Article	IF	CITATIONS
1	Diagnostic and Prognostic Power of Active DNA Demethylation Pathway Intermediates in Acute Myelogenous Leukemia and Myelodysplastic Syndromes. Cells, 2022, 11, 888.	1.8	3
2	Genomic Uracil and Aberrant Profile of Demethylation Intermediates in Epigenetics and Hematologic Malignancies. International Journal of Molecular Sciences, 2021, 22, 4212.	1.8	7
3	LINE-1 transcription in round spermatids is associated with accretion of 5-carboxylcytosine in their open reading frames. Communications Biology, 2021, 4, 691.	2.0	8
4	Evidence for Noncytosine Epigenetic DNA Modifications in Multicellular Eukaryotes: An Overview. Methods in Molecular Biology, 2021, 2198, 15-25.	0.4	6
5	MS Analysis of DNA Modifications in Urinary/Body Fluids. Methods in Molecular Biology, 2021, 2198, 109-122.	0.4	Ο
6	Quantification of DNA Modifications Using Two-Dimensional Ultraperformance Liquid Chromatography Tandem Mass Spectrometry (2D-UPLC-MS/MS). Methods in Molecular Biology, 2021, 2198, 91-108.	0.4	8
7	Preparation of Internal Standards for 2D-UPLC-MS/MS Quantification of Noncanonical DNA Bases. Methods in Molecular Biology, 2021, 2198, 123-136.	0.4	0
8	Mass Spectrometry-Based Analysis of DNA Modifications: Potential Applications in Basic Research and Clinic. Methods in Molecular Biology, 2021, 2198, 27-35.	0.4	2
9	The Membrane Electrical Potential and Intracellular pH as Factors Influencing Intracellular Ascorbate Concentration and Their Role in Cancer Treatment. Cells, 2021, 10, 2964.	1.8	2
10	The urinary excretion of epigenetically modified DNA as a marker of pediatric ALL status and chemotherapy response. Scientific Reports, 2021, 11, 21345.	1.6	3
11	Targeted DNA oxidation by LSD1–SMAD2/3 primes TGF-β1/ EMT genes for activation or repression. Nucleic Acids Research, 2020, 48, 8943-8958.	6.5	23
12	Context dependent effects of ascorbic acid treatment in TET2 mutant myeloid neoplasia. Communications Biology, 2020, 3, 493.	2.0	30
13	5-formylcytosine and 5-hydroxymethyluracil as surrogate markers of TET2 and SF3B1 mutations in myelodysplastic syndrome, respectively. Haematologica, 2020, 105, e213-e215.	1.7	2
14	Mass spectrometry reveals the presence of specific set of epigenetic DNA modifications in the Norway spruce genome. Scientific Reports, 2019, 9, 19314.	1.6	9
15	TET2 Loss Accelerates Leukemogenesis By Disrupting Mismatch Repair Proteins. Blood, 2019, 134, 1200-1200.	0.6	0
16	Oxidation Products of 5-Methylcytosine are Decreased in Senescent Cells and Tissues of Progeroid Mice. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1003-1009.	1.7	8
17	Endogenously generated DNA nucleobase modifications source, and significance as possible biomarkers of malignant transformation risk, and role in anticancer therapy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2018, 1869, 29-41.	3.3	12
18	Consequences of mutant TET2 on clonality and subclonal hierarchy. Leukemia, 2018, 32, 1751-1761.	3.3	54

#	Article	IF	CITATIONS
19	Characteristic profiles of DNA epigenetic modifications in colon cancer and its predisposing conditions—benign adenomas and inflammatory bowel disease. Clinical Epigenetics, 2018, 10, 72.	1.8	21
20	In vivo evidence of ascorbate involvement in the generation of epigenetic DNA modifications in leukocytes from patients with colorectal carcinoma, benign adenoma and inflammatory bowel disease. Journal of Translational Medicine, 2018, 16, 204.	1.8	28
21	ERCC1-deficient cells and mice are hypersensitive to lipid peroxidation. Free Radical Biology and Medicine, 2018, 124, 79-96.	1.3	13
22	Systemowa równowaga antyoksyacyjna u pacjentów bez klinicznej manifestacji miażdżycy. Acta Angiologica, 2018, 24, 1-8.	0.2	0
23	Modulation of TET2 Activity By Ascorbic Acid and Factors Affecting Lysine Acetylation. Blood, 2018, 132, 4346-4346.	0.6	1
24	Profiles of a broad spectrum of epigenetic DNA modifications in normal and malignant human cell lines: Proliferation rate is not the major factor responsible for the 5-hydroxymethyl-2′-deoxycytidine level in cultured cancerous cell lines. PLoS ONE, 2017, 12, e0188856.	1.1	13
25	Systemic oxidoreductive balance and vascular function in individuals without clinical manifestation of atherosclerosis. Archives of Medical Sciences Atherosclerotic Diseases, 2017, 2, 37-45.	0.5	8
26	The Impact of DIDS-Induced Inhibition of Voltage-Dependent Anion Channels (VDAC) on Cellular Response of Lymphoblastoid Cells to Ionizing Radiation. Medicinal Chemistry, 2017, 13, 477-483.	0.7	35
27	The role of vitamin C in epigenetic regulation. Postepy Higieny I Medycyny Doswiadczalnej, 2017, 71, 0-0.	0.1	16
28	Urinary Measurement of Epigenetic DNA Modifications: A Nonâ€Invasive Assessment of the Wholeâ€Body Epigenetic Status in Healthy Subjects and Colorectal Cancer Patients. ChemistryOpen, 2016, 5, 550-553.	0.9	12
29	Nucleotide excision repair of oxidised genomic DNA is not a source of urinary 8-oxo-7,8-dihydro-2′-deoxyguanosine. Free Radical Biology and Medicine, 2016, 99, 385-391.	1.3	26
30	Vitamin C enhances substantially formation of 5-hydroxymethyluracil in cellular DNA. Free Radical Biology and Medicine, 2016, 101, 378-383.	1.3	22
31	Accurate, Direct, and High-Throughput Analyses of a Broad Spectrum of Endogenously Generated DNA Base Modifications with Isotope-Dilution Two-Dimensional Ultraperformance Liquid Chromatography with Tandem Mass Spectrometry: Possible Clinical Implication. Analytical Chemistry, 2016, 88, 12128-12136.	3.2	54
32	Enigmatic 5-hydroxymethyluracil: Oxidatively modified base, epigenetic mark or both?. Mutation Research - Reviews in Mutation Research, 2016, 767, 59-66.	2.4	67
33	Tissue-Specific Differences in DNA Modifications (5-Hydroxymethylcytosine, 5-Formylcytosine,) Tj ETQq1 1 0.78 e0144859.	84314 rgB ⁻ 1.1	T /Overlock 10 35
34	Urinary 5-hydroxymethyluracil and 8-oxo-7,8-dihydroguanine as potential biomarkers in patients with colorectal cancer. Biomarkers, 2015, 20, 287-291.	0.9	34
35	Structural, electronic and energetic consequences of epigenetic cytosine modifications. Physical Chemistry Chemical Physics, 2015, 17, 19616-19624.	1.3	2
36	PARP-1 Expression is Increased in Colon Adenoma and Carcinoma and Correlates with OGG1. PLoS ONE, 2014, 9, e115558.	1.1	46

#	Article	IF	CITATIONS
37	8â€Oxoâ€7,8â€dihydroguanine and uric acid as efficient predictors of survival in colon cancer patients. International Journal of Cancer, 2014, 134, 376-383.	2.3	55
38	Are 8-oxoguanine (8-oxoGua) and 5-hydroxymethyluracil (5-hmUra) oxidatively damaged DNA bases or transcription (epigenetic) marks?. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2014, 764-765, 58-63.	0.9	41
39	Viral infection-oxidative stress/DNA damage-aberrant DNA methylation: separate or interrelated events responsible for genetic instability and childhood ALL development?. Biochimica Et Biophysica Acta: Reviews on Cancer, 2014, 1846, 226-231.	3.3	8
40	Comparison of the Absolute Level of Epigenetic Marks 5-Methylcytosine, 5-Hydroxymethylcytosine, and 5-Hydroxymethyluracil Between Human Leukocytes and Sperm1. Biology of Reproduction, 2014, 91, 55.	1.2	18
41	Does morphology of carotid plaque depend on patient's oxidative stress?. Clinical Biochemistry, 2013, 46, 1030-1035.	0.8	8
42	Human and Methodological Sources of Variability in the Measurement of Urinary 8-Oxo-7,8-dihydro-2′-deoxyguanosine. Antioxidants and Redox Signaling, 2013, 18, 2377-2391.	2.5	130
43	Comparison of Oxidative Stress/DNA Damage in Semen and Blood of Fertile and Infertile Men. PLoS ONE, 2013, 8, e68490.	1.1	69
44	Urinary 8-Oxoguanine as a Predictor of Survival in Patients Undergoing Radiotherapy. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 629-634.	1.1	26
45	Biologically relevant oxidants and terminology, classification and nomenclature of oxidatively generated damage to nucleobases and 2-deoxyribose in nucleic acids. Free Radical Research, 2012, 46, 367-381.	1.5	114
46	Harmonising measurements of 8-oxo-7,8-dihydro-2′-deoxyguanosine in cellular DNA and urine. Free Radical Research, 2012, 46, 541-553.	1.5	45
47	DNA Damage Products (5′ <i>R</i>)- and (5′ <i>S</i>)-8,5′-Cyclo-2′-deoxyadenosines as Potential Bior in Human Urine for Atherosclerosis. Biochemistry, 2012, 51, 1822-1824.	narkers 1.2	37
48	Plasma micronutrients, trace elements, and breast cancer in BRCA1 mutation carriers: an exploratory study. Cancer Causes and Control, 2012, 23, 1065-1074.	0.8	26
49	8-Oxoguanine incision activity is impaired in lung tissues of NSCLC patients with the polymorphism of OGG1 and XRCC1 genes. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2011, 709-710, 21-31.	0.4	42
50	Alterations in the expression of genes related to NF-κB signaling in liver and kidney of CuZnSOD-deficient mice. Molecular and Cellular Biochemistry, 2011, 353, 151-157.	1.4	8
51	Association between body iron stores and level of oxidatively modified DNA bases. Biotechnologia, 2011, 2, 159-165.	0.3	5
52	Uracil in DNA—Its biological significance. Mutation Research - Reviews in Mutation Research, 2010, 705, 239-245.	2.4	30
53	Aberrant repair of etheno–DNA adducts in leukocytes and colon tissue of colon cancer patients. Free Radical Biology and Medicine, 2010, 49, 1064-1071.	1.3	30
54	Oxidatively Damaged DNA/Oxidative Stress in Children with Celiac Disease. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1960-1965.	1.1	33

#	Article	IF	CITATIONS
55	Toward consensus in the analysis of urinary 8â€oxoâ€7,8â€dihydroâ€2â€2â€deoxyguanosine as a noninvasive biomarker of oxidative stress. FASEB Journal, 2010, 24, 1249-1260.	0.2	126
56	Recommendations for Standardized Description of and Nomenclature Concerning Oxidatively Damaged Nucleobases in DNA. Chemical Research in Toxicology, 2010, 23, 705-707.	1.7	57
57	The effect of oxidative stress on nucleotide-excision repair in colon tissue of newborn piglets. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2010, 695, 75-80.	0.9	39
58	Benefits and Risks of Iron Supplementation in Anemic Neonatal Pigs. American Journal of Pathology, 2010, 177, 1233-1243.	1.9	74
59	Oxidative stress and 8-oxoguanine repair are enhanced in colon adenoma and carcinoma patients. Mutagenesis, 2010, 25, 463-471.	1.0	113
60	Cu,Zn-superoxide dismutase deficiency in mice leads to organ-specific increase in oxidatively damaged DNA and NF-№B1 protein activity Acta Biochimica Polonica, 2010, 57, .	0.3	7
61	Involvement of oxidatively damaged DNA and repair in cancer development and aging. American Journal of Translational Research (discontinued), 2010, 2, 254-84.	0.0	64
62	Cu,Zn-superoxide dismutase deficiency in mice leads to organ-specific increase in oxidatively damaged DNA and NF-№B1 protein activity. Acta Biochimica Polonica, 2010, 57, 577-83.	0.3	5
63	Selenium Supplementation Reduced Oxidative DNA Damage in Adnexectomized BRCA1 Mutations Carriers. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2923-2928.	1.1	44
64	Elevated level of 8â€oxoâ€7,8â€dihydroâ€2â€2â€deoxyguanosine in leukocytes of <i>BRCA1</i> mutation carrie compared to healthy controls. International Journal of Cancer, 2009, 125, 2209-2213.	rs 2.3	32
65	Interlaboratory comparison of methodologies for the measurement of urinary 8-oxo-7,8-dihydro-2′-deoxyguanosine. Biomarkers, 2009, 14, 103-110.	0.9	37
66	Antioxidant vitamins and cancer risk: is oxidative damage to DNA a relevant biomarker?. European Journal of Nutrition, 2008, 47, 19-28.	1.8	72
67	Small field radiotherapy of head and neck cancer patients is responsible for oxidatively damaged DNA/oxidative stress on the level of a whole organism. International Journal of Cancer, 2008, 123, 1964-1967.	2.3	28
68	The relationship between 8-oxo-7,8-dihydro-2′-deoxyguanosine level and extent of cytosine methylation in leukocytes DNA of healthy subjects and in patients with colon adenomas and carcinomas. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2008, 640, 170-173.	0.4	54
69	Oxidatively damaged DNA and its repair after experimental exposure to wood smoke in healthy humans. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2008, 642, 37-42.	0.4	70
70	Oxidative stress and oxidative DNA damage is characteristic for mixed Alzheimer disease/vascular dementia. Journal of the Neurological Sciences, 2008, 266, 57-62.	0.3	106
71	Measurement and Meaning of Oxidatively Modified DNA Lesions in Urine. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3-14.	1.1	202
72	Dynamics of Oxidative Damage at Early Stages of Estrogen-dependant Carcinogenesis. Advances in Experimental Medicine and Biology, 2008, 617, 609-615.	0.8	2

#	Article	IF	CITATIONS
73	Urinary excretion rates of 8-oxoGua and 8-oxodG and antioxidant vitamins level as a measure of oxidative status in healthy, full-term newborns. Free Radical Research, 2007, 41, 997-1004.	1.5	23
74	Higher Leukocyte 8-Oxo-7,8-Dihydro-2'-Deoxyguanosine and Lower Plasma Ascorbate in Aging Humans?. Antioxidants and Redox Signaling, 2007, 9, 143-150.	2.5	73
75	Effects of basal level of antioxidants on oxidative DNA damage in humans. European Journal of Nutrition, 2007, 46, 174-180.	1.8	54
76	Dynamics of estrogen-induced oxidative stress Acta Biochimica Polonica, 2007, 54, 289-295.	0.3	4
77	Oxidative damage to DNA and antioxidant status in aging and age-related diseases Acta Biochimica Polonica, 2007, 54, 11-26.	0.3	74
78	Oxidative DNA Damage and Carcinogenesis. , 2007, , 153-166.		0
79	Oxidative damage to DNA and antioxidant status in aging and age-related diseases. Acta Biochimica Polonica, 2007, 54, 11-26.	0.3	25
80	Dynamics of estrogen-induced oxidative stress. Acta Biochimica Polonica, 2007, 54, 289-95.	0.3	2
81	Does measurement of oxidative damage to DNA have clinical significance?. Clinica Chimica Acta, 2006, 365, 30-49.	0.5	204
82	Severe oxidatively damaged DNA after cisplatin treatment of cancer patients. International Journal of Cancer, 2006, 119, 2228-2230.	2.3	50
83	Helicobacter pylori infection is associated with oxidatively damaged DNA in human leukocytes and decreased level of urinary 8-oxo-7,8-dihydroguanine. Carcinogenesis, 2006, 27, 405-408.	1.3	45
84	Evidence for attenuated cellular 8-oxo-7,8-dihydro-2′-deoxyguanosine removal in cancer patients. Biological Chemistry, 2006, 387, 393-400.	1.2	17
85	Urinary Measurement of 8-OxodG, 8-OxoGua, and 5HMUra: A Noninvasive Assessment of Oxidative Damage to DNA. Antioxidants and Redox Signaling, 2006, 8, 1011-1019.	2.5	55
86	DNA repair is responsible for the presence of oxidatively damaged DNA lesions in urine. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2005, 574, 58-66.	0.4	174
87	Oxidative DNA damage and antioxidant vitamin level: Comparison among lung cancer patients, healthy smokers and nonsmokers. International Journal of Cancer, 2005, 114, 153-156.	2.3	47
88	Contribution of hMTH1 to the Maintenance of 8-Oxoguanine Levels in Lung DNA of Non-Small-Cell Lung Cancer Patients. Journal of the National Cancer Institute, 2005, 97, 384-395.	3.0	85
89	Establishing the background level of base oxidation in human lymphocyte DNA: results of an interlaboratory validation study. FASEB Journal, 2005, 19, 82-84.	0.2	404
90	Substantial decrease of urinary 8-oxo-7,8-dihydroguanine, a product of the base excision repair pathway, in DNA glycosylase defective mice. International Journal of Biochemistry and Cell Biology, 2005, 37, 1331-1336.	1.2	41

#	Article	IF	CITATIONS
91	Urinary excretion of dna repair products correlates with metabolic rates as well as with maximum life spans of different mammalian species. Free Radical Biology and Medicine, 2004, 37, 1449-1454.	1.3	97
92	Diet is Not Responsible for the Presence of Several Oxidatively Damaged DNA Lesions in Mouse Urine. Free Radical Research, 2004, 38, 1201-1205.	1.5	35
93	Measurement of DNA oxidation in human cells by chromatographic and enzymic methods. Free Radical Biology and Medicine, 2003, 34, 1089-1099.	1.3	268
94	Oxidative DNA damage in cancer patients: a cause or a consequence of the disease development?. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2003, 531, 177-190.	0.4	106
95	Oxidative DNA Base Modifications and Polycyclic Aromatic Hydrocarbon DNA Adducts in Squamous Cell Carcinoma of Larynx. Free Radical Research, 2003, 37, 231-240.	1.5	36
96	High Concentrations of Excised Oxidative DNA Lesions in Human Cerebrospinal Fluid. Clinical Chemistry, 2003, 49, 1218-1221.	1.5	14
97	Cellular level of 8-oxo-2'-deoxyguanosine in DNA does not correlate with urinary excretion of the modified base/nucleoside Acta Biochimica Polonica, 2003, 50, 549-554.	0.3	14
98	Decreased repair activities of 1,N(6)-ethenoadenine and 3,N(4)-ethenocytosine in lung adenocarcinoma patients. Cancer Research, 2003, 63, 4351-7.	0.4	49
99	Products of oxidative DNA damage and repair as possible biomarkers of susceptibility to lung cancer. Cancer Research, 2003, 63, 4899-902.	0.4	136
100	Comparative analysis of baseline 8-oxo-7,8-dihydroguanine in mammalian cell DNA, by different methods in different laboratories: an approach to consensus. Carcinogenesis, 2002, 23, 2129-2133.	1.3	202
101	Inter-laboratory Validation of Procedures for Measuring 8-oxo-7,8-dihydroguanine/8-oxo-7,8-dihydro-2′-deoxyguanosine in DNA. Free Radical Research, 2002, 36, 239-245.	1.5	75
102	Biomarkers. Molecular Aspects of Medicine, 2002, 23, 101-208.	2.7	250
103	Supplementation with antioxidant vitamins prevents oxidative modification of DNA in lymphocytes of HIV-infected patients. Free Radical Biology and Medicine, 2002, 32, 414-420.	1.3	82
104	Oxidative DNA damage: assessment of the role in carcinogenesis, atherosclerosis, and acquired immunodeficiency syndrome1 1This article is part of a series of reviews on "Oxidative DNA Damage and Repair.―The full list of papers may be found on the homepage of the journal Free Radical Biology and Medicine, 2002, 33, 192-200.	1.3	258
105	Persistent oxidative stress in colorectal carcinoma patients. International Journal of Cancer, 2002, 101, 395-397.	2.3	105
106	The level of 8-oxo-7,8-dihydro-2′-deoxyguanosine is positively correlated with the size of the labile iron pool in human lymphocytes. Journal of Biological Inorganic Chemistry, 2002, 7, 548-550.	1.1	35
107	Comparison of Results from Different Laboratories in Measuring 8-oxo-2′-deoxyguanosine in Synthetic Oligonucleotides. Free Radical Research, 2002, 36, 649-659.	1.5	37
108	Lymphocyte labile iron pool, plasma iron, transferrin saturation and ferritin levels in colon cancer patients Acta Biochimica Polonica, 2002, 49, 269-272.	0.3	17

#	Article	IF	CITATIONS
109	Lymphocyte labile iron pool, plasma iron, transferrin saturation and ferritin levels in colon cancer patients. Acta Biochimica Polonica, 2002, 49, 269-72.	0.3	7
110	8-Oxo-7,8-dihydroguanine and 8-oxo-7,8-dihydro-2′-deoxyguanosine levels in human urine do not depend on diet. Free Radical Research, 2001, 35, 825-832.	1.5	95
111	Further evidence that oxidative stress may be a risk factor responsible for the development of atherosclerosis. Free Radical Biology and Medicine, 2001, 31, 542-547.	1.3	73
112	The level of typical biomarker of oxidative stress 8-hydroxy-2′-deoxyguanosine is higher in uterine myomas than in control tissues and correlates with the size of the tumor. Free Radical Biology and Medicine, 2000, 29, 597-601.	1.3	62
113	Fapyadenine is a moderately efficient chain terminator for prokaryotic DNA polymerases. Free Radical Biology and Medicine, 2000, 28, 75-83.	1.3	30
114	Comparison of different methods of measuring 8-oxoguanine as a marker of oxidative DNA damage. Free Radical Research, 2000, 32, 333-341.	1.5	112
115	Oxidative DNA base damage in lymphocytes of HIV-infected drug users. Free Radical Research, 1999, 31, 197-200.	1.5	11
116	Structure and tautomeric properties of cytosine derivatives generated by a hydroxyl radical in aerobic conditions. Computational and Theoretical Chemistry, 1999, 459, 1-14.	1.5	8
117	Ab initio quantum chemistry studies on the coding properties of cytosine derivatives generated by hydroxyl radical in aerobic conditions. Computational and Theoretical Chemistry, 1999, 490, 69-79.	1.5	3
118	Evaluation of 8-oxodeoxyguanosine, typical oxidative DNA damage, in lymphocytes of ozone-treated arteriosclerotic patients. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1999, 438, 23-27.	0.9	37
119	SOS-dependent A→G transitions induced by hydroxyl radical generating system hypoxanthine/xanthine oxidase/Fe3+/EDTA are accompanied by the increase of Fapy-adenine content in M13 mp18 phage DNA. Mutation Research DNA Repair, 1999, 434, 41-52.	3.8	20
120	Theoretical Description of the Coding Potential of Diamino-5-formamidopyrimidines. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1999, 54, 239-245.	0.6	10
121	Estimation Of Free Radical Induced DNA Base Damages in Cancerous- and HIV Infected Patients and in Healthy Subjects. , 1999, , 353-369.		Ο
122	Comparison of Oxidative Base Damage in Mitochondrial and Nuclear DNA. Free Radical Biology and Medicine, 1998, 24, 722-725.	1.3	66
123	Ionizing Radiation and Hydrogen Peroxide Induced Oxidative DNA Base Damage in Two L5178Y Cell Lines. Free Radical Biology and Medicine, 1998, 24, 1250-1255.	1.3	13
124	Oxidative DNA base damage in cancerous tissues of patients undergoing brachytherapy. Cancer Letters, 1998, 132, 169-173.	3.2	2
125	Structure and tautomeric properties of thymine derivatives generated by hydroxyl radical in aerobic conditions. Journal of the Chemical Society, Faraday Transactions, 1998, 94, 1813-1821.	1.7	12
126	Epirubicin-Induced Oxidative DNA Damage and Evidence for Its Repair in Lymphocytes of Cancer Patients Who Are Undergoing Chemotherapy. Molecular Pharmacology, 1997, 52, 882-885.	1.0	37

#	Article	IF	CITATIONS
127	Oxidative DNA base damage and its repair in kidneys and livers of nickel(II)-treated male F344 rats. Carcinogenesis, 1997, 18, 271-277.	1.3	58
128	Radiation-Induced Oxidative DNA Base Damage and Its Repair in Nuclear Matrix-Associated DNA and in Bulk DNA in Hepatic Chromatin of Rat Upon Whole-Body I ³ -Irradiation. Free Radical Biology and Medicine, 1997, 22, 101-107.	1.3	19
129	Structure and properties of hydroxyl radical modified nucleic acid components II. 8-Oxo-adenine and 8-oxo-2′-deoxy-adenosine. Computational and Theoretical Chemistry, 1997, 397, 167-177.	1.5	9
130	DNA base damage in lymphocytes of cancer patients undergoing radiation therapy. Cancer Letters, 1996, 106, 207-215.	3.2	31
131	8-Oxo-2′-deoxyguanosine level in lymphocytes DNA of cancer patients undergoing radiotherapy. Cancer Letters, 1996, 99, 93-97.	3.2	25
132	Effect of 2'-Deoxyguanosine Oxidation at C 8 Position on N-Glycosidic Bond Stability. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1996, 51, 119-122.	0.6	22
133	An ab initio SCF study on the tautomerisation of fapy-guanine. Computational and Theoretical Chemistry, 1996, 369, 93-104.	1.5	9
134	DNA base modifications and antioxidant enzyme activities in human benign prostatic hyperplasia. Free Radical Biology and Medicine, 1995, 18, 807-813.	1.3	64
135	Ab Initio Studies on the Structure and Properties of the Hydroxyl-Radical-Modified Adenine Derivatives in Different Tautomeric Forms. The Journal of Physical Chemistry, 1995, 99, 9702-9708.	2.9	17
136	Oxidative DNA base damage and antioxidant enzyme activities in human lung cancer. FEBS Letters, 1994, 341, 59-64.	1.3	206
137	Enhancement by L-histidine of nickel(II)-induced DNA-protein cross-linking and oxidative DNA base damage in the rat kidney. Chemical Research in Toxicology, 1993, 6, 33-37.	1.7	71
138	DNA Base Damage in Chromatin of \hat{I}^3 -Irradiated Cultured Human Cells. Free Radical Research Communications, 1992, 16, 259-273.	1.8	96
139	Nickel(II)-mediated oxidative DNA base damage in renal and hepatic chromatin of pregnant rats and their fetuses. Possible relevance to carcinogenesis. Chemical Research in Toxicology, 1992, 5, 809-815.	1.7	89
140	DNA-protein cross-linking between thymine and tyrosine in chromatin of Î ³ -irradiated or H2O2-treated cultured human cells. Archives of Biochemistry and Biophysics, 1992, 297, 139-143.	1.4	53
141	DNA base modifications in chromatin of human cancerous tissues. FEBS Letters, 1992, 309, 193-198.	1.3	245
142	DNA-protein cross-linking in L1210 cells sensitive and resistant to cis-diamminedichloroplatinum (II). Molecular Biology Reports, 1991, 15, 81-86.	1.0	5
143	The Effect of Glutathion on the Reaction of cis-and fra/25-Diamminedichloroplatinum(II) with DNA. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1990, 45, 1207-1209.	0.6	0
144	Intranuclear distribution of the human myeloid cell nuclear differentiation antigen in HL-60 cells. Journal of Cellular Physiology, 1989, 141, 148-153.	2.0	17

#	Article	IF	CITATIONS
145	DNA degradation after interaction of cis- and trans-diamminedichloroplatinum (II) with calf thymus nuclei. Molecular Biology Reports, 1986, 11, 25-28.	1.0	1
146	Modified method of silver staining of proteins in polyacrylamide gels. Analytical Biochemistry, 1986, 159, 323-328.	1.1	17
147	Crosslinking of chromosomal antigen common in human tumors to DNA by cis-diamminedichloroplatinum (II). Molecular Biology Reports, 1985, 10, 183-186.	1.0	0
148	Isolation of the Adducts of Platinum Complexes and Nucleic Acid Bases on the Dowex 50 W Column. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1984, 39, 1052-1056.	0.6	2
149	Isolation of the Products Resulting from the Reaction of cis and trans Diaminedichloroplatinum [II] with DNA and Chromatin on the Dowex 50 W Column. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1984, 39, 1057-1062.	0.6	8
150	The Influence of Cysteine on the Reaction of d-Guanosine with cis -Diamminedichloroplatinum (II). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1984, 39, 180-182.	0.6	4
151	Separation of platinated derivatives of nucleic acid bases on Sephadex G10. Molecular Biology Reports, 1983, 9, 197-201.	1.0	0
152	Estimation of cis-diamminedichloroplatinum(II) binding to purine bases of calf thymus DNA using [14C]methylbromphenvinphos. Journal of Proteomics, 1983, 7, 171-173.	2.4	2
153	Gamma-Radiation-Induced Crosslinking of Cell-Specific Chromosomal Nonhistone Protein-DNA Complexes in HeLa Chromatin. Radiation Research, 1981, 86, 102.	0.7	43
154	Physico-Chemical Characteristics of DNA Chromatin Fractions from Calf Thymus. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 1981, 36, 361-365.	0.6	0
155	Cross-linking of chromosomal non-histone proteins to DNA by UV radiation and some antitumor drugs. Chemico-Biological Interactions, 1981, 34, 173-183.	1.7	5
156	Changes in DNA properties due to treatment with the pesticides malathion and DDVP. Radiation and Environmental Biophysics, 1980, 18, 65-72.	0.6	9
157	Effects of Gamma- and X-irradiation on Nucleotides of Lymph Nodes. International Journal of Radiation Biology and Related Studies in Physics, Chemistry, and Medicine, 1969, 16, 433-440.	1.0	1