List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2359956/publications.pdf Version: 2024-02-01

| | | 8181 | 8396 |
|-----------------|-----------------------|---------------------|-------------------------|
| 218 | 23,108 | 76 | 147 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 223 | 223 | 223 | 17277 |
| all docs | docs citations | times ranked | citing authors |
| | | | |
| 223 all docs | 223 docs citations | 223 times ranked | 17277 citing authors |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Neural stem cells in the adult mammalian forebrain: A relatively quiescent subpopulation of subependymal cells. Neuron, 1994, 13, 1071-1082. | 8.1 | 1,323 |
| 2 | Retinal Stem Cells in the Adult Mammalian Eye. Science, 2000, 287, 2032-2036. | 12.6 | 994 |
| 3 | Distinct Neural Stem Cells Proliferate in Response to EGF and FGF in the Developing Mouse Telencephalon. Developmental Biology, 1999, 208, 166-188. | 2.0 | 742 |
| 4 | The organization of projections from the cortes, amygdala, and hypothalamus to the nucleus of the solitary tract in rat. Journal of Comparative Neurology, 1984, 224, 1-24. | 1.6 | 694 |
| 5 | Direct Neural Fate Specification from Embryonic Stem Cells. Neuron, 2001, 30, 65-78. | 8.1 | 683 |
| 6 | Notch pathway molecules are essential for the maintenance, but not the generation, of mammalian neural stem cells. Genes and Development, 2002, 16, 846-858. | 5.9 | 585 |
| 7 | Clonal identification of multipotent precursors from adult mouse pancreas that generate neural and pancreatic lineages. Nature Biotechnology, 2004, 22, 1115-1124. | 17.5 | 527 |
| 8 | Drug reinforcement studied by the use of place conditioning in rat. Brain Research, 1982, 243, 91-105. | 2.2 | 522 |
| 9 | Is there a neural stem cell in the mammalian forebrain?. Trends in Neurosciences, 1996, 19, 387-393. | 8.6 | 506 |
| 10 | Adult Mammalian Forebrain Ependymal and Subependymal Cells Demonstrate Proliferative Potential, but only Subependymal Cells Have Neural Stem Cell Characteristics. Journal of Neuroscience, 1999, 19, 4462-4471. | 3.6 | 492 |
| 11 | Adult Rodent Neurogenic Regions: The Ventricular Subependyma Contains Neural Stem Cells, But the Dentate Gyrus Contains Restricted Progenitors. Journal of Neuroscience, 2002, 22, 1784-1793. | 3.6 | 490 |
| 12 | Transforming Growth Factor-α Null and Senescent Mice Show Decreased Neural Progenitor Cell Proliferation in the Forebrain Subependyma. Journal of Neuroscience, 1997, 17, 7850-7859. | 3.6 | 419 |
| 13 | Facile isolation and the characterization of human retinal stem cells. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 15772-15777. | 7.1 | 390 |
| 14 | Hematopoietic competence is a rare property of neural stem cells that may depend on genetic and epigenetic alterations. Nature Medicine, 2002, 8, 268-273. | 30.7 | 381 |
| 15 | The neurobiology of nicotine addiction: bridging the gap from molecules to behaviour. Nature Reviews Neuroscience, 2004, 5, 55-65. | 10.2 | 381 |
| 16 | p21 loss compromises the relative quiescence of forebrain stem cell proliferation leading to exhaustion of their proliferation capacity. Genes and Development, 2005, 19, 756-767. | 5.9 | 377 |
| 17 | Developmental expression of a novel murine homeobox gene (Chx10): Evidence for roles in determination of the neuroretina and inner nuclear layer. Neuron, 1994, 13, 377-393. | 8.1 | 354 |
| 18 | Stem and progenitor cells: the premature desertion of rigorous definitions. Trends in Neurosciences, 2003. 26. 125-131. | 8.6 | 302 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | DREAM Is a Critical Transcriptional Repressor for Pain Modulation. Cell, 2002, 108, 31-43. | 28.9 | 274 |
| 20 | Neuronal birthdate underlies the development of striatal compartments. Brain Research, 1987, 401, 155-161. | 2.2 | 255 |
| 21 | Organization of the projections of a circumventricular organ: The area postrema in the rat. Journal of Comparative Neurology, 1983, 219, 328-338. | 1.6 | 249 |
| 22 | The organization of the efferent projections of the substantia nigra in the rat. A retrograde fluorescent double labeling study. Brain Research, 1979, 174, 1-17. | 2.2 | 236 |
| 23 | Reinforcing effects of brain microinjections of morphine revealed by conditioned place preference. Brain Research, 1982, 243, 107-117. | 2.2 | 232 |
| 24 | Critical Evaluation of Imprinted Gene Expression by RNA–Seq: A New Perspective. PLoS Genetics, 2012, 8, e1002600. | 3.5 | 226 |
| 25 | Genetic conflict reflected in tissue-specific maps of genomic imprinting in human and mouse. Nature Genetics, 2015, 47, 544-549. | 21.4 | 221 |
| 26 | Dorsal raphe cells with collateral projections to the caudate-putamen and substantia nigra: A fluorescent retrograde double labeling study in the rat. Brain Research, 1980, 186, 1-7. | 2.2 | 218 |
| 27 | Embryonic stem cells assume a primitive neural stem cell fate in the absence of extrinsic influences. Journal of Cell Biology, 2006, 172, 79-90. | 5.2 | 215 |
| 28 | The ablation of glial fibrillary acidic proteinâ€positive cells from the adult central nervous system results in the loss of forebrain neural stem cells but not retinal stem cells. European Journal of Neuroscience, 2003, 18, 76-84. | 2.6 | 206 |
| 29 | In vivoinfusions of exogenous growth factors into the fourth ventricle of the adult mouse brain increase the proliferation of neural progenitors around the fourth ventricle and the central canal of the spinal cord. European Journal of Neuroscience, 2002, 16, 1045-1057. | 2.6 | 205 |
| 30 | A hydrogel-based stem cell delivery system to treat retinal degenerative diseases. Biomaterials, 2010, 31, 2555-2564. | 11.4 | 205 |
| 31 | The Adult Mouse and Human Pancreas Contain Rare Multipotent Stem Cells that Express Insulin. Cell Stem Cell, 2011, 8, 281-293. | 11.1 | 205 |
| 32 | Opiate state controls bi-directional reward signaling via GABAA receptors in the ventral tegmental area. Nature Neuroscience, 2004, 7, 160-169. | 14.8 | 203 |
| 33 | Regulation of Vertebrate Nervous System Alternative Splicing and Development by an SR-Related Protein. Cell, 2009, 138, 898-910. | 28.9 | 195 |
| 34 | Dopamine modulates the plasticity of mechanosensory responses in Caenorhabditis elegans. EMBO Journal, 2004, 23, 473-482. | 7.8 | 190 |
| 35 | A Hyaluronan-Based Injectable Hydrogel Improves the Survival and Integration of Stem Cell Progeny following Transplantation. Stem Cell Reports, 2015, 4, 1031-1045. | 4.8 | 189 |
| 36 | Dopamine Specifically Inhibits Forebrain Neural Stem Cell Proliferation, Suggesting a Novel Effect of Antipsychotic Drugs. Journal of Neuroscience, 2005, 25, 5815-5823. | 3.6 | 188 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Single subthalamic nucleus neurons project to both the globus pallidus and substantia nigra in rat. Journal of Comparative Neurology, 1980, 192, 751-768. | 1.6 | 181 |
| 38 | The organization of the efferent projections and striatal afferents of the entopeduncular nucleus and adjacent areas in the rat. Brain Research, 1981, 211, 15-36. | 2.2 | 181 |
| 39 | Support for the immortal strand hypothesis: neural stem cells partition DNA asymmetrically in vitro. Journal of Cell Biology, 2005, 170, 721-732. | 5.2 | 179 |
| 40 | Opposite motivational effects of endogenous opioids in brain and periphery. Nature, 1985, 314, 533-534. | 27.8 | 169 |
| 41 | Neuroleptics block the positive reinforcing effects of amphetamine but not of morphine as measured by place conditioning. Pharmacology Biochemistry and Behavior, 1985, 22, 101-105. | 2.9 | 168 |
| 42 | Primitive neural stem cells from the mammalian epiblast differentiate to definitive neural stem cells under the control of Notch signaling. Genes and Development, 2004, 18, 1806-1811. | 5.9 | 164 |
| 43 | Ventral Tegmental Area BDNF Induces an Opiate-Dependent–Like Reward State in NaÃ⁻ve Rats. Science, 2009, 324, 1732-1734. | 12.6 | 161 |
| 44 | Single mammillary body cells with divergent axon collaterals. Demonstration by a simple, fluorescent retrograde double labeling technique in the rat. Brain Research, 1978, 158, 189-196. | 2.2 | 156 |
| 45 | Global Survey of Genomic Imprinting by Transcriptome Sequencing. Current Biology, 2008, 18, 1735-1741. | 3.9 | 154 |
| 46 | Visceral cortex: A direct connection from prefrontal cortex to the solitary nucleus in rat. Neuroscience Letters, 1982, 33, 123-127. | 2.1 | 153 |
| 47 | Serotonin mediates food-odor associative learning in the nematode Caenorhabditis elegans. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 12449-12454. | 7.1 | 153 |
| 48 | Don't Look: Growing Clonal Versus Nonclonal Neural Stem Cell Colonies. Stem Cells, 2008, 26, 2938-2944. | 3.2 | 139 |
| 49 | Separate Proliferation Kinetics of Fibroblast Growth Factor-Responsive and Epidermal Growth Factor-Responsive Neural Stem Cells within the Embryonic Forebrain Germinal Zone. Journal of Neuroscience, 2000, 20, 1085-1095. | 3.6 | 135 |
| 50 | The organization of the thalamic, nigral and raphe cells projecting to the medial vs lateral caudate-putamen in rat. A fluorescent retrograde double labeling study. Brain Research, 1979, 169, 381-387. | 2.2 | 134 |
| 51 | Ciliary margin transdifferentiation from neural retina is controlled by canonical Wnt signaling. Developmental Biology, 2007, 308, 54-67. | 2.0 | 125 |
| 52 | Visceral cortex: Integration of the mucosal senses with limbic information in the rat agranular insular cortex. Journal of Comparative Neurology, 1988, 270, 39-54. | 1.6 | 124 |
| 53 | VTA CRF neurons mediate the aversive effects of nicotine withdrawal and promote intake escalation. Nature Neuroscience, 2014, 17, 1751-1758. | 14.8 | 124 |
| 54 | Area postrema: site where cholecystokinin acts to decrease food intake. Brain Research, 1984, 295, 345-347. | 2.2 | 122 |

| # | Article | lF | CITATIONS |
|----|---|------|-----------|
| 55 | GABA _A receptors in the ventral tegmental area control bidirectional reward signalling between dopaminergic and nonâ€dopaminergic neural motivational systems. European Journal of Neuroscience, 2001, 13, 1009-1015. | 2.6 | 121 |
| 56 | Deprivation State Switches the Neurobiological Substrates Mediating Opiate Reward in the Ventral Tegmental Area. Journal of Neuroscience, 1997, 17, 383-390. | 3.6 | 119 |
| 57 | Mechanisms of striatal pattern formation: conservation of mammalian compartmentalization. Developmental Brain Research, 1990, 57, 93-102. | 1.7 | 118 |
| 58 | Motivational properties of ethanol in naive rats as studied by place conditioning. Pharmacology Biochemistry and Behavior, 1983, 19, 441-445. | 2.9 | 114 |
| 59 | Organization of the striatum: Collateralization of its Efferent Axons. Brain Research, 1985, 348, 86-99. | 2.2 | 114 |
| 60 | Phasic D1 and tonic D2 dopamine receptor signaling double dissociate the motivational effects of acute nicotine and chronic nicotine withdrawal. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3101-3106. | 7.1 | 110 |
| 61 | The organization of the efferent projections of the parabrachial nucleus to the forebrain in the rat: A retrograde fluorescent double-labeling study. Brain Research, 1981, 212, 271-286. | 2.2 | 106 |
| 62 | NEUROBIOLOGICAL CONSTRAINTS ON BEHAVIORAL MODELS OF MOTIVATION. Annual Review of Psychology, 1997, 48, 85-114. | 17.7 | 103 |
| 63 | The motivational valence of nicotine in the rat ventral tegmental area is switched from rewarding to aversive following blockade of the α7-subunit-containing nicotinic acetylcholine receptor. Psychopharmacology, 2003, 166, 306-313. | 3.1 | 97 |
| 64 | Notch Signaling Is Required to Maintain All Neural Stem Cell Populations – Irrespective of Spatial or Temporal Niche. Developmental Neuroscience, 2006, 28, 34-48. | 2.0 | 97 |
| 65 | Neurobiology of motivation: Double dissociation of two motivational mechanisms mediating opiate reward in drug-naive versus drug-dependent animals Behavioral Neuroscience, 1992, 106, 798-807. | 1.2 | 96 |
| 66 | Paradoxical reinforcing properties of apomorphine: Effects of nucleus accumbens and area postrema lesions. Brain Research, 1983, 259, 111-118. | 2.2 | 95 |
| 67 | Vascular Endothelial Growth Factor Directly Inhibits Primitive Neural Stem Cell Survival But Promotes Definitive Neural Stem Cell Survival. Journal of Neuroscience, 2006, 26, 6803-6812. | 3.6 | 95 |
| 68 | E-Cadherin Regulates Neural Stem Cell Self-Renewal. Journal of Neuroscience, 2009, 29, 3885-3896. | 3.6 | 94 |
| 69 | Behavioral effects of peripheral administration of arginine vasopressin: a review of our search for a mode of action and a hypothesis. Psychoneuroendocrinology, 1984, 9, 319-341. | 2.7 | 93 |
| 70 | Apparent independence of opiate reinforcement and electrical self-stimulation systems in rat brain. Life Sciences, 1977, 20, 981-986. | 4.3 | 90 |
| 71 | Motivational state determines the functional role of the mesolimbic dopamine system in the mediation of opiate reward processes. Behavioural Brain Research, 2002, 129, 17-29. | 2.2 | 90 |
| 72 | Lesions of the Tegmental Pedunculopontine Nucleus Block the Rewarding Effects and Reveal the Aversive Effects of Nicotine in the Ventral Tegmental Area. Journal of Neuroscience, 2002, 22, 8653-8660. | 3.6 | 89 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | The pallido-subthalamic projection in rat: Anatomical and biochemical studies. Brain Research, 1981, 204, 253-268. | 2.2 | 88 |
| 74 | The asymmetric segregation of damaged proteins is stem cell–type dependent. Journal of Cell Biology, 2013, 201, 523-530. | 5.2 | 87 |
| 75 | $\hat{I}^2\hat{a}$ €Cell evolution: How the pancreas borrowed from the brain. BioEssays, 2011, 33, 582-587. | 2.5 | 80 |
| 76 | Neonatal frontal cortical lesions in rats alter cortical structure and connectivity. Brain Research, 1994, 645, 85-97. | 2.2 | 78 |
| 77 | Temporal analysis of naloxone attenuation of morphine-induced taste aversion. Pharmacology Biochemistry and Behavior, 1977, 6, 637-641. | 2.9 | 77 |
| 78 | Disguising adult neural stem cells. Current Opinion in Neurobiology, 2004, 14, 125-131. | 4.2 | 76 |
| 79 | Cell competition during reprogramming gives rise to dominant clones. Science, 2019, 364, . | 12.6 | 76 |
| 80 | The leading edge: Emerging neuroprotective and neuroregenerative cell-based therapies for spinal cord injury. Stem Cells Translational Medicine, 2020, 9, 1509-1530. | 3.3 | 76 |
| 81 | Low Oxygen Enhances Primitive and Definitive Neural Stem Cell Colony Formation by Inhibiting Distinct Cell Death Pathways. Stem Cells, 2009, 27, 1879-1886. | 3.2 | 75 |
| 82 | A Two-Separate-Motivational-Systems Hypothesis of Opioid Addiction. Pharmacology Biochemistry and Behavior, 1998, 59, 1-17. | 2.9 | 73 |
| 83 | Oct4 Is Required â ¹ /4E7.5 for Proliferation in the Primitive Streak. PLoS Genetics, 2013, 9, e1003957. | 3.5 | 72 |
| 84 | It is ethical to transplant human stem cells into nonhuman embryos. Nature Medicine, 2004, 10, 331-335. | 30.7 | 70 |
| 85 | Maximizing Functional Photoreceptor Differentiation From Adult Human Retinal Stem Cells. Stem Cells, 2010, 28, 489-500. | 3.2 | 70 |
| 86 | Separate populations of cholecystokinin and 5-hydroxytryptamine-containing neuronal cells in the rat dorsal raphe, and their contribution to the ascending raphe projections. Neuroscience Letters, 1981, 26, 25-30. | 2.1 | 68 |
| 87 | Kappa receptors mediate the peripheral aversive effects of opiates. Pharmacology Biochemistry and Behavior, 1987, 28, 227-233. | 2.9 | 68 |
| 88 | Pattern formation in the striatum: Neurons with early projections to the substantia nigra survive the cell death period. Journal of Comparative Neurology, 1991, 312, 33-42. | 1.6 | 67 |
| 89 | Insulin Signaling Plays a Dual Role in Caenorhabditis elegans Memory Acquisition and Memory Retrieval. Journal of Neuroscience, 2010, 30, 8001-8011. | 3.6 | 66 |
| 90 | The adult retinal stem cell is a rare cell in the ciliary epithelium whose progeny can differentiate into photoreceptors. Biology Open, 2012, 1, 237-246. | 1.2 | 66 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | CNS stem cells: Where's the biology (a.k.a. beef)?. , 1998, 36, 307-314. | | 65 |
| 92 | Embryonic cortical neural stem cells migrate ventrally and persist as postnatal striatal stem cells. Journal of Cell Biology, 2006, 175, 159-168. | 5.2 | 65 |
| 93 | Suppression of Oct4 by Germ Cell Nuclear Factor Restricts Pluripotency and Promotes Neural Stem Cell Development in the Early Neural Lineage. Journal of Neuroscience, 2009, 29, 2113-2124. | 3.6 | 64 |
| 94 | Visceral cortex lesions block conditioned taste aversions induced by morphine. Pharmacology Biochemistry and Behavior, 1986, 24, 71-78. | 2.9 | 63 |
| 95 | Separate non-cholinergic descending projections and cholinergic ascending projections from the nucleus tegmenti pedunculopontinus. Brain Research, 1988, 445, 386-391. | 2.2 | 61 |
| 96 | A Behavioral and Genetic Dissection of Two Forms of Olfactory Plasticity in Caenorhabditis elegans: Adaptation and Habituation. Learning and Memory, 2000, 7, 199-212. | 1.3 | 61 |
| 97 | Cortical and striatal structure and connectivity are altered by neonatal hemidecortication in rats. Journal of Comparative Neurology, 1992, 322, 311-324. | 1.6 | 60 |
| 98 | Intrinsic differences distinguish transiently neurogenic progenitors from neural stem cells in the early postnatal brain. Developmental Biology, 2005, 278, 71-85. | 2.0 | 58 |
| 99 | Mouse Strain Differences in Opiate Reward Learning Are Explained by Differences in Anxiety, Not Reward or Learning. Journal of Neuroscience, 2001, 21, 9077-9081. | 3.6 | 56 |
| 100 | BDNF Signaling in the VTA Links the Drug-Dependent State to Drug Withdrawal Aversions. Journal of Neuroscience, 2014, 34, 7899-7909. | 3.6 | 54 |
| 101 | A Progressive and Cell Non-Autonomous Increase in Striatal Neural Stem Cells in the Huntington's Disease R6/2 Mouse. Journal of Neuroscience, 2006, 26, 10452-10460. | 3.6 | 53 |
| 102 | The D2receptor is critical in mediating opiate motivation only in opiate-dependent and withdrawn mice. European Journal of Neuroscience, 2001, 13, 995-1001. | 2.6 | 51 |
| 103 | Peripheral receptors mediate the aversive conditioning effects of morphine in the rat. Pharmacology Biochemistry and Behavior, 1987, 28, 219-225. | 2.9 | 50 |
| 104 | Separate blood and brain origins of proliferating cells during gliosis in adult brains. Brain Research, 1990, 535, 237-244. | 2.2 | 50 |
| 105 | The proliferation and expansion of retinal stem cells require functional Pax6. Developmental Biology, 2007, 304, 713-721. | 2.0 | 50 |
| 106 | Variability and partial synchrony of the cell cycle in the germinal zone of the early embryonic cerebral cortex. Journal of Comparative Neurology, 1995, 360, 536-554. | 1.6 | 47 |
| 107 | A new â€~spin' on neural stem cells?. Current Opinion in Neurobiology, 2001, 11, 59-65. | 4.2 | 47 |
| 108 | Neuronal lineages in chimeric mouse forebrain are segregated between compartments and in the rostrocaudal and radial planes. Developmental Biology, 1990, 141, 70-83. | 2.0 | 46 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Lesions of the tegmental pedunculopontine nucleus: Effects on the locomotor activity induced by morphine and amphetamine. Pharmacology Biochemistry and Behavior, 1992, 42, 9-18. | 2.9 | 46 |
| 110 | Regulation of Distinct Attractive and Aversive Mechanisms Mediating Benzaldehyde Chemotaxis in Caenorhabditis elegans. Learning and Memory, 2001, 8, 170-181. | 1.3 | 46 |
| 111 | Genetic deletion of regulator of G-protein signaling 4 (RGS4) rescues a subset of fragile X related phenotypes in the FMR1 knockout mouse. Molecular and Cellular Neurosciences, 2011, 46, 563-572. | 2.2 | 45 |
| 112 | Bilaterally situated dorsal raphe cell bodies have only unilateral forebrain projections in rat. Brain Research, 1980, 192, 550-554. | 2.2 | 44 |
| 113 | Loss of retinal progenitor cells leads to an increase in the retinal stem cell populationin vivo. European Journal of Neuroscience, 2006, 23, 75-82. | 2.6 | 43 |
| 114 | Clonal Neural Stem Cells from Human Embryonic Stem Cell Colonies. Journal of Neuroscience, 2012, 32, 7771-7781. | 3.6 | 42 |
| 115 | Primitive Neural Stem Cells in the Adult Mammalian Brain Give Rise to GFAP-Expressing Neural Stem Cells. Stem Cell Reports, 2014, 2, 810-824. | 4.8 | 42 |
| 116 | Catecholamine and serotonin colocalization in projection neurons of the area postrema. Brain Research, 1987, 412, 381-385. | 2.2 | 41 |
| 117 | Pattern formation in the striatum: developmental changes in the distribution of striatonigral projections. Developmental Brain Research, 1989, 45, 239-255. | 1.7 | 39 |
| 118 | Pattern Formation in the Mammalian Forebrain: Striatal Patch and Matrix Neurons Intermix Prior to Compartment Formation. European Journal of Neuroscience, 1995, 7, 1210-1219. | 2.6 | 38 |
| 119 | GABAA receptors signal bidirectional reward transmission from the ventral tegmental area to the tegmental pedunculopontine nucleus as a function of opiate state. European Journal of Neuroscience, 2004, 20, 2179-2187. | 2.6 | 38 |
| 120 | Dopaminergic Signaling Mediates the Motivational Response Underlying the Opponent Process to Chronic but Not Acute Nicotine. Neuropsychopharmacology, 2010, 35, 943-954. | 5.4 | 38 |
| 121 | Retrograde fluorescent tracing of substantia nigra neurons combined with catecholamine histofluorescence. Brain Research, 1980, 183, 447-452. | 2.2 | 36 |
| 122 | Differential distributions of cholecystokinin in hamster and rat forebrain. Brain Research, 1987, 402, 318-330. | 2.2 | 36 |
| 123 | Morphine acts in the parabrachial nucleus, a pontine viscerosensory relay, to produce discriminative stimulus effects. Psychopharmacology, 1993, 110, 76-84. | 3.1 | 36 |
| 124 | Excitotoxic lesions of the tegmental pedunculopontine nucleus impair copulation in naive male rats and block the rewarding effects of copulation in experienced male rats. European Journal of Neuroscience, 2003, 18, 2581-2591. | 2.6 | 36 |
| 125 | DREAM ablation selectively alters THC place aversion and analgesia but leaves intact the motivational and analgesic effects of morphine. European Journal of Neuroscience, 2004, 19, 3033-3041. | 2.6 | 36 |
| 126 | The Adult Mouse Dentate Gyrus Contains Populations of Committed Progenitor Cells that are Distinct from Subependymal Zone Neural Stem Cells. Stem Cells, 2011, 29, 1448-1458. | 3.2 | 36 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Stable oxime-crosslinked hyaluronan-based hydrogel as a biomimetic vitreous substitute. Biomaterials, 2021, 271, 120750. | 11.4 | 36 |
| 128 | Pattern formation in the mammalian forebrain: patch neurons from the rat striatum selectively reassociate in vitro. Developmental Brain Research, 1989, 47, 137-142. | 1.7 | 35 |
| 129 | An analysis of dorsal and median raphe self-stimulation: Effects of para-chlorophenylalanine. Pharmacology Biochemistry and Behavior, 1978, 8, 441-445. | 2.9 | 34 |
| 130 | Simultaneous fluorescent retrograde axonal tracing and immunofluorescent characterization of neurons. Journal of Neuroscience Research, 1980, 5, 479-484. | 2.9 | 34 |
| 131 | Doxorubicin: A fluorescent neurotoxin retrogradely transported in the central nervous system. Neuroscience Letters, 1983, 36, 1-8. | 2.1 | 34 |
| 132 | Morphine Preexposure attenuates the aversive properties of opiates without preexposure to the aversive properties. Pharmacology Biochemistry and Behavior, 1988, 30, 687-692. | 2.9 | 33 |
| 133 | Pattern Formation in the Developing Mammalian Forebrain: Selective Adhesion of Early but Not Late Postmitotic Cortical and Striatal Neurons within Forebrain Reaggregate Cultures. Developmental Biology, 1993, 158, 145-162. | 2.0 | 32 |
| 134 | Non-cholinergic globus pallidus cells that project to the cortex but not to the subthalamic nucleus in rat. Neuroscience Letters, 1985, 57, 113-118. | 2.1 | 31 |
| 135 | Diabetes Enhances the Proliferation of Adult Pancreatic Multipotent Progenitor Cells and Biases Their Differentiation to More Î ² -Cell Production. Diabetes, 2015, 64, 1311-1323. | 0.6 | 31 |
| 136 | Cortex―and striatum―derived neural stem cells produce distinct progeny in the olfactory bulb and striatum. European Journal of Neuroscience, 2008, 27, 2354-2362. | 2.6 | 29 |
| 137 | Monoamine involvement in hippocampal self-stimulation. Brain Research, 1977, 136, 119-130. | 2.2 | 28 |
| 138 | Contextual Taste Cues Modulate Olfactory Learning in C. elegans by an Occasion-Setting Mechanism. Current Biology, 2004, 14, 1303-1308. | 3.9 | 28 |
| 139 | Embryonic lesions of the substantia nigra prevent the patchy expression of opiate receptors, but not the segregation of patch and matrix compartment neurons, in the developing rat striatum. Developmental Brain Research, 1992, 66, 141-145. | 1.7 | 27 |
| 140 | Two Forms of Learning following Training to a Single Odorant in Caenorhabditis elegans AWC Neurons. Journal of Neuroscience, 2012, 32, 9035-9044. | 3.6 | 27 |
| 141 | Hyaluronic Acidâ€Based Hydrogels Enable Rod Photoreceptor Survival and Maturation In Vitro through Activation of the mTOR Pathway. Advanced Functional Materials, 2016, 26, 1975-1985. | 14.9 | 27 |
| 142 | Neurologic Phenotype of Schimke Immuno-Osseous Dysplasia and Neurodevelopmental Expression of SMARCAL1. Journal of Neuropathology and Experimental Neurology, 2008, 67, 565-577. | 1.7 | 26 |
| 143 | The germline stem cells of Drosophila melanogaster partition DNA non-randomly. European Journal of Cell Biology, 2009, 88, 397-408. | 3.6 | 26 |
| 144 | β2* nAChRs on VTA dopamine and GABA neurons separately mediate nicotine aversion and reward. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 25968-25973. | 7.1 | 26 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Hyperalgesia mediated by peripheral opiate receptors in the rat. Behavioural Brain Research, 1985, 17, 203-211. | 2.2 | 25 |
| 146 | A test of the opponent-process theory of motivation using lesions that selectively block morphine reward. European Journal of Neuroscience, 2007, 25, 3713-3718. | 2.6 | 24 |
| 147 | Nicotineâ€motivated behavior in <i><scp>C</scp>aenorhabditis elegans</i> requires the nicotinic acetylcholine receptor subunits <i>acrâ€5</i> and <i>acrâ€15</i> . European Journal of Neuroscience, 2013, 37, 743-756. | 2.6 | 24 |
| 148 | GABA _A receptors mediate the opposing roles of dopamine and the tegmental pedunculopontine nucleus in the motivational effects of ethanol. European Journal of Neuroscience, 2009, 29, 1235-1244. | 2.6 | 23 |
| 149 | Different neural systems mediate morphine reward and its spontaneous withdrawal aversion. European Journal of Neuroscience, 2009, 29, 2029-2034. | 2.6 | 23 |
| 150 | Generation and clonal isolation of retinal stem cells from human embryonic stem cells. European Journal of Neuroscience, 2012, 36, 1951-1959. | 2.6 | 23 |
| 151 | Dual embryonic origin of the mammalian enteric nervous system. Developmental Biology, 2019, 445, 256-270. | 2.0 | 23 |
| 152 | Hydrogel-mediated co-transplantation of retinal pigmented epithelium and photoreceptors restores vision in an animal model of advanced retinal degeneration. Biomaterials, 2020, 257, 120233. | 11.4 | 23 |
| 153 | Brain development in the neonatally decorticated rat. Brain Research, 1986, 397, 315-326. | 2.2 | 22 |
| 154 | Surfaceome Profiling Reveals Regulators of Neural Stem Cell Function. Stem Cells, 2014, 32, 258-268. | 3.2 | 22 |
| 155 | A rapidly effective behavior modification program for an electively mute child. Journal of Behavior Therapy and Experimental Psychiatry, 1975, 6, 149-152. | 1.2 | 21 |
| 156 | Quiescent Oct4+ Neural Stem Cells (NSCs) Repopulate Ablated Glial Fibrillary Acidic Protein+ NSCs in the Adult Mouse Brain. Stem Cells, 2017, 35, 2071-2082. | 3.2 | 21 |
| 157 | Serotonin mediates a learned increase in attraction to high concentrations of benzaldehyde in aged <i>C. elegans</i> . Learning and Memory, 2008, 15, 844-855. | 1.3 | 20 |
| 158 | Ventral tegmental area GABA neurons and opiate motivation. Psychopharmacology, 2013, 227, 697-709. | 3.1 | 20 |
| 159 | Exogenous Neural Precursor Cell Transplantation Results in Structural and Functional Recovery in a Hypoxic-Ischemic Hemiplegic Mouse Model. ENeuro, 2018, 5, ENEURO.0369-18.2018. | 1.9 | 20 |
| 160 | Conditional Control of Fluid Consumption in an Occasion Setting Paradigm Is Independent of Pavlovian Associations. Learning and Motivation, 1994, 25, 368-400. | 1.2 | 19 |
| 161 | Striatal cholinergic interneurons: birthdates predict compartmental localization. Developmental Brain Research, 1998, 109, 51-58. | 1.7 | 19 |
| 162 | Priming effects with food and water reinforcers in hamsters. Learning and Motivation, 1978, 9, 332-346. | 1.2 | 18 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Infusion of brainâ€derived neurotrophic factor into the ventral tegmental area switches the substrates mediating ethanol motivation. European Journal of Neuroscience, 2013, 37, 996-1003. | 2.6 | 18 |
| 164 | Inhibition of axonal transport â€~in vivo' by a tubulin-specific antibody. Brain Research, 1986, 385, 38-45. | 2.2 | 17 |
| 165 | Neural stem cells are increased after loss of β-catenin, but neural progenitors undergo cell death. European Journal of Neuroscience, 2011, 33, 1366-1375. | 2.6 | 17 |
| 166 | The motivation produced by morphine and food is isomorphic: Approaches to specific motivational stimuli are learned. Cognitive, Affective and Behavioral Neuroscience, 1994, 22, 68-76. | 1.3 | 17 |
| 167 | Hyperalgesic Functions of Peripheral Opiate Receptors. Annals of the New York Academy of Sciences, 1986, 467, 154-168. | 3.8 | 16 |
| 168 | Tegmental pedunculopontine glutamate and GABA-B synapses mediate morphine reward Behavioral Neuroscience, 2009, 123, 145-155. | 1.2 | 16 |
| 169 | Local acting S tickyâ€ŧrap inhibits vascular endothelial growth factor dependent pathological angiogenesis in the eye. EMBO Molecular Medicine, 2014, 6, 604-623. | 6.9 | 16 |
| 170 | Evidence on the retrograde neurotoxicity of doxorubicin. Neuroscience Letters, 1985, 53, 215-219. | 2.1 | 15 |
| 171 | Adenosine A ₁ and A _{2A} receptors are not upstream of caffeine's dopamine D ₂ receptorâ€dependent aversive effects and dopamineâ€independent rewarding effects. European Journal of Neuroscience, 2010, 32, 143-154. | 2.6 | 15 |
| 172 | A single administration of the hallucinogen, 4â€acetoxyâ€dimethyltryptamine, prevents the shift to a drugâ€dependent state and the expression of withdrawal aversions in rodents. European Journal of Neuroscience, 2017, 45, 1410-1417. | 2.6 | 15 |
| 173 | Deprivation state determines the motivational effects of neuroleptics in rats. Cognitive, Affective and Behavioral Neuroscience, 1992, 20, 294-299. | 1.3 | 15 |
| 174 | Biology and therapeutic potential of adult retinal stem cells. Canadian Journal of Ophthalmology, 2010, 45, 342-351. | 0.7 | 14 |
| 175 | Drug discrimination learning using a taste aversion paradigm: An assessment of the role of safety cues. Learning and Motivation, 1995, 26, 343-369. | 1.2 | 13 |
| 176 | A cell-survival factor (N-acetyl-L-cysteine) alters thein vivo fate of constitutively proliferating subependymal cells in the adult forebrain. , 2000, 42, 338-346. | | 13 |
| 177 | Adhesion Is Prerequisite, But Alone Insufficient, to Elicit Stem Cell Pluripotency. Journal of Neuroscience, 2007, 27, 5437-5447. | 3.6 | 13 |
| 178 | Targeted activation of primitive neural stem cells in the mouse brain. European Journal of Neuroscience, 2016, 43, 1474-1485. | 2.6 | 13 |
| 179 | Involvement of the Trigeminal Motor System in Brain Stem Self-Stimulation and Stimulation-Induced Behavior. Brain, Behavior and Evolution, 1979, 16, 293-314. | 1.7 | 12 |
| 180 | The aggregation and inheritance of damaged proteins determines cell fate during mitosis. Cell Cycle, 2014, 13, 1201-1207. | 2.6 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | A Genetic Dissociation of Learning and Recall in Caenorhabditis elegans Behavioral Neuroscience, 2004, 118, 1206-1213. | 1.2 | 11 |
| 182 | Bone morphogenetic proteins and secreted frizzled related protein 2 maintain the quiescence of adult mammalian retinal stem cells. Stem Cells, 2013, 31, 2218-2230. | 3.2 | 11 |
| 183 | Maintenance of intracranial self-stimulation in hippocampus and olfactory bulb following regional depletion of noradrenaline. Neuroscience Letters, 1977, 4, 77-84. | 2.1 | 10 |
| 184 | Induction of rod versus cone photoreceptor-specific progenitors from retinal precursor cells. Stem Cell Research, 2018, 33, 215-227. | 0.7 | 10 |
| 185 | Single-Cell Tumbling Enables High-Resolution Size Profiling of Retinal Stem Cells. ACS Applied Materials & Interfaces, 2018, 10, 34811-34816. | 8.0 | 10 |
| 186 | Early postnatal lesions of the substantia nigra produce massive shrinkage of the rat striatum, disruption of patch neuron distribution, but no loss of patch neurons. Developmental Brain Research, 1996, 94, 242-245. | 1.7 | 10 |
| 187 | A safer stem cell: inducing pluripotency. Nature Medicine, 2009, 15, 1001-1002. | 30.7 | 9 |
| 188 | Expansion of retinal stem cells and their progeny using cell microcarriers in a bioreactor. Biotechnology Progress, 2019, 35, e2800. | 2.6 | 9 |
| 189 | Lineage tracing reveals the hierarchical relationship between neural stem cell populations in the mouse forebrain. Scientific Reports, 2019, 9, 17730. | 3.3 | 9 |
| 190 | Glucocorticoid agonists enhance retinal stem cell self-renewal and proliferation. Stem Cell Research and Therapy, 2021, 12, 83. | 5.5 | 9 |
| 191 | A Receptor Tyrosine Kinase Plays Separate Roles in Sensory Integration and Associative Learning in <i>C. elegans</i> . ENeuro, 2019, 6, ENEURO.0244-18.2019. | 1.9 | 9 |
| 192 | Dopamine D1 receptors are not critical for opiate reward but can mediate opiate memory retrieval in a state-dependent manner. Behavioural Brain Research, 2013, 247, 174-177. | 2.2 | 8 |
| 193 | Deletion of α5 nicotine receptor subunits abolishes nicotinic aversive motivational effects in a manner that phenocopies dopamine receptor antagonism. European Journal of Neuroscience, 2017, 46, 1673-1681. | 2.6 | 8 |
| 194 | Response-dependent effects of morphine on reinforcing lateral hypothalamic self-stimulation. Psychopharmacology, 1978, 58, 63-67. | 3.1 | 7 |
| 195 | An analysis of the behavior elicited by stimulation of the dorsal pons in rat. Physiology and Behavior, 1979, 23, 427-432. | 2.1 | 7 |
| 196 | NGF facilitates the developmental maturation of the previously committed cholinergic interneurons in the striatal matrix. , 1999, 411, 87-96. | | 7 |
| 197 | Enrichment of Oligodendrocyte Progenitors from Differentiated Neural Precursors by Clonal Sphere Preparations. Stem Cells and Development, 2016, 25, 712-728. | 2.1 | 7 |
| 198 | Simultaneous ultrastructural localization of cholecystokinin- and tyrosine hydroxylase-like immunoreactivity in nerve fibers of the rat nucleus accumbens. Neuroscience Letters, 1985, 56, 329-334. | 2.1 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | The responses of neural stem cells to the level of GSK-3 depend on the tissue of origin. Biology Open, 2013, 2, 812-821. | 1.2 | 6 |
| 200 | A proposed resolution to the paradox of drug reward: Dopamine's evolution from an aversive signal to a facilitator of drug reward via negative reinforcement. Neuroscience and Biobehavioral Reviews, 2015, 56, 50-61. | 6.1 | 5 |
| 201 | EphB2 reverse signaling regulates learned opiate tolerance via hippocampal function. Behavioural Brain Research, 2016, 300, 85-96. | 2.2 | 5 |
| 202 | Relationship of grooming and rearing to reinforcing stimulation of lateral hypothalamus in rats. Physiological Psychology, 1978, 6, 199-203. | 0.8 | 4 |
| 203 | Reply to "Hematopoietic potential of neural stem cells― Nature Medicine, 2002, 8, 536-537. | 30.7 | 4 |
| 204 | Social defeat stress switches the neural system mediating benzodiazepine conditioned motivation Behavioral Neuroscience, 2013, 127, 515-523. | 1.2 | 4 |
| 205 | P-Cadherin is necessary for retinal stem cell behavior in vitro , but not in vivo. Stem Cell Research, 2017, 21, 141-147. | 0.7 | 4 |
| 206 | Mutations in the guanylate cyclase <i>gcyâ€28</i> neuronally dissociate naÃ⁻ve attraction and memory retrieval. European Journal of Neuroscience, 2018, 48, 3367-3378. | 2.6 | 4 |
| 207 | Lesions of the area postrema and underlying solitary nucleus fail to attenuate the inhibition of feeding produced by systemic injections of cholecystokinin in Syrian hamsters. Physiology and Behavior, 1986, 38, 855-860. | 2.1 | 3 |
| 208 | Segregation of caffeine reward and aversion in the rat nucleus accumbens shell versus core. European Journal of Neuroscience, 2020, 52, 3074-3086. | 2.6 | 3 |
| 209 | A microfluidic platform enables comprehensive gene expression profiling of mouse retinal stem cells. Lab on A Chip, 2021, 21, 4464-4476. | 6.0 | 3 |
| 210 | Administration of BDNF in the ventral tegmental area produces a switch from a nicotineâ€nonâ€dependent D1Râ€mediated motivational state to a nicotineâ€dependentâ€like D2Râ€mediated motivational state. European Journal of Neuroscience, 2022, 55, 714-724. | 2.6 | 3 |
| 211 | A diacetyl-induced quiescence in young Caenorhabditis elegans. Behavioural Brain Research, 2010, 214, 12-17. | 2.2 | 2 |
| 212 | Analysis of Mutants Suggests Kamin Blocking in C. elegans is Due to Interference with Memory Recall Rather than Storage. Scientific Reports, 2019, 9, 2371. | 3.3 | 2 |
| 213 | Constraintâ€induced movement therapy promotes motor recovery after neonatal stroke in the absence of neural precursor activation. European Journal of Neuroscience, 2021, 53, 1334-1349. | 2.6 | 2 |
| 214 | Activation of adult mammalian retinal stem cells in vivo via antagonism of BMP and sFRP2. Stem Cell Research and Therapy, 2021, 12, 560. | 5.5 | 2 |
| 215 | Parental Bias Has Benefits. Neuron, 2020, 107, 994-996. | 8.1 | 1 |
| 216 | Correction: Support for the immortal strand hypothesis: neural stem cells partition DNA asymmetrically in vitro. Journal of Cell Biology, 2005, 170, 1169-1169. | 5.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | A defined subset of clonal retinal stem cell spheres is biased to RPE differentiation. IScience, 2021, 24, 102574. | 4.1 | 0 |
| 218 | Induction of Rod and Cone Photoreceptor-Specific Progenitors from Stem Cells. Advances in Experimental Medicine and Biology, 2019, 1185, 551-555. | 1.6 | 0 |