

Jiro Yasuda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2360255/jiro-yasuda-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

2,415
citations

25
h-index

46
g-index

111
ext. papers

2,876
ext. citations

5.6
avg, IF

4.84
L-index

#	Paper	IF	Citations
97	Antiviral activity of 5-aminolevulinic acid against variants of severe acute respiratory syndrome coronavirus 2.. <i>Tropical Medicine and Health</i> , 2022 , 50, 6	3.4	2
96	Identification of novel chemical compounds targeting filovirus VP40-mediated particle production.. <i>Antiviral Research</i> , 2022 , 105267	10.8	
95	A screen of FDA-approved drugs with minigenome identified tigecycline as an antiviral targeting nucleoprotein of Crimean-Congo hemorrhagic fever virus.. <i>Antiviral Research</i> , 2022 , 105276	10.8	1
94	5-Aminolevulinic acid antiviral efficacy against SARS-CoV-2 omicron variant in vitro.. <i>Tropical Medicine and Health</i> , 2022 , 50, 30	3.4	
93	Optimization of SARS-CoV-2 Spike Protein Expression in the Silkworm and Induction of Efficient Protective Immunity by Inoculation With Alum Adjuvants.. <i>Frontiers in Immunology</i> , 2021 , 12, 803647	8.4	0
92	A year of genomic surveillance reveals how the SARS-CoV-2 pandemic unfolded in Africa. <i>Science</i> , 2021 , 374, 423-431	33.3	35
91	Co-infection of SARS-CoV-2 and influenza virus causes more severe and prolonged pneumonia in hamsters. <i>Scientific Reports</i> , 2021 , 11, 21259	4.9	9
90	Surveillance of the major pathogenic arboviruses of public health concern in Gabon, Central Africa: increased risk of West Nile virus and dengue virus infections. <i>BMC Infectious Diseases</i> , 2021 , 21, 265	4	5
89	5-amino levulinic acid inhibits SARS-CoV-2 infection in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 545, 203-207	3.4	14
88	Identification of potential novel hosts and the risk of infection with lymphocytic choriomeningitis virus in humans in Gabon, Central Africa. <i>International Journal of Infectious Diseases</i> , 2021 , 105, 452-459	10.5	2
87	iPSC screening for drug repurposing identifies anti-RNA virus agents modulating host cell susceptibility. <i>FEBS Open Bio</i> , 2021 , 11, 1452-1464	2.7	6
86	Detection of SARS-CoV-2 using qRT-PCR in saliva obtained from asymptomatic or mild COVID-19 patients, comparative analysis with matched nasopharyngeal samples. <i>PLoS ONE</i> , 2021 , 16, e0252964	3.7	6
85	Unrecognized introduction of SARS-CoV-2 variants of concern to Central Africa: Import and local transmission of B.1.1.7 in Gabon in the very early stage of the variant spread to the African continent. <i>Journal of Medical Virology</i> , 2021 , 93, 6054-6058	19.7	1
84	SARS-CoV-2 emerging variants in Africa: view from Gabon. <i>Lancet Microbe, The</i> , 2021 , 2, e349	22.2	3
83	Epidemiology of Coronavirus Disease Outbreak among Crewmembers on Cruise Ship, Nagasaki City, Japan, April 2020. <i>Emerging Infectious Diseases</i> , 2021 , 27, 2251-2260	10.2	1
82	Performance of anti-SARS-CoV-2 antibody testing in asymptomatic or mild COVID-19 patients: A retrospective study in outbreak on a cruise ship. <i>PLoS ONE</i> , 2021 , 16, e0257452	3.7	1
81	First evidence for continuous circulation of hepatitis A virus subgenotype IIA in Central Africa. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1234-1242	3.4	6

80	Multivesicular body sorting and the exosomal pathway are required for the release of rat hepatitis E virus from infected cells. <i>Virus Research</i> , 2020 , 278, 197868	6.4	8
79	Development and evaluation of a rapid and simple diagnostic assay for COVID-19 based on loop-mediated isothermal amplification. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008855	4.8	14
78	An Antiviral Drug Screening Platform with a FRET Biosensor for Measurement of Arenavirus Z Assembly. <i>Cell Structure and Function</i> , 2020 , 45, 155-163	2.2	
77	Human BST-2/tetherin inhibits Junin virus release from host cells and its inhibition is partially counteracted by viral nucleoprotein. <i>Journal of General Virology</i> , 2020 , 101, 573-586	4.9	6
76	Re-emergence of dengue virus serotype 3 infections in Gabon in 2016-2017, and evidence for the risk of repeated dengue virus infections. <i>International Journal of Infectious Diseases</i> , 2020 , 91, 129-136	10.5	14
75	Analysis of the Cell Type-Dependence on the Arenavirus Z-Mediated Virus-Like Particle Production. <i>Frontiers in Microbiology</i> , 2020 , 11, 562814	5.7	2
74	Ongoing evolution of hepatitis B virus during viremia in patients with febrile in Central Africa. <i>Journal of Medical Virology</i> , 2020 , 92, 251-256	19.7	
73	Species-Specific Pathogenicity of Severe Fever with Thrombocytopenia Syndrome Virus Is Determined by Anti-STAT2 Activity of NSs. <i>Journal of Virology</i> , 2019 , 93,	6.6	13
72	Development of an RT-LAMP assay for the detection of Lassa viruses in southeast and south-central Nigeria. <i>Journal of Virological Methods</i> , 2019 , 269, 30-37	2.6	4
71	Roles of YIGL sequence of Ebola virus VP40 on genome replication and particle production. <i>Journal of General Virology</i> , 2019 , 100, 1099-1111	4.9	2
70	BST-2 controls T cell proliferation and exhaustion by shaping the early distribution of a persistent viral infection. <i>PLoS Pathogens</i> , 2018 , 14, e1007172	7.6	9
69	The cholesterol, fatty acid and triglyceride synthesis pathways regulated by site 1 protease (S1P) are required for efficient replication of severe fever with thrombocytopenia syndrome virus. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 631-636	3.4	6
68	Different effects of two mutations on the infectivity of Ebola virus glycoprotein in nine mammalian species. <i>Journal of General Virology</i> , 2018 , 99, 181-186	4.9	11
67	Genetic characterization of Lassa virus strains isolated from 2012 to 2016 in southeastern Nigeria. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006971	4.8	20
66	Identifying Single Viruses Using Biorecognition Solid-State Nanopores. <i>Journal of the American Chemical Society</i> , 2018 , 140, 16834-16841	16.4	50
65	Functional mutations in spike glycoprotein of Zaire ebolavirus associated with an increase in infection efficiency. <i>Genes To Cells</i> , 2017 , 22, 148-159	2.3	21
64	Rapid detection of all known ebolavirus species by reverse transcription-loop-mediated isothermal amplification (RT-LAMP). <i>Journal of Virological Methods</i> , 2017 , 246, 8-14	2.6	24
63	Development and evaluation of a rapid molecular diagnostic test for Zika virus infection by reverse transcription loop-mediated isothermal amplification. <i>Scientific Reports</i> , 2017 , 7, 13503	4.9	36

62	Novel endogenous retrovirus-derived transcript expressed in the bovine placenta is regulated by WNT signaling. <i>Biochemical Journal</i> , 2017 , 474, 3499-3512	3.8	3
61	Defining the relative performance of isothermal assays that can be used for rapid and sensitive detection of foot-and-mouth disease virus. <i>Journal of Virological Methods</i> , 2017 , 249, 102-110	2.6	21
60	Structure-based drug discovery for combating influenza virus by targeting the PA-PB1 interaction. <i>Scientific Reports</i> , 2017 , 7, 9500	4.9	22
59	Endometrial factors similarly induced by IFNT2 and IFNTc1 through transcription factor FOXS1. <i>PLoS ONE</i> , 2017 , 12, e0171858	3.7	10
58	A loop-mediated isothermal amplification assay for rapid and sensitive detection of bovine papular stomatitis virus. <i>Journal of Virological Methods</i> , 2016 , 238, 42-47	2.6	
57	Tofla virus: A newly identified Nairovirus of the Crimean-Congo hemorrhagic fever group isolated from ticks in Japan. <i>Scientific Reports</i> , 2016 , 6, 20213	4.9	19
56	Development and Evaluation of Reverse Transcription-Loop-Mediated Isothermal Amplification (RT-LAMP) Assay Coupled with a Portable Device for Rapid Diagnosis of Ebola Virus Disease in Guinea. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004472	4.8	60
55	Suppressive Effects of the Site 1 Protease (S1P) Inhibitor, PF-429242, on Dengue Virus Propagation. <i>Viruses</i> , 2016 , 8,	6.2	22
54	Responding to ever-changing epidemiological dynamics of Ebola virus disease. <i>BMJ Global Health</i> , 2016 , 1, e000180	6.6	1
53	Deployment of a Reverse Transcription Loop-Mediated Isothermal Amplification Test for Ebola Virus Surveillance in Remote Areas in Guinea. <i>Journal of Infectious Diseases</i> , 2016 , 214, S229-S233	7	12
52	Cis- and cell-type-dependent trans-requirements for Lassa virus-like particle production. <i>Journal of General Virology</i> , 2015 , 96, 1626-35	4.9	8
51	Suppression of production of baboon endogenous virus by dominant negative mutants of cellular factors involved in multivesicular body sorting pathway. <i>Virus Research</i> , 2015 , 196, 128-34	6.4	4
50	Analysis of Assembly and Budding of Lujo Virus. <i>Journal of Virology</i> , 2015 , 90, 3257-61	6.6	9
49	Roles of the three L-domains in Retrovirus budding. <i>Microbiology and Immunology</i> , 2015 , 59, 545-54	2.7	6
48	Inhibition of budding/release of porcine endogenous retrovirus. <i>Microbiology and Immunology</i> , 2014 , 58, 432-8	2.7	6
47	Changes in Gene Expression Associated with Conceptus Implantation to the Maternal Endometrium. <i>Journal of Mammalian Ova Research</i> , 2013 , 30, 2-10		1
46	Construction and characterization of an infectious molecular clone of Koala retrovirus. <i>Journal of Virology</i> , 2013 , 87, 5081-8	6.6	25
45	Identification of cellular factors required for the budding of koala retrovirus. <i>Microbiology and Immunology</i> , 2013 , 57, 543-6	2.7	5

44	A new approach to establish a cell line with reduced risk of endogenous retroviruses. <i>PLoS ONE</i> , 2013 , 8, e61530	3.7	4
43	Identification and functional analysis of three isoforms of bovine BST-2. <i>PLoS ONE</i> , 2012 , 7, e41483	3.7	13
42	Ebolavirus Replication and Tetherin/BST-2. <i>Frontiers in Microbiology</i> , 2012 , 3, 111	5.7	11
41	Molecular mechanism of arenavirus assembly and budding. <i>Viruses</i> , 2012 , 4, 2049-79	6.2	27
40	Canine ASCT1 and ASCT2 are functional receptors for RD-114 virus in dogs. <i>Journal of General Virology</i> , 2012 , 93, 603-607	4.9	13
39	Cloning and characterization of the antiviral activity of feline Tetherin/BST-2. <i>PLoS ONE</i> , 2011 , 6, e182473.7	3.7	24
38	Rapid detection of Lassa virus by reverse transcription-loop-mediated isothermal amplification. <i>Microbiology and Immunology</i> , 2011 , 55, 44-50	2.7	18
37	Rapid discrimination of Legionella by matrix-assisted laser desorption ionization time-of-flight mass spectrometry. <i>Microbiological Research</i> , 2011 , 166, 77-86	5.3	42
36	Viral and cellular requirements for the budding of feline endogenous retrovirus RD-114. <i>Virology Journal</i> , 2011 , 8, 540	6.1	7
35	Phospho-Smad1 modulation by nedd4 E3 ligase in BMP/TGF- β signaling. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 1411-24	6.3	22
34	Epigenetic regulation on the 5Tproximal CpG island of human porcine endogenous retrovirus subgroup A receptor 2/GPR172B. <i>Microbes and Infection</i> , 2011 , 13, 49-57	9.3	6
33	Tumour susceptibility gene 101 and the vacuolar protein sorting pathway are required for the release of hepatitis E virions. <i>Journal of General Virology</i> , 2011 , 92, 2838-2848	4.9	73
32	Mapping of a neutralizing epitope in the surface envelope protein of porcine endogenous retrovirus subgroup B. <i>Journal of General Virology</i> , 2011 , 92, 940-4	4.9	4
31	Regulation of Marburg virus (MARV) budding by Nedd4.1: a different WW domain of Nedd4.1 is critical for binding to MARV and Ebola virus VP40. <i>Journal of General Virology</i> , 2010 , 91, 228-34	4.9	44
30	Development and evaluation of a simple assay for Marburg virus detection using a reverse transcription-loop-mediated isothermal amplification method. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2330-6	9.7	28
29	Marburg virus budding: ESCRT of progeny virion to the outside of the cell. <i>Future Virology</i> , 2010 , 5, 627-637	6.3	11
28	Unusual permeability of porcine endogenous retrovirus subgroup A through membrane filters. <i>Journal of Veterinary Medical Science</i> , 2010 , 72, 67-71	1.1	5
27	Development and Application of a Rapid and Simple Method for Extracting Nucleic Acids from Microbes.. <i>Japanese Journal of Forensic Science and Technology</i> , 2010 , 15, 135-142	0.1	1

26	Inhibition of Lassa and Marburg virus production by tetherin. <i>Journal of Virology</i> , 2009 , 83, 2382-5	6.6	236
25	The z protein of the new world arenavirus tacaribe virus has bona fide budding activity that does not depend on known late domain motifs. <i>Journal of Virology</i> , 2009 , 83, 12651-5	6.6	50
24	Dimerization of tetherin is not essential for its antiviral activity against Lassa and Marburg viruses. <i>PLoS ONE</i> , 2009 , 4, e6934	3.7	40
23	Characterization of the catalytic activity of the gamma-phage lysin, PlyG, specific for Bacillus anthracis. <i>FEMS Microbiology Letters</i> , 2008 , 286, 236-40	2.9	25
22	Rapid and simple detection of Ebola virus by reverse transcription-loop-mediated isothermal amplification. <i>Journal of Virological Methods</i> , 2007 , 141, 78-83	2.6	79
21	Nuclear import of the preintegration complex is blocked upon infection by human immunodeficiency virus type 1 in mouse cells. <i>Journal of Virology</i> , 2007 , 81, 677-88	6.6	23
20	Sensitive detection of Bacillus anthracis using a binding protein originating from gamma-phage. <i>Microbiology and Immunology</i> , 2007 , 51, 163-9	2.7	36
19	Interaction of Tsg101 with Marburg virus VP40 depends on the PPPY motif, but not the PT/SAP motif as in the case of Ebola virus, and Tsg101 plays a critical role in the budding of Marburg virus-like particles induced by VP40, NP, and GP. <i>Journal of Virology</i> , 2007 , 81, 4895-9	6.6	85
18	Identification of the amino acid residues critical for specific binding of the bacteriolytic enzyme of gamma-phage, PlyG, to Bacillus anthracis. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 363, 531-5	3.4	15
17	Regulation of HTLV-1 Gag budding by Vps4A, Vps4B, and AIP1/Alix. <i>Virology Journal</i> , 2007 , 4, 66	6.1	20
16	CHMP7, a novel ESCRT-III-related protein, associates with CHMP4b and functions in the endosomal sorting pathway. <i>Biochemical Journal</i> , 2006 , 400, 23-32	3.8	52
15	Cellular factors required for Lassa virus budding. <i>Journal of Virology</i> , 2006 , 80, 4191-5	6.6	134
14	The penta-EF-hand protein ALG-2 interacts directly with the ESCRT-I component TSG101, and Ca ²⁺ -dependently co-localizes to aberrant endosomes with dominant-negative AAA ATPase SKD1/Vps4B. <i>Biochemical Journal</i> , 2005 , 391, 677-85	3.8	61
13	Regulation of human T-cell leukemia virus type 1 (HTLV-1) budding by ubiquitin ligase Nedd4. <i>Microbes and Infection</i> , 2004 , 6, 150-6	9.3	38
12	Nedd4 regulates egress of Ebola virus-like particles from host cells. <i>Journal of Virology</i> , 2003 , 77, 9987-9996	9.6	151
11	Functional involvement of a novel Nedd4-like ubiquitin ligase on retrovirus budding. <i>EMBO Reports</i> , 2002 , 3, 636-40	6.5	96
10	Pathological changes of renal epithelial cells in mice transgenic for the TT virus ORF1 gene. <i>Journal of General Virology</i> , 2002 , 83, 141-150	4.9	18
9	T cell apoptosis causes peripheral T cell depletion in mice transgenic for the HIV-1 vpr gene. <i>Virology</i> , 2001 , 285, 181-92	3.6	35

8	Role of matrix protein in the type D retrovirus replication cycle: importance of the arginine residue at position 55. <i>Virology</i> , 2000 , 268, 533-8	3.6	13
7	Lipopolysaccharide-induced HIV-1 expression in transgenic mice is mediated by tumor necrosis factor-alpha and interleukin-1, but not by interferon-gamma nor interleukin-6. <i>Aids</i> , 2000 , 14, 1299-307	3.5	14
6	Differences in receptor specificity between Newcastle disease viruses originating from chickens and waterfowl. <i>Journal of Veterinary Medical Science</i> , 1999 , 61, 951-3	1.1	7
5	Replacement of internal protein genes, with the exception of the matrix, in equine 1 viruses by equine 2 influenza virus genes during evolution in nature. <i>Journal of Veterinary Medical Science</i> , 1999 , 61, 987-9	1.1	15
4	A proline-rich motif (PPPY) in the Gag polyprotein of Mason-Pfizer monkey virus plays a maturation-independent role in virion release. <i>Journal of Virology</i> , 1998 , 72, 4095-103	6.6	135
3	Molecular assembly of influenza virus: association of the NS2 protein with virion matrix. <i>Virology</i> , 1993 , 196, 249-55	3.6	120
2	5-amino levulinic acid inhibits SARS-CoV-2 infection in vitro		1
1	A year of genomic surveillance reveals how the SARS-CoV-2 pandemic unfolded in Africa		3