

Andor Hirschberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2360644/publications.pdf>

Version: 2024-02-01

21
papers

354
citations

1040056

9
h-index

794594

19
g-index

25
all docs

25
docs citations

25
times ranked

512
citing authors

#	ARTICLE	IF	CITATIONS
1	Adaptation of nasometry to Hungarian language and experiences with its clinical application. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006, 70, 785-798.	1.0	54
2	The Pathogenesis of Nasal Polyposis by Immunoglobulin E and Interleukin-5 Is Completed by Transforming Growth Factor- β 1. <i>Laryngoscope</i> , 2003, 113, 120-124.	2.0	44
3	Different activations of toll-like receptors and antimicrobial peptides in chronic rhinosinusitis with or without nasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1779-1788.	1.6	42
4	Correlation between Objective and Subjective Assessments of Nasal Patency. <i>Orl</i> , 1998, 60, 206-211.	1.1	38
5	Prevalence and risk factors for allergic rhinitis in primary schoolchildren in Budapest. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2010, 74, 503-509.	1.0	36
6	Rhinomanometry: An Update. <i>Orl</i> , 2002, 64, 263-267.	1.1	29
7	Prevalence of allergic rhinitis, related comorbidities and risk factors in schoolchildren. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 98.	2.0	25
8	The -308 G>A SNP of <i>TNFA</i> is a factor predisposing to chronic rhinosinusitis associated with nasal polyposis in aspirin-sensitive Hungarian individuals: conclusions of a genetic study with multiple stratifications. <i>International Immunology</i> , 2013, 25, 383-388.	4.0	21
9	Trends in prevalence and risk factors of allergic rhinitis symptoms in primary schoolchildren six years apart in Budapest. <i>Allergologia Et Immunopathologia</i> , 2017, 45, 487-495.	1.7	10
10	Laser Surgery of the Vocal Cord. <i>Acta Oto-Laryngologica</i> , 1997, 117, 74-76.	0.9	9
11	Histamine H4 receptor expression is elevated in human nasal polyp tissue. <i>Cell Biology International</i> , 2007, 31, 1367-1370.	3.0	8
12	Treatment of acute rhinitis with a nasal spray containing tramazoline and essential oils: a multicenter, uncontrolled, observational trial. <i>Clinical and Translational Allergy</i> , 2015, 5, 38.	3.2	6
13	Prevalence of Asthma and Its Associating Environmental Factors among 6-12-Year-Old Schoolchildren in a Metropolitan Environment—A Cross-Sectional, Questionnaire-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13403.	2.6	6
14	Prospective, multicenter, randomized clinical study to evaluate the clinical efficacy and tolerability of long term mixed ultraviolet and visible light phototherapy in eosinophil nasal polyps. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017, 176, 118-123.	3.8	5
15	Pharyngeal Airflow during Sleep. <i>Acta Oto-Laryngologica</i> , 1995, 115, 99-105.	0.9	3
16	Airflow Resistance Monitoring in Laryngotracheal Stenosis. <i>Orl</i> , 1995, 57, 161-164.	1.1	3
17	Histamine metabolism is altered in nasal polyposis. <i>Inflammation Research</i> , 2004, 53, S93-S94.	4.0	2
18	A conserved linkage group on chromosome 6, the 8.1 ancestral haplotype, is a predisposing factor of chronic rhinosinusitis associated with nasal polyposis in aspirin-sensitive Hungarians. <i>Human Immunology</i> , 2015, 76, 858-862.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Our experiences at Semmelweis University with different techniques and materials in the surgery of chronic otitis media. Archives of Oto-rhino-laryngology, 1989, 246, 277-279.	0.5	0
20	Image guidance offers additional benefits in the endoscopic solution of extended cranio-facial malformations. International Journal of Pediatric Otorhinolaryngology Extra, 2006, 1, 181-184.	0.1	0
21	Reply to the Comment by Robert Siebers on "Prevalence and risk factors for allergic rhinitis in primary school children in Budapest" by Monika Sultsz et al. [Int. J. Pediat. Otorhinolaryngol. 74 (2010) 503-509]. International Journal of Pediatric Otorhinolaryngology, 2010, 74, 1340-1341.	1.0	0