

# Minna Tikkanen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/236121/publications.pdf>

Version: 2024-02-01

29  
papers

981  
citations

759055

12  
h-index

501076

28  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1029  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stillbirth aftercare in a tertiary obstetric center – parents’ experiences. <i>Journal of Perinatal Medicine</i> , 2022, .	0.6	1
2	Is there an association between postpartum hemorrhage, interventional radiology procedures, and psychological sequelae?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1792-1796.	0.7	2
3	Stroke in Pregnancy and Puerperium. <i>Neurology</i> , 2021, 96, e2564-e2575.	1.5	29
4	Cohort Profile: The Finnish Gestational Diabetes (FinnGeDi) Study. <i>International Journal of Epidemiology</i> , 2020, 49, 762-763g.	0.9	18
5	Stillbirth and subsequent pregnancy outcome – a cohort from a large tertiary referral hospital. <i>Journal of Perinatal Medicine</i> , 2020, 48, 765-770.	0.6	8
6	Postmortem examination protocol and systematic re-evaluation reduce the proportion of unexplained stillbirths. <i>Journal of Perinatal Medicine</i> , 2020, 48, 771-777.	0.6	3
7	Delivery characteristics in pregnancies with stillbirth: a retrospective case-control study from a tertiary teaching hospital. <i>Journal of Perinatal Medicine</i> , 2020, .	0.6	2
8	Major or minor placenta previa: Does it make a difference?. <i>Placenta</i> , 2019, 85, 9-14.	0.7	16
9	Pregnancy-associated stroke – a systematic review of subsequent pregnancies and maternal health. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 187.	0.9	14
10	High risk in the first-trimester combined screening: Long-term outcomes of the children. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 237, 117-120.	0.5	0
11	Amniotic fluid and umbilical cord serum erythropoietin in term and prolonged pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 233, 1-5.	0.5	5
12	Subsequent risk of cancer among women with a history of placental abruption. <i>Acta Oncologica</i> , 2019, 58, 52-56.	0.8	3
13	Mortality and causes of death among women with a history of placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1315-1321.	1.3	7
14	Amniotic Fluid Infection in Preterm Pregnancies with Intact Membranes. <i>Disease Markers</i> , 2017, 2017, 1-9.	0.6	27
15	Outcome of pregnancies and deliveries before and after ischaemic stroke. <i>European Stroke Journal</i> , 2017, 2, 346-355.	2.7	9
16	Long-term outcome in apparently healthy children with increased nuchal translucency in the first trimester screening. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 541-546.	1.3	5
17	Vaginally obtained amniotic fluid samples in the diagnosis of subclinical chorioamnionitis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 233-237.	1.3	9
18	White’s classification and pregnancy outcome in women with type 1 diabetes: a population-based cohort study. <i>Diabetologia</i> , 2016, 59, 92-100.	2.9	21

#	ARTICLE	IF	CITATIONS
19	The significance of gender in fetuses with increased nuchal translucency: pregnancy outcomes and long-term outcomes of children. <i>Prenatal Diagnosis</i> , 2015, 35, 901-905.	1.1	3
20	Increased nuchal translucency and pregnancy outcome: a retrospective study of 1063 consecutive singleton pregnancies in a single referral institution. <i>Prenatal Diagnosis</i> , 2013, 33, 856-862.	1.1	40
21	Decreasing perinatal mortality in placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 298-305.	1.3	56
22	Two intrauterine rescue transfusions in treatment of severe fetomaternal hemorrhage in the early third trimester. <i>Clinical Case Reports (discontinued)</i> , 2013, 1, 59-62.	0.2	5
23	Decreasing incidence of placental abruption in Finland during 1980-2005. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 1046-1052.	1.3	22
24	Placental abruption: epidemiology, risk factors and consequences. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 140-149.	1.3	438
25	Placenta previa percreta left in situ - management by delayed hysterectomy: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 418.	0.4	11
26	Self-reported smoking habits and serum cotinine levels in women with placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1538-1544.	1.3	30
27	Male fetal sex is associated with earlier onset of placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 916-923.	1.3	12
28	Maternal deaths in Finland: Focus on placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 1124-1127.	1.3	39
29	Clinical presentation and risk factors of placental abruption. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2006, 85, 700-705.	1.3	146