

Yoji Mine

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/236153/publications.pdf>

Version: 2024-02-01

79
papers

1,744
citations

279487
23
h-index

301761
39
g-index

80
all docs

80
docs citations

80
times ranked

1111
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystallographic Characterisation of Hydrogen-induced Twin Boundary Separation in Type 304 Stainless Steel Using Micro-tensile Testing. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2022, 108, 97-106.	0.1	0
2	Multiscale mechanical characterization of 601 nickel-based superalloy fabricated using wire-arc additive manufacturing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 836, 142734.	2.6	4
3	Micro-mechanical characterisation of slip behaviour and precipitation strengthening in CoCrFeNiTiMo alloy additively manufactured by laser powder bed fusion. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 840, 142970.	2.6	3
4	Comparative Study of Shear Fracture between Fe-based Amorphous and Ultrafine-grained Alloys Using Micro-tensile Testing. ISIJ International, 2022, 62, 1741-1749.	0.6	3
5	Excellent mechanical properties of taenite in meteoric iron. Scientific Reports, 2021, 11, 4750.	1.6	5
6	Low-Temperature Micro-Fracture Toughness Testing of Grain Boundaries in Steel. Materials Transactions, 2021, 62, 570-573.	0.4	2
7	Comparative Study of Microstructure-sensitive Fatigue Crack Propagation in Coarse- and Fine-grained Microstructures between Stable and Metastable Austenitic Stainless Steels Using Miniature Specimen. ISIJ International, 2021, 61, 1688-1697.	0.6	7
8	Enhanced resistance to fatigue crack propagation in metastable austenitic stainless steel by nanotwin bundles. Scripta Materialia, 2021, 201, 113976.	2.6	8
9	Effect of geometric lath orientation on fatigue crack propagation via out-of-plane dislocation glide in martensitic steel. Scripta Materialia, 2021, 203, 114045.	2.6	7
10	Anisotropy of strength and plasticity in single-colony lamellar structure of Ti-6Al-4V alloy. Scripta Materialia, 2020, 177, 223-228.	2.6	25
11	Microstructure-sensitive fatigue crack growth in lath martensite of low carbon steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 773, 138830.	2.6	23
12	Micro-mechanical characterisation of hydrogen embrittlement in nano-twinned metastable austenitic stainless steel. International Journal of Hydrogen Energy, 2020, 45, 27950-27957.	3.8	10
13	Study of basal $\{110\}$ and pyramidal $\{11\bar{2}0\}$ slips in Mg-Y alloys using micro-pillar compression. Philosophical Magazine, 2020, 100, 1454-1475.	0.7	22
14	Temperature dependence of prismatic slip in a single-crystalline long-period stacking ordered Mg-Zn-Y alloy. Scripta Materialia, 2020, 178, 498-502.	2.6	20
15	Extended ductility due to kink band formation and growth under tensile loading in single crystals of Mg-Zn-Y alloy with 18R-LPSO structure. Journal of Alloys and Compounds, 2019, 806, 1384-1393.	2.8	24
16	Microstructural fatigue crack growth in single-packet structures of ultra-low carbon steel lath martensite. Scripta Materialia, 2019, 173, 80-85.	2.6	12
17	Fatigue crack growth behaviour in single-colony lamellar structure of Ti-6Al-4V. Scripta Materialia, 2019, 165, 107-111.	2.6	21
18	Crystallographic Characterisation of Hydrogen-induced Twin Boundary Separation in Type 304 Stainless Steel Using Micro-tensile Testing. ISIJ International, 2019, 59, 927-934.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Phonon excitations in a single crystal Mg ₈₅ Zn ₆ Y ₉ with a synchronized long-period stacking ordered phase. <i>Acta Materialia</i> , 2018, 146, 273-279.	3.8	8
20	Anisotropy of σ and ϵ slip behaviour in single-colony lamellar structures of Ti-6Al-4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 715, 315-319.	2.6	25
21	Crystallographic study of plasticity and grain boundary separation in FeCo alloy using small single- and bi-crystalline specimens. <i>Scripta Materialia</i> , 2018, 142, 1-5.	2.6	2
22	Testing Method for Determination of Microscopic Fracture Toughness for Rock Materials. <i>Geotechnical Testing Journal</i> , 2018, 41, 1092-1101.	0.5	3
23	Effect of microstructural evolution on deformation behaviour of pre-strained dual-phase steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 689, 353-365.	2.6	4
24	Effect of ultrafine grain refinement on hydrogen embrittlement of metastable austenitic stainless steel. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 15415-15425.	3.8	50
25	Plasticity and crack extension in single-crystalline long-period stacking ordered structures of Mg ₈₅ Zn ₆ Y ₉ alloy under micro-bending. <i>Journal of Alloys and Compounds</i> , 2017, 718, 433-442.	2.8	11
26	Crystallographic study of hydrogen-induced twin boundary separation in type 304 stainless steel under cyclic loading. <i>Corrosion Science</i> , 2017, 129, 205-213.	3.0	16
27	Quantification of Large Deformation with Punching in Dual Phase Steel and Change of its Microstructure – Part III: Micro-tensile Behavior of Pre-strained Dual-phase Steel. <i>ISIJ International</i> , 2016, 56, 2084-2092.	0.6	3
28	Micro-tensile Behaviour of Low-alloy Steel with Bainite/martensite Microstructure. <i>ISIJ International</i> , 2016, 56, 2313-2319.	0.6	7
29	Quantification of Large Deformation with Punching in Dual Phase Steel and Change of its Microstructure – Part I: Proposal of the Quantification Technique of the Punching Damage of the Dual Phase Steel. <i>ISIJ International</i> , 2016, 56, 2068-2076.	0.6	11
30	Hydrogen Embrittlement of Ultrafine-grained Austenitic Stainless Steels Processed by High-pressure Torsion at Moderate Temperature. <i>ISIJ International</i> , 2016, 56, 1083-1090.	0.6	10
31	Mechanical characterisation of hydrogen-induced quasi-cleavage in a metastable austenitic steel using micro-tensile testing. <i>Scripta Materialia</i> , 2016, 113, 176-179.	2.6	29
32	Deformation behaviour of nano-twinned single crystals of an Fe-19Cr-16Ni austenitic alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 675, 181-191.	2.6	10
33	Anisotropy of strength and plasticity in lath martensite steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 674, 104-116.	2.6	34
34	Strain Measurement of Micrometre-Sized Structures under Tensile Loading by Using Scanning White-Light Interferometry. <i>Materials Transactions</i> , 2016, 57, 1252-1256.	0.4	6
35	Effect of strong gravitational field on oriented crystalline perovskite-type manganese oxide La _{1-x} Sr _x MnO ₃ . <i>Journal of Materials Science</i> , 2016, 51, 7899-7906.	1.7	2
36	Mechanical characterisation of microstructural evolution in 304 stainless steel subjected to high-pressure torsion with and without hydrogen pre-charging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 661, 87-95.	2.6	14

#	ARTICLE	IF	CITATIONS
37	Quantification of Large Deformation with Punching in Dual Phase Steel and Change of its TM Microstructure – Part I: Proposal of the Quantification Technique of the Punching Damage of the Dual Phase Steel. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2016, 102, 244-252.	0.1	0
38	Micro-tensile Behaviour of Low Alloy Steel with Bainite/martensite Microstructure. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2016, 102, 304-310.	0.1	0
39	Quantification of Large Deformation with Punching in Dual Phase Steel and Change of its TM Microstructure – Part III: Micro-tensile Behavior of Pre-strained Dual-phase Steel. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 2016, 102, 260-267.	0.1	4
40	Strain Measurement of Micrometre-Sized Structures under Tensile Loading by Using Scanning White-Light Interferometry. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2015, 80, 22-26.	0.2	2
41	Deformation Behavior of Long-Period Stacking Ordered Structured Single Crystals in Mg ₈₅ Zn ₆ Y ₉ Alloy. Materials Transactions, 2015, 56, 952-956.	0.4	24
42	High-pressure torsion of metastable austenitic stainless steel at moderate temperatures. Philosophical Magazine Letters, 2015, 95, 269-276.	0.5	7
43	Mechanical Characterization of Micro-Scale Materials. Journal of the Japan Society for Technology of Plasticity, 2015, 56, 840-844.	0.0	0
44	Microtension behaviour of lenticular martensite structure of Fe–30 mass% Ni alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 618, 359-367.	2.6	9
45	Microfracture behaviour of extruded Mg–Zn–Y alloys containing long-period stacking ordered structure at room and elevated temperatures. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 570, 63-69.	2.6	26
46	Micro-tension behaviour of lath martensite structures of carbon steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 560, 535-544.	2.6	129
47	Hydrogen Effects on Ultrafine-Grained Steels Processed by High-Pressure Torsion. Materials Transactions, 2012, 53, 773-785.	0.4	18
48	Phase transformation and grain refinement in hydrogenated metastable austenitic steel. Scripta Materialia, 2012, 67, 979-982.	2.6	8
49	Effect of lamellar spacing on fatigue crack growth behaviour of a TiAl-based aluminide with lamellar microstructure. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 532, 13-20.	2.6	42
50	Crystallographic study of fatigue crack growth in Fe–Si alloy single crystals. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 534, 260-267.	2.6	5
51	Fatigue crack growth behaviour in austenitic stainless steels subjected to superficial and entire hydrogenation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 548, 118-125.	2.6	13
52	Effect of hydrogen on tensile behaviour of micrometre-sized specimen fabricated from a metastable austenitic stainless steel. Corrosion Science, 2011, 53, 529-533.	3.0	26
53	Hydrogen uptake in austenitic stainless steels by exposure to gaseous hydrogen and its effect on tensile deformation. Corrosion Science, 2011, 53, 2619-2629.	3.0	78
54	Strengthening and hydrogen embrittlement of ultrafine-grained Fe–0.01 mass% C alloy processed by high-pressure torsion. Corrosion Science, 2011, 53, 2969-2977.	3.0	21

#	ARTICLE	IF	CITATIONS
55	Grain-boundary diffusion and precipitate trapping of hydrogen in ultrafine-grained austenitic stainless steels processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 8100-8105.	2.6	36
56	Hydrogen effect on cyclic plasticity and crack growth in coarse-grained iron. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 8090-8099.	2.6	7
57	Microtension behaviour of TiAl polysynthetically twinned crystals with 0°- and 90°-oriented lamellae. <i>Scripta Materialia</i> , 2011, 65, 707-710.	2.6	26
58	Effect of Hydrogen on Tensile Properties of Ultrafine-Grained Type 310S Austenitic Stainless Steel Processed by High-Pressure Torsion. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 1619-1629.	1.1	21
59	Martensite Formation in Hydrogen-Containing Metastable Austenitic Stainless Steel During Micro-Tension Testing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 3567-3571.	1.1	7
60	Crystallographic fatigue crack growth in titanium single crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 7570-7578.	2.6	26
61	Effect of high-pressure torsion on hydrogen trapping in Fe-0.01 mass% C and type 310S austenitic stainless steel. <i>Acta Materialia</i> , 2010, 58, 649-657.	3.8	55
62	Hydrogen Effect against Hydrogen Embrittlement. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 2548-2562.	1.1	157
63	Effect of High-Pressure Torsion Processing and Annealing on Hydrogen Embrittlement of Type 304 Metastable Austenitic Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 3110-3120.	1.1	29
64	Hydrogen trapping on lattice defects produced by high-pressure torsion in Fe-0.01 mass% C alloy. <i>Scripta Materialia</i> , 2010, 63, 552-555.	2.6	31
65	High-pressure torsion of hafnium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 2136-2141.	2.6	62
66	Effect of hydrogen on martensite formation in austenitic stainless steels in high-pressure torsion. <i>Acta Materialia</i> , 2009, 57, 2993-3002.	3.8	117
67	Hydrogen-Induced Microstructural Change under Mode II Fatigue for a Tempered Bearing Steel. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2009, 58, 1009-1016.	0.1	2
68	Hydrogen Embrittlement Mechanism in Fatigue of Austenitic Stainless Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2008, 39, 1327-1339.	1.1	188
69	The Influences of Hydrogen on Microscopic Plastic Deformation Behavior of SUS304 and SUS316L Stainless Steels. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2008, 57, 255-261.	0.1	18
70	Fatigue Crack Growth Behavior and Hydrogen Penetration Properties in Austenitic Stainless Steels Exposed to High-pressure Hydrogen Gas Environments. <i>Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan</i> , 2007, 93, 247-256.	0.1	25
71	OS4-6-1 Effects of Hydrogen on Fatigue Crack Growth Behavior and Fracture Surface Morphology of Austenitic Stainless Steels. <i>The Abstracts of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics</i> , 2007, 2007.6, OS4-6-1-1- OS4-6-1-5.	0.0	0
72	Effect of Hydrogen on Fatigue Crack Growth and Martensitic Transformation of Stainless Steels. <i>Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A</i> , 2006, 72, 1717-1724.	0.2	21

#	ARTICLE	IF	CITATIONS
73	The Effect of Hydrogen on Fatigue Crack Growth Behavior and Ductility Loss of Austenitic Stainless Steels. Nihon Kikai Gakkai Ronbunshu, A Hen/Transactions of the Japan Society of Mechanical Engineers, Part A, 2006, 72, 653-660.	0.2	2
74	Effects of Test Frequency on Fatigue Behaviour in a Tempered Martensitic Steel with Hydrogen Charge. Zairyo/Journal of the Society of Materials Science, Japan, 2006, 55, 726-731.	0.1	13
75	Effects of Hydrogen Charge on Cyclic Stress-Strain Properties and Fatigue Behavior of Carbon Steels. Zairyo/Journal of the Society of Materials Science, Japan, 2005, 54, 1225-1230.	0.1	16
76	Effect of Crystallographic Orientation on Fatigue Crack Growth of an Fe-3 mass%Si Single Crystal. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1998, 62, 150-158.	0.2	10
77	Crystallographic Dependence of Fatigue Crack Growth in Titanium Single Crystals. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1998, 62, 708-717.	0.2	6
78	Crack Propagation Behavior under Cyclic Loading in a α -Titanium Single Crystals. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 1997, 61, 41-48.	0.2	7
79	Fatigue. Fatigue Crack Growth Behavior in a TiAl Based Aluminide with Lamellar Microstructure.. Zairyo/Journal of the Society of Materials Science, Japan, 1997, 46, 1167-1172.	0.1	2