

Holger A Scheidt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2363716/publications.pdf>

Version: 2024-02-01

62
papers

1,970
citations

279798

23
h-index

254184

43
g-index

65
all docs

65
docs citations

65
times ranked

2330
citing authors

#	ARTICLE	IF	CITATIONS
1	The Potential of Fluorescent and Spin-labeled Steroid Analogs to Mimic Natural Cholesterol. <i>Journal of Biological Chemistry</i> , 2003, 278, 45563-45569.	3.4	171
2	Investigation of the membrane localization and distribution of flavonoids by high-resolution magic angle spinning NMR spectroscopy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2004, 1663, 97-107.	2.6	169
3	Diffusion of Cholesterol and Its Precursors in Lipid Membranes Studied by ¹ H Pulsed Field Gradient Magic Angle Spinning NMR. <i>Biophysical Journal</i> , 2005, 89, 2504-2512.	0.5	150
4	Solid-state NMR Spectroscopic Investigation of A β Protofibrils: Implication of a β -Sheet Remodeling upon Maturation into Terminal Amyloid Fibrils. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2837-2840.	13.8	117
5	The interaction of small molecules with phospholipid membranes studied by ¹ H NOESY NMR under magic-angle spinning. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 35-49.	6.1	96
6	Dynamics of Amyloid β Fibrils Revealed by Solid-state NMR. <i>Journal of Biological Chemistry</i> , 2012, 287, 2017-2021.	3.4	76
7	The Distribution of Lipid Attached Spin Probes in Bilayers: Application to Membrane Protein Topology. <i>Biophysical Journal</i> , 2003, 85, 1691-1701.	0.5	74
8	Desmosterol May Replace Cholesterol in Lipid Membranes. <i>Biophysical Journal</i> , 2005, 88, 1838-1844.	0.5	68
9	Solid-state NMR Reveals a Close Structural Relationship between Amyloid- β Protofibrils and Oligomers. <i>Journal of Biological Chemistry</i> , 2012, 287, 22822-22826.	3.4	68
10	Cholesterol's Aliphatic Side Chain Modulates Membrane Properties. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 12848-12851.	13.8	54
11	Structural and Dynamical Characterization of Fibrils from a Disease-Associated Alanine Expansion Domain Using Proteolysis and Solid-State NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 7172-7173.	13.7	48
12	Local interactions influence the fibrillation kinetics, structure and dynamics of A β (1-40) but leave the general fibril structure unchanged. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 7461-7471.	2.8	47
13	Interaction of local anesthetics with lipid bilayers investigated by ¹ H MAS NMR spectroscopy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012, 1818, 3010-3018.	2.6	40
14	The impact of ceramides NP and AP on the nanostructure of stratum corneum lipid bilayer. Part I: neutron diffraction and ² H NMR studies on multilamellar models based on ceramides with symmetric alkyl chain length distribution. <i>Soft Matter</i> , 2012, 8, 6599.	2.7	40
15	Effect of the Alkyl Chain Length of Amphiphilic Ionic Liquids on the Structure and Dynamics of Model Lipid Membranes. <i>Langmuir</i> , 2019, 35, 12215-12223.	3.5	37
16	Organization of fluorescent cholesterol analogs in lipid bilayers – Lessons from cyclodextrin extraction. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013, 1828, 1822-1828.	2.6	36
17	Interaction of statins with phospholipid bilayers studied by solid-state NMR spectroscopy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019, 1861, 584-593.	2.6	34
18	Acellularization-Induced Changes in Tensile Properties Are Organ Specific - An In-Vitro Mechanical and Structural Analysis of Porcine Soft Tissues. <i>PLoS ONE</i> , 2016, 11, e0151223.	2.5	32

#	ARTICLE	IF	CITATIONS
19	Bicelles Rich in both Sphingolipids and Cholesterol and Their Use in Studies of Membrane Proteins. <i>Journal of the American Chemical Society</i> , 2020, 142, 12715-12729.	13.7	29
20	Structure and Dynamics of the Myristoyl Lipid Modification of Src Peptides Determined by ² H Solid-State NMR Spectroscopy. <i>Biophysical Journal</i> , 2009, 96, 3663-3672.	0.5	27
21	The adrenal specific toxicant mitotane directly interacts with lipid membranes and alters membrane properties depending on lipid composition. <i>Molecular and Cellular Endocrinology</i> , 2016, 428, 68-81.	3.2	25
22	Amphiphilic Ionic Liquid-Induced Membrane Permeabilization: Binding Is Not Enough. <i>Journal of Physical Chemistry B</i> , 2018, 122, 6763-6770.	2.6	25
23	Membrane interaction of neuropeptide Y detected by EPR and NMR spectroscopy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2005, 1714, 103-113.	2.6	24
24	Improved in Vitro Folding of the Y2 G Protein-Coupled Receptor into Bicelles. <i>Frontiers in Molecular Biosciences</i> , 2017, 4, 100.	3.5	22
25	Structure and dynamics of the aliphatic cholesterol side chain in membranes as studied by ² H NMR spectroscopy and molecular dynamics simulation. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 3730-3738.	2.8	21
26	Expression, Functional Characterization, and Solid-State NMR Investigation of the G Protein-Coupled GHS Receptor in Bilayer Membranes. <i>Scientific Reports</i> , 2017, 7, 46128.	3.3	20
27	Altered Membrane Mechanics Provides a Receptor-Independent Pathway for Serotonin Action. <i>Chemistry - A European Journal</i> , 2021, 27, 7533-7541.	3.3	20
28	Investigating the membrane orientation and transversal distribution of ¹⁷ O ² -estradiol in lipid membranes by solid-state NMR. <i>Chemistry and Physics of Lipids</i> , 2010, 163, 356-361.	3.2	19
29	The interaction of sorafenib and regorafenib with membranes is modulated by their lipid composition. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 2871-2881.	2.6	19
30	Role of cationic head-group in cytotoxicity of ionic liquids: Probing changes in bilayer architecture using solid-state NMR spectroscopy. <i>Journal of Colloid and Interface Science</i> , 2021, 581, 954-963.	9.4	19
31	Solid-state NMR characterization of the putative membrane anchor of TWD1 from <i>Arabidopsis thaliana</i> . <i>European Biophysics Journal</i> , 2007, 36, 393-404.	2.2	18
32	Shiga toxin binding alters lipid packing and the domain structure of Gb ₃ -containing membranes: a solid-state NMR study. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 15630-15638.	2.8	18
33	Pyroglutamate-Modified Amyloid β (11-40) Fibrils Are More Toxic than Wildtype Fibrils but Structurally Very Similar. <i>Chemistry - A European Journal</i> , 2017, 23, 15834-15838.	3.3	17
34	Membrane Interaction of Ibuprofen with Cholesterol-Containing Lipid Membranes. <i>Biomolecules</i> , 2020, 10, 1384.	4.0	16
35	The mobility of chondroitin sulfate in articular and artificial cartilage characterized by ¹³ C magic-angle spinning NMR spectroscopy. <i>Biopolymers</i> , 2010, 93, 520-532.	2.4	15
36	Membrane properties of cholesterol analogs with an unbranched aliphatic side chain. <i>Chemistry and Physics of Lipids</i> , 2014, 184, 1-6.	3.2	15

#	ARTICLE	IF	CITATIONS
37	Fibrils of Truncated Pyroglutamyl-Modified A β 2 Peptide Exhibit a Similar Structure as Wildtype Mature A β 2 Fibrils. <i>Scientific Reports</i> , 2016, 6, 33531.	3.3	15
38	A Detailed Analysis of the Morphology of Fibrils of Selectively Mutated Amyloid β 2 (1 β 40). <i>ChemPhysChem</i> , 2016, 17, 2744-2753.	2.1	15
39	Structural details on the interaction of biologically active sulfur-containing monoterpenoids with lipid membranes. <i>Journal of Molecular Liquids</i> , 2020, 301, 112366.	4.9	15
40	Integrating Solid-State NMR and Computational Modeling to Investigate the Structure and Dynamics of Membrane-Associated Ghrelin. <i>PLoS ONE</i> , 2015, 10, e0122444.	2.5	14
41	A preliminary technical study on sodium dodecyl sulfate-induced changes of the nano-structural and macro-mechanical properties in human iliotibial tract specimens. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2016, 61, 164-173.	3.1	14
42	N-terminal lipid conjugation of amyloid β 2(1 β 40) leads to the formation of highly ordered N-terminally extended fibrils. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 1839-1846.	2.8	14
43	The Orientation and Dynamics of Estradiol and Estradiol Oleate in Lipid Membranes and HDL Disc Models. <i>Biophysical Journal</i> , 2014, 107, 114-125.	0.5	13
44	Light-induced lipid mixing implies a causal role of lipid splay in membrane fusion. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020, 1862, 183438.	2.6	13
45	The interaction of lipid modified pseudopeptides with lipid membranes. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 6998.	2.8	12
46	Bexarotene Binds to the Amyloid Precursor Protein Transmembrane Domain, Alters Its β -Helical Conformation, and Inhibits β -Secretase Nonselectively in Liposomes. <i>ACS Chemical Neuroscience</i> , 2018, 9, 1702-1713.	3.5	11
47	Transmembrane Helix Induces Membrane Fusion through Lipid Binding and Splay. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 3181-3186.	4.6	11
48	Structural characteristics of oligomers formed by pyroglutamate-modified amyloid β 2 peptides studied by solid-state NMR. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 16887-16895.	2.8	11
49	Membrane Localization and Lipid Interactions of Common Lipid-Conjugated Fluorescence Probes. <i>Langmuir</i> , 2019, 35, 11902-11911.	3.5	10
50	Integration of Cell-Free Expression and Solid-State NMR to Investigate the Dynamic Properties of Different Sites of the Growth Hormone Secretagogue Receptor. <i>Frontiers in Pharmacology</i> , 2020, 11, 562113.	3.5	10
51	Interaction of the small-molecule kinase inhibitors tofacitinib and lapatinib with membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020, 1862, 183414.	2.6	8
52	Impact of Selected Small-Molecule Kinase Inhibitors on Lipid Membranes. <i>Pharmaceuticals</i> , 2021, 14, 746.	3.8	6
53	Impact of Lipid Ratio on the Permeability of Mixed Phosphatidylcholine/Phosphatidylglycerol Membranes in the Presence of 1-Dodecyl-3-methylimidazolium Bromide Ionic Liquid. <i>Journal of Physical Chemistry B</i> , 2022, 126, 174-183.	2.6	6
54	The Potential of β -Spinasterol to Mimic the Membrane Properties of Natural Cholesterol. <i>Molecules</i> , 2017, 22, 1390.	3.8	5

#	ARTICLE	IF	CITATIONS
55	Membrane-water partitioning – Tackling the challenges of poorly soluble drugs using chaotropic co-solvents. <i>Biophysical Chemistry</i> , 2021, 277, 106654.	2.8	5
56	Interaction of POPG membranes with ionic liquids containing 1-Dodecyl-3-methylbenzimidazolium and 1-Dodecyl-1-methylmorpholinium Cations: Structural details from 31P and 2H-based solid-state NMR spectroscopy. <i>Journal of Magnetic Resonance Open</i> , 2022, 10-11, 100036.	1.1	5
57	Drug–Membrane Interactions: Effects of Virus-Specific RNA-Dependent RNA Polymerase Inhibitors Remdesivir and Favipiravir on the Structure of Lipid Bilayers. <i>Biochemistry</i> , 2022, 61, 1392-1403.	2.5	5
58	Binding of the small-molecule kinase inhibitor ruxolitinib to membranes does not disturb membrane integrity. <i>Biochemistry and Biophysics Reports</i> , 2020, 24, 100838.	1.3	3
59	Probing the Influence of Single-Site Mutations in the Central Cross- β^2 Region of Amyloid β (1–40) Peptides. <i>Biomolecules</i> , 2021, 11, 1848.	4.0	3
60	Membrane properties of hydroxycholesterols related to the brain cholesterol metabolism. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 720-727.	2.2	2
61	Micro- and nano-tubules built from loosely and tightly rolled up thin sheets. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 1292-1301.	2.8	1
62	Interaction of the pitavastatin with model membranes. <i>Biochemistry and Biophysics Reports</i> , 2021, 28, 101143.	1.3	1