# **Gregory S Kolt**

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2363899/gregory-s-kolt-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4,048 114 34 59 h-index g-index citations papers 4,653 164 3.7 5.59 L-index ext. citations avg, IF ext. papers

| #   | Paper  | IF               | Citations |
|-----|--|------------------|-----------|
| 114 | Use of complementary medicines and lifestyle approaches by people living with dementia: Exploring experiences, motivations and attitudes. <i>International Journal of Older People Nursing</i> , <b>2021</b> , 16, e12378  | 2.3              | 2         |
| 113 | The perceptions, barriers and enablers to physical activity and minimising sedentary behaviour among Arab-Australian adults aged 35-64 [years. Health Promotion Journal of Australia, 2021, 32, 312-32]  | 1 <sup>1.7</sup> | 5         |
| 112 | Feasibility and acceptability of a culturally tailored physical activity intervention for Arab-Australian women. <i>BMC Womenps Health</i> , <b>2021</b> , 21, 131   | 2.9              |           |
| 111 | Behavioural mediators of reduced energy intake in a physical activity, diet, and sleep behaviour weight loss intervention in adults. <i>Appetite</i> , <b>2021</b> , 165, 105273   | 4.5              | О         |
| 110 | A systematic review of qualitative studies exploring the factors influencing the physical activity levels of Arab migrants. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2021</b> , 18, 2   | 8.4              | 3         |
| 109 | Factors Influencing the Early Introduction of Sugar Sweetened Beverages among Infants: Findings from the HSHK Birth Cohort Study. <i>Nutrients</i> , <b>2020</b> , 12,   | 6.7              | 4         |
| 108 | Efficacy of a Multi-component m-Health Weight-loss Intervention in Overweight and Obese Adults: A Randomised Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,  | 4.6              | 12        |
| 107 | Determinants of Full Breastfeeding at 6 Months and Any Breastfeeding at 12 and 24 Months among Women in Sydney: Findings from the HSHK Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,                                | 4.6              | 14        |
| 106 | Interventions to promote exclusive breastfeeding among young mothers: a systematic review and meta-analysis. <i>International Breastfeeding Journal</i> , <b>2020</b> , 15, 102  | 3.8              | 6         |
| 105 | Psychological distress among carers and the moderating effects of social support. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 154  | 4.2              | 12        |
| 104 | Systematic review of randomised control trial health promotion intervention studies in the fire services: study characteristics, intervention design and impacts on health. <i>Occupational and Environmental Medicine</i> , <b>2020</b> ,   | 2.1              | 1         |
| 103 | Does self-determined motivation interact with environmental contexts to influence moderate-to-vigorous physical activity during a girlsTyouth sport camp?. <i>Journal of Sports Sciences</i> , <b>2019</b> , 37, 2720-2725   | 3.6              | 2         |
| 102 | Physical activity interventions among culturally and linguistically diverse populations: a systematic review. <i>Ethnicity and Health</i> , <b>2019</b> , 1-21   | 2.2              | 9         |
| 101 | Country of birth differences in lifestyle-related chronic disease among middle-aged and older adults of Lebanese ethnicity. <i>Australian and New Zealand Journal of Public Health</i> , <b>2019</b> , 43, 429-435   | 2.3              | 4         |
| 100 | An internet-supported school physical activity intervention in low socioeconomic status communities: results from the Activity and Motivation in Physical Education (AMPED) cluster randomised controlled trial. <i>British Journal of Sports Medicine</i> , <b>2019</b> , 53, 341-347 | 10.3             | 36        |
| 99  | Validity and reliability of measures assessing social-cognitive determinants of physical activity in low-active Australian adults. <i>Measurement in Physical Education and Exercise Science</i> , <b>2018</b> , 22, 322-331   | 1.9              |           |
| 98  | Do Natural Experiments of Changes in Neighborhood Built Environment Impact Physical Activity and Diet? A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,   | 4.6              | 90        |

#### (2014-2018)

| 97 | for weight loss in overweight and obese adults: randomised controlled trial protocol. <i>BMJ Open</i> , <b>2018</b> , 8, e026179   | 3     | 4  |
|----|--|-------|----|
| 96 | A systematic review of health promotion intervention studies in the police force: study characteristics, intervention design and impacts on health. <i>Occupational and Environmental Medicine</i> , <b>2017</b> , 74, 913-923   | 2.1   | 19 |
| 95 | Associations between quality of life and duration and frequency of physical activity and sedentary behaviour: Baseline findings from the WALK 2.0 randomised controlled trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0180   | 00772 | 10 |
| 94 | Lifestyle behaviours of Lebanese-Australians: Cross-sectional findings from The 45 and Up Study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181217  | 3.7   | 7  |
| 93 | Effectiveness of a Web 2.0 Intervention to Increase Physical Activity in Real-World Settings: Randomized Ecological Trial. <i>Journal of Medical Internet Research</i> , <b>2017</b> , 19, e390  | 7.6   | 24 |
| 92 | Examining an Australian physical activity and nutrition intervention using RE-AIM. <i>Health Promotion International</i> , <b>2016</b> , 31, 450-8   | 3     | 14 |
| 91 | Scaling-up an efficacious school-based physical activity intervention: Study protocol for the <b>T</b> nternet-based Professional Learning to help teachers support Activity in YouthT(iPLAY) cluster randomized controlled trial and scale-up implementation evaluation. <i>BMC Public Health</i> , <b>2016</b> , 16, 873 | 4.1   | 21 |
| 90 | An Internet-supported Physical Activity Intervention Delivered in Secondary Schools Located in Low Socio-economic Status Communities: Study Protocol for the Activity and Motivation in Physical Education (AMPED) Cluster Randomized Controlled Trial. <i>BMC Public Health</i> , <b>2016</b> , 16, 17                    | 4.1   | 14 |
| 89 | Is More Area-Level Crime Associated With More Sitting and Less Physical Activity? Longitudinal Evidence From 37,162 Australians. <i>American Journal of Epidemiology</i> , <b>2016</b> , 184, 913-921  | 3.8   | 4  |
| 88 | Large-scale investment in green space as an intervention for physical activity, mental and cardiometabolic health: study protocol for a quasi-experimental evaluation of a natural experiment. <i>BMJ Open</i> , <b>2016</b> , 6, e009803  | 3     | 11 |
| 87 | Recruitment, screening, and baseline participant characteristics in the WALK 2.0 study: A randomized controlled trial using web 2.0 applications to promote physical activity. <i>Contemporary Clinical Trials Communications</i> , <b>2016</b> , 2, 25-33   | 1.8   | 14 |
| 86 | Does rising crime lead to increasing distress? Longitudinal analysis of a natural experiment with dynamic objective neighbourhood measures. <i>Social Science and Medicine</i> , <b>2015</b> , 138, 68-73  | 5.1   | 32 |
| 85 | Identification of the impact of crime on physical activity depends upon neighbourhood scale: multilevel evidence from 203,883 Australians. <i>Health and Place</i> , <b>2015</b> , 31, 120-3   | 4.6   | 17 |
| 84 | Validity of the Stages of Change in Steps instrument (SoC-Step) for achieving the physical activity goal of 10,000 steps per day. <i>BMC Public Health</i> , <b>2015</b> , 15, 1197  | 4.1   | 7  |
| 83 | Physical activity screening to recruit inactive randomized controlled trial participants: how much is too much?. <i>Trials</i> , <b>2015</b> , 16, 446   | 2.8   | 8  |
| 82 | Increasing girlsTphysical activity during a short-term organized youth sport basketball program: A randomized controlled trial. <i>Journal of Science and Medicine in Sport</i> , <b>2015</b> , 18, 412-7  | 4.4   | 23 |
| 81 | Mediators effecting moderate-to-vigorous physical activity and inactivity for girls from an intervention program delivered in an organised youth sports setting. <i>Journal of Science and Medicine in Sport</i> , <b>2015</b> , 18, 678-83  | 4.4   | 4  |
| 80 | Indications, benefits, and risks of Pilates exercise for people with chronic low back pain: a Delphi survey of Pilates-trained physical therapists. <i>Physical Therapy</i> , <b>2014</b> , 94, 806-17   | 3.3   | 24 |

| 79 | Is an index of co-occurring unhealthy lifestyles suitable for understanding migrant health?. <i>Preventive Medicine</i> , <b>2014</b> , 69, 172-5  | 4.3  | 5   |
|----|--|------|-----|
| 78 | Shaping the Journal of Science and Medicine in Sport. <i>Journal of Science and Medicine in Sport</i> , <b>2014</b> , 17, 1  | 4.4  | 4   |
| 77 | Neighbourhood green space and the odds of having skin cancer: multilevel evidence of survey data from 267072 Australians. <i>Journal of Epidemiology and Community Health</i> , <b>2014</b> , 68, 370-4  | 5.1  | 28  |
| 76 | The effectiveness of Pilates exercise in people with chronic low back pain: a systematic review. <i>PLoS ONE</i> , <b>2014</b> , 9, e100402  | 3.7  | 63  |
| 75 | The definition and application of Pilates exercise to treat people with chronic low back pain: a Delphi survey of Australian physical therapists. <i>Physical Therapy</i> , <b>2014</b> , 94, 792-805  | 3.3  | 37  |
| 74 | Is neighborhood green space associated with a lower risk of type 2 diabetes? Evidence from 267,072 Australians. <i>Diabetes Care</i> , <b>2014</b> , 37, 197-201   | 14.6 | 140 |
| 73 | A multicomponent theory-based intervention improves uptake of pelvic floor muscle training before radical prostatectomy: a Toefore and afterTcohort study. <i>BJU International</i> , <b>2014</b> , 113, 383-92  | 5.6  | 8   |
| 72 | Understanding geographical inequities in diabetes: multilevel evidence from 114,755 adults in Sydney, Australia. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 106, e68-73  | 7.4  | 24  |
| 71 | Increasing girlsTphysical activity during an organised youth sport basketball program: a randomised controlled trial protocol. <i>BMC Public Health</i> , <b>2014</b> , 14, 383  | 4.1  | 14  |
| 70 | Physical activity and sedentary time: male perceptions in a university work environment. <i>American Journal of Menps Health</i> , <b>2014</b> , 8, 148-58   | 2.2  | 20  |
| 69 | Green space is associated with walking and moderate-to-vigorous physical activity (MVPA) in middle-to-older-aged adults: findings from 203 883 Australians in the 45 and Up Study. <i>British Journal of Sports Medicine</i> , <b>2014</b> , 48, 404-6 | 10.3 | 90  |
| 68 | WALK 2.0: examining the effectiveness of Web 2.0 features to increase physical activity in a <b>T</b> eal worldTsetting: an ecological trial. <i>BMJ Open</i> , <b>2014</b> , 4, e006374   | 3    | 9   |
| 67 | A Time-based Visualization for Web User Classification in Social Networks 2014,  |      | 2   |
| 66 | Do coaches perceive themselves as influential on physical activity for girls in organised youth sport?. <i>PLoS ONE</i> , <b>2014</b> , 9, e105960   | 3.7  | 16  |
| 65 | Effectiveness of a web- and mobile phone-based intervention to promote physical activity and healthy eating in middle-aged males: randomized controlled trial of the ManUp study. <i>Journal of Medical Internet Research</i> , <b>2014</b> , 16, e136 | 7.6  | 98  |
| 64 | Examining participant engagement in an information technology-based physical activity and nutrition intervention for men: the manup randomized controlled trial. <i>JMIR Research Protocols</i> , <b>2014</b> , 3, e2                                  | 2    | 36  |
| 63 | Chronic disease and sitting time in middle-aged Australian males: findings from the 45 and Up Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 20   | 8.4  | 55  |
| 62 | A review of the nature and effectiveness of nutrition interventions in adult malesa guide for intervention strategies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2013</b> , 10, 13                               | 8.4  | 27  |

## (2012-2013)

| 61 | Effectiveness of Pilates exercise in treating people with chronic low back pain: a systematic review of systematic reviews. <i>BMC Medical Research Methodology</i> , <b>2013</b> , 13, 7                                 | 4.7  | 33  |  |
|----|---|------|-----|--|
| 60 | WALK 2.0 - using Web 2.0 applications to promote health-related physical activity: a randomised controlled trial protocol. <i>BMC Public Health</i> , <b>2013</b> , 13, 436   | 4.1  | 30  |  |
| 59 | Barriers and enablers to the provision and receipt of preoperative pelvic floor muscle training for men having radical prostatectomy: a qualitative study. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 305    | 2.9  | 8   |  |
| 58 | Active lifestyles related to excellent self-rated health and quality of life: cross sectional findings from 194,545 participants in The 45 and Up Study. <i>BMC Public Health</i> , <b>2013</b> , 13, 1071                | 4.1  | 42  |  |
| 57 | What kinds of website and mobile phone-delivered physical activity and nutrition interventions do middle-aged men want?. <i>Journal of Health Communication</i> , <b>2013</b> , 18, 1070-83                               | 2.5  | 34  |  |
| 56 | Influence of neighbourhood ethnic density, diet and physical activity on ethnic differences in weight status: a study of 214,807 adults in Australia. <i>Social Science and Medicine</i> , <b>2013</b> , 93, 70-7         | 5.1  | 22  |  |
| 55 | Mental health benefits of neighbourhood green space are stronger among physically active adults in middle-to-older age: evidence from 260,061 Australians. <i>Preventive Medicine</i> , <b>2013</b> , 57, 601-6           | 4.3  | 123 |  |
| 54 | The complexity of measuring physical activity and sedentary behaviour. <i>Journal of Science and Medicine in Sport</i> , <b>2013</b> , 16, 1  | 4.4  | 4   |  |
| 53 | Does access to neighbourhood green space promote a healthy duration of sleep? Novel findings from a cross-sectional study of 259 319 Australians. <i>BMJ Open</i> , <b>2013</b> , 3,                                      | 3    | 89  |  |
| 52 | GirlsTphysical activity levels during organized sports in Australia. <i>Medicine and Science in Sports and Exercise</i> , <b>2013</b> , 45, 116-22  | 1.2  | 63  |  |
| 51 | New partnerships between the BJSM and Sports Medicine Australia (SMA). <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 339-339  | 10.3 |     |  |
| 50 | The long-term effects of a primary care physical activity intervention on mental health in low-active, community-dwelling older adults. <i>Aging and Mental Health</i> , <b>2013</b> , 17, 766-72                         | 3.5  | 16  |  |
| 49 | Do social interactions explain ethnic differences in psychological distress and the protective effect of local ethnic density? A cross-sectional study of 226 487 adults in Australia. <i>BMJ Open</i> , <b>2013</b> , 3, | 3    | 15  |  |
| 48 | Examining physical activity service provision to culturally and linguistically diverse (CALD) communities in Australia: a qualitative evaluation. <i>PLoS ONE</i> , <b>2013</b> , 8, e62777                               | 3.7  | 17  |  |
| 47 | Physical activity and physical function in older adults: the 45 and up study. <i>Journal of the American Geriatrics Society</i> , <b>2012</b> , 60, 719-25  | 5.6  | 48  |  |
| 46 | Alcohol-related aggression and antisocial behaviour in sportspeople/athletes. <i>Journal of Science and Medicine in Sport</i> , <b>2012</b> , 15, 292-7   | 4.4  | 24  |  |
| 45 | Physical activity and psychological distress in older men: findings from the New South Wales 45 and up study. <i>Journal of Aging and Physical Activity</i> , <b>2012</b> , 20, 300-16                                    | 1.6  | 14  |  |
| 44 | Defining Pilates exercise: a systematic review. <i>Complementary Therapies in Medicine</i> , <b>2012</b> , 20, 253-62   | 3.5  | 153 |  |
|    |   |      |     |  |

| 43 | Effectiveness of a website and mobile phone based physical activity and nutrition intervention for middle-aged males: trial protocol and baseline findings of the ManUp Study. <i>BMC Public Health</i> , <b>2012</b> , 12, 656  | 4.1  | 28 |
|----|--|------|----|
| 42 | Addition of telephone coaching to a physiotherapist-delivered physical activity program in people with knee osteoarthritis: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , <b>2012</b> , 13, 246 | 2.8  | 19 |
| 41 | A review of the effectiveness of physical activity interventions for adult males. <i>Sports Medicine</i> , <b>2012</b> , 42, 281-300   | 10.6 | 66 |
| 40 | Healthy Steps trial: pedometer-based advice and physical activity for low-active older adults. <i>Annals of Family Medicine</i> , <b>2012</b> , 10, 206-12   | 2.9  | 50 |
| 39 | What a man wants: understanding the challenges and motivations to physical activity participation and healthy eating in middle-aged Australian men. <i>American Journal of Menps Health</i> , <b>2012</b> , 6, 453-61            | 2.2  | 57 |
| 38 | Cost-effectiveness of pedometer-based versus time-based Green Prescriptions: the Healthy Steps Study. <i>Australian Journal of Primary Health</i> , <b>2012</b> , 18, 204-11   | 1.4  | 22 |
| 37 | Not waving but drowning Ta study of the experiences and concerns of midwives and other health professionals caring for obese childbearing women. <i>Midwifery</i> , <b>2011</b> , 27, 424-30                                     | 2.8  | 8o |
| 36 | Physical activity behaviours of Culturally and Linguistically Diverse (CALD) women living in Australia: a qualitative study of socio-cultural influences. <i>BMC Public Health</i> , <b>2011</b> , 11, 26                        | 4.1  | 55 |
| 35 | General practitionersTviews and experiences of counselling for physical activity through the New Zealand Green Prescription program. <i>BMC Family Practice</i> , <b>2011</b> , 12, 119  | 2.6  | 49 |
| 34 | Facilitators and barriers to engagement in physical activity for people with multiple sclerosis: a qualitative investigation. <i>Disability and Rehabilitation</i> , <b>2011</b> , 33, 625-42                                    | 2.4  | 79 |
| 33 | Alcohol industry and non-alcohol industry sponsorship of sportspeople and drinking. <i>Alcohol and Alcoholism</i> , <b>2011</b> , 46, 210-3  | 3.5  | 34 |
| 32 | Exploring the facilitators and barriers to engagement in physical activity for people with multiple sclerosis. <i>Disability and Rehabilitation</i> , <b>2011</b> , 33, 1043-53  | 2.4  | 47 |
| 31 | Alcohol consumption in sport: The influence of sporting idols, friends and normative drinking practices. <i>Drug and Alcohol Review</i> , <b>2010</b> , 29, 676-83   | 3.2  | 29 |
| 30 | Home-based activity program for older people with depressive symptoms: DeLLITEa randomized controlled trial. <i>Annals of Family Medicine</i> , <b>2010</b> , 8, 214-23  | 2.9  | 77 |
| 29 | Physical activity in pregnancy: women's perceptions, practices, and influencing factors. <i>Journal of Midwifery and Women's Health</i> , <b>2010</b> , 55, 455-61   | 2.2  | 59 |
| 28 | Responsibility for children's physical activity: parental, child, and teacher perspectives. <i>Journal of Science and Medicine in Sport</i> , <b>2010</b> , 13, 46-52  | 4.4  | 17 |
| 27 | The Physical Activity and Disability Survey Revised (PADS-R): an evaluation of a measure of physical activity in people with chronic neurological conditions. <i>Clinical Rehabilitation</i> , <b>2009</b> , 23, 534-43          | 3.3  | 22 |
| 26 | Self-reported physical activity levels during a segmented school day in a large multiethnic sample of high school students. <i>Journal of Science and Medicine in Sport</i> , <b>2009</b> , 12, 284-92                           | 4.4  | 22 |

## (2004-2009)

| 25 | The healthy steps study: a randomized controlled trial of a pedometer-based green prescription for older adults. Trial protocol. <i>BMC Public Health</i> , <b>2009</b> , 9, 404  | 4.1  | 22          |
|----|---|------|-------------|
| 24 | Physical activity in culturally and linguistically diverse migrant groups to Western society: a review of barriers, enablers and experiences. <i>Sports Medicine</i> , <b>2009</b> , 39, 167-77   | 10.6 | 113         |
| 23 | Gymnastics <b>2009</b> , 144-160  |      | 2           |
| 22 | Associations between social capital and health status in an Australian population. <i>Psychology, Health and Medicine</i> , <b>2008</b> , 13, 471-82  | 2.1  | 8           |
| 21 | Dellite depression in late life: an intervention trial of exercise. Design and recruitment of a randomised controlled trial. <i>BMC Geriatrics</i> , <b>2008</b> , 8, 12  | 4.1  | 15          |
| 20 | Social support for youth physical activity: Importance of siblings, parents, friends and school support across a segmented school day. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , <b>2007</b> , 4, 54 | 8.4  | 108         |
| 19 | Effect of telephone counseling on physical activity for low-active older people in primary care: a randomized, controlled trial. <i>Journal of the American Geriatrics Society</i> , <b>2007</b> , 55, 986-92                           | 5.6  | <b>12</b> 0 |
| 18 | The Sport Injury Rehabilitation Adherence Scale: a reliable scale for use in clinical physiotherapy. <i>Physiotherapy</i> , <b>2007</b> , 93, 17-22   | 3    | 49          |
| 17 | Pedometer accuracy in physical activity assessment of preschool children. <i>Journal of Science and Medicine in Sport</i> , <b>2007</b> , 10, 303-10  | 4.4  | 32          |
| 16 | The Physical Activity and Disability Survey (PADS): reliability, validity and acceptability in people with multiple sclerosis. <i>Clinical Rehabilitation</i> , <b>2007</b> , 21, 628-39  | 3.3  | 27          |
| 15 | Physical activity in preschoolers: understanding prevalence and measurement issues. <i>Sports Medicine</i> , <b>2007</b> , 37, 1045-70  | 10.6 | 201         |
| 14 | An overview and process evaluation of TeleWalk: a telephone-based counseling intervention to encourage walking in older adults. <i>Health Promotion International</i> , <b>2006</b> , 21, 201-8   | 3    | 18          |
| 13 | Eustress, distress and their interpretation in primary and secondary occupational stress management interventions: which way first?. <i>Journal of Managerial Psychology</i> , <b>2006</b> , 21, 547-565                                | 3.3  | 63          |
| 12 | Physical activity: what do high school students think?. <i>Journal of Adolescent Health</i> , <b>2006</b> , 39, 328-36  | 5.8  | 69          |
| 11 | Barriers to physical activity participation in older Tongan adults living in New Zealand. <i>Australasian Journal on Ageing</i> , <b>2006</b> , 25, 119-125   | 1.5  | 13          |
| 10 | The mechanisms of massage and effects on performance, muscle recovery and injury prevention. <i>Sports Medicine</i> , <b>2005</b> , 35, 235-56  | 10.6 | 365         |
| 9  | Examining the multi-process theory: an investigation of the effects of two relaxation techniques on state anxiety. <i>Journal of Bodywork and Movement Therapies</i> , <b>2004</b> , 8, 288-296   | 1.6  | 16          |
| 8  | Preventative Strategies for Exercise-Induced Muscle Damage. <i>Critical Reviews in Physical and Rehabilitation Medicine</i> , <b>2004</b> , 16, 133-150   | 0.3  | 8           |

| 7 | osing psychology in the physical and manual therapies <b>2004</b> , 3-8  |     | 2  |  |
|---|--|-----|----|--|
| 6 | Feldenkrais Awareness Through Movement and state anxiety. <i>Journal of Bodywork and Movement Therapies</i> , <b>2002</b> , 6, 102-107   | 1.6 | 8  |  |
| 5 | Adherence to sport injury rehabilitation: implications for sports medicine providers and researchers. <i>Physical Therapy in Sport</i> , <b>2001</b> , 2, 80-90                              | 3   | 25 |  |
| 4 | The effects of a Feldenkrais Awareness Through Movement program on state anxiety. <i>Journal of Bodywork and Movement Therapies</i> , <b>2000</b> , 4, 216-220                               | 1.6 | 20 |  |
| 3 | The effects of Feldenkrais awareness through movement on hamstring length, flexibility, and perceived exertion. <i>Journal of Bodywork and Movement Therapies</i> , <b>1999</b> , 3, 238-247 | 1.6 | 11 |  |
| 2 | Epidemiology of injury in Australian female gymnasts. <i>Research in Sports Medicine</i> , <b>1995</b> , 6, 223-231  |     | 25 |  |
| 1 | PSYCHOLOGICAL FACTORS RELATED TO ACHIEVEMENT IN YOUNG ELITE FEMALE GYMNASTS.  European Journal of High Ability, <b>1993</b> , 4, 152-160   |     | 4  |  |