Tatyana Strekalova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2364559/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Stress-Induced Anhedonia in Mice is Associated with Deficits in Forced Swimming and Exploration. Neuropsychopharmacology, 2004, 29, 2007-2017.	5.4	481
2	Impaired Long-Term Memory and NR2A-Type NMDA Receptor-Dependent Synaptic Plasticity in Mice Lacking c-Fos in the CNS. Journal of Neuroscience, 2003, 23, 9116-9122.	3.6	321
3	Microglial activation, increased TNF and SERT expression in the prefrontal cortex define stress-altered behaviour in mice susceptible to anhedonia. Brain, Behavior, and Immunity, 2013, 29, 136-146.	4.1	169
4	Measuring behavior in mice with chronic stress depression paradigm. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 348-361.	4.8	142
5	Update in the methodology of the chronic stress paradigm: internal control matters. Behavioral and Brain Functions, 2011, 7, 9.	3.3	124
6	Insulin receptor in the brain: Mechanisms of activation and the role in the <scp>CNS</scp> pathology and treatment. CNS Neuroscience and Therapeutics, 2018, 24, 763-774.	3.9	118
7	Selective effects of citalopram in a mouse model of stress-induced anhedonia with a control for chronic stress. Behavioural Pharmacology, 2006, 17, 271-287.	1.7	114
8	Attenuated palmitoylation of serotonin receptor 5-HT1A affects receptor function and contributes to depression-like behaviors. Nature Communications, 2019, 10, 3924.	12.8	100
9	Anhedonic-like traits and lack of affective deficits in 18-month-old C57BL/6 mice: Implications for modeling elderly depression. Experimental Gerontology, 2012, 47, 552-564.	2.8	92
10	Low-dose lipopolysaccharide (LPS) inhibits aggressive and augments depressive behaviours in a chronic mild stress model in mice. Journal of Neuroinflammation, 2016, 13, 108.	7.2	90
11	Interaction of brain 5-HT synthesis deficiency, chronic stress and sex differentially impact emotional behavior in Tph2 knockout mice. Psychopharmacology, 2015, 232, 2429-2441.	3.1	83
12	Early Growth Response Gene-2 Is Essential for M1 and M2 Macrophage Activation and Plasticity by Modulation of the Transcription Factor CEBPl2. Frontiers in Immunology, 2018, 9, 2515.	4.8	81
13	Shared genetic background between children and adults with attention deficit/hyperactivity disorder. Neuropsychopharmacology, 2020, 45, 1617-1626.	5.4	72
14	Cyclic AMP Pathway Suppress Autoimmune Neuroinflammation by Inhibiting Functions of Encephalitogenic CD4 T Cells and Enhancing M2 Macrophage Polarization at the Site of Inflammation. Frontiers in Immunology, 2018, 9, 50.	4.8	71
15	Tlr4 upregulation in the brain accompanies depression- and anxiety-like behaviors induced by a high-cholesterol diet. Brain, Behavior, and Immunity, 2015, 48, 42-47.	4.1	61
16	The neuronal insulin sensitizer dicholine succinate reduces stress-induced depressive traits and memory deficit: possible role of insulin-like growth factor 2. BMC Neuroscience, 2012, 13, 110.	1.9	59
17	Fibronectin Domains of Extracellular Matrix Molecule Tenascin-C Modulate Hippocampal Learning and Synaptic Plasticity. Molecular and Cellular Neurosciences, 2002, 21, 173-187.	2.2	58
18	Deuterium content of water increases depression susceptibility: The potential role of a serotonin-related mechanism. Behavioural Brain Research, 2015, 277, 237-244	2.2	56

TATYANA STREKALOVA

#	Article	IF	CITATIONS
19	Altered emotionality, hippocampus-dependent performance and expression of NMDA receptor subunit mRNAs in chronically stressed mice. Stress, 2014, 17, 108-116.	1.8	46
20	Experimental heart failure causes depression-like behavior together with differential regulation of inflammatory and structural genes in the brain. Frontiers in Behavioral Neuroscience, 2014, 8, 376.	2.0	44
21	Thiamine and benfotiamine prevent stress-induced suppression of hippocampal neurogenesis in mice exposed to predation without affecting brain thiamine diphosphate levels. Molecular and Cellular Neurosciences, 2017, 82, 126-136.	2.2	43
22	Dimebon enhances hippocampus-dependent learning in both appetitive and inhibitory memory tasks in mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 510-522.	4.8	42
23	Chronic mild stress paradigm as a rat model of depression: facts, artifacts, and future perspectives. Psychopharmacology, 2022, 239, 663-693.	3.1	42
24	Thiamine and benfotiamine improve cognition and ameliorate GSK-3β-associated stress-induced behaviours in mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 148-156.	4.8	39
25	Platelets mediate protective neuroinflammation and promote neuronal plasticity at the site of neuronal injury. Brain, Behavior, and Immunity, 2018, 74, 7-27.	4.1	38
26	Effects of acute and chronic arecoline in adult zebrafish: Anxiolytic-like activity, elevated brain monoamines and the potential role of microglia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 104, 109977.	4.8	36
27	Neuroinflammation and aberrant hippocampal plasticity in a mouse model of emotional stress evoked by exposure to ultrasound of alternating frequencies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 90, 104-116.	4.8	35
28	Lasting downregulation of the lipid peroxidation enzymes in the prefrontal cortex of mice susceptible to stress-induced anhedonia. Behavioural Brain Research, 2015, 276, 118-129.	2.2	32
29	Endotoxaemia resulting from decreased serotonin tranporter (5-HTT) function: A reciprocal risk factor for depression and insulin resistance?. Behavioural Brain Research, 2015, 276, 111-117.	2.2	31
30	Thiamine and benfotiamine counteract ultrasound-induced aggression, normalize AMPA receptor expression and plasticity markers, and reduce oxidative stress in mice. Neuropharmacology, 2019, 156, 107543.	4.1	31
31	Intrahippocampal Administration of an Antibody against the HNK-1 Carbohydrate Impairs Memory Consolidation in an Inhibitory Learning Task in Mice. Molecular and Cellular Neurosciences, 2001, 17, 1102-1113.	2.2	30
32	Prefrontal cortex inflammation and liver pathologies accompany cognitive and motor deficits following Western diet consumption in non-obese female mice. Life Sciences, 2020, 241, 117163.	4.3	30
33	Ultrasound of alternating frequencies and variable emotional impact evokes depressive syndrome in mice and rats. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 68, 52-63.	4.8	28
34	Elucidating the functions of brain GSK3α: Possible synergy with GSK3β upregulation and reversal by antidepressant treatment in a mouse model of depressive-like behaviour. Behavioural Brain Research, 2017, 335, 122-127.	2.2	27
35	Autism-Like Behaviours and Memory Deficits Result from a Western Diet in Mice. Neural Plasticity, 2017, 2017, 1-14.	2.2	27
36	Animal Models of Depression and Drug Delivery with Food as an Effective Dosing Method: Evidences from Studies with Celecoxib and Dicholine Succinate. BioMed Research International, 2015, 2015, 1-11.	1.9	25

#	Article	IF	CITATIONS
37	<i><scp>SLC</scp>2A3</i> singleâ€nucleotide polymorphism and duplication influence cognitive processing and populationâ€specific risk for attentionâ€deficit/hyperactivity disorder. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2017, 58, 798-809.	5.2	25
38	The zebrafish tail immobilization (ZTI) test as a new tool to assess stress-related behavior and a potential screen for drugs affecting despair-like states. Journal of Neuroscience Methods, 2020, 337, 108637.	2.5	25
39	Neuroâ€Cells therapy improves motor outcomes and suppresses inflammation during experimental syndrome of amyotrophic lateral sclerosis in mice. CNS Neuroscience and Therapeutics, 2020, 26, 504-517.	3.9	24
40	Understanding complex dynamics of behavioral, neurochemical and transcriptomic changes induced by prolonged chronic unpredictable stress in zebrafish. Scientific Reports, 2020, 10, 19981.	3.3	24
41	The differential effects of chronic imipramine or citalopram administration on physiological and behavioral outcomes in naÃ-ve mice. Behavioural Brain Research, 2013, 245, 101-106.	2.2	23
42	The Role of Neuronal Factors in the Epigenetic Reprogramming of Microglia in the Normal and Diseased Central Nervous System. Frontiers in Cellular Neuroscience, 2019, 13, 453.	3.7	23
43	Pro-neurogenic, Memory-Enhancing and Anti-stress Effects of DF302, a Novel Fluorine Gamma-Carboline Derivative with Multi-target Mechanism of Action. Molecular Neurobiology, 2018, 55, 335-349.	4.0	22
44	Hippocampal Gene Expression of Deiodinases 2 and 3 and Effects of 3,5-Diiodo-L-Thyronine T2 in Mouse Depression Paradigms. BioMed Research International, 2013, 2013, 1-14.	1.9	21
45	Differential anxiety-related behaviours and brain activation in Tph2-deficient female mice exposed to adverse early environment. European Neuropsychopharmacology, 2018, 28, 1270-1283.	0.7	21
46	Insulin receptor sensitizer, dicholine succinate, prevents both Toll-like receptor 4 (TLR4) upregulation and affective changes induced by a high-cholesterol diet in mice. Journal of Affective Disorders, 2016, 196, 109-116.	4.1	20
47	Dibenzoylthiamine Has Powerful Antioxidant and Anti-Inflammatory Properties in Cultured Cells and in Mouse Models of Stress and Neurodegeneration. Biomedicines, 2020, 8, 361.	3.2	20
48	Individual Differences in Behavioural Despair Predict Brain GSK-3beta Expression in Mice: The Power of a Modified Swim Test. Neural Plasticity, 2016, 2016, 1-17.	2.2	19
49	Developing zebrafish experimental animal models relevant to schizophrenia. Neuroscience and Biobehavioral Reviews, 2019, 105, 126-133.	6.1	19
50	Delayed behavioral and genomic responses to acute combined stress in zebrafish, potentially relevant to PTSD and other stress-related disorders: Focus on neuroglia, neuroinflammation, apoptosis and epigenetic modulation. Behavioural Brain Research, 2020, 389, 112644.	2.2	18
51	Concomitant manipulation of murine NMDA- and AMPA-receptors to produce pro-cognitive drug effects in mice. European Neuropsychopharmacology, 2014, 24, 309-320.	0.7	17
52	Stress-induced aggression in heterozygous TPH2 mutant mice is associated with alterations in serotonin turnover and expression of 5-HT6 and AMPA subunit 2A receptors. Journal of Affective Disorders, 2020, 272, 440-451.	4.1	17
53	Ultrasound stress compromises the correlates of emotional-like states and brain AMPAR expression in mice: effects of antioxidant and anti-inflammatory herbal treatment. Stress, 2020, 23, 481-495.	1.8	16
54	Increased Oxidative Stress in the Prefrontal Cortex as a Shared Feature of Depressive- and PTSD-Like Syndromes: Effects of a Standardized Herbal Antioxidant. Frontiers in Nutrition, 2021, 8, 661455.	3.7	16

TATYANA STREKALOVA

#	Article	IF	CITATIONS
55	Dicholine succinate, the neuronal insulin sensitizer, normalizes behavior, REM sleep, hippocampal pCSK3 beta and mRNAs of NMDA receptor subunits in mouse models of depression. Frontiers in Behavioral Neuroscience, 2015, 9, 37.	2.0	15
56	Postnatal LPS Challenge Impacts Escape Learning and Expression of Plasticity Factors Mmp9 and Timp1 in Rats: Effects of Repeated Training. Neurotoxicity Research, 2017, 32, 175-186.	2.7	15
57	Animal models of major depressive disorder and the implications for drug discovery and development. Expert Opinion on Drug Discovery, 2019, 14, 365-378.	5.0	14
58	Hippocampal Over-Expression of Cyclooxygenase-2 (COX-2) Is Associated with Susceptibility to Stress-Induced Anhedonia in Mice. International Journal of Molecular Sciences, 2022, 23, 2061.	4.1	14
59	Metabolic, Molecular, and Behavioral Effects of Western Diet in Serotonin Transporter-Deficient Mice: Rescue by Heterozygosity?. Frontiers in Neuroscience, 2020, 14, 24.	2.8	13
60	Early-life stress impairs developmental programming in Cadherin 13 (CDH13)-deficient mice. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 89, 158-168.	4.8	12
61	Sex differences shape zebrafish performance in a battery of anxiety tests and in response to acute scopolamine treatment. Neuroscience Letters, 2021, 759, 135993.	2.1	12
62	Factors of Reproducibility of Anhedonia Induction in a Chronic Stress Depression Model in Mice. Neuromethods, 2009, , 153-176.	0.3	12
63	Nafamostat reduces systemic inflammation in TLR7-mediated virus-like illness. Journal of Neuroinflammation, 2022, 19, 8.	7.2	12
64	The olfactory bulbectomized rat model is not an appropriate model for studying depression based on morphological/stereological studies of the hippocampus. Brain Research Bulletin, 2017, 134, 128-135.	3.0	11
65	Identification of Cholecystokinin by Genome-Wide Profiling as Potential Mediator of Serotonin-Dependent Behavioral Effects of Maternal Separation in the Amygdala. Frontiers in Neuroscience, 2019, 13, 460.	2.8	11
66	Enhanced conditioning of adverse memories in the mouse modified swim test is associated with neuroinflammatory changes – Effects that are susceptible to antidepressants. Neurobiology of Learning and Memory, 2020, 172, 107227.	1.9	11
67	Molecular and behavioural abnormalities in the FUSâ€ŧg mice mimic frontotemporal lobar degeneration: Effects of old and new antiâ€inflammatory therapies. Journal of Cellular and Molecular Medicine, 2020, 24, 10251-10257.	3.6	10
68	Altered behaviour, dopamine and norepinephrine regulation in stressed mice heterozygous in TPH2 gene. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 108, 110155.	4.8	10
69	Decoding the role of zebrafish neuroglia in CNS disease modeling. Brain Research Bulletin, 2021, 166, 44-53.	3.0	9
70	ASD-like behaviors, a dysregulated inflammatory response and decreased expression of PLP1 characterize mice deficient for sialyltransferase ST3GAL5. Brain, Behavior, & Immunity - Health, 2021, 16, 100306.	2.5	9
71	Unconventional anxiety pharmacology in zebrafish: Drugs beyond traditional anxiogenic and anxiolytic spectra. Pharmacology Biochemistry and Behavior, 2021, 207, 173205.	2.9	7
72	CNS genomic profiling in the mouse chronic social stress model implicates a novel category of candidate genes integrating affective pathogenesis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 105, 110086.	4.8	6

TATYANA STREKALOVA

#	Article	IF	CITATIONS
73	Pro-social and anxiolytic-like behavior following a single 24-h exposure to 17β-estradiol in adult male zebrafish. Neuroscience Letters, 2021, 747, 135591.	2.1	4
74	Sex-Specific ADHD-like Behaviour, Altered Metabolic Functions, and Altered EEG Activity in Sialyltransferase ST3GAL5-Deficient Mice. Biomolecules, 2021, 11, 1759.	4.0	4
75	Predation Stress Causes Excessive Aggression in Female Mice with Partial Genetic Inactivation of Tryptophan Hydroxylase-2: Evidence for Altered Myelination-Related Processes. Cells, 2022, 11, 1036.	4.1	4
76	Behavioral Features of Mice Fed with a Cholesterol-Enriched Diet: Deficient Novelty Exploration and Unaltered Aggressive Behavior. Translational Neuroscience and Clinics, 2016, 2, 87-95.	0.1	3
77	Understanding early-life pain and its effects on adult human and animal emotionality: Translational lessons from rodent and zebrafish models. Neuroscience Letters, 2021, 768, 136382.	2.1	1
78	Pharmacological characterization of a novel putative nootropic beta-alanine derivative, MB-005, in adult zebrafish. Journal of Psychopharmacology, 0, , 026988112210981.	4.0	1
79	Effects of Voluntary Imipramine Intake via Food and Water in Paradigms of Anxiety and Depression in naà ve Mice. Translational Neuroscience and Clinics, 2016, 2, 172-182.	0.1	0
80	A Study of the Effects of 3,5-Diiodo-L-Thyronine in the Tail Suspension and Forced Swim Models of Depression. Translational Neuroscience and Clinics, 2016, 2, 96-107.	0.1	0