

Evgeny Belyavskiy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2365760/publications.pdf>

Version: 2024-02-01

39
papers

951
citations

566801

15
h-index

476904

29
g-index

39
all docs

39
docs citations

39
times ranked

1560
citing authors

#	ARTICLE	IF	CITATIONS
1	Left atrial strain predicts exercise capacity in heart failure independently of left ventricular ejection fraction. ESC Heart Failure, 2022, 9, 842-852.	1.4	17
2	The crossroad between obstructive sleep apnea and heart failure: A novel perspective at an old parameter. Journal of Clinical Ultrasound, 2022, 50, 170-171.	0.4	0
3	Peak O ₂ pulse predicts exercise training-induced changes in peak V̇O ₂ in heart failure with preserved ejection fraction. ESC Heart Failure, 2022, 9, 3393-3406.	1.4	3
4	Asymptomatic Left Ventricular Hypertrophy Is a Potent Risk Factor for the Development of HFpEF but Not HFrEF: Results of a Retrospective Cohort Study. Journal of Clinical Medicine, 2022, 11, 3885.	1.0	4
5	Left atrial function and maximal exercise capacity in heart failure with preserved and mid-range ejection fraction. ESC Heart Failure, 2021, 8, 116-128.	1.4	21
6	The Prognostic Importance of Right Ventricular Longitudinal Strain in Patients with Cardiomyopathies, Connective Tissue Diseases, Coronary Artery Disease, and Congenital Heart Diseases. Diagnostics, 2021, 11, 954.	1.3	14
7	Case Report: Assessing the Position of Pacemaker Leads via Transthoracic Echocardiography: Additional Value of the Subcostal En Face View. Frontiers in Cardiovascular Medicine, 2021, 8, 697052.	1.1	1
8	The Predictive Value of Right Ventricular Longitudinal Strain in Pulmonary Hypertension, Heart Failure, and Valvular Diseases. Frontiers in Cardiovascular Medicine, 2021, 8, 698158.	1.1	40
9	miR-181c level predicts response to exercise training in patients with heart failure and preserved ejection fraction: an analysis of the OptimEx-Clin trial. European Journal of Preventive Cardiology, 2021, 28, 1722-1733.	0.8	14
10	Myocardial strain analysis in infants with pectus excavatum: A subtle method to detect myocardial impairment?. Journal of Clinical Ultrasound, 2021, 49, 929-931.	0.4	1
11	The Challenge of HFpEF Diagnosis in Brazil. , 2021, 1, 63-66.		2
12	Right heart masses in a patient with endometrial stromal sarcoma. Journal of Clinical Ultrasound, 2020, 48, 117-120.	0.4	3
13	Potential usefulness and clinical relevance of a novel left atrial filling index to estimate left ventricular filling pressures in patients with preserved left ventricular ejection fraction. European Heart Journal Cardiovascular Imaging, 2020, 21, 260-269.	0.5	12
14	Phosphodiesterase 5 inhibitor sildenafil in patients with heart failure with preserved ejection fraction and combined pre- and postcapillary pulmonary hypertension: a randomized open-label pilot study. BMC Cardiovascular Disorders, 2020, 20, 408.	0.7	26
15	<p>Diagnosis and Management of Patients with Heart Failure with Preserved Ejection Fraction (HFpEF): Current Perspectives and Recommendations<p>. Therapeutics and Clinical Risk Management, 2020, Volume 16, 769-785.	0.9	16
16	Left atrial strain as sensitive marker of left ventricular diastolic dysfunction in heart failure. ESC Heart Failure, 2020, 7, 1956-1965.	1.4	43
17	Blood pressure control in heart failure: Is everything black and white?. Journal of Clinical Hypertension, 2019, 21, 1132-1134.	1.0	0
18	Obstructive sleep apnea, hypertension, and obesity: A dangerous triad. Journal of Clinical Hypertension, 2019, 21, 1591-1593.	1.0	7

#	ARTICLE	IF	CITATIONS
19	Intriguing relationship between antihypertensive therapy and cancer. <i>Pharmacological Research</i> , 2019, 141, 501-511.	3.1	18
20	Sex and Heart Failure with Preserved Ejection Fraction: From Pathophysiology to Clinical Studies. <i>Journal of Clinical Medicine</i> , 2019, 8, 792.	1.0	32
21	Phasic Left Atrial Function in Cancer Patients Before Initiation of Anti-Cancer Therapy. <i>Journal of Clinical Medicine</i> , 2019, 8, 421.	1.0	13
22	Diastolic stress test echocardiography in patients with suspected heart failure with preserved ejection fraction: a pilot study. <i>ESC Heart Failure</i> , 2019, 6, 146-153.	1.4	32
23	Left Ventricular Strain in Chemotherapy-Naive and Radiotherapy-Naive Patients With Cancer. <i>Canadian Journal of Cardiology</i> , 2018, 34, 281-287.	0.8	28
24	Potential Usefulness and Clinical Relevance of Adding Left Atrial Strain to Left Atrial Volume Index in the Detection of Left Ventricular Diastolic Dysfunction. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1405-1415.	2.3	215
25	Lower limit of normality and clinical relevance of left ventricular early diastolic strain rate for the detection of left ventricular diastolic dysfunction. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 905-915.	0.5	22
26	Cardiac anomaly detection based on time and frequency domain features using tree-based classifiers. <i>Physiological Measurement</i> , 2018, 39, 114001.	1.2	21
27	A Giant Hepatic Cyst: A Rare Cause of Syncope. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1234.e1-1234.e2.	0.8	1
28	Early detection of cardiac alterations by left atrial strain in patients with risk for cardiac abnormalities with preserved left ventricular systolic and diastolic function. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 701-711.	0.7	13
29	Normal range and usefulness of right ventricular systolic strain to detect subtle right ventricular systolic abnormalities in patients with heart failure: a multicentre study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 212-223.	0.5	126
30	Low-grade inflammation and tryptophan-kynurenine pathway activation are associated with adverse cardiac remodeling in primary hyperparathyroidism: the EPATH trial. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 1034-1042.	1.4	15
31	Left ventricular longitudinal systolic function analysed by 2D speckle-tracking echocardiography in heart failure with preserved ejection fraction: a meta-analysis. <i>Open Heart</i> , 2017, 4, e000630.	0.9	72
32	Plasma parathyroid hormone and cardiovascular disease in treatment-naïve patients with primary hyperparathyroidism: The EPATH trial. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1173-1186.	1.0	14
33	Relationship between bone turnover and left ventricular function in primary hyperparathyroidism: The EPATH trial. <i>PLoS ONE</i> , 2017, 12, e0173799.	1.1	10
34	Effect of eplerenone on parathyroid hormone levels in patients with primary hyperparathyroidism. <i>Journal of Hypertension</i> , 2016, 34, 1347-1356.	0.3	22
35	Parathyroid hormone, aldosterone-to-renin ratio and fibroblast growth factor-23 as determinants of nocturnal blood pressure in primary hyperparathyroidism. <i>Journal of Hypertension</i> , 2016, 34, 1778-1786.	0.3	17
36	Clinical Relevance of Left Atrial Strain to Predict Recurrence of Atrial Fibrillation after Catheter Ablation: A Meta-Analysis. <i>Echocardiography</i> , 2016, 33, 724-733.	0.3	40

#	ARTICLE	IF	CITATIONS
37	Plasma Parathyroid Hormone Is Independently Related to Nocturnal Blood Pressure in Hypertensive Patients: The Styrian Hypertension Study. <i>Journal of Clinical Hypertension</i> , 2016, 18, 543-550.	1.0	7
38	Clinical perspectives and evidence of diastolic stress test in heart failure with preserved ejection fraction. <i>Egyptian Heart Journal</i> , 2015, 67, 279-288.	0.4	1
39	Homoarginine in Patients With Primary Hyperparathyroidism. <i>American Journal of the Medical Sciences</i> , 2015, 349, 306-311.	0.4	8