Carla Ida Ripamonti

List of Publications by Citations

Source: https://exaly.com/author-pdf/236884/carla-ida-ripamonti-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153 papers

8,307 citations

48 h-index 88 g-index

165 ext. papers

9,309 ext. citations

4.5 avg, IF

5.6 L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 153 | Morphine and alternative opioids in cancer pain: the EAPC recommendations. <i>British Journal of Cancer</i> , 2001 , 84, 587-93 | 8.7 | 629 |
| 152 | Strategies to manage the adverse effects of oral morphine: an evidence-based report. <i>Journal of Clinical Oncology</i> , 2001 , 19, 2542-54 | 2.2 | 479 |
| 151 | Decreased occurrence of osteonecrosis of the jaw after implementation of dental preventive measures in solid tumour patients with bone metastases treated with bisphosphonates. The experience of the National Cancer Institute of Milan. <i>Annals of Oncology</i> , 2009 , 20, 137-45 | 10.3 | 291 |
| 150 | Management of cancer pain: ESMO Clinical Practice Guidelines. <i>Annals of Oncology</i> , 2012 , 23 Suppl 7, vii139-54 | 10.3 | 289 |
| 149 | Symptom Prevalence and Control during Cancer PatientsLast Days of Life. <i>Journal of Palliative Care</i> , 1990 , 6, 7-11 | 1.8 | 287 |
| 148 | Switching from morphine to oral methadone in treating cancer pain: what is the equianalgesic dose ratio?. <i>Journal of Clinical Oncology</i> , 1998 , 16, 3216-21 | 2.2 | 281 |
| 147 | Episodic (breakthrough) pain: consensus conference of an expert working group of the European Association for Palliative Care. <i>Cancer</i> , 2002 , 94, 832-9 | 6.4 | 266 |
| 146 | Imatinib mesylate in chordoma. <i>Cancer</i> , 2004 , 101, 2086-97 | 6.4 | 222 |
| 145 | Clinical-practice recommendations for the management of bowel obstruction in patients with end-stage cancer. <i>Supportive Care in Cancer</i> , 2001 , 9, 223-33 | 3.9 | 218 |
| 144 | Switching from morphine to methadone to improve analgesia and tolerability in cancer patients: a prospective study. <i>Journal of Clinical Oncology</i> , 2001 , 19, 2898-904 | 2.2 | 195 |
| 143 | Management of malignant bowel obstruction. European Journal of Cancer, 2008, 44, 1105-15 | 7.5 | 173 |
| 142 | Role of octreotide, scopolamine butylbromide, and hydration in symptom control of patients with inoperable bowel obstruction and nasogastric tubes: a prospective randomized trial. <i>Journal of Pain and Symptom Management</i> , 2000 , 19, 23-34 | 4.8 | 158 |
| 141 | The role of bisphosphonates in the treatment of painful metastatic bone disease: a review of phase III trials. <i>Pain</i> , 1998 , 78, 157-169 | 8 | 151 |
| 140 | Edmonton symptom assessment scale: Italian validation in two palliative care settings. <i>Supportive Care in Cancer</i> , 2006 , 14, 30-7 | 3.9 | 148 |
| 139 | An update on the clinical use of methadone for cancer pain. <i>Pain</i> , 1997 , 70, 109-15 | 8 | 141 |
| 138 | Efficacy and safety of 12-weekly versus 4-weekly zoledronic acid for prolonged treatment of patients with bone metastases from breast cancer (ZOOM): a phase 3, open-label, randomised, non-inferiority trial. <i>Lancet Oncology, The</i> , 2013 , 14, 663-70 | 21.7 | 138 |
| 137 | The management of constipation in palliative care: clinical practice recommendations. <i>Palliative Medicine</i> , 2008 , 22, 796-807 | 5.5 | 138 |

(2015-1998)

| 136 | A randomized, controlled clinical trial to evaluate the effects of zinc sulfate on cancer patients with taste alterations caused by head and neck irradiation. <i>Cancer</i> , 1998 , 82, 1938-45 | 6.4 | 115 |
|-----|---|------------|----------------|
| 135 | Management of dyspnea in advanced cancer patients. Supportive Care in Cancer, 1999, 7, 233-43 | 3.9 | 108 |
| 134 | Randomized Trial of Low-Dose Morphine Versus Weak Opioids in Moderate Cancer Pain. <i>Journal of Clinical Oncology</i> , 2016 , 34, 436-42 | 2.2 | 106 |
| 133 | Pain and pain treatments in European palliative care units. A cross sectional survey from the European Association for Palliative Care Research Network. <i>Palliative Medicine</i> , 2005 , 19, 477-84 | 5.5 | 105 |
| 132 | Strategies for the treatment of cancer pain in the new millennium. <i>Drugs</i> , 2001 , 61, 955-77 | 12.1 | 104 |
| 131 | Characteristics of terminal cancer patients who committed suicide during a home palliative care program. <i>Journal of Pain and Symptom Management</i> , 2001 , 22, 544-53 | 4.8 | 102 |
| 130 | Clinical experience with oral methadone administration in the treatment of pain in 196 advanced cancer patients. <i>Journal of Clinical Oncology</i> , 1996 , 14, 2836-42 | 2.2 | 101 |
| 129 | Medication-related osteonecrosis of the jaw: definition and best practice for prevention, diagnosis, and treatment. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2019 , 127, 117-135 | 2 | 97 |
| 128 | Palliative management of malignant bowel obstruction. <i>International Journal of Gynecological Cancer</i> , 2002 , 12, 135-43 | 3.5 | 93 |
| 127 | Mucositis in head and neck cancer patients treated with radiotherapy and systemic therapies: Literature review and consensus statements. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 100, 147- | 6 <i>6</i> | 92 |
| 126 | Management of cancer pain: ESMO Clinical Practice Guidelines. <i>Annals of Oncology</i> , 2011 , 22 Suppl 6, vi69-77 | 10.3 | 89 |
| 125 | Efficacy and safety of medical ozone (O(3)) delivered in oil suspension applications for the treatment of osteonecrosis of the jaw in patients with bone metastases treated with | | |
| | bisphosphonates: Preliminary results of a phase I-II study. <i>Oral Oncology</i> , 2011 , 47, 185-90 | 4.4 | 82 |
| 124 | · | 1.7 | 82 |
| 124 | bisphosphonates: Preliminary results of a phase I-II study. <i>Oral Oncology</i> , 2011 , 47, 185-90 The Management of Inoperable Gastrointestinal Obstruction in Terminal Cancer Patients. <i>Tumori</i> , | | |
| | bisphosphonates: Preliminary results of a phase I-II study. <i>Oral Oncology</i> , 2011 , 47, 185-90 The Management of Inoperable Gastrointestinal Obstruction in Terminal Cancer Patients. <i>Tumori</i> , 1990 , 76, 389-393 Equianalgesic dose/ratio between methadone and other opioid agonists in cancer pain: comparison | 1.7 | 80 |
| 123 | bisphosphonates: Preliminary results of a phase I-II study. <i>Oral Oncology</i> , 2011 , 47, 185-90 The Management of Inoperable Gastrointestinal Obstruction in Terminal Cancer Patients. <i>Tumori</i> , 1990 , 76, 389-393 Equianalgesic dose/ratio between methadone and other opioid agonists in cancer pain: comparison of two clinical experiences. <i>Annals of Oncology</i> , 1998 , 9, 79-83 A randomized double-blind crossover trial of intravenous lidocaine in the treatment of neuropathic | 1.7 | 80 79 |
| 123 | bisphosphonates: Preliminary results of a phase I-II study. <i>Oral Oncology</i> , 2011 , 47, 185-90 The Management of Inoperable Gastrointestinal Obstruction in Terminal Cancer Patients. <i>Tumori</i> , 1990 , 76, 389-393 Equianalgesic dose/ratio between methadone and other opioid agonists in cancer pain: comparison of two clinical experiences. <i>Annals of Oncology</i> , 1998 , 9, 79-83 A randomized double-blind crossover trial of intravenous lidocaine in the treatment of neuropathic cancer pain. <i>Journal of Pain and Symptom Management</i> , 1992 , 7, 138-40 A randomized study on oral administration of morphine and methadone in the treatment of cancer | 1.7 | 80 79 79 |

| 118 | International Society of Geriatric Oncology (SIOG) clinical practice recommendations for the use of bisphosphonates in elderly patients. <i>European Journal of Cancer</i> , 2007 , 43, 852-8 | 7.5 | 74 |
|-----|--|-------|----|
| 117 | Breast cancer patient perception of the helpfulness of a prompt sheet versus a general information sheet during outpatient consultation: a randomized, controlled trial. <i>Journal of Pain and Symptom Management</i> , 2003 , 25, 412-9 | 4.8 | 74 |
| 116 | Dyspnea: pathophysiology and assessment. Journal of Pain and Symptom Management, 1997, 13, 220-32 | 2 4.8 | 68 |
| 115 | Prevalence, distress, management, and relief of pain during the last 3 months of cancer patients' life. Results of an Italian mortality follow-back survey. <i>Annals of Oncology</i> , 2009 , 20, 729-35 | 10.3 | 67 |
| 114 | Opioid purchases and expenditure in nine western European countries: 'are we killing off morphine?'. <i>Palliative Medicine</i> , 2005 , 19, 179-84 | 5.5 | 65 |
| 113 | 2016 Updated MASCC/ESMO consensus recommendations: Management of nausea and vomiting in advanced cancer. <i>Supportive Care in Cancer</i> , 2017 , 25, 333-340 | 3.9 | 57 |
| 112 | Comparison of Home and Hospital Care of Advanced Cancer Patients. <i>Tumori</i> , 1989 , 75, 619-625 | 1.7 | 55 |
| 111 | Is the use of transdermal fentanyl inappropriate according to the WHO guidelines and the EAPC recommendations? A study of cancer patients in Italy. <i>Supportive Care in Cancer</i> , 2006 , 14, 400-7 | 3.9 | 54 |
| 110 | Propofol in terminal care. Journal of Pain and Symptom Management, 1995, 10, 639-42 | 4.8 | 53 |
| 109 | Management of bowel obstruction in advanced cancer. Current Opinion in Oncology, 1994 , 6, 351-7 | 4.2 | 53 |
| 108 | Malignant bone pain: pathophysiology and treatments. Current Review of Pain, 2000, 4, 187-96 | | 52 |
| 107 | The use of methadone for cancer pain. Hematology/Oncology Clinics of North America, 2002, 16, 543-55 | 3.1 | 51 |
| 106 | Pain therapy. Critical Reviews in Oncology/Hematology, 2009, 70, 145-59 | 7 | 48 |
| 105 | Side effects of morphine administration in cancer patients. <i>Cancer Nursing</i> , 1998 , 21, 289-97 | 2.6 | 47 |
| 104 | Improving quality of life in patients with advanced cancer: Targeting metastatic bone pain. <i>European Journal of Cancer</i> , 2017 , 71, 80-94 | 7.5 | 45 |
| 103 | Pain management in head and neck cancer patients undergoing chemo-radiotherapy: Clinical practical recommendations. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 99, 100-6 | 7 | 45 |
| 102 | Interprofessional spiritual care in oncology: a literature review. ESMO Open, 2019, 4, e000465 | 6 | 43 |
| 101 | Supportive and palliative care for metastatic breast cancer: resource allocations in low- and middle-income countries. A Breast Health Global Initiative 2013 consensus statement. <i>Breast</i> , 2013 , 22, 616-27 | 3.6 | 42 |

(2018-2009)

| 100 | Predictive models in palliative care. Cancer, 2009, 115, 3128-34 | 6.4 | 38 |
|-----|---|------------|----|
| 99 | Targeted therapy-induced diarrhea: A review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2014 , 90, 165-79 | 7 | 37 |
| 98 | Rectal methadone in cancer patients with pain. A preliminary clinical and pharmacokinetic study. <i>Annals of Oncology</i> , 1995 , 6, 841-3 | 10.3 | 37 |
| 97 | Respiratory problems in advanced cancer. Supportive Care in Cancer, 2002, 10, 204-16 | 3.9 | 36 |
| 96 | Pain Experienced by Patients Hospitalized at the National Cancer Institute of Milan: Research Project Towards a Pain-Free Hospital Tumori, 2000 , 86, 412-418 | 1.7 | 35 |
| 95 | Non-steroidal anti-inflammatory drugs as the first step in cancer pain therapy: double-blind, within-patient study comparing nine drugs. <i>Journal of International Medical Research</i> , 1990 , 18, 21-9 | 1.4 | 34 |
| 94 | Surprising results regarding MASCC members' beliefs about spiritual care. <i>Supportive Care in Cancer</i> , 2013 , 21, 2991-8 | 3.9 | 33 |
| 93 | Rectal, Buccal, and Sublingual Narcotics for the Management of Cancer Pain. <i>Journal of Palliative Care</i> , 1991 , 7, 30-35 | 1.8 | 33 |
| 92 | Antidepressants increase bioavailability of morphine in cancer patients. <i>Lancet, The</i> , 1987 , 1, 1204 | 40 | 33 |
| 91 | Management of bowel obstruction in advanced cancer patients. <i>Journal of Pain and Symptom Management</i> , 1994 , 9, 193-200 | 4.8 | 32 |
| 90 | Suicide and Suicidal Thoughts in Cancer Patients. <i>Tumori</i> , 2002 , 88, 193-199 | 1.7 | 31 |
| 89 | A clinical study on the use of codeine, oxycodone, dextropropoxyphene, buprenorphine, and pentazocine in cancer pain. <i>Journal of Pain and Symptom Management</i> , 1991 , 6, 423-7 | 4.8 | 31 |
| 88 | Patient Dignity Inventory (PDI) Questionnaire: The Validation Study in Italian Patients with Solid and Hematological Cancers on Active Oncological Treatments. <i>Tumori</i> , 2012 , 98, 491-500 | 1.7 | 30 |
| | | | |
| 87 | Hope Herth Index (HHI): A Validation Study in Italian Patients with Solid and Hematological Malignancies on Active Cancer Treatment. <i>Tumori</i> , 2012 , 98, 385-392 | 1.7 | 28 |
| 86 | | 1.7 6.7 | 28 |
| | Malignancies on Active Cancer Treatment. <i>Tumori</i> , 2012 , 98, 385-392 | | |
| 86 | Malignancies on Active Cancer Treatment. <i>Tumori</i> , 2012 , 98, 385-392 CNS Adverse Effects of Opioids in Cancer Patients. <i>CNS Drugs</i> , 1997 , 8, 21-37 The MERITO Study: a multicentre trial of the analgesic effect and tolerability of normal-release oral | 6.7 | 28 |

| 82 | The Edmonton Symptom Assessment System (ESAS) as a screening tool for depression and anxiety in non-advanced patients with solid or haematological malignancies on cure or follow-up. <i>Supportive Care in Cancer</i> , 2014 , 22, 783-93 | 3.9 | 24 |
|----|---|------|----|
| 81 | Prescription of opioids in Italy: everything, but the morphine. <i>Annals of Oncology</i> , 2009 , 20, 961-2 | 10.3 | 24 |
| 80 | Dyspnoea in patients with advanced cancer: incidence, causes and treatments. <i>Cancer Treatment Reviews</i> , 1998 , 24, 69-80 | 14.4 | 24 |
| 79 | Incident pain and analgesic consumption decrease after samarium infusion: a pilot study. <i>Supportive Care in Cancer</i> , 2007 , 15, 339-42 | 3.9 | 24 |
| 78 | How to use octreotide for malignant bowel obstruction. <i>The Journal of Supportive Oncology</i> , 2004 , 2, 357-64 | | 23 |
| 77 | Breakthrough cancer pain (BTcP) management: a review of international and national guidelines. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 241-249 | 2.2 | 22 |
| 76 | Supportive care in cancer unit at the National Cancer Institute of Milan: a new integrated model of medicine in oncology. <i>Current Opinion in Oncology</i> , 2012 , 24, 391-6 | 4.2 | 22 |
| 75 | Suicide among patients with cancer cared for at home by palliative-care teams. <i>Lancet, The</i> , 1999 , 354, 1877-8 | 40 | 22 |
| 74 | Targeting bone metastatic cancer: Role of the mTOR pathway. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2014 , 1845, 248-54 | 11.2 | 21 |
| 73 | Pain and emotional distress in leukemia patients at diagnosis. <i>Leukemia Research</i> , 2010 , 34, e67-8 | 2.7 | 21 |
| 72 | Pain and Symptom Management in Palliative Care. Cancer Control, 1996, 3, 204-213 | 2.2 | 21 |
| 71 | Normal-release oral morphine starting dose in cancer patients with pain. <i>Clinical Journal of Pain</i> , 2009 , 25, 386-90 | 3.5 | 20 |
| 70 | Palliative care in a national cancer center: results in 1987 vs. 1993 vs. 2000. <i>Journal of Pain and Symptom Management</i> , 2003 , 25, 499-511 | 4.8 | 20 |
| 69 | Randomized double-blind, double-dummy crossover clinical trial of oral tramadol versus rectal tramadol administration in opioid-naive cancer patients with pain. <i>Supportive Care in Cancer</i> , 2005 , 13, 702-7 | 3.9 | 20 |
| 68 | Continuous Subcutaneous Infusion of Ketorolac in Cancer Neuropathic Pain Unresponsive to Opioid and Adjuvant Drugs. A Case Report. <i>Tumori</i> , 1996 , 82, 413-415 | 1.7 | 20 |
| 67 | Is it possible to encourage hope in non-advanced cancer patients? We must try. <i>Annals of Oncology</i> , 2016 , 27, 513-9 | 10.3 | 19 |
| 66 | Pain related to cancer treatments and diagnostic procedures: a no man's land?. <i>Annals of Oncology</i> , 2014 , 25, 1097-106 | 10.3 | 19 |
| 65 | Italian validation of the Purpose In Life (PIL) test and the Seeking Of Noetic Goals (SONG) test in a population of cancer patients. <i>Supportive Care in Cancer</i> , 2012 , 20, 2775-83 | 3.9 | 19 |

| 64 | Taste alterations in cancer patients. Journal of Pain and Symptom Management, 1998, 16, 349-51 | 4.8 | 19 | |
|----|---|-------------------------------|----|--|
| 63 | Decreases in pain at rest and movement-related pain during zoledronic acid treatment in patients with bone metastases due to breast or prostate cancer: a pilot study. <i>Supportive Care in Cancer</i> , 2007 , 15, 1177-84 | 3.9 | 19 | |
| 62 | Hope Herth Index (HHI): a validation study in Italian patients with solid and hematological malignancies on active cancer treatment. <i>Tumori</i> , 2012 , 98, 385-92 | 1.7 | 19 | |
| 61 | Temporal course and predictive factors of analgesic opioid requirement for chemoradiation-induced oral mucositis in oropharyngeal cancer. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E152: | 1 ⁴ 7 ² | 18 | |
| 60 | The role of disodium pamidronate in the management of bone pain due to malignancy. <i>Palliative Medicine</i> , 2001 , 15, 297-307 | 5.5 | 17 | |
| 59 | Unendurable symptoms as prognostic indicators of impending death in terminal cancer patients. <i>European Journal of Cancer & Clinical Oncology</i> , 1990 , 26, 1000-1 | | 17 | |
| 58 | Efficacy and tolerability of medical ozone gas insufflations in patients with osteonecrosis of the jaw treated with bisphosphonates-Preliminary data: Medical ozone gas insufflation in treating ONJ lesions. <i>Journal of Bone Oncology</i> , 2012 , 1, 81-7 | 4.5 | 16 | |
| 57 | Seeking and experiencing meaning: exploring the role of meaning in promoting mental adjustment and eudaimonic well-being in cancer patients. <i>Palliative and Supportive Care</i> , 2015 , 13, 673-81 | 2.5 | 15 | |
| 56 | Subcutaneous octreotide in the treatment of pain in advanced cancer patients. <i>Journal of Pain and Symptom Management</i> , 1994 , 9, 34-8 | 4.8 | 15 | |
| 55 | Pharmacological Treatment of Cancer Pain: Alternative Routes of Opioid Administration. <i>Tumori</i> , 1998 , 84, 289-300 | 1.7 | 14 | |
| 54 | Morphine for relief of cancer pain. <i>Lancet, The</i> , 1996 , 347, 1262-3 | 40 | 14 | |
| 53 | Tolerability of ketorolac administered via continuous subcutaneous infusion for cancer pain: a preliminary report. <i>Journal of Pain and Symptom Management</i> , 1994 , 9, 119-21 | 4.8 | 13 | |
| 52 | Patient dignity inventory (PDI) questionnaire: the validation study in Italian patients with solid and hematological cancers on active oncological treatments. <i>Tumori</i> , 2012 , 98, 491-500 | 1.7 | 13 | |
| 51 | Impact of setting of care on pain management in patients with cancer: a multicentre cross-sectional study. <i>Annals of Oncology</i> , 2010 , 21, 2088-2093 | 10.3 | 12 | |
| 50 | Relationships among unmet needs, depression, and anxiety in non-advanced cancer patients. <i>Tumori</i> , 2019 , 105, 144-150 | 1.7 | 12 | |
| 49 | Comparison between numerical rating scale and six-level verbal rating scale in cancer patients with pain: a preliminary report. <i>Supportive Care in Cancer</i> , 2009 , 17, 1433-4 | 3.9 | 11 | |
| 48 | Withdrawal syndrome after delayed tramadol intake. American Journal of Psychiatry, 2004, 161, 2326-7 | 11.9 | 11 | |
| 47 | Palliative surgery of acrometastases from lung cancer: a case report. <i>Supportive Care in Cancer</i> , 2004 , 12, 202-4 | 3.9 | 11 | |

| 46 | Role of Enteral Nutrition in Advanced Cancer Patients: Indications and Contraindications of the Different Techniques Employed. <i>Tumori</i> , 1996 , 82, 302-308 | 1.7 | 11 |
|----|---|------|----|
| 45 | The validation of the Italian version of the COmprehensive Score for financial Toxicity (COST). Supportive Care in Cancer, 2020 , 28, 4477-4485 | 3.9 | 10 |
| 44 | Strategic pain management: the identification and development of the IAHPC opioid essential prescription package. <i>Journal of Palliative Medicine</i> , 2012 , 15, 186-91 | 2.2 | 10 |
| 43 | Role of Pamidronate Disodium in the Treatment of Metastatic Bone Disease. <i>Tumori</i> , 1998 , 84, 442-455 | 1.7 | 10 |
| 42 | Issues in symptom control. Part 4. Oral complications in patients with advanced cancer. <i>Journal of Pain and Symptom Management</i> , 1989 , 4, 20-30 | 4.8 | 10 |
| 41 | Is pain in patients with haematological malignancies under-recognised? The results from Italian ECAD-O survey. <i>Leukemia Research</i> , 2010 , 34, e334-5 | 2.7 | 8 |
| 40 | Treatment of Osteonecrosis of the Jaw (ONJ) by Medical Ozone Gas Insufflation. A Case Report. <i>Tumori</i> , 2012 , 98, e72-e75 | 1.7 | 7 |
| 39 | Modern Computer Technologies Facilitate Communication with a Young Cancer Patient. <i>Tumori</i> , 2010 , 96, 609-612 | 1.7 | 7 |
| 38 | Palliative care at the National Cancer Institute of Milan. Supportive Care in Cancer, 2001, 9, 141-7 | 3.9 | 7 |
| 37 | Searching for Evidence to Support the Use of Ginger in the Prevention of Chemotherapy-Induced Nausea and Vomiting. <i>Journal of Alternative and Complementary Medicine</i> , 2016 , 22, 486-8 | 2.4 | 7 |
| 36 | 'Old' and 'new' drugs for the treatment of cancer pain. <i>Expert Opinion on Pharmacotherapy</i> , 2013 , 14, 425-33 | 4 | 6 |
| 35 | Prevention and Treatment of Bone Metastases in Breast Cancer. <i>Journal of Clinical Medicine</i> , 2013 , 2, 151-75 | 5.1 | 6 |
| 34 | Use of trade names of drugs in abstracts from pain congresses. <i>New England Journal of Medicine</i> , 2000 , 343, 818 | 59.2 | 6 |
| 33 | Review articles: Transdermal and inhalatory routes of opioid administration: the potential application in cancer pain. <i>Palliative Medicine</i> , 1992 , 6, 98-104 | 5.5 | 6 |
| 32 | Carcinoid somatostatinoma of the duodenum. European Journal of Surgical Oncology, 1998, 24, 601-4 | 3.6 | 5 |
| 31 | Methadone: an orphan drug?. Journal of Palliative Medicine, 2004, 7, 73-4 | 2.2 | 5 |
| 30 | Diclofenac does not modify morphine bioavailability in cancer patients. <i>Pain</i> , 1992 , 48, 401-402 | 8 | 5 |
| 29 | The effectiveness of the quality program Pac-IficO to improve pain management in hospitalized cancer patients: a before-after cluster phase II trial. <i>BMC Palliative Care</i> , 2014 , 13, 15 | 3 | 4 |

(2021-2015)

| 28 | NICSO: Network Italiano Cure di Supporto in OncologiaItalian Network for Supportive Care in Oncology. <i>Supportive Care in Cancer</i> , 2015 , 23, 11-2 | 3.9 | 4 |
|----|--|----------------------------|---|
| 27 | Diclofenac does not modify methadone bioavailability in cancer patients. <i>Journal of Pain and Symptom Management</i> , 1999 , 17, 227-9 | 4.8 | 4 |
| 26 | Treatment of osteonecrosis of the jaw (ONJ) by medical ozone gas insufflation. A case report. <i>Tumori</i> , 2012 , 98, 72e-75e | 1.7 | 4 |
| 25 | Withdrawal symptoms during chronic transdermal fentanyl administration managed with oral methadone. <i>Journal of Pain and Symptom Management</i> , 2004 , 27, 191-4 | 4.8 | 3 |
| 24 | Management of Symptoms Due to Inoperable Bowel Obstruction. <i>Tumori</i> , 2005 , 91, 233-236 | 1.7 | 3 |
| 23 | Pharmacology of opioid analgesia: clinical principles 2001 , 195-229 | | 3 |
| 22 | Construction of new personal meanings by cancer patients: a qualitative analysis in an Italian patient population. <i>Supportive Care in Cancer</i> , 2019 , 27, 1911-1918 | 3.9 | 3 |
| 21 | Medical management of malignant bowel obstruction in patients with advanced cancer: 2021 MASCC guideline update. <i>Supportive Care in Cancer</i> , 2021 , 29, 8089-8096 | 3.9 | 3 |
| 20 | Prevention and management of osteonecrosis of the jaw secondary to bone-targeted therapy in patients with kidney cancer. <i>Current Opinion in Supportive and Palliative Care</i> , 2016 , 10, 273-80 | 2.6 | 2 |
| 19 | Is pain reporting to health care professionals age-related? A cross sectional multicenter study in a hospital setting. <i>Expert Opinion on Pharmacotherapy</i> , 2013 , 14, 2011-7 | 4 | 2 |
| 18 | Nausea and vomiting during the first 3 intercycle periods in chemo-naive cancer patients receiving moderately/highly emetogenic therapy. <i>Tumori</i> , 2015 , 101, 692-6 | 1.7 | 2 |
| 17 | Sexual Satisfaction Assessment in 194 Nonmetastatic Cancer Patients on Treatment or in follow-up. <i>Tumori</i> , 2014 , 100, 232-236 | 1.7 | 2 |
| 16 | Is the Spiritual Life of Cancer Patients a Resource to be taken into Account by Professional Caregivers from the Time of Diagnosis?. <i>Tumori</i> , 2012 , 98, 158-161 | 1.7 | 2 |
| 15 | Cancer pain syndromes and pharmacotherapy of cancer pain. Archive of Oncology, 2004, 12, 168-170 | 0.2 | 2 |
| 14 | What can we learn from the ZOOM trial?Authors' reply. Lancet Oncology, The, 2013, 14, e388-90 | 21.7 | 1 |
| 13 | Rūision des rāultats du traitement antalgique par la morphine orale vis-Ēvis de difffentes pathologies oncologiques. <i>Douleur Et Analgesie</i> , 1990 , 3, 55-57 | 0.2 | 1 |
| 12 | Fears, beliefs, and quality of life of patients with cancer vs the general population during the coronavirus disease 2019 (COVID-19) pandemic in Lombardy. <i>Tumori</i> , 2021 , 3008916211022848 | 1.7 | 1 |
| 11 | MASCC antiemetics in advanced cancer updated guideline. Supportive Care in Cancer, 2021 , 29, 8097-87 | 1 0 7 .9 | 1 |

| 10 | Italian version of the Edmonton Symptom Assessment System (ESAS)-Total Care (TC): development and psychometric validation in patients undergoing cancer treatment or follow-up. <i>Supportive Care in Cancer</i> , 2021 , 1 | 3.9 | Ο |
|----|--|-----|---|
| 9 | Response to letter to the editor referencing-2016 updated MASCC/ESMO consensus recommendations: management of nausea and vomiting in advanced cancer. <i>Supportive Care in Cancer</i> , 2017 , 25, 2991-2992 | 3.9 | |
| 8 | Malignant bowel obstruction 2011 , 326-341 | | |
| 7 | Palliative medical management. European Journal of Cancer, Supplement, 2005, 3, 203-219 | 1.6 | |
| 6 | Bowel obstruction 2003 , 460-468 | | |
| 5 | Use of trade names of drugs and the scientific content of medical congresses. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1707-8 | 2.2 | |
| 4 | Traitement de la douleur et soins palliatifs pour les malades atteints de cancer avanc\(\(\textit{Douleur Et}\) Analgesie, 1990 , 3, 75-81 | 0.2 | |
| 3 | Bone-Targeted Agents 2017 , 181-192 | | |
| 2 | Reply to O. Corli et al and M. Lucchesi et al. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3580-3581 | 2.2 | |
| 1 | Is the spiritual life of cancer patients a resource to be taken into account by professional caregivers from the time of diagnosis?. <i>Tumori</i> , 2012 , 98, 158-61 | 1.7 | |