

Mathew H Horrocks

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/236908/mathew-h-horrocks-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

1,750
citations

21
h-index

38
g-index

38
ext. papers

2,327
ext. citations

8.8
avg, IF

4.34
L-index

#	Paper	IF	Citations
32	Alpha synuclein aggregation drives ferroptosis: an interplay of iron, calcium and lipid peroxidation. <i>Cell Death and Differentiation</i> , 2020 , 27, 2781-2796	12.7	46
31	LIVE-PAINT allows super-resolution microscopy inside living cells using reversible peptide-protein interactions. <i>Communications Biology</i> , 2020 , 3, 458	6.7	16
30	PAINT using proteins: A new brush for super-resolution artists. <i>Protein Science</i> , 2020 , 29, 2142-2149	6.3	5
29	A sticky situation: Aberrant protein-protein interactions in Parkinson's disease. <i>Seminars in Cell and Developmental Biology</i> , 2020 , 99, 65-77	7.5	4
28	SCOTfluors: Small, Conjugatable, Orthogonal, and Tunable Fluorophores for In Vivo Imaging of Cell Metabolism. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 6911-6915	16.4	56
27	βSynuclein-Confocal Nanoscanning (ASYN-CONA), a Bead-Based Assay for Detecting Early-Stage βSynuclein Aggregation. <i>Analytical Chemistry</i> , 2019 , 91, 5582-5590	7.8	6
26	SCOTfluors: Small, Conjugatable, Orthogonal, and Tunable Fluorophores for In Vivo Imaging of Cell Metabolism. <i>Angewandte Chemie</i> , 2019 , 131, 6985-6989	3.6	19
25	Shedding light on aberrant interactions - a review of modern tools for studying protein aggregates. <i>FEBS Journal</i> , 2018 , 285, 3604-3630	5.7	9
24	Detecting RNA base methylations in single cells by in situ hybridization. <i>Nature Communications</i> , 2018 , 9, 655	17.4	17
23	The small heat shock protein Hsp27 binds βSynuclein fibrils, preventing elongation and cytotoxicity. <i>Journal of Biological Chemistry</i> , 2018 , 293, 4486-4497	5.4	64
22	Hsp70 Inhibits the Nucleation and Elongation of Tau and Sequesters Tau Aggregates with High Affinity. <i>ACS Chemical Biology</i> , 2018 , 13, 636-646	4.9	63
21	Extrinsic Amyloid-Binding Dyes for Detection of Individual Protein Aggregates in Solution. <i>Analytical Chemistry</i> , 2018 , 90, 10385-10393	7.8	14
20	Nanosopic Characterisation of Individual Endogenous Protein Aggregates in Human Neuronal Cells. <i>ChemBioChem</i> , 2018 , 19, 2033-2038	3.8	21
19	βSynuclein oligomers interact with ATP synthase and open the permeability transition pore in Parkinson's disease. <i>Nature Communications</i> , 2018 , 9, 2293	17.4	223
18	Single-Molecule Characterization of the Interactions between Extracellular Chaperones and Toxic βSynuclein Oligomers. <i>Cell Reports</i> , 2018 , 23, 3492-3500	10.6	42
17	Mapping Surface Hydrophobicity of βSynuclein Oligomers at the Nanoscale. <i>Nano Letters</i> , 2018 , 18, 7494-7501	11.5	42
16	PEGylated liposomes associate with Wnt3A protein and expand putative stem cells in human bone marrow populations. <i>Nanomedicine</i> , 2017 , 12, 845-863	5.6	12

15	Nanobodies raised against monomeric α -synuclein inhibit fibril formation and destabilize toxic oligomeric species. <i>BMC Biology</i> , 2017 , 15, 57	7.3	46
14	PSD95 nanoclusters are postsynaptic building blocks in hippocampus circuits. <i>Scientific Reports</i> , 2016 , 6, 24626	4.9	73
13	Single-Molecule Imaging of Individual Amyloid Protein Aggregates in Human Biofluids. <i>ACS Chemical Neuroscience</i> , 2016 , 7, 399-406	5.7	75
12	Ca ²⁺ is a key factor in α -synuclein-induced neurotoxicity. <i>Journal of Cell Science</i> , 2016 , 129, 1792-801	5.3	106
11	Kinetic model of the aggregation of alpha-synuclein provides insights into prion-like spreading. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E1206-15	11.5	130
10	Alpha-Synuclein Oligomers Interact with Metal Ions to Induce Oxidative Stress and Neuronal Death in Parkinson's Disease. <i>Antioxidants and Redox Signaling</i> , 2016 , 24, 376-91	8.4	192
9	Multi-dimensional super-resolution imaging enables surface hydrophobicity mapping. <i>Nature Communications</i> , 2016 , 7, 13544	17.4	97
8	Remarkably low affinity of CD4/peptide-major histocompatibility complex class II protein interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 5682-7	11.5	37
7	Fast flow microfluidics and single-molecule fluorescence for the rapid characterization of α -synuclein oligomers. <i>Analytical Chemistry</i> , 2015 , 87, 8818-26	7.8	65
6	Single-molecule FRET studies on alpha-synuclein oligomerization of Parkinson's disease genetically related mutants. <i>Scientific Reports</i> , 2015 , 5, 16696	4.9	69
5	A mechanistic model of tau amyloid aggregation based on direct observation of oligomers. <i>Nature Communications</i> , 2015 , 6, 7025	17.4	129
4	The changing point-spread function: single-molecule-based super-resolution imaging. <i>Histochemistry and Cell Biology</i> , 2014 , 141, 577-85	2.4	11
3	Single-molecule measurements of transient biomolecular complexes through microfluidic dilution. <i>Analytical Chemistry</i> , 2013 , 85, 6855-9	7.8	21
2	Single molecule fluorescence under conditions of fast flow. <i>Analytical Chemistry</i> , 2012 , 84, 179-85	7.8	30
1	LIVE-PAINT: Super-Resolution Microscopy Inside Live Cells Using Reversible Peptide-Protein Interactions		2