
Thierry Debillon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2369254/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeks' Gestation in France in 2011. JAMA Pediatrics, 2015, 169, 230.	6.2	576
2	Neurodevelopmental outcomes at age 5 among children born preterm: EPIPAGE-2 cohort study. BMJ, The, 2021, 373, n741.	6.0	125
3	Leading causes of preterm delivery as risk factors for intraventricular hemorrhage in very preterm infants: results of the EPIPAGE 2 cohort study. American Journal of Obstetrics and Gynecology, 2017, 216, 518.e1-518.e12.	1.3	65
4	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. Journal of Pediatrics, 2017, 182, 47-52.e2.	1.8	57
5	Propofol for sedation during less invasive surfactant administration in preterm infants. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F465-F465.	2.8	21
6	Adherence to Hypothermia Guidelines: A French Multicenter Study of Fullterm Neonates. PLoS ONE, 2013, 8, e83742.	2.5	20
7	LyTONEPAL: long term outcome of neonatal hypoxic encephalopathy in the era of neuroprotective treatment with hypothermia: a French population-based cohort. BMC Pediatrics, 2018, 18, 255.	1.7	17
8	Propofol versus placebo (with rescue with ketamine) before less invasive surfactant administration: study protocol for a multicenter, double-blind, placebo controlled trial (PROLISA). BMC Pediatrics, 2020, 20, 199.	1.7	17
9	Establishing a hypothermia service for infants with suspected hypoxic–ischemic encephalopathy. Seminars in Fetal and Neonatal Medicine, 2015, 20, 80-86.	2.3	9
10	Clinical practice guidelines for neonatal arterial ischaemic stroke. Developmental Medicine and Child Neurology, 2017, 59, 980-981.	2.1	7
11	Early hypovolemic shock and abdominal distention due to neonatal splenic rupture: urgency of diagnosis and management. European Journal of Pediatrics, 2017, 176, 1245-1250.	2.7	6
12	Mortality and significant neurosensory impairment in preterm infants: an international comparison. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 317-323.	2.8	6
13	Cerebral injuries in neonatal encephalopathy treated with hypothermia: French LyTONEPAL cohort. Pediatric Research, 2022, 92, 880-887.	2.3	4
14	Bacteriological screening of breast milk samples destined to direct milk donation: Prospective evaluation between 2007 and 2016. International Journal of Hygiene and Environmental Health, 2019, 222, 183-187.	4.3	3
15	An Updated Overview of MRI Injuries in Neonatal Encephalopathy: LyTONEPAL Cohort. Children, 2022, 9, 561.	1.5	2
16	Implementation of a Vancomycin Dose-Optimization Protocol in Neonates: Impact on Vancomycin Exposure, Biological Parameters, and Clinical Outcomes. Antimicrobial Agents and Chemotherapy, 2022, , e0219121.	3.2	2
17	Neurodevelopment at two years and appropriate schooling at five years in children born very preterm. Acta Paediatrica, International Journal of Paediatrics, 0, , .	1.5	2
18	A randomized EPIREMED protocol study on the long-term visuo spatial effects of very preterm children with a working memory deficit. BMC Pediatrics, 2021, 21, 402.	1.7	1

#	Article	IF	CITATIONS
19	Prevalence and risk factors of discomfort in infants with severe bronchiolitis. Acta Paediatrica, International Journal of Paediatrics, 2022, 111, 1238-1244.	1.5	1