

Ulrich Dobrindt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2370191/ulrich-dobrindt-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

5,939
citations

34
h-index

76
g-index

110
ext. papers

7,267
ext. citations

6.4
avg, IF

5.52
L-index

#	Paper	IF	Citations
103	Two Polyketides Intertwined in Complex Regulation: Posttranscriptional CsrA-Mediated Control of Colibactin and Yersiniabactin Synthesis in <i>Escherichia coli</i> .. <i>MBio</i> , 2022 , e0381421	7.8	0
102	Meningeal lymphatic endothelial cells fulfill scavenger endothelial cell function and cooperate with microglia in waste removal from the brain. <i>Glia</i> , 2022 , 70, 35-49	9	3
101	The emerging role of epigenetic mechanisms in insect defense against pathogens. <i>Current Opinion in Insect Science</i> , 2021 , 49, 8-14	5.1	2
100	Insights into evolution and coexistence of the colibactin- and yersiniabactin secondary metabolite determinants in enterobacterial populations. <i>Microbial Genomics</i> , 2021 , 7,	4.4	4
99	A recently isolated human commensal <i>Escherichia coli</i> ST10 clone member mediates enhanced thermotolerance and tetrathionate respiration on a P1 phage-derived IncY plasmid. <i>Molecular Microbiology</i> , 2021 , 115, 255-271	4.1	7
98	The Superior Adherence Phenotype of <i>E. coli</i> O104:H4 is Directly Mediated by the Aggregative Adherence Fimbriae Type I. <i>Virulence</i> , 2021 , 12, 346-359	4.7	2
97	A bacterial protease depletes c-MYC and increases survival in mouse models of bladder and colon cancer. <i>Nature Biotechnology</i> , 2021 , 39, 754-764	44.5	11
96	Oligosaccharides increase the genotoxic effect of colibactin produced by pks+ <i>Escherichia coli</i> strains. <i>BMC Cancer</i> , 2021 , 21, 172	4.8	7
95	Genomic aberrations after short-term exposure to colibactin-producing <i>E. coli</i> transform primary colon epithelial cells. <i>Nature Communications</i> , 2021 , 12, 1003	17.4	29
94	Active bacterial modification of the host environment through RNA polymerase II inhibition. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	5
93	Collateral effects of deletion of nlpD on rpoS and rpoS-dependent genes. Reply. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	
92	Umbelliferone Decorated Water-soluble Zinc(II) Phthalocyanines - In Vitro Phototoxic Antimicrobial Anti-cancer Agents. <i>Chemistry - A European Journal</i> , 2021 , 27, 14672-14680	4.8	1
91	Comparative phenotypic characterization of hybrid Shiga toxin-producing / uropathogenic <i>Escherichia coli</i> , canonical uropathogenic and Shiga toxin-producing <i>Escherichia coli</i> . <i>International Journal of Medical Microbiology</i> , 2021 , 311, 151533	3.7	2
90	The aggregate-forming pili (AFP) mediates the aggregative adherence of a hybrid-pathogenic (UPEC/EAEC) isolated from a urinary tract infection.. <i>Virulence</i> , 2021 , 12, 3073-3093	4.7	0
89	Facile Fabrication of Silicon(IV)Phthalocyanine-Embedded Poly(vinyl alcohol)-Based Antibacterial and Antifouling Interfaces.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 3751-3760	4.1	11
88	Metabolomics Study on Pathogenic and Non-pathogenic . with Closely Related Genomes with a Focus on Yersiniabactin and Its Known and Novel Derivatives. <i>Metabolites</i> , 2020 , 10,	5.6	2
87	Variability in growth responses of non-O157 EHEC isolates in leafy vegetables, sprouted seeds and soil extracts occurs at the isolate level. <i>FEMS Microbiology Letters</i> , 2020 , 367,	2.9	2

86	MicroRNAs regulate innate immunity against uropathogenic and commensal-like Escherichia coli infections in the surrogate insect model Galleria mellonella. <i>Scientific Reports</i> , 2020 , 10, 2570	4.9	8
85	The insect antimicrobial peptide cecropin A disrupts uropathogenic Escherichia coli biofilms. <i>Npj Biofilms and Microbiomes</i> , 2020 , 6, 6	8.2	24
84	Extended Donor-Acceptor Porphyrins and Metalloporphyrins for Antimicrobial Photodynamic Inactivation. <i>Chemistry - A European Journal</i> , 2020 , 26, 8262-8266	4.8	9
83	Antiadhesive natural products against uropathogenic E. coli: What can we learn from cranberry extract?. <i>Journal of Ethnopharmacology</i> , 2020 , 257, 112889	5	9
82	ClbR Is the Key Transcriptional Activator of Colibactin Gene Expression in Escherichia coli. <i>MSphere</i> , 2020 , 5,	5	11
81	Exploring the Impact of Coordination-Driven Self Assembly on the Antibacterial Activity of Low-Symmetry Phthalocyanines.. <i>ACS Applied Bio Materials</i> , 2020 , 3, 400-411	4.1	8
80	IHF stabilizes pathogenicity island I of uropathogenic Escherichia coli strain 536 by attenuating integrase I promoter activity. <i>Scientific Reports</i> , 2020 , 10, 9397	4.9	1
79	Sub-Inhibitory concentrations of SOS-Response inducing antibiotics stimulate integrase expression and excision of pathogenicity islands in uropathogenic Escherichia coli strain 536. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 151361	3.7	5
78	Origin and Evolution of Hybrid Shiga Toxin-Producing and Uropathogenic Escherichia coli Strains of Sequence Type 141. <i>Journal of Clinical Microbiology</i> , 2019 , 58,	9.7	14
77	Orthosipon stamineus extract exerts inhibition of bacterial adhesion and chaperon-usher system of uropathogenic Escherichia coli-a transcriptomic study. <i>Applied Microbiology and Biotechnology</i> , 2019 , 103, 8571-8584	5.7	4
76	Fimbriae reprogram host gene expression - Divergent effects of P and type 1 fimbriae. <i>PLoS Pathogens</i> , 2019 , 15, e1007671	7.6	9
75	Determining and unravelling origins of reduced photoinactivation efficacy of bacteria in milk. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2019 , 197, 111554	6.7	8
74	Phenotypic and Genotypic Characterization of Causing Urinary Tract Infections in Kidney-Transplanted Patients. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
73	PapG subtype-specific binding characteristics of Escherichia coli towards globo-series glycosphingolipids of human kidney and bladder uroepithelial cells. <i>Glycobiology</i> , 2019 , 29, 789-802	5.8	6
72	Transcriptional and Translational Inhibitors Block SOS Response and Shiga Toxin Expression in Enterohemorrhagic Escherichia coli. <i>Scientific Reports</i> , 2019 , 9, 18777	4.9	9
71	Influence of Cranberry Extract on Tamm-Horsfall Protein in Human Urine and its Antiadhesive Activity Against Uropathogenic Escherichia coli. <i>Planta Medica</i> , 2019 , 85, 126-138	3.1	12
70	Whole-Genome Draft Sequences of Nine Asymptomatic Bacteriuria Isolates from Diabetic Patients. <i>Genome Announcements</i> , 2018 , 6,		1
69	Core elements of the vegetative replication control of the Inc1 plasmid pO104_90 of Escherichia coli O104:H4 also regulate its transfer frequency. <i>International Journal of Medical Microbiology</i> , 2018 , 308, 962-968	3.7	3

68	Characterization of Asymptomatic Bacteriuria Isolates in Search of Alternative Strains for Efficient Bacterial Interference against Uropathogens. <i>Frontiers in Microbiology</i> , 2018 , 9, 214	5.7	14
67	Identification of Novel Biomarkers for Priority Serotypes of Shiga Toxin-Producing and the Development of Multiplex PCR for Their Detection. <i>Frontiers in Microbiology</i> , 2018 , 9, 1321	5.7	4
66	Breaching the wall: morphological control of efficacy of phthalocyanine-based photoantimicrobials. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 4630-4637	7.3	16
65	Gaining Access to Bacteria through (Reversible) Control of Lipophilicity. <i>Chemistry - A European Journal</i> , 2018 , 24, 1178-1186	4.8	13
64	Effect of chlorine on cultivability of Shiga toxin producing Escherichia coli (STEC) and β -lactamase genes carrying E. coli and Pseudomonas aeruginosa. <i>International Journal of Medical Microbiology</i> , 2018 , 308, 1105-1112	3.7	2
63	The Food Contaminant Deoxynivalenol Exacerbates the Genotoxicity of Gut Microbiota. <i>MBio</i> , 2017 , 8,	7.8	47
62	Boronic Acid Functionalized Photosensitizers: A Strategy To Target the Surface of Bacteria and Implement Active Agents in Polymer Coatings. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 10362-10366	16.4	54
61	Boronic Acid Functionalized Photosensitizers: A Strategy To Target the Surface of Bacteria and Implement Active Agents in Polymer Coatings. <i>Angewandte Chemie</i> , 2017 , 129, 10498-10502	3.6	21
60	No evidence for a bovine mastitis Escherichia coli pathotype. <i>BMC Genomics</i> , 2017 , 18, 359	4.5	26
59	Epigenetic Mechanisms Regulate Innate Immunity against Uropathogenic and Commensal-Like Escherichia coli in the Surrogate Insect Model Galleria mellonella. <i>Infection and Immunity</i> , 2017 , 85,	3.7	27
58	Male kidney allograft recipients at risk for urinary tract infection?. <i>PLoS ONE</i> , 2017 , 12, e0188262	3.7	7
57	Whole-Genome Draft Sequences of Six Commensal Fecal and Six Mastitis-Associated Escherichia coli Strains of Bovine Origin. <i>Genome Announcements</i> , 2016 , 4,		6
56	Long-term survival of the Shiga toxin-producing Escherichia coli O104:H4 outbreak strain on fenugreek seeds. <i>Food Microbiology</i> , 2016 , 59, 190-5	6	11
55	Iron Homeostasis Regulates the Genotoxicity of Escherichia coli That Produces Colibactin. <i>Infection and Immunity</i> , 2016 , 84, 3358-3368	3.7	23
54	The primary transcriptome of the Escherichia coli O104:H4 pAA plasmid and novel insights into its virulence gene expression and regulation. <i>Scientific Reports</i> , 2016 , 6, 35307	4.9	10
53	Asymptomatic Bacteriuria as a Model to Study the Coevolution of Hosts and Bacteria. <i>Pathogens</i> , 2016 , 5,	4.5	21
52	Pertussis Toxin Exploits Host Cell Signaling Pathways Induced by Meningitis-Causing E. coli K1-RS218 and Enhances Adherence of Monocytic THP-1 Cells to Human Cerebral Endothelial Cells. <i>Toxins</i> , 2016 , 8,	4.9	2
51	Bacterial Suppression of RNA Polymerase II-Dependent Host Gene Expression. <i>Pathogens</i> , 2016 , 5,	4.5	4

50	Combined Analysis of Variation in Core, Accessory and Regulatory Genome Regions Provides a Super-Resolution View into the Evolution of Bacterial Populations. <i>PLoS Genetics</i> , 2016 , 12, e1006280	6	117
49	Genes on a Wire: The Nucleoid-Associated Protein HU Insulates Transcription Units in <i>Escherichia coli</i> . <i>Scientific Reports</i> , 2016 , 6, 31512	4.9	24
48	Genomic avenue to avian colisepticemia. <i>MBio</i> , 2015 , 6,	7.8	39
47	Complete Genome Sequences of <i>Escherichia coli</i> Strains 1303 and ECC-1470 Isolated from Bovine Mastitis. <i>Genome Announcements</i> , 2015 , 3,		15
46	In Vivo Consumption of Cranberry Exerts ex Vivo Antiadhesive Activity against FimH-Dominated Uropathogenic <i>Escherichia coli</i> : A Combined in Vivo, ex Vivo, and in Vitro Study of an Extract from <i>Vaccinium macrocarpon</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 8804-18	5.7	40
45	Human mesenchymal stem cells: New sojourn of bacterial pathogens. <i>International Journal of Medical Microbiology</i> , 2015 , 305, 322-6	3.7	5
44	Prevalence of autotransporters in <i>Escherichia coli</i> : what is the impact of phylogeny and pathotype?. <i>International Journal of Medical Microbiology</i> , 2014 , 304, 243-56	3.7	13
43	Characterization of <i>Escherichia coli</i> isolates from hospital inpatients or outpatients with urinary tract infection. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 407-18	9.7	89
42	Characterization of urinary tract infection-associated Shiga toxin-producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2014 , 82, 4631-42	3.7	17
41	Rare emergence of symptoms during long-term asymptomatic <i>Escherichia coli</i> 83972 carriage without an altered virulence factor repertoire. <i>Journal of Urology</i> , 2014 , 191, 519-28	2.5	26
40	Heteropathogenic virulence and phylogeny reveal phased pathogenic metamorphosis in <i>Escherichia coli</i> O2:H6. <i>EMBO Molecular Medicine</i> , 2014 , 6, 347-57	12	39
39	Prevalence and persistence of <i>Escherichia coli</i> in the airways of cystic fibrosis patients - an unrecognized CF pathogen?. <i>International Journal of Medical Microbiology</i> , 2014 , 304, 415-21	3.7	17
38	<i>E. coli</i> as an all-rounder: the thin line between commensalism and pathogenicity. <i>Current Topics in Microbiology and Immunology</i> , 2013 , 358, 3-32	3.3	153
37	Bacterial control of host gene expression through RNA polymerase II. <i>Journal of Clinical Investigation</i> , 2013 , 123, 2366-79	15.9	49
36	The enemy within us: lessons from the 2011 European <i>Escherichia coli</i> O104:H4 outbreak. <i>EMBO Molecular Medicine</i> , 2012 , 4, 841-8	12	180
35	Genotoxicity of <i>Escherichia coli</i> Nissle 1917 strain cannot be dissociated from its probiotic activity. <i>Gut Microbes</i> , 2012 , 3, 501-9	8.8	95
34	Gut inflammation can boost horizontal gene transfer between pathogenic and commensal Enterobacteriaceae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 1269-74	11.5	277
33	Comparison of asymptomatic bacteriuria <i>Escherichia coli</i> isolates from healthy individuals versus those from hospital patients shows that long-term bladder colonization selects for attenuated virulence phenotypes. <i>Infection and Immunity</i> , 2012 , 80, 668-78	3.7	49

32	What defines extraintestinal pathogenic Escherichia coli?. <i>International Journal of Medical Microbiology</i> , 2011 , 301, 642-7	3.7	169
31	Acute Escherichia coli prostatitis in previously health young men: bacterial virulence factors, antimicrobial resistance, and clinical outcomes. <i>Urology</i> , 2011 , 77, 1420-5	1.6	34
30	Mobilisation and remobilisation of a large archetypal pathogenicity island of uropathogenic Escherichia coli in vitro support the role of conjugation for horizontal transfer of genomic islands. <i>BMC Microbiology</i> , 2011 , 11, 210	4.5	21
29	Differential effects and interactions of endogenous and horizontally acquired H-NS-like proteins in pathogenic Escherichia coli. <i>Molecular Microbiology</i> , 2010 , 76, 1063-1063	4.1	1
28	Mat fimbriae promote biofilm formation by meningitis-associated Escherichia coli. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 2408-2417	2.9	21
27	Identification of protective and broadly conserved vaccine antigens from the genome of extraintestinal pathogenic Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 9072-7	11.5	197
26	Pathogen specific, IRF3-dependent signaling and innate resistance to human kidney infection. <i>PLoS Pathogens</i> , 2010 , 6, e1001109	7.6	55
25	Host imprints on bacterial genomes—rapid, divergent evolution in individual patients. <i>PLoS Pathogens</i> , 2010 , 6, e1001078	7.6	106
24	Genome dynamics and its impact on evolution of Escherichia coli. <i>Medical Microbiology and Immunology</i> , 2010 , 199, 145-54	4	54
23	Genetic structure and distribution of the colibactin genomic island among members of the family Enterobacteriaceae. <i>Infection and Immunity</i> , 2009 , 77, 4696-703	3.7	196
22	O-acetyltransferase gene neuO is segregated according to phylogenetic background and contributes to environmental desiccation resistance in Escherichia coli K1. <i>Environmental Microbiology</i> , 2009 , 11, 3154-65	5.2	21
21	Impact of O-glycosylation on the molecular and cellular adhesion properties of the Escherichia coli autotransporter protein Ag43. <i>International Journal of Medical Microbiology</i> , 2009 , 299, 389-401	3.7	32
20	Targeting virulence traits: potential strategies to combat extraintestinal pathogenic E. coli infections. <i>Current Opinion in Microbiology</i> , 2008 , 11, 409-13	7.9	27
19	Molecular basis of commensalism in the urinary tract: low virulence or virulence attenuation?. <i>Infection and Immunity</i> , 2008 , 76, 695-703	3.7	91
18	Expression analysis of the colibactin gene cluster coding for a novel polyketide in Escherichia coli. <i>FEMS Microbiology Letters</i> , 2007 , 275, 255-62	2.9	69
17	Demonstration of regulatory cross-talk between P fimbriae and type 1 fimbriae in uropathogenic Escherichia coli. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 1143-1153	2.9	67
16	How to become a uropathogen: comparative genomic analysis of extraintestinal pathogenic Escherichia coli strains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 12879-84	11.5	286
15	Escherichia coli induces DNA double-strand breaks in eukaryotic cells. <i>Science</i> , 2006 , 313, 848-51	33.3	661

14	Role of pathogenicity island-associated integrases in the genome plasticity of uropathogenic Escherichia coli strain 536. <i>Molecular Microbiology</i> , 2006 , 61, 584-95	4.1	104
13	Both alpha-haemolysin determinants contribute to full virulence of uropathogenic Escherichia coli strain 536. <i>Microbes and Infection</i> , 2006 , 8, 2006-12	9.3	34
12	Pathogenicity islands and their role in bacterial virulence and survival. <i>Contributions To Microbiology</i> , 2005 , 12, 234-254		20
11	Instability of pathogenicity islands in uropathogenic Escherichia coli 536. <i>Journal of Bacteriology</i> , 2004 , 186, 3086-96	3.5	106
10	The pathogenicity island-associated K15 capsule determinant exhibits a novel genetic structure and correlates with virulence in uropathogenic Escherichia coli strain 536. <i>Infection and Immunity</i> , 2004 , 72, 5993-6001	3.7	54
9	Analysis of the genome structure of the nonpathogenic probiotic Escherichia coli strain Nissle 1917. <i>Journal of Bacteriology</i> , 2004 , 186, 5432-41	3.5	266
8	Genomic islands in pathogenic and environmental microorganisms. <i>Nature Reviews Microbiology</i> , 2004 , 2, 414-24	22.2	820
7	Excision of the high-pathogenicity island of Yersinia pseudotuberculosis requires the combined actions of its cognate integrase and Hef, a new recombination directionality factor. <i>Molecular Microbiology</i> , 2004 , 52, 1337-48	4.1	70
6	Analysis of genome plasticity in pathogenic and commensal Escherichia coli isolates by use of DNA arrays. <i>Journal of Bacteriology</i> , 2003 , 185, 1831-40	3.5	218
5	Genetic structure and distribution of four pathogenicity islands (PAI I(536) to PAI IV(536)) of uropathogenic Escherichia coli strain 536. <i>Infection and Immunity</i> , 2002 , 70, 6365-72	3.7	160
4	Virulence factors of uropathogens. <i>Current Opinion in Urology</i> , 2002 , 12, 33-8	2.8	86
3	S-Fimbria-encoding determinant sfa(I) is located on pathogenicity island III(536) of uropathogenic Escherichia coli strain 536. <i>Infection and Immunity</i> , 2001 , 69, 4248-56	3.7	98
2	Pathogenomics: Identification of Novel Drug Targets and Vaccine Candidates in Bacteria 373-413		
1	Impact of Genome Plasticity on Adaptation of Escherichia coli during Urinary Bladder Colonization 1-15		