

William L Holland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2370664/publications.pdf>

Version: 2024-02-01

73
papers

7,643
citations

109321

35
h-index

88630

70
g-index

77
all docs

77
docs citations

77
times ranked

10421
citing authors

#	ARTICLE	IF	CITATIONS
1	Very-Long-Chain Unsaturated Sphingolipids Mediate Oleate-Induced Rat β^2 -Cell Proliferation. <i>Diabetes</i> , 2022, 71, 1218-1232.	0.6	3
2	You aren't IMMUNE to the ceramides that accumulate in cardiometabolic disease. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2022, 1867, 159125.	2.4	4
3	Cordyceps inhibits ceramide biosynthesis and improves insulin resistance and hepatic steatosis. <i>Scientific Reports</i> , 2022, 12, 7273.	3.3	10
4	The Lard Works in Mysterious Ways: Ceramides in Nutrition-Linked Chronic Disease. <i>Annual Review of Nutrition</i> , 2022, 42, 115-144.	10.1	6
5	Ceramides are necessary and sufficient for diet-induced impairment of thermogenic adipocytes. <i>Molecular Metabolism</i> , 2021, 45, 101145.	6.5	26
6	The pyruvate-lactate axis modulates cardiac hypertrophy and heart failure. <i>Cell Metabolism</i> , 2021, 33, 629-648.e10.	16.2	137
7	Glucagon blockade restores functional β^2 -cell mass in type 1 diabetic mice and enhances function of human islets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	29
8	Ceramides and other sphingolipids as drivers of cardiovascular disease. <i>Nature Reviews Cardiology</i> , 2021, 18, 701-711.	13.7	160
9	Characterizing a Common CERS2 Polymorphism in a Mouse Model of Metabolic Disease and in Subjects from the Utah CAD Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3098-e3109.	3.6	8
10	Lysophospholipid acylation modulates plasma membrane lipid organization and insulin sensitivity in skeletal muscle. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	34
11	CB1Rs in VMH neurons regulate glucose homeostasis but not body weight. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 321, E146-E155.	3.5	9
12	Cutting out Myc to decrease ceramides. <i>Nature Metabolism</i> , 2021, 3, 890-891.	11.9	0
13	Multicolor fluorescence biosensors reveal a burning need for diversity in the single-cell metabolic landscape. <i>Trends in Endocrinology and Metabolism</i> , 2021, 32, 537-539.	7.1	0
14	Adipose tissue hyaluronan production improves systemic glucose homeostasis and primes adipocytes for CL 316,243-stimulated lipolysis. <i>Nature Communications</i> , 2021, 12, 4829.	12.8	15
15	Cholesterol “the devil you know; ceramide “the devil you don’t.” <i>Trends in Pharmacological Sciences</i> , 2021, 42, 1082-1095.	8.7	31
16	Novel four-disulfide insulin analog with high aggregation stability and potency. <i>Chemical Science</i> , 2020, 11, 195-200.	7.4	20
17	Depletion of adipocyte sphingosine kinase 1 leads to cell hypertrophy, impaired lipolysis, and nonalcoholic fatty liver disease. <i>Journal of Lipid Research</i> , 2020, 61, 1328-1340.	4.2	15
18	Liver-specific ceramide reduction alleviates steatosis and insulin resistance in alcohol-fed mice. <i>Journal of Lipid Research</i> , 2020, 61, 983-994.	4.2	21

#	ARTICLE	IF	CITATIONS
19	Ceramide Biomarkers Predictive of Cardiovascular Disease Risk Increase in Healthy Older Adults After Bed Rest. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1663-1670.	3.6	16
20	A Novel Model of Diabetic Complications: Adipocyte Mitochondrial Dysfunction Triggers Massive β^2 -Cell Hyperplasia. <i>Diabetes</i> , 2020, 69, 313-330.	0.6	33
21	Risky lipids: refining the ceramide score that measures cardiovascular health. <i>European Heart Journal</i> , 2019, 41, 381-382.	2.2	16
22	Targeting a ceramide double bond improves insulin resistance and hepatic steatosis. <i>Science</i> , 2019, 365, 386-392.	12.6	304
23	Identification of a Paracrine Signaling Mechanism Linking CD34 ^{high} Progenitors to the Regulation of Visceral Fat Expansion and Remodeling. <i>Cell Reports</i> , 2019, 29, 270-282.e5.	6.4	12
24	FOXN3 controls liver glucose metabolism by regulating gluconeogenic substrate selection. <i>Physiological Reports</i> , 2019, 7, e14238.	1.7	6
25	Listen to your heart when ceramide's calling for higher glucose. <i>EBioMedicine</i> , 2019, 41, 3-4.	6.1	1
26	Synthesis and Characterization of an A6-A11 Methylene Thioacetal Human Insulin Analogue with Enhanced Stability. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 11437-11443.	6.4	16
27	Metabolic Messengers: ceramides. <i>Nature Metabolism</i> , 2019, 1, 1051-1058.	11.9	158
28	Deletion of miR-92a Results in Glucose Intolerance via Impaired Pancreatic Beta Cell Function. <i>FASEB Journal</i> , 2019, 33, 714.2.	0.5	0
29	De novo adipocyte differentiation from Pdgfr β^+ preadipocytes protects against pathologic visceral adipose expansion in obesity. <i>Nature Communications</i> , 2018, 9, 890.	12.8	113
30	Does This Schlank Make Me Look Fat?. <i>Trends in Endocrinology and Metabolism</i> , 2018, 29, 597-599.	7.1	7
31	Glucagon Receptor Antagonism Improves Glucose Metabolism and Cardiac Function by Promoting AMP-Mediated Protein Kinase in Diabetic Mice. <i>Cell Reports</i> , 2018, 22, 1760-1773.	6.4	50
32	Targeting hepatic glutaminase activity to ameliorate hyperglycemia. <i>Nature Medicine</i> , 2018, 24, 518-524.	30.7	50
33	PPAR α agonist fenofibrate enhances fatty acid β -oxidation and attenuates polycystic kidney and liver disease in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F122-F131.	2.7	90
34	PPAR β -K107 SUMOylation regulates insulin sensitivity but not adiposity in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 12102-12111.	7.1	27
35	POMC neurons expressing leptin receptors coordinate metabolic responses to fasting via suppression of leptin levels. <i>ELife</i> , 2018, 7, .	6.0	77
36	The ceramide ratio: a predictor of cardiometabolic risk. <i>Journal of Lipid Research</i> , 2018, 59, 1549-1550.	4.2	36

#	ARTICLE	IF	CITATIONS
37	A Hepatocyte FOXN3- β Cell Glucagon Axis Regulates Fasting Glucose. <i>Cell Reports</i> , 2018, 24, 312-319.	6.4	10
38	Strong Heart, Low Ceramides. <i>Diabetes</i> , 2018, 67, 1457-1460.	0.6	15
39	Inducible overexpression of adiponectin receptors highlight the roles of adiponectin-induced ceramidase signaling in lipid and glucose homeostasis. <i>Molecular Metabolism</i> , 2017, 6, 267-275.	6.5	141
40	microRNA-17 family promotes polycystic kidney disease progression through modulation of mitochondrial metabolism. <i>Nature Communications</i> , 2017, 8, 14395.	12.8	147
41	Dapagliflozin suppresses glucagon signaling in rodent models of diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 6611-6616.	7.1	26
42	Short-Term Versus Long-Term Effects of Adipocyte Toll-Like Receptor 4 Activation on Insulin Resistance in Male Mice. <i>Endocrinology</i> , 2017, 158, 1260-1270.	2.8	31
43	Receptors grease the metabolic wheels. <i>Nature</i> , 2017, 544, 42-43.	27.8	11
44	Glucose transporter 4-deficient hearts develop maladaptive hypertrophy in response to physiological or pathological stresses. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 313, H1098-H1108.	3.2	39
45	Insulin and Glucagon: Partners for Life. <i>Endocrinology</i> , 2017, 158, 696-701.	2.8	71
46	FGF19, FGF21, and an FGFR1/ β 2-Klotho-Activating Antibody Act on the Nervous System to Regulate Body Weight and Glycemia. <i>Cell Metabolism</i> , 2017, 26, 709-718.e3.	16.2	184
47	Directing visceral white adipocyte precursors to a thermogenic adipocyte fate improves insulin sensitivity in obese mice. <i>ELife</i> , 2017, 6, .	6.0	39
48	Zfp423 Maintains White Adipocyte Identity through Suppression of the Beige Cell Thermogenic Gene Program. <i>Cell Metabolism</i> , 2016, 23, 1167-1184.	16.2	187
49	Low-Density Lipoprotein Receptor-Related Protein-1 Protects Against Hepatic Insulin Resistance and Hepatic Steatosis. <i>EBioMedicine</i> , 2016, 7, 135-145.	6.1	58
50	Connexin 43 Mediates White Adipose Tissue Beiging by Facilitating the Propagation of Sympathetic Neuronal Signals. <i>Cell Metabolism</i> , 2016, 24, 420-433.	16.2	80
51	Clinical Trials, Triumphs, and Tribulations of Glucagon Receptor Antagonists. <i>Diabetes Care</i> , 2016, 39, 1075-1077.	8.6	67
52	A MED13-dependent skeletal muscle gene program controls systemic glucose homeostasis and hepatic metabolism. <i>Genes and Development</i> , 2016, 30, 434-446.	5.9	32
53	SF-1 expression in the hypothalamus is required for beneficial metabolic effects of exercise. <i>ELife</i> , 2016, 5, .	6.0	37
54	Effect of pioglitazone on plasma ceramides in adults with metabolic syndrome. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 734-744.	4.0	37

#	ARTICLE	IF	CITATIONS
55	Targeted Induction of Ceramide Degradation Leads to Improved Systemic Metabolism and Reduced Hepatic Steatosis. <i>Cell Metabolism</i> , 2015, 22, 266-278.	16.2	268
56	Hepatic ANGPTL3 regulates adipose tissue energy homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11630-11635.	7.1	109
57	Distinct regulatory mechanisms governing embryonic versus adult adipocyte maturation. <i>Nature Cell Biology</i> , 2015, 17, 1099-1111.	10.3	111
58	Essential nutrient supplementation prevents heritable metabolic disease in multigenerational intrauterine growth-restricted rats. <i>FASEB Journal</i> , 2015, 29, 807-819.	0.5	29
59	<sc>MED</sc> 13-dependent signaling from the heart confers leanness by enhancing metabolism in adipose tissue and liver. <i>EMBO Molecular Medicine</i> , 2014, 6, 1610-1621.	6.9	77
60	Mutation of mouse <i>Samd4</i> causes leanness, myopathy, uncoupled mitochondrial respiration, and dysregulated mTORC1 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 7367-7372.	7.1	32
61	Brown adipose tissue derived VEGF-A modulates cold tolerance and energy expenditure. <i>Molecular Metabolism</i> , 2014, 3, 474-483.	6.5	126
62	Hyperglycemia in rodent models of type 2 diabetes requires insulin-resistant alpha cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13217-13222.	7.1	78
63	Endotrophin triggers adipose tissue fibrosis and metabolic dysfunction. <i>Nature Communications</i> , 2014, 5, 3485.	12.8	263
64	Adiponectin is essential for lipid homeostasis and survival under insulin deficiency and promotes β -cell regeneration. <i>ELife</i> , 2014, 3, .	6.0	74
65	Fenretinide Prevents Lipid-induced Insulin Resistance by Blocking Ceramide Biosynthesis. <i>Journal of Biological Chemistry</i> , 2012, 287, 17426-17437.	3.4	110
66	MitoNEET-driven alterations in adipocyte mitochondrial activity reveal a crucial adaptive process that preserves insulin sensitivity in obesity. <i>Nature Medicine</i> , 2012, 18, 1539-1549.	30.7	375
67	Lipid-induced insulin resistance mediated by the proinflammatory receptor TLR4 requires saturated fatty acid-induced ceramide biosynthesis in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 1858-1870.	8.2	566
68	Receptor-mediated activation of ceramidase activity initiates the pleiotropic actions of adiponectin. <i>Nature Medicine</i> , 2011, 17, 55-63.	30.7	751
69	PAQRs: A Counteracting Force to Ceramides?: Figure 1.. <i>Molecular Pharmacology</i> , 2009, 75, 740-743.	2.3	27
70	Sphingolipids, Insulin Resistance, and Metabolic Disease: New Insights from in Vivo Manipulation of Sphingolipid Metabolism. <i>Endocrine Reviews</i> , 2008, 29, 381-402.	20.1	480
71	Inhibition of Ceramide Synthesis Ameliorates Glucocorticoid-, Saturated-Fat-, and Obesity-Induced Insulin Resistance. <i>Cell Metabolism</i> , 2007, 5, 167-179.	16.2	1,048
72	Lipid Mediators of Insulin Resistance. <i>Nutrition Reviews</i> , 2007, 65, S39-S46.	5.8	135

#	ARTICLE	IF	CITATIONS
73	Lipid Mediators of Insulin Resistance. Nutrition Reviews, 2007, 65, 39-46.	5.8	228