

# Carola Lidn

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2371356/carola-liden-publications-by-year.pdf>

**Version:** 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

191 papers	6,416 citations	42 h-index	71 g-index
220 ext. papers	7,304 ext. citations	3.3 avg, IF	5.79 L-index

#	Paper	IF	Citations
191	Chemical Methods for Detection of Allergens and Skin Exposure <b>2021</b> , 631-652		
190	Contact Allergy to Metals <b>2021</b> , 757-802		1
189	European Legislation on Contact Allergens in Product for Consumer and Occupational Use <b>2021</b> , 1199-1207		
188	Contact Allergy to Hair Dyes <b>2021</b> , 877-889		
187	Suitable test concentration of cobalt and concomitant reactivity to nickel and chromium: A multicentre study from the Swedish Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 153-158	2.7	1
186	Impact of mono-culture vs. Co-culture of keratinocytes and monocytes on cytokine responses induced by important skin sensitizers. <i>Journal of Immunotoxicology</i> , <b>2021</b> , 18, 74-84	3.1	1
185	Comment on MDBGN/DBDCB, the European baseline series, and EU legislation. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 607-610	2.7	1
184	Reply to further response: Comment on MDBGN/DBDCB, the European baseline series, and EU legislation-Again. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 614	2.7	1
183	Filaggrin Polymorphisms and the Uptake of Chemicals through the Skin-A Human Experimental Study. <i>Environmental Health Perspectives</i> , <b>2021</b> , 129, 17002	8.4	6
182	Contact Allergy to Hair Dyes <b>2020</b> , 1-13		
181	Some Other Metals <b>2020</b> , 687-697		0
180	Photographers and Other Photo-Lab Workers <b>2020</b> , 2221-2227		
179	Chemical Methods for Detection of Allergens and Skin Exposure <b>2020</b> , 1-23		
178	European Legislation on Contact Allergens in Product for Consumer and Occupational Use <b>2020</b> , 1-9		
177	Contact Allergy to Metals <b>2020</b> , 1-46		1
176	Filaggrin gene mutations in relation to contact allergy and hand eczema in adolescence. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 147-152	2.7	6
175	Filaggrin variations are associated with PAH metabolites in urine and DNA alterations in blood. <i>Environmental Research</i> , <b>2019</b> , 177, 108600	7.9	6

174 Chemical Methods for Detection of Allergens and Skin Exposure **2019**, 1-23

173 Hair Dyes **2019**, 1-13

172 Genetic variants of filaggrin are associated with occupational dermal exposure and blood DNA alterations in hairdressers. *Science of the Total Environment*, **2019**, 653, 45-54 10.2 9

171 Nickel deposition and penetration into the stratum corneum after short metallic nickel contact: An experimental study. *Contact Dermatitis*, **2019**, 80, 86-93 2.7 20

170 Atopic dermatitis at preschool age and contact allergy in adolescence: a population-based cohort study. *British Journal of Dermatology*, **2019**, 180, 782-789 4 6

169 Short contact with nickel is not harmless. *Contact Dermatitis*, **2019**, 80, 259-260 2.7 4

168 Metal Allergy: Nickel **2018**, 423-434 3

167 Isothiazolinones are still widely used in paints purchased in five European countries: a follow-up study. *Contact Dermatitis*, **2018**, 78, 246-253 2.7 29

166 Chromium(III) release from chromium-tanned leather elicits allergic contact dermatitis: a use test study. *Contact Dermatitis*, **2018**, 78, 307-314 2.7 33

165 Self-testing for contact allergy to hair dyes – a 5-year follow-up multicentre study. *Contact Dermatitis*, **2018**, 78, 131-138 2.7 8

164 Short contact with nickel causes allergic contact dermatitis: an experimental study. *British Journal of Dermatology*, **2018**, 179, 1127-1134 4 24

163 Non-oxidative hair dye products on the European market: What do they contain?. *Contact Dermatitis*, **2018**, 79, 281-287 2.7 7

162 Contamination of skin and surfaces by cobalt in the hard metal industry. *Contact Dermatitis*, **2018**, 79, 226-231 2.7 11

161 Some Other Metals **2018**, 1-14

160 Photographers and Other Photo-Lab Workers **2018**, 1-7

159 Neglected exposure route: cobalt on skin and its associations with urinary cobalt levels. *Occupational and Environmental Medicine*, **2018**, 75, 837-842 2.1 12

158 Extended documentation for hand dermatitis patients: Pilot study on irritant exposures. *Contact Dermatitis*, **2018**, 79, 168-174 2.7 15

157 Criteria for the evidence-based categorisation of skin sensitisers. *Food and Chemical Toxicology*, **2017**, 105, 14-21 4.7 6

156	Development, validation and testing of a skin sampling method for assessment of metal exposure. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 17-24	2.7	11
155	Water Exposure on the Hands in Adolescents: A Report from the BAMSE Cohort. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 188-192	2.2	6
154	A population-based study of self-reported skin exposures and symptoms in relation to contact allergy in adolescents. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 242-249	2.7	13
153	Hairdressers' skin exposure to hair dyes during different hair dyeing tasks. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 303-310	2.7	18
152	Comparative sensitizing potencies of fragrances, preservatives, and hair dyes. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 265-275	2.7	22
151	Testing in artificial sweat - Is less more? Comparison of metal release in two different artificial sweat solutions. <i>Regulatory Toxicology and Pharmacology</i> , <b>2016</b> , 81, 381-386	3.4	25
150	Snapshot of cobalt, chromium and nickel exposure in dental technicians. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 370-376	2.7	14
149	Nickel on the market: a baseline survey of articles in prolonged contact with skin. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 77-81	2.7	24
148	Chromium Dermatitis in a Metal Worker Due to Leather Gloves and Alkaline Coolant. <i>Acta Dermato-Venereologica</i> , <b>2016</b> , 96, 104-5	2.2	9
147	Alterations of telomere length and DNA methylation in hairdressers: A cross-sectional study. <i>Environmental and Molecular Mutagenesis</i> , <b>2016</b> , 57, 159-67	3.2	12
146	Cobalt allergy: suitable test concentration, and concomitant reactivity to nickel and chromium. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 360-7	2.7	25
145	Elicitation threshold of cobalt chloride: analysis of patch test dose-response studies. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 105-9	2.7	15
144	Chromium(III) and chromium(VI) release from leather during 8 months of simulated use. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 82-8	2.7	21
143	High prevalence of contact allergy in adolescence: results from the population-based BAMSE birth cohort. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 44-51	2.7	50
142	Contact allergy trends in Sweden - a retrospective comparison of patch test data from 1992, 2000, and 2009. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 297-304	2.7	31
141	Nickel exposure when working out in the gym. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 247-9	2.2	14
140	Chromium released from leather - I: exposure conditions that govern the release of chromium(III) and chromium(VI). <i>Contact Dermatitis</i> , <b>2015</b> , 72, 206-15	2.7	41
139	Chromium released from leather - II: the importance of environmental parameters. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 275-85	2.7	29

138	Exposure of hairdressers to ortho- and meta-toluidine in hair dyes. <i>Occupational and Environmental Medicine</i> , <b>2015</b> , 72, 57-63	2.1	18
137	The influence of hydrogen peroxide on the permeability of protective gloves to resorcinol in hairdressing. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 33-9	2.7	13
136	Patch testing with hair cosmetic series in Europe: a critical review and recommendation. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 69-81	2.7	29
135	European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 195-221	2.7	725
134	Short and frequent skin contact with nickel. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 222-30	2.7	36
133	Jewellery: alloy composition and release of nickel, cobalt and lead assessed with the EU synthetic sweat method. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 231-8	2.7	29
132	Hand eczema and atopic dermatitis in adolescents: a prospective cohort study from the BAMSE project. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 1175-82	4	30
131	Methylisothiazolinone and benzisothiazolinone are widely used in paint: a multicentre study of paints from five European countries. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 127-38	2.7	65
130	Methylisothiazolinone in rinse-off products causes allergic contact dermatitis: a repeated open-application study. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 115-22	4	34
129	Correlation between bulk- and surface chemistry of Cr-tanned leather and the release of Cr(III) and Cr(VI). <i>Journal of Hazardous Materials</i> , <b>2014</b> , 280, 654-61	12.8	38
128	Prevalence and incidence of hand eczema in adolescence: report from BAMSE--a population-based birth cohort. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 609-14	4	23
127	Cobalt, nickel and chromium release from dental tools and alloys. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 3-10	2.7	50
126	Readability of product ingredient labels can be improved by simple means: an experimental study. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 233-41	2.7	9
125	p-Phenylenediamine and other allergens in hair dye products in the United States: a consumer exposure study. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 213-8	2.7	46
124	Coupled exposure to ingredients of cosmetic products: II. Preservatives. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 219-26	2.7	38
123	Formal recycling of e-waste leads to increased exposure to toxic metals: an occupational exposure study from Sweden. <i>Environment International</i> , <b>2014</b> , 73, 243-51	12.9	131
122	Failure of total hip implants: metals and metal release in 52 cases. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 319-25	2.7	22
121	Severe occupational chromium allergy despite cement legislation. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 321-3	2.7	19

120	Multicentre patch testing with fragrance mix II and hydroxyisohexyl 3-cyclohexene carboxaldehyde by the Swedish Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 187-9	2.7	13
119	Cobalt skin dose resulting from short and repetitive contact with hard metals. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 361-8	2.7	21
118	Coupled exposure to ingredients of cosmetic products: III. Ultraviolet filters. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 162-9	2.7	30
117	Do insulation products of man-made vitreous fibres still cause skin discomfort?. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 351-60	2.7	8
116	Nickel release from white gold. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 109-11	2.7	12
115	Coin exposure may cause allergic nickel dermatitis: a review. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 3-14	2.7	42
114	Nickel allergy following EU regulation--more action is needed. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 733	4	2
113	Coupled exposure to ingredients of cosmetic products: I. Fragrances. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 335-41	2.7	59
112	The cost of nickel allergy: a global investigation of coin composition and nickel and cobalt release. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 15-22	2.7	25
111	The hair dye allergy self-test: considerations for treating physicians. <i>British Journal of Dermatology</i> , <b>2013</b> , 168, 448	4	
110	Categorization of fragrance contact allergens for prioritization of preventive measures: clinical and experimental data and consideration of structure-activity relationships. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 196-230	2.7	61
109	New UK nickel-plated steel coins constitute an increased allergy and eczema risk. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 323-30	2.7	28
108	The cobalt spot test--further insights into its performance and use. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 280-7	2.7	25
107	Activation of non-sensitizing or low-sensitizing fragrance substances into potent sensitizers - prehapten and prohaptens. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 323-34	2.7	63
106	Skin exposure to epoxy in the pipe relining trade - an observational study. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 66-72	2.7	23
105	Self-testing for contact sensitization to hair dyes--scientific considerations and clinical concerns of an industry-led screening programme. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 300-11	2.7	21
104	Nickel may be released from laptop computers. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 384-5	2.7	21
103	Hypersensitivity reactions to metallic implants - diagnostic algorithm and suggested patch test series for clinical use. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 4-19	2.7	143

102	p-Phenylenediamine and other hair dye sensitizers in Spain. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 27-32	2.7	54
101	Cobalt release from implants and consumer items and characteristics of cobalt sensitized patients with dermatitis. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 113-22	2.7	32
100	Epoxy pipe relining - an emerging contact allergy risk for workers. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 59-65	2.7	24
99	Primary prevention of latex allergy in healthcare-spectrum of strategies including the European glove standardization. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 165-71	2.7	16
98	Photographers and Other Photo-Lab Workers <b>2012</b> , 1635-1640		
97	Some Other Metals <b>2012</b> , 521-527		
96	Excessive nickel release from earrings purchased from independent shops and street markets--a field study from Warsaw and London. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 1021-6	4.6	27
95	Occupational hand eczema caused by nickel and evaluated by quantitative exposure assessment. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 32-6	2.7	49
94	Preservatives and fragrances in selected consumer-available cosmetics and detergents. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 265-72	2.7	136
93	The EU Nickel Directive revisited--future steps towards better protection against nickel allergy. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 121-5	2.7	76
92	Nickel deposited on the skin-visualization by DMG test. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 151-7	2.7	32
91	Clinical work-up of a highly reactive nickel-allergic patient. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 51-3	2.7	3
90	Nickel on the Dutch market: 10 years after entry into force of the EU Nickel Directive. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 115-7	2.7	14
89	Multicentre patch testing with a resol resin based on phenol and formaldehyde. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 34-7	2.7	12
88	Revision of the European standard for control of the EU nickel restriction--a probable improvement for European citizens. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 60-1	2.7	5
87	Assessment of nickel and cobalt release from 200 unused hand-held work tools for sale in Denmark - Sources of occupational metal contact dermatitis?. <i>Science of the Total Environment</i> , <b>2011</b> , 409, 4663-6	10.2	32
86	Multicentre patch testing with compositae mix by the Swedish Contact Dermatitis Research Group. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 295-8	2.2	11
85	Allergens Exposure Assessment <b>2011</b> , 493-510		7

84	Sensitivity and specificity of the nickel spot (dimethylglyoxime) test. <i>Contact Dermatitis</i> , <b>2010</b> , 62, 279-88.	2.7	104
83	A spot test for detection of cobalt release - early experience and findings. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 63-9	2.7	90
82	Cobalt release from inexpensive jewellery: has the use of cobalt replaced nickel following regulatory intervention?. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 70-6	2.7	49
81	Nickel on the Swedish market: follow-up 10 years after entry into force of the EU Nickel Directive. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 333-9	2.7	39
80	Skin deposition of nickel, cobalt, and chromium in production of gas turbines and space propulsion components. <i>Annals of Occupational Hygiene</i> , <b>2010</b> , 54, 340-50		53
79	Occupational skin exposure to water: a population-based study. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 616-21	4	30
78	Cobalt-containing alloys and their ability to release cobalt and cause dermatitis. <i>Contact Dermatitis</i> , <b>2009</b> , 60, 165-70	2.7	60
77	Potent skin sensitizers in oxidative hair dye products on the Swedish market. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 269-75	2.7	68
76	Deposition of nickel, chromium, and cobalt on the skin in some occupations - assessment by acid wipe sampling. <i>Contact Dermatitis</i> , <b>2008</b> , 58, 347-54	2.7	91
75	Release of nickel from coins and deposition onto skin from coin handling--comparing euro coins and SEK. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 31-7	2.7	58
74	Gender differences in the disposition and toxicity of metals. <i>Environmental Research</i> , <b>2007</b> , 104, 85-95	7.9	479
73	Large organic aerosols in a dynamic and continuous whole-body exposure chamber tested on humans and on a heated mannequin. <i>Annals of Occupational Hygiene</i> , <b>2006</b> , 50, 705-15		7
72	Assessment of skin exposure to nickel, chromium and cobalt by acid wipe sampling and ICP-MS. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 233-8	2.7	69
71	Self-reported skin exposure--validation of questions by observation. <i>Contact Dermatitis</i> , <b>2006</b> , 55, 186-91.	2.7	40
70	Measuring dust on skin with a small vacuuming sampler--a comparison with other sampling techniques. <i>Annals of Occupational Hygiene</i> , <b>2006</b> , 50, 95-103		6
69	Assessment of dermal pesticide exposure with fluorescent tracer: a modification of a visual scoring system for developing countries. <i>Annals of Occupational Hygiene</i> , <b>2006</b> , 50, 75-83		17
68	Allergens Exposure Assessment <b>2006</b> , 413-427		6
67	Metals Carola Lidb, Magnus Bruze, Torkil Mennel <b>2006</b> , 537-568		29



66	Determinants of dermal exposure among Nicaraguan subsistence farmers during pesticide applications with backpack sprayers. <i>Annals of Occupational Hygiene</i> , <b>2005</b> , 49, 17-24		27
65	Evaluation of the skin sensitizing potency of chemicals by using the existing methods and considerations of relevance for elicitation. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 39-43	2.7	104
64	Nickel on the Swedish market. Follow-up after implementation of the Nickel Directive. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 29-35	2.7	87
63	Accumulation of eosinophils and T-lymphocytes in the lungs after exposure to pinewood dust. <i>European Respiratory Journal</i> , <b>2005</b> , 25, 118-24	13.6	23
62	Organic Solvents and Related Compounds <b>2005</b> , 991-1009		5
61	Reliability of a visual scoring system with fluorescent tracers to assess dermal pesticide exposure. <i>Annals of Occupational Hygiene</i> , <b>2004</b> , 48, 601-6		4
60	Oral prednisone suppresses allergic but not irritant patch test reactions in individuals hypersensitive to nickel. <i>Contact Dermatitis</i> , <b>2004</b> , 50, 298-303	2.7	76
59	Wheat flour exposure results in recruitment of inflammatory cells in the lungs of healthy individuals. <i>American Journal of Industrial Medicine</i> , <b>2003</b> , 44, 75-82	2.7	4
58	Biocides: Characterization of the Allergenic Hazard of Methylisothiazolinone. <i>Cutaneous and Ocular Toxicology</i> , <b>2003</b> , 22, 187-199		29
57	Lung accumulations of eosinophil granulocytes after exposure to cornstarch glove powder. <i>European Respiratory Journal</i> , <b>2003</b> , 21, 646-51	13.6	15
56	Nickel Sulfate <b>2003</b> , 7-9		
55	Tosylamide/Formaldehyde Resin <b>2003</b> , 115-116		
54	Metals and women's health. <i>Environmental Research</i> , <b>2002</b> , 88, 145-55	7.9	220
53	Nickel release from coins. <i>Contact Dermatitis</i> , <b>2001</b> , 44, 160-5	2.7	74
52	Nickel on the Swedish market before the Nickel Directive. <i>Contact Dermatitis</i> , <b>2001</b> , 44, 7-12	2.7	71
51	Legislative and preventive measures related to contact dermatitis. <i>Contact Dermatitis</i> , <b>2001</b> , 44, 65-9	2.7	48
50	Self-diagnosed dermatitis in adults. Results from a population survey in Stockholm. <i>Contact Dermatitis</i> , <b>2001</b> , 45, 341-5	2.7	73
49	Sensitizing potential of chlorothalonil in the guinea pig and the mouse. <i>Contact Dermatitis</i> , <b>2000</b> , 43, 273-9	2.7	11

48	Cross-reactivity patterns of cobalt and nickel studied with repeated open applications (ROATS) to the skin of guinea pigs. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , <b>2000</b> , 11, 42-8		36
47	Photographers and Other Photo-Lab Workers <b>2000</b> , 1053-1057		0
46	Cross-reactivity patterns of palladium and nickel studied by repeated open applications (ROATs) to the skin of guinea pigs. <i>Contact Dermatitis</i> , <b>1999</b> , 41, 145-9	2.7	16
45	Dose-response studies of contact allergens using 3 guinea pigs models. <i>Contact Dermatitis</i> , <b>1999</b> , 41, 198-206	2.7	8
44	Nickel release from tools on the Swedish market. <i>Contact Dermatitis</i> , <b>1998</b> , 39, 127-31	2.7	92
43	Metal release from gold-containing jewelry materials: no gold release detected. <i>Contact Dermatitis</i> , <b>1998</b> , 39, 281-5	2.7	65
42	A new whole-body exposure chamber for human skin and lung challenge experiments--the generation of wheat flour aerosols. <i>Annals of Occupational Hygiene</i> , <b>1998</b> , 42, 541-7		4
41	Quantification and specificity of the repeated open application test (ROAT). A methodological study using cobalt and colophony in guinea pigs. <i>Acta Dermato-Venereologica</i> , <b>1997</b> , 77, 420-4	2.2	1
40	Nickel-containing alloys and platings and their ability to cause dermatitis. <i>British Journal of Dermatology</i> , <b>1996</b> , 134, 193-198	4	61
39	Nickel-containing alloys and platings and their ability to cause dermatitis. <i>British Journal of Dermatology</i> , <b>1996</b> , 134, 193-198	4	11
38	Nickel-containing alloys and platings and their ability to cause dermatitis. <i>British Journal of Dermatology</i> , <b>1996</b> , 134, 193-8	4	1
37	Are opera-house artistes afflicted with contact allergy to colophony and cosmetics?. <i>Contact Dermatitis</i> , <b>1995</b> , 32, 273-80	2.7	15
36	Environmentally friendly paper may increase risk of hand eczema in rosin-sensitive persons. <i>Journal of the American Academy of Dermatology</i> , <b>1995</b> , 33, 427-32	4.5	42
35	Attempts to mimic the repeated open application test in the guinea pig. <i>Contact Dermatitis</i> , <b>1994</b> , 30, 295-8	2.7	
34	Cold-impregnated aluminium. A new source of nickel exposure. <i>Contact Dermatitis</i> , <b>1994</b> , 31, 22-4	2.7	17
33	A clinical and patch test study in a tall-oil rosin factory. <i>Contact Dermatitis</i> , <b>1994</b> , 31, 102-7	2.7	9
32	Occupational contact dermatitis due to nickel allergy. <i>Science of the Total Environment</i> , <b>1994</b> , 148, 283-5	10.2	28
31	Cross-reactivity to metal compounds studied in guinea pigs induced with chromate or cobalt. <i>Acta Dermato-Venereologica</i> , <b>1994</b> , 74, 341-3	2.2	9

30	Industrial Solvents <b>1993</b> , 387-397		2
29	Nail varnish allergy with far-reaching consequences. <i>British Journal of Dermatology</i> , <b>1993</b> , 128, 57-62	4	73
28	Dose-response testing with nickel sulphate using the TRUE test in nickel-sensitive individuals. Multiple nickel sulphate patch-test reactions do not cause an angry backS <i>British Journal of Dermatology</i> , <b>1993</b> , 129, 50-6	4	44
27	Colophony in paper as a cause of hand eczema. <i>Contact Dermatitis</i> , <b>1992</b> , 26, 272-3	2.7	15
26	Studies on the allergenicity of Baltic amber. <i>Contact Dermatitis</i> , <b>1992</b> , 27, 224-9	2.7	5
25	Further investigation of the prohaptan concept: reactions to benzene derivatives in man. <i>Contact Dermatitis</i> , <b>1992</b> , 27, 90-7	2.7	31
24	Colophony (rosin) in newspapers may contribute to hand eczema. <i>British Journal of Dermatology</i> , <b>1992</b> , 126, 161-5	4	46
23	Colophony in mascara as a cause of eyelid dermatitis. Chemical analyses and patch testing. <i>Acta Dermato-Venereologica</i> , <b>1991</b> , 71, 445-7	2.2	6
22	Persulfate Bleach AcceleratorA Potent Contact Allergen in Film Laboratories: Chemical Identification, Purity Studies, and Patch Testing. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , <b>1990</b> , 1, 21-24		8
21	Contact Allergy: A Cause of Facial Dermatitis Among Visual Display Unit Operators. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , <b>1990</b> , 1, 171-176		7
20	Facial dermatitis caused by chlorothalonil in a paint. <i>Contact Dermatitis</i> , <b>1990</b> , 22, 206-11	2.7	19
19	Occupational dermatoses at a film laboratory. Follow-up after modernization. <i>Contact Dermatitis</i> , <b>1989</b> , 20, 191-200	2.7	19
18	Colour Developing Agents: High-Performance Liquid Chromatography Analysis of Test Preparations Used in Guinea Pig Maximization Testing <b>1989</b> , 286-290		
17	Contact allergy to colour developing agents in the guinea pig. <i>Contact Dermatitis</i> , <b>1988</b> , 19, 290-5	2.7	12
16	Comparison of colophony patch test preparations. <i>Contact Dermatitis</i> , <b>1988</b> , 18, 158-65	2.7	24
15	Is the Skin Affected by Work at Visual Display Terminals?. <i>Dermatologic Clinics</i> , <b>1988</b> , 6, 81-85	4.2	13
14	Occupational dermatoses from colour developing agents. Clinical and histopathological observations. <i>Acta Dermato-Venereologica</i> , <b>1988</b> , 68, 514-22	2.2	2
13	Occupational dermatoses from photographic chemicals. <i>Acta Dermato-venereologica Supplementum</i> , <b>1988</b> , 141, 1-37		

12	Visual display terminals do not emit UV-A radiation of clinical relevance. <i>Journal of Theoretical Biology</i> , <b>1986</b> , 122, 491-2	2.3	3
11	Lichen planus in relation to occupational and non-occupational exposure to chemicals. <i>British Journal of Dermatology</i> , <b>1986</b> , 115, 23-31	4	18
10	Is abietic acid the allergenic component of colophony?. <i>Contact Dermatitis</i> , <b>1985</b> , 13, 209-15	2.7	69
9	Does visual display terminal work provoke rosacea?. <i>Contact Dermatitis</i> , <b>1985</b> , 13, 235-41	2.7	19
8	Clinical experience and patch testing using colophony (rosin) from different sources. <i>British Journal of Dermatology</i> , <b>1985</b> , 113, 475-81	4	30
7	Work with video display terminals among office employees. V. Dermatologic factors. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>1985</b> , 11, 489-93	4.3	31
6	Occupational dermatoses at a film laboratory. <i>Contact Dermatitis</i> , <b>1984</b> , 10, 77-87	2.7	30
5	Patch testing with soldering fluxes. <i>Contact Dermatitis</i> , <b>1984</b> , 10, 119-20	2.7	20
4	Contact allergy to the photographic chemical PBA-1. <i>Contact Dermatitis</i> , <b>1984</b> , 11, 256	2.7	7
3	Contact allergy to unsaturated polyester in a boatbuilder. <i>Contact Dermatitis</i> , <b>1984</b> , 11, 262-4	2.7	24
2	Flare-up reactions from a chemical used in the film industry. <i>Contact Dermatitis</i> , <b>1982</b> , 8, 136-7	2.7	15
1	Allergic contact dermatitis from 4,4'-diisocyanatol-diphenyl methane (MDI) in a molder. <i>Contact Dermatitis</i> , <b>1980</b> , 6, 301-2	2.7	12