

Jinhai Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2371718/publications.pdf>

Version: 2024-02-01

89
papers

2,542
citations

236612

25
h-index

233125

45
g-index

91
all docs

91
docs citations

91
times ranked

1979
citing authors

#	ARTICLE	IF	CITATIONS
1	Repeatability and reproducibility of corneal higher-order aberrations measurements after small incision lenticule extraction using the Scheimpflug-Placido topographer. <i>Eye and Vision (London, England)</i> , 2021, 10, 1-19.	1.0	7
2	Pharmacological Inhibition of Glutaminase 1 Attenuates Alkali-Induced Corneal Neovascularization by Modulating Macrophages. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-19.	1.9	5
3	Engineering Hibiscus-Like Riboflavin/Zinc Microsphere Composites to Enhance Transepithelial Corneal Cross-Linking. <i>Advanced Materials</i> , 2022, 34, e2109865.	11.1	16
4	Comparison of Two Main Orthokeratology Lens Designs in Efficacy and Safety for Myopia Control. <i>Frontiers in Medicine</i> , 2022, 9, 798314.	1.2	7
5	Engineering Hibiscus-Like Riboflavin/Zinc Microsphere Composites to Enhance Transepithelial Corneal Cross-Linking (Adv. Mater. 21/2022). <i>Advanced Materials</i> , 2022, 34, .	11.1	2
6	Hydrogel eye drops as a non-invasive drug carrier for topical enhanced Adalimumab permeation and highly efficient uveitis treatment. <i>Carbohydrate Polymers</i> , 2021, 253, 117216.	5.1	13
7	Biomimetic microcavity interfaces for a label-free capture of pathogens in the fluid bloodstream by vortical crossflow filtration. <i>Nanoscale</i> , 2021, 13, 15220-15230.	2.8	1
8	Sirius Scheimpflug-Placido versus ultrasound pachymetry for central corneal thickness: meta-analysis. <i>Eye and Vision (London, England)</i> , 2021, 8, 5.	1.4	2
9	Psychometric Assessment of the Chinese Version of the Indian Vision Functioning Questionnaire Based on the Method of Successive Dichotomizations. <i>Translational Vision Science and Technology</i> , 2021, 10, 8.	1.1	0
10	Cataract Surgery (Phacoemulsification with Intraocular Lens Implantation) Combined with Endoscopic Goniosynechialysis for Advanced Primary Angle-Closure Glaucoma. <i>Ophthalmology Glaucoma</i> , 2021, 4, 365-372.	0.9	2
11	Reliability and agreement of the central and mid-peripheral corneal thickness measured by a new Scheimpflug based imaging. <i>Annals of Translational Medicine</i> , 2021, 9, 1136-1136.	0.7	3
12	An ultrasensitive reusable aptasensor for noninvasive diabetic retinopathy diagnosis target on tear biomarker. <i>Sensors and Actuators B: Chemical</i> , 2021, 345, 130398.	4.0	11
13	Comparison of a New Optical Biometer That Combines Scheimpflug Imaging With Partial Coherence Interferometry With That of an Optical Biometer Based on Swept-Source Optical Coherence Tomography and Placido-Disk Topography. <i>Frontiers in Medicine</i> , 2021, 8, 814519.	1.2	3
14	The Effect of Treatment Zone Decentration on Myopic Progression during Orthokeratology. <i>Current Eye Research</i> , 2020, 45, 645-651.	0.7	26
15	Effectiveness of the Goldmann Applanation Tonometer, the Dynamic Contour Tonometer, the Ocular Response Analyzer and the Corvis ST in Measuring Intraocular Pressure following FS-LASIK. <i>Current Eye Research</i> , 2020, 45, 144-152.	0.7	17
16	Comparison of four different orthokeratology lenses in controlling myopia progression. <i>Contact Lens and Anterior Eye</i> , 2020, 43, 78-83.	0.8	9
17	Corneal biomechanical properties in myopic eyes evaluated via Scheimpflug imaging. <i>BMC Ophthalmology</i> , 2020, 20, 279.	0.6	16
18	Microenvironment-Triggered Degradable Hydrogel for Imaging Diagnosis and Combined Treatment of Intraocular Choroidal Melanoma. <i>ACS Nano</i> , 2020, 14, 15403-15416.	7.3	38

#	ARTICLE	IF	CITATIONS
19	Comparison of Anterior Ocular Biometric Measurements Using Swept-Source and Time-Domain Optical Coherence Tomography. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-6.	0.6	3
20	Repeatability and agreement of corneal thickness measurements by three methods of pachymetry in small incision lenticule extraction eyes. <i>Expert Review of Medical Devices</i> , 2020, 17, 1323-1332.	1.4	2
21	The precision and agreement of corneal thickness and keratometry measurements with SS-OCT versus Scheimpflug imaging. <i>Eye and Vision (London, England)</i> , 2020, 7, 32.	1.4	14
22	Reliability of a New Swept-Source Optical Coherence Tomography Biometer in Healthy Children, Adults, and Cataract Patients. <i>Journal of Ophthalmology</i> , 2020, 2020, 1-9.	0.6	13
23	Effect of orthokeratology on precision and agreement assessment of a new swept-source optical coherence tomography biometer. <i>Eye and Vision (London, England)</i> , 2020, 7, 13.	1.4	9
24	Accuracy of 8 intraocular lens power calculation formulas in pediatric cataract patients. <i>Graefes's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 1123-1131.	1.0	17
25	A Comparative Study of Total Corneal Power Using a Ray Tracing Method Obtained from 3 Different Scheimpflug Camera Devices. <i>American Journal of Ophthalmology</i> , 2020, 216, 90-98.	1.7	7
26	Micelle-solubilized axitinib for ocular administration in anti-neovascularization. <i>International Journal of Pharmaceutics</i> , 2019, 560, 19-26.	2.6	31
27	PHACOEMULSIFICATION CATARACT SURGERY WITH PROPHYLACTIC INTRAVITREAL BEVACIZUMAB FOR PATIENTS WITH COEXISTING DIABETIC RETINOPATHY. <i>Retina</i> , 2019, 39, 1720-1731.	1.0	12
28	Regional changes in corneal shape over a 6-month follow-up after femtosecond-assisted LASIK. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 766-777.	0.7	11
29	Comparison of anterior segment measurements obtained using a swept-source optical coherence tomography biometer and a Scheimpflug®Placido tomographer. <i>Journal of Cataract and Refractive Surgery</i> , 2019, 45, 298-304.	0.7	29
30	Cytocompatible cerium oxide-mediated antioxidative stress in inhibiting ocular inflammation-associated corneal neovascularization. <i>Journal of Materials Chemistry B</i> , 2019, 7, 6759-6769.	2.9	25
31	Lens nuclear opacity quantitation with long-range swept-source optical coherence tomography: correlation to LOCS III and a Scheimpflug imaging-based grading system. <i>British Journal of Ophthalmology</i> , 2019, 103, 1048-1053.	2.1	29
32	Experimental Evaluation of Travoprost-Induced Changes in Biomechanical Behavior of Ex-Vivo Rabbit Corneas. <i>Current Eye Research</i> , 2019, 44, 19-24.	0.7	9
33	Comprehensive Comparison of Axial Length Measurement With Three Swept-Source OCT-Based Biometers and Partial Coherence Interferometry. <i>Journal of Refractive Surgery</i> , 2019, 35, 115-120.	1.1	54
34	Comparison of Multicolored Spot Reflection Topographer and Scheimpflug-Placido System in Corneal Power and Astigmatism Measurements With Normal and Post-refractive Patients. <i>Journal of Refractive Surgery</i> , 2019, 35, 370-376.	1.1	6
35	Development and clinical verification of numerical simulation for laser in situ keratomileusis. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 83, 126-134.	1.5	15
36	Protein Enables Conformation Transition of a Hydrogel Based on Pentapeptide and Boosts Immune Response in Vivo. <i>Bioconjugate Chemistry</i> , 2018, 29, 1519-1524.	1.8	11

#	ARTICLE	IF	CITATIONS
37	Precision of a new ocular biometer in children and comparison with IOLMaster. <i>Scientific Reports</i> , 2018, 8, 1304.	1.6	10
38	Directing the nanoparticle formation by the combination with small molecular assembly and polymeric assembly for topical suppression of ocular inflammation. <i>International Journal of Pharmaceutics</i> , 2018, 551, 223-231.	2.6	16
39	Comparison of Epithelium-Off Versus Transepithelial Corneal Collagen Cross-Linking for Keratoconus: A Systematic Review and Meta-Analysis. <i>Cornea</i> , 2018, 37, 1018-1024.	0.9	36
40	Comparison of Standard Versus Accelerated Corneal Collagen Cross-Linking for Keratoconus: A Meta-Analysis. , 2018, 59, 3920.		58
41	Assessment of Corneal Keratometric and Astigmatism Measurements Using Verion System and Other Instruments in Cataract Patient. <i>Current Eye Research</i> , 2018, 43, 1205-1214.	0.7	3
42	Repeatability and interobserver reproducibility of a new optical biometer based on swept-source optical coherence tomography and comparison with IOLMaster. <i>British Journal of Ophthalmology</i> , 2017, 101, 493-498.	2.1	69
43	Meta-analysis of optical low-coherence reflectometry versus partial coherence interferometry biometry. <i>Scientific Reports</i> , 2017, 7, 43414.	1.6	21
44	Rasch analysis of three dry eye questionnaires and correlates with objective clinical tests. <i>Ocular Surface</i> , 2017, 15, 202-210.	2.2	21
45	Validation of an instrument to assess visual ability in children with visual impairment in China. <i>British Journal of Ophthalmology</i> , 2017, 101, 475-480.	2.1	4
46	Repeatability and agreement of ocular biometry measurements: Aladdin versus Lenstar. <i>British Journal of Ophthalmology</i> , 2017, 101, 1223-1229.	2.1	26
47	Postoperative Efficacy, Predictability, Safety, and Visual Quality of Laser Corneal Refractive Surgery: A Network Meta-analysis. <i>American Journal of Ophthalmology</i> , 2017, 178, 65-78.	1.7	101
48	Precision of a new ocular biometer in eyes with cataract using swept source optical coherence tomography combined with Placido-disk corneal topography. <i>Scientific Reports</i> , 2017, 7, 13736.	1.6	24
49	Comparison of ocular biometric measurements between a new swept-source optical coherence tomography and a common optical low coherence reflectometry. <i>Scientific Reports</i> , 2017, 7, 2484.	1.6	20
50	Combination of dexamethasone and Avastin® by supramolecular hydrogel attenuates the inflammatory corneal neovascularization in rat alkali burn model. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 159, 241-250.	2.5	41
51	Axial Length Measurement Failure Rates With Biometers Using Swept-Source Optical Coherence Tomography Compared to Partial-Coherence Interferometry and Optical Low-Coherence Interferometry. <i>American Journal of Ophthalmology</i> , 2017, 173, 64-69.	1.7	55
52	Repeatability, Reproducibility, and Agreement of Two Scheimpflug-Placido Anterior Corneal Analyzers for Posterior Corneal Surface Measurement. <i>Journal of Refractive Surgery</i> , 2017, 33, 524-530.	1.1	14
53	Comparison between a New Optical Biometry Device and an Anterior Segment Optical Coherence Tomographer for Measuring Central Corneal Thickness and Anterior Chamber Depth. <i>Journal of Ophthalmology</i> , 2016, 2016, 1-5.	0.6	3
54	Assessment of Cataract Surgery Outcome Using the Modified Catquest Short-Form Instrument in China. <i>PLoS ONE</i> , 2016, 11, e0164182.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Measurement agreement between a new biometer based on partial coherence interferometry and a validated biometer based on optical low-coherence reflectometry. <i>Journal of Cataract and Refractive Surgery</i> , 2016, 42, 68-75.	0.7	6
56	Diagnosis, treatment, and monitoring of dry eye disease. <i>BMJ, The</i> , 2016, 354, i4617.	3.0	4
57	High intercorneal symmetry in corneal biomechanical metrics. <i>Eye and Vision (London, England)</i> , 2016, 3, 7.	1.4	10
58	Agreement of anterior ocular biometric measurements with a new optical biometer and a Scheimpflug tomographer. <i>Journal of Cataract and Refractive Surgery</i> , 2016, 42, 679-684.	0.7	7
59	Corneal elevation in a large number of myopic Chinese patients. <i>Contact Lens and Anterior Eye</i> , 2016, 39, 185-190.	0.8	5
60	Efficacy Comparison of 16 Interventions for Myopia Control in Children. <i>Ophthalmology</i> , 2016, 123, 697-708.	2.5	521
61	Multicenter study of optical low-coherence interferometry and partial-coherence interferometry optical biometers with patients from the United States and China. <i>Journal of Cataract and Refractive Surgery</i> , 2016, 42, 62-67.	0.7	37
62	Evaluation of Equivalent Keratometry Readings Obtained by Pentacam HR (High Resolution). <i>PLoS ONE</i> , 2016, 11, e0150121.	1.1	8
63	Corneal Power Measurement Obtained by Fourier-Domain Optical Coherence Tomography. <i>Cornea</i> , 2015, 34, 1266-1271.	0.9	19
64	Axial Length Measurement Failure Rates with the IOLMaster and Lenstar LS 900 in Eyes with Cataract. <i>PLoS ONE</i> , 2015, 10, e0128929.	1.1	45
65	The Repeatability Assessment of Three-Dimensional Capsule-Intraocular Lens Complex Measurements by Means of High-Speed Swept-Source Optical Coherence Tomography. <i>PLoS ONE</i> , 2015, 10, e0142556.	1.1	14
66	Efficacy and Acceptability of Orthokeratology for Slowing Myopic Progression in Children: A Systematic Review and Meta-Analysis. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-12.	0.6	60
67	Evaluation of Central Corneal Thickness Using Corneal Dynamic Scheimpflug Analyzer Corvis ST and Comparison with Pentacam Rotating Scheimpflug System and Ultrasound Pachymetry in Normal Eyes. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-8.	0.6	16
68	Precision of Corneal Thickness Measurements Obtained Using the Scheimpflug-Placido Imaging and Agreement with Ultrasound Pachymetry. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-6.	0.6	5
69	Reliability of Field Chromatic Pupillometry for Assessing the Function of Melanopsin-Containing Retinal Ganglion Cells. , 2015, 56, 2519.		3
70	Evaluation of the relationship of corneal biomechanical metrics with physical intraocular pressure and central corneal thickness in exVivo rabbit eye globes. <i>Experimental Eye Research</i> , 2015, 137, 11-17.	1.2	49
71	Repeatability and reproducibility of ocular biometry using a new noncontact optical low-coherence interferometer. <i>Journal of Cataract and Refractive Surgery</i> , 2015, 41, 2233-2241.	0.7	36
72	The association between toll-like receptor 4 polymorphisms and diabetic retinopathy in Chinese patients with type 2 diabetes. <i>British Journal of Ophthalmology</i> , 2015, 99, 1301-1305.	2.1	27

#	ARTICLE	IF	CITATIONS
73	Measurement of Central Corneal Thickness With Optical Low-Coherence Reflectometry and Ultrasound Pachymetry in Normal and Post-Femtosecond Laser in Situ Keratomileusis Eyes. <i>Cornea</i> , 2015, 34, 204-208.	0.9	5
74	Comparison of keratometry and white-to-white measurements obtained by Lenstar with those obtained by autokeratometry and corneal topography. <i>Contact Lens and Anterior Eye</i> , 2015, 38, 363-367.	0.8	11
75	Anterior chamber depth measurements using Scheimpflug imaging and optical coherence tomography: Repeatability, reproducibility, and agreement. <i>Journal of Cataract and Refractive Surgery</i> , 2015, 41, 178-185.	0.7	42
76	Precision and Agreement of Corneal Power Measurements Obtained Using a New Corneal Topographer OphthaTOP. <i>PLoS ONE</i> , 2015, 10, e109414.	1.1	10
77	Keratometric Index Obtained by Fourier-Domain Optical Coherence Tomography. <i>PLoS ONE</i> , 2015, 10, e0122441.	1.1	8
78	Comparison of Anterior Segment Measurements with Scheimpflug/Placido Photography-Based Topography System and IOLMaster Partial Coherence Interferometry in Patients with Cataracts. <i>Journal of Ophthalmology</i> , 2014, 2014, 1-6.	0.6	13
79	Translation, Cultural Adaptation, and Rasch Analysis of the Visual Function (VF-14) Questionnaire. , 2014, 55, 4413.		31
80	Evaluation of a new optical biometry device for measurements of ocular components and its comparison with IOLMaster. <i>British Journal of Ophthalmology</i> , 2014, 98, 1277-1281.	2.1	54
81	Central and Midperipheral Corneal Thickness Measured with Scheimpflug Imaging and Optical Coherence Tomography. <i>PLoS ONE</i> , 2014, 9, e98316.	1.1	20
82	Evaluation of corneal thickness using a Scheimpflugâ€“Placido disk corneal analyzer and comparison with ultrasound pachymetry in eyes after laser in situ keratomileusis. <i>Journal of Cataract and Refractive Surgery</i> , 2013, 39, 1074-1080.	0.7	19
83	A Comparison between Scheimpflug Imaging and Optical Coherence Tomography in Measuring Corneal Thickness. <i>Ophthalmology</i> , 2013, 120, 1951-1958.	2.5	88
84	Precision of a new Scheimpflug and Placido-disk analyzer in measuring corneal thickness and agreement with ultrasound pachymetry. <i>Journal of Cataract and Refractive Surgery</i> , 2013, 39, 219-224.	0.7	30
85	The Effect of Cycloplegia on the Lenstar and the IOLMaster Biometry. <i>Optometry and Vision Science</i> , 2012, 89, 1691-1696.	0.6	67
86	Scheimpflugâ€“Placido topographer and optical low-coherence reflectometry biometer: Repeatability and agreement. <i>Journal of Cataract and Refractive Surgery</i> , 2012, 38, 1626-1632.	0.7	63
87	Measurement of central corneal thickness by highâ€“resolution Scheimpflug imaging, Fourierâ€“domain optical coherence tomography and ultrasound pachymetry. <i>Acta Ophthalmologica</i> , 2012, 90, 449-455.	0.6	98
88	Comparison of anterior segment measurements with rotating Scheimpflug photography and partial coherence reflectometry. <i>Journal of Cataract and Refractive Surgery</i> , 2011, 37, 341-348.	0.7	59
89	A Comprehensive Comparison of Central Corneal Thickness Measurement. <i>Optometry and Vision Science</i> , 2011, 88, 940-949.	0.6	40