

# Takashi Fujita

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2375891/publications.pdf>

Version: 2024-02-01

84  
papers

18,127  
citations

101384

36  
h-index

56606

83  
g-index

86  
all docs

86  
docs citations

86  
times ranked

15378  
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatitis B Virus (HBV) Upregulates TRAIL-R3 Expression in Hepatocytes Resulting in Escape From Both Cell Apoptosis and Suppression of HBV Replication by TRAIL. <i>Journal of Infectious Diseases</i> , 2023, 227, 686-695.	1.9	1
2	Adsorptive Inhibition of Enveloped Viruses and Nonenveloped Cardioviruses by Antiviral Lignin Produced from Sugarcane Bagasse via Microwave Glycerolysis. <i>Biomacromolecules</i> , 2022, 23, 789-797.	2.6	7
3	Intracellular virus sensor MDA5 mutation develops autoimmune myocarditis and nephritis. <i>Journal of Autoimmunity</i> , 2022, 127, 102794.	3.0	2
4	The RNA helicase DDX3 promotes IFNB transcription via enhancing IRF-3/p300 holocomplex binding to the IFNB promoter. <i>Scientific Reports</i> , 2022, 12, 3967.	1.6	6
5	Aicardiâ€“GoutiÃˆres syndrome-like encephalitis in mutant mice with constitutively active MDA5. <i>International Immunology</i> , 2021, 33, 225-240.	1.8	8
6	The Nonstructural Protein NSs of Severe Fever with Thrombocytopenia Syndrome Virus Causes a Cytokine Storm through the Hyperactivation of NF- $\kappa$ B. <i>Molecular and Cellular Biology</i> , 2021, 41, .	1.1	11
7	Psoriasis-like skin disorder in transgenic mice expressing a RIG-I Singletonâ€“Merten syndrome variant. <i>International Immunology</i> , 2021, 33, 211-224.	1.8	4
8	Restoration of type I interferon signaling in intrahepatically primed CD8+ T cells promotes functional differentiation. <i>JCI Insight</i> , 2021, 6, .	2.3	6
9	The Role of Non-Structural Protein NSs in the Pathogenesis of Severe Fever with Thrombocytopenia Syndrome. <i>Viruses</i> , 2021, 13, 876.	1.5	15
10	Conversion of Beech Wood into Antiviral Ligninâ€“Carbohydrate Complexes by Microwave Acidolysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 9248-9256.	3.2	19
11	Virus-infection in cochlear supporting cells induces audiosensory receptor hair cell death by TRAIL-induced necroptosis. <i>PLoS ONE</i> , 2021, 16, e0260443.	1.1	3
12	Influenza A virus NS1 optimises virus infectivity by enhancing genome packaging in a dsRNA-binding dependent manner. <i>Virology Journal</i> , 2020, 17, 107.	1.4	4
13	Characterization of distinct molecular interactions responsible for IRF3 and IRF7 phosphorylation and subsequent dimerization. <i>Nucleic Acids Research</i> , 2020, 48, 11421-11433.	6.5	28
14	Retinoic Acid Inducible Gene I and Protein Kinase R, but Not Stress Granules, Mediate the Proinflammatory Response to Yellow Fever Virus. <i>Journal of Virology</i> , 2020, 94, .	1.5	15
15	Establishment of a novel hepatitis B virus culture system using immortalized human hepatocytes. <i>Scientific Reports</i> , 2020, 10, 21718.	1.6	9
16	Viral RNA recognition by LGP2 and MDA5, and activation of signaling through step-by-step conformational changes. <i>Nucleic Acids Research</i> , 2020, 48, 11664-11674.	6.5	51
17	A sense for sensors of danger. <i>Nature Immunology</i> , 2020, 21, 706-707.	7.0	0
18	Priming Phosphorylation of TANK-Binding Kinase 1 by I $\kappa$ B Kinase $\kappa$ 2 Is Essential in Toll-Like Receptor 3/4 Signaling. <i>Molecular and Cellular Biology</i> , 2020, 40, .	1.1	12

#	ARTICLE	IF	CITATIONS
19	Spatio-temporal characterization of the antiviral activity of the XRN1-DCP1/2 aggregation against cytoplasmic RNA viruses to prevent cell death. <i>Cell Death and Differentiation</i> , 2020, 27, 2363-2382.	5.0	30
20	Influenza virus NS1- C/EBP $\beta$ gene regulatory complex inhibits RIG-I transcription. <i>Antiviral Research</i> , 2020, 176, 104747.	1.9	7
21	Production of Antiviral Substance from Sugarcane Bagasse by Chemical Alteration of its Native Lignin Structure through Microwave Solvolysis. <i>ChemSusChem</i> , 2020, 13, 4519-4527.	3.6	17
22	Cochlear supporting cells function as macrophage-like cells and protect audiosensory receptor hair cells from pathogens. <i>Scientific Reports</i> , 2020, 10, 6740.	1.6	13
23	Identification of a new autoinhibitory domain of interferon-beta promoter stimulator-1 (IPS-1) for the tight regulation of oligomerization-driven signal activation. <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 662-669.	1.0	3
24	Broad and systemic immune-modulating capacity of plant-derived dsRNA. <i>International Immunology</i> , 2019, 31, 811-821.	1.8	1
25	Ubiquitin-Dependent and -Independent Roles of E3 Ligase RIPLET in Innate Immunity. <i>Cell</i> , 2019, 177, 1187-1200.e16.	13.5	141
26	Fueling Type I Interferonopathies: Regulation and Function of Type I Interferon Antiviral Responses. <i>Journal of Interferon and Cytokine Research</i> , 2019, 39, 383-392.	0.5	18
27	Screening for inhibitor of episomal DNA identified dicumarol as a hepatitis B virus inhibitor. <i>PLoS ONE</i> , 2019, 14, e0212233.	1.1	8
28	Singleton-Merten Syndrome-like Skeletal Abnormalities in Mice with Constitutively Activated MDA5. <i>Journal of Immunology</i> , 2019, 203, 1356-1368.	0.4	17
29	RIG-I-Like Receptor and Toll-Like Receptor Signaling Pathways Cause Aberrant Production of Inflammatory Cytokines/Chemokines in a Severe Fever with Thrombocytopenia Syndrome Virus Infection Mouse Model. <i>Journal of Virology</i> , 2018, 92, .	1.5	40
30	Antiviral Activity of Phenolic Derivatives in Pyrolygineous Acid from Hardwood, Softwood, and Bamboo. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 119-126.	3.2	51
31	Structure-dependent antiviral activity of catechol derivatives in pyrolygineous acid against the encephalomyocarditis virus. <i>RSC Advances</i> , 2018, 8, 35888-35896.	1.7	23
32	Endoplasmic reticulum-mediated induction of interleukin-8 occurs by hepatitis B virus infection and contributes to suppression of interferon responsiveness in human hepatocytes. <i>Virology</i> , 2018, 525, 48-61.	1.1	20
33	Interferon stimulation creates chromatin marks and establishes transcriptional memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9162-E9171.	3.3	130
34	Rosmarinic acid is a novel inhibitor for Hepatitis B virus replication targeting viral epsilon RNA-polymerase interaction. <i>PLoS ONE</i> , 2018, 13, e0197664.	1.1	40
35	RIG-I-Like Receptors and Type I Interferonopathies. <i>Journal of Interferon and Cytokine Research</i> , 2017, 37, 207-213.	0.5	43
36	Establishment of a human hepatocellular cell line capable of maintaining long-term replication of hepatitis B virus. <i>International Immunology</i> , 2017, 29, 109-120.	1.8	5

#	ARTICLE	IF	CITATIONS
37	A Plant-Derived Nucleic Acid Reconciles Type I IFN and a Pyroptotic-like Event in Immunity against Respiratory Viruses. <i>Journal of Immunology</i> , 2017, 199, 2460-2474.	0.4	9
38	Impaired Antiviral Stress Granule and IFN- $\lambda$ Enhanceosome Formation Enhances Susceptibility to Influenza Infection in Chronic Obstructive Pulmonary Disease Epithelium. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016, 55, 117-127.	1.4	44
39	Leader-Containing Uncapped Viral Transcript Activates RIG-I in Antiviral Stress Granules. <i>PLoS Pathogens</i> , 2016, 12, e1005444.	2.1	68
40	RIG-I-like receptors and autoimmune diseases. <i>Current Opinion in Immunology</i> , 2015, 37, 40-45.	2.4	73
41	Viral RNA detection by RIG-I-like receptors. <i>Current Opinion in Immunology</i> , 2015, 32, 48-53.	2.4	371
42	The ASK family kinases differentially mediate induction of type I interferon and apoptosis during the antiviral response. <i>Science Signaling</i> , 2015, 8, ra78.	1.6	29
43	Functional IRF3 deficiency in a patient with herpes simplex encephalitis. <i>Journal of Experimental Medicine</i> , 2015, 212, 1371-1379.	4.2	171
44	Influence of Genes Suppressing Interferon Effects in Peripheral Blood Mononuclear Cells during Triple Antiviral Therapy for Chronic Hepatitis C. <i>PLoS ONE</i> , 2015, 10, e0118000.	1.1	8
45	DHX36 Enhances RIG-I Signaling by Facilitating PKR-Mediated Antiviral Stress Granule Formation. <i>PLoS Pathogens</i> , 2014, 10, e1004012.	2.1	129
46	A Novel Function of Human Pumilio Proteins in Cytoplasmic Sensing of Viral Infection. <i>PLoS Pathogens</i> , 2014, 10, e1004417.	2.1	51
47	Autoimmunity caused by constitutive activation of cytoplasmic viral RNA sensors. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 739-743.	3.2	17
48	Autoimmune Disorders Associated with Gain of Function of the Intracellular Sensor MDA5. <i>Immunity</i> , 2014, 40, 199-212.	6.6	230
49	Antiviral innate immunity and stress granule responses. <i>Trends in Immunology</i> , 2014, 35, 420-428.	2.9	192
50	Sensing viral invasion by RIG-I like receptors. <i>Current Opinion in Microbiology</i> , 2014, 20, 131-138.	2.3	90
51	Aicardi-Goutières Syndrome Is Caused by IFIH1 Mutations. <i>American Journal of Human Genetics</i> , 2014, 95, 121-125.	2.6	175
52	Cyclophilin Inhibitors Reduce Phosphorylation of RNA-Dependent Protein Kinase to Restore Expression of IFN-Stimulated Genes in HCV-Infected Cells. <i>Gastroenterology</i> , 2014, 147, 463-472.	0.6	19
53	Antiviral Activity of Human OASL Protein Is Mediated by Enhancing Signaling of the RIG-I RNA Sensor. <i>Immunity</i> , 2014, 40, 936-948.	6.6	201
54	Critical Role of Interferon- $\lambda$ Constitutively Produced in Human Hepatocytes in Response to RNA Virus Infection. <i>PLoS ONE</i> , 2014, 9, e89869.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Virus-induced expression of retinoic acid inducible gene-I and melanoma differentiation-associated gene 5 in the cochlear sensory epithelium. <i>Microbes and Infection</i> , 2013, 15, 592-598.	1.0	10
56	Anti-CADM-140/MDA5 autoantibody titer correlates with disease activity and predicts disease outcome in patients with dermatomyositis and rapidly progressive interstitial lung disease. <i>Modern Rheumatology</i> , 2013, 23, 496-502.	0.9	170
57	Functional Characterization of Domains of IPS-1 Using an Inducible Oligomerization System. <i>PLoS ONE</i> , 2013, 8, e53578.	1.1	22
58	Amyopathic dermatomyositis developing rapidly progressive interstitial lung disease with elevation of anti-CADM-140/MDA5 autoantibodies. <i>Modern Rheumatology</i> , 2012, 22, 625-629.	0.9	32
59	Critical Role of an Antiviral Stress Granule Containing RIG-I and PKR in Viral Detection and Innate Immunity. <i>PLoS ONE</i> , 2012, 7, e43031.	1.1	294
60	Analysis of intracellular localization of viral RNA sensor, RLR. <i>FASEB Journal</i> , 2011, 25, 941.4.	0.2	0
61	Recognition of viral nucleic acids in innate immunity. <i>Reviews in Medical Virology</i> , 2010, 20, 4-22.	3.9	265
62	Ser386 phosphorylation of transcription factor IRF3 induces dimerization and association with CBP/p300 without overall conformational change. <i>Genes To Cells</i> , 2010, 15, 901-910.	0.5	55
63	LGP2 is a positive regulator of RIG-I and MDA5-mediated antiviral responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1512-1517.	3.3	540
64	Virus-Infection or 5'ppp-RNA Activates Antiviral Signal through Redistribution of IPS-1 Mediated by MFN1. <i>PLoS Pathogens</i> , 2010, 6, e1001012.	2.1	150
65	Type I Interferon Production Induced by RIG-I-Like Receptors. <i>Journal of Interferon and Cytokine Research</i> , 2010, 30, 875-881.	0.5	30
66	Identification of Loss of Function Mutations in Human Genes Encoding RIG-I and MDA5. <i>Journal of Biological Chemistry</i> , 2009, 284, 13348-13354.	1.6	130
67	Solution Structures of Cytosolic RNA Sensor MDA5 and LGP2 C-terminal Domains. <i>Journal of Biological Chemistry</i> , 2009, 284, 17465-17474.	1.6	170
68	A Nonself RNA Pattern: Tri-p to Panhandle. <i>Immunity</i> , 2009, 31, 4-5.	6.6	28
69	RNA recognition and signal transduction by RIG-I-like receptors. <i>Immunological Reviews</i> , 2009, 227, 54-65.	2.8	525
70	Length-dependent recognition of double-stranded ribonucleic acids by retinoic acid-inducible gene-I and melanoma differentiation-associated gene 5. <i>Journal of Experimental Medicine</i> , 2008, 205, 1601-1610.	4.2	1,327
71	Hepatitis C virus non-structural proteins responsible for suppression of the RIG-I/Cardif-induced interferon response. <i>Journal of General Virology</i> , 2007, 88, 3323-3333.	1.3	34
72	Triggering antiviral response by RIG-I-related RNA helicases. <i>Biochimie</i> , 2007, 89, 754-760.	1.3	67

#	ARTICLE	IF	CITATIONS
73	Cytoplasmic double-stranded DNA sensor. <i>Nature Immunology</i> , 2007, 8, 907-908.	7.0	9
74	Differential roles of MDA5 and RIG-I helicases in the recognition of RNA viruses. <i>Nature</i> , 2006, 441, 101-105.	13.7	3,292
75	VIROLOGY: Sensing Viral RNA Amid Your Own. <i>Science</i> , 2006, 314, 935-936.	6.0	22
76	Shared and Unique Functions of the DExD/H-Box Helicases RIG-I, MDA5, and LGP2 in Antiviral Innate Immunity. <i>Journal of Immunology</i> , 2005, 175, 2851-2858.	0.4	1,438
77	Regulating Intracellular Antiviral Defense and Permissiveness to Hepatitis C Virus RNA Replication through a Cellular RNA Helicase, RIG-I. <i>Journal of Virology</i> , 2005, 79, 2689-2699.	1.5	830
78	Identification of Ser-386 of Interferon Regulatory Factor 3 as Critical Target for Inducible Phosphorylation That Determines Activation. <i>Journal of Biological Chemistry</i> , 2004, 279, 9698-9702.	1.6	182
79	The RNA helicase RIG-I has an essential function in double-stranded RNA-induced innate antiviral responses. <i>Nature Immunology</i> , 2004, 5, 730-737.	7.0	3,433
80	X-ray crystal structure of IRF-3 and its functional implications. <i>Nature Structural and Molecular Biology</i> , 2003, 10, 922-927.	3.6	142
81	Structurally similar but functionally distinct factors, IRF-1 and IRF-2, bind to the same regulatory elements of IFN and IFN-inducible genes. <i>Cell</i> , 1989, 58, 729-739.	13.5	965
82	Regulated expression of a gene encoding a nuclear factor, IRF-1, that specifically binds to IFN- $\beta$ gene regulatory elements. <i>Cell</i> , 1988, 54, 903-913.	13.5	991
83	Interferon- $\beta$ gene regulation: Tandemly repeated sequences of a synthetic 6 bp oligomer function as a virus-inducible enhancer. <i>Cell</i> , 1987, 49, 357-367.	13.5	242
84	Studies on interferon priming: Cellular response to viral and nonviral inducers and requirement of protein synthesis. <i>Virology</i> , 1981, 112, 62-69.	1.1	35