

# Kristin A Hogquist

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2377087/kristin-a-hogquist-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140  
papers

16,509  
citations

63  
h-index

128  
g-index

191  
ext. papers

19,139  
ext. citations

14.7  
avg, IF

6.71  
L-index

#	Paper	IF	Citations
140	T cell receptor antagonist peptides induce positive selection. <i>Cell</i> , <b>1994</b> , 76, 17-27	56.2	2206
139	Positive and negative selection of T cells. <i>Annual Review of Immunology</i> , <b>2003</b> , 21, 139-76	34.7	1178
138	Positive and negative selection of the T cell repertoire: what thymocytes see (and don't see). <i>Nature Reviews Immunology</i> , <b>2014</b> , 14, 377-91	36.5	751
137	T cell receptor signal strength in Treg and iNKT cell development demonstrated by a novel fluorescent reporter mouse. <i>Journal of Experimental Medicine</i> , <b>2011</b> , 208, 1279-89	16.6	658
136	Positive selection of thymocytes. <i>Annual Review of Immunology</i> , <b>1995</b> , 13, 93-126	34.7	512
135	Central tolerance: learning self-control in the thymus. <i>Nature Reviews Immunology</i> , <b>2005</b> , 5, 772-82	36.5	487
134	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , <b>2019</b> , 49, 1457-1973	6.1	485
133	Transcriptional downregulation of S1pr1 is required for the establishment of resident memory CD8+ T cells. <i>Nature Immunology</i> , <b>2013</b> , 14, 1285-93	19.1	459
132	Identification of a novel population of Langerin+ dendritic cells. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 3147-56	16.6	409
131	Antigen-independent differentiation and maintenance of effector-like resident memory T cells in tissues. <i>Journal of Immunology</i> , <b>2012</b> , 188, 4866-75	5.3	405
130	Kruppel-like factor 2 regulates thymocyte and T-cell migration. <i>Nature</i> , <b>2006</b> , 442, 299-302	50.4	400
129	Steady-state production of IL-4 modulates immunity in mouse strains and is determined by lineage diversity of iNKT cells. <i>Nature Immunology</i> , <b>2013</b> , 14, 1146-54	19.1	387
128	Progress and problems in understanding and managing primary Epstein-Barr virus infections. <i>Clinical Microbiology Reviews</i> , <b>2011</b> , 24, 193-209	34	243
127	T-cell tolerance: central and peripheral. <i>Cold Spring Harbor Perspectives in Biology</i> , <b>2012</b> , 4,	10.2	241
126	Selection of self-reactive T cells in the thymus. <i>Annual Review of Immunology</i> , <b>2012</b> , 30, 95-114	34.7	232
125	Sweet RRsour: the impact of differential glycosylation on T cell responses. <i>Nature Immunology</i> , <b>2002</b> , 3, 903-10	19.1	220
124	Behavioral, virologic, and immunologic factors associated with acquisition and severity of primary Epstein-Barr virus infection in university students. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 207, 80-8	7	204

123	Thymic emigration revisited. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 2513-20	16.6	199
122	Specificity and flexibility in thymic selection. <i>Nature</i> , <b>1994</b> , 369, 750-2	50.4	197
121	T cells expressing the transcription factor PLZF regulate the development of memory-like CD8+ T cells. <i>Nature Immunology</i> , <b>2010</b> , 11, 709-16	19.1	192
120	Qualitative and quantitative differences in T cell receptor binding of agonist and antagonist ligands. <i>Immunity</i> , <b>1999</b> , 10, 227-37	32.3	189
119	Costimulation via the tumor-necrosis factor receptor superfamily couples TCR signal strength to the thymic differentiation of regulatory T cells. <i>Nature Immunology</i> , <b>2014</b> , 15, 473-81	19.1	178
118	Preselection thymocytes are more sensitive to T cell receptor stimulation than mature T cells. <i>Journal of Experimental Medicine</i> , <b>1998</b> , 188, 1867-74	16.6	174
117	The self-obsession of T cells: how TCR signaling thresholds affect fate decisions and effector function. <i>Nature Immunology</i> , <b>2014</b> , 15, 815-23	19.1	171
116	Tissue-Specific Distribution of iNKT Cells Impacts Their Cytokine Response. <i>Immunity</i> , <b>2015</b> , 43, 566-78	32.3	167
115	KLF2 transcription-factor deficiency in T cells results in unrestrained cytokine production and upregulation of bystander chemokine receptors. <i>Immunity</i> , <b>2009</b> , 31, 122-30	32.3	157
114	Identification of a naturally occurring ligand for thymic positive selection. <i>Immunity</i> , <b>1997</b> , 6, 389-99	32.3	156
113	CD8 binding to MHC class I molecules is influenced by T cell maturation and glycosylation. <i>Immunity</i> , <b>2001</b> , 15, 1051-61	32.3	152
112	Strong agonist ligands for the T cell receptor do not mediate positive selection of functional CD8+ T cells. <i>Immunity</i> , <b>1995</b> , 3, 79-86	32.3	145
111	The TCR $\beta$ sensitivity to self peptide-MHC dictates the ability of naive CD8(+) T cells to respond to foreign antigens. <i>Nature Immunology</i> , <b>2015</b> , 16, 107-17	19.1	136
110	Clonal deletion of thymocytes can occur in the cortex with no involvement of the medulla. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 2575-84	16.6	136
109	The timing of TCR alpha expression critically influences T cell development and selection. <i>Journal of Experimental Medicine</i> , <b>2005</b> , 202, 111-21	16.6	130
108	The purinergic receptor P2RX7 directs metabolic fitness of long-lived memory CD8 T cells. <i>Nature</i> , <b>2018</b> , 559, 264-268	50.4	128
107	Cutting edge: NKG2C(hi)CD57+ NK cells respond specifically to acute infection with cytomegalovirus and not Epstein-Barr virus. <i>Journal of Immunology</i> , <b>2014</b> , 192, 4492-6	5.3	127
106	CD4(+) T cell energy prevents autoimmunity and generates regulatory T cell precursors. <i>Nature Immunology</i> , <b>2016</b> , 17, 304-14	19.1	121

105	Receptor editing in developing T cells. <i>Nature Immunology</i> , <b>2000</b> , 1, 336-41	19.1	121
104	Tolerance is established in polyclonal CD4(+) T cells by distinct mechanisms, according to self-peptide expression patterns. <i>Nature Immunology</i> , <b>2016</b> , 17, 187-95	19.1	120
103	Murine thymic selection quantified using a unique method to capture deleted T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 4679-84	11.5	120
102	Thymic emigration: when and how T cells leave home. <i>Journal of Immunology</i> , <b>2008</b> , 181, 2265-70	5.3	117
101	Thymic tuft cells promote an IL-4-enriched medulla and shape thymocyte development. <i>Nature</i> , <b>2018</b> , 559, 627-631	50.4	111
100	Signal strength in thymic selection and lineage commitment. <i>Current Opinion in Immunology</i> , <b>2001</b> , 13, 225-31	7.8	111
99	Langerhans cells activate naive self-antigen-specific CD8 T cells in the steady state. <i>Immunity</i> , <b>2004</b> , 21, 391-400	32.3	110
98	Infectious mononucleosis. <i>Clinical and Translational Immunology</i> , <b>2015</b> , 4, e33	6.8	108
97	Basal immunoglobulin signaling actively maintains developmental stage in immature B cells. <i>PLoS Biology</i> , <b>2005</b> , 3, e82	9.7	107
96	The transcription factor KLF2 restrains CD4+ T follicular helper cell differentiation. <i>Immunity</i> , <b>2015</b> , 42, 252-264	32.3	105
95	Alternative memory in the CD8 T cell lineage. <i>Trends in Immunology</i> , <b>2011</b> , 32, 50-6	14.4	105
94	Infectious Mononucleosis. <i>Current Topics in Microbiology and Immunology</i> , <b>2015</b> , 390, 211-40	3.3	104
93	A requirement for sustained ERK signaling during thymocyte positive selection in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 13574-9	11.5	102
92	Langerin expressing cells promote skin immune responses under defined conditions. <i>Journal of Immunology</i> , <b>2008</b> , 180, 4722-7	5.3	98
91	Late stages of T cell maturation in the thymus involve NF- $\kappa$ B and tonic type I interferon signaling. <i>Nature Immunology</i> , <b>2016</b> , 17, 565-73	19.1	95
90	Acute ablation of Langerhans cells enhances skin immune responses. <i>Journal of Immunology</i> , <b>2010</b> , 185, 4724-8	5.3	93
89	Virtual memory CD8 T cells display unique functional properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 13498-503	11.5	87
88	Rare, structurally homologous self-peptides promote thymocyte positive selection. <i>Immunity</i> , <b>2002</b> , 17, 131-42	32.3	81

87	Innate memory T cells. <i>Advances in Immunology</i> , <b>2015</b> , 126, 173-213	5.6	75
86	The fourth way? Harnessing aggressive tendencies in the thymus. <i>Journal of Immunology</i> , <b>2004</b> , 173, 6515-20	5.3	75
85	Lineage-Specific Effector Signatures of Invariant NKT Cells Are Shared amongst $\alpha$ , Innate Lymphoid, and Th Cells. <i>Journal of Immunology</i> , <b>2016</b> , 197, 1460-70	5.3	75
84	Antigen-dependent versus -independent activation of invariant NKT cells during infection. <i>Journal of Immunology</i> , <b>2014</b> , 192, 5490-8	5.3	70
83	Thymoproteasome subunit- $\beta$ T generates peptide-MHC complexes specialized for positive selection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 6979-84	11.5	70
82	The Incubation Period of Primary Epstein-Barr Virus Infection: Viral Dynamics and Immunologic Events. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1005286	7.6	70
81	Kr $\mu$ pel-like factor 2 (KLF2) regulates B-cell reactivity, subset differentiation, and trafficking molecule expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 716-21	11.5	67
80	Distinct temporal patterns of T cell receptor signaling during positive versus negative selection in situ. <i>Science Signaling</i> , <b>2013</b> , 6, ra92	8.8	65
79	Antigen receptor selection by editing or downregulation of V(D)J recombination. <i>Current Opinion in Immunology</i> , <b>2003</b> , 15, 182-9	7.8	65
78	CD8 lineage commitment in the absence of CD8. <i>Immunity</i> , <b>1997</b> , 6, 633-42	32.3	64
77	VISTA is a checkpoint regulator for naive T cell quiescence and peripheral tolerance. <i>Science</i> , <b>2020</b> , 367,	33.3	63
76	Transcriptional analysis of clonal deletion in vivo. <i>Journal of Immunology</i> , <b>2007</b> , 179, 837-44	5.3	61
75	CD8 $\alpha$ intraepithelial lymphocytes arise from two main thymic precursors. <i>Nature Immunology</i> , <b>2017</b> , 18, 771-779	19.1	58
74	T-cell receptor affinity in thymic development. <i>Immunology</i> , <b>2012</b> , 135, 261-7	7.8	55
73	The ligand for positive selection of T lymphocytes in the thymus. <i>Current Opinion in Immunology</i> , <b>1994</b> , 6, 273-8	7.8	51
72	Primary Epstein-Barr virus infection does not erode preexisting CD8 $^{+}$ T cell memory in humans. <i>Journal of Experimental Medicine</i> , <b>2012</b> , 209, 471-8	16.6	50
71	A spontaneous CD8 T cell-dependent autoimmune disease to an antigen expressed under the human keratin 14 promoter. <i>Journal of Immunology</i> , <b>2002</b> , 169, 2141-7	5.3	49
70	The regulated expression of a diverse set of genes during thymocyte positive selection in vivo. <i>Journal of Immunology</i> , <b>2004</b> , 173, 5434-44	5.3	47

69	T Cell Adolescence: Maturation Events Beyond Positive Selection. <i>Journal of Immunology</i> , <b>2015</b> , 195, 1351-7	5.3	45
68	Thymocyte sensitivity and supramolecular activation cluster formation are developmentally regulated: a partial role for sialylation. <i>Journal of Immunology</i> , <b>2003</b> , 171, 4512-20	5.3	45
67	Major histocompatibility complex class I allele-specific peptide libraries: identification of peptides that mimic an H-Y T cell epitope. <i>European Journal of Immunology</i> , <b>1994</b> , 24, 2124-33	6.1	45
66	CCR7 defines a precursor for murine iNKT cells in thymus and periphery. <i>ELife</i> , <b>2018</b> , 7,	8.9	43
65	The lineage stability and suppressive program of regulatory T cells require protein O-GlcNAcylation. <i>Nature Communications</i> , <b>2019</b> , 10, 354	17.4	42
64	Kruppel-like factor 2 is required for trafficking but not quiescence in postactivated T cells. <i>Journal of Immunology</i> , <b>2011</b> , 186, 775-83	5.3	39
63	Kruppel-like factors in lymphocyte biology. <i>Journal of Immunology</i> , <b>2012</b> , 188, 521-6	5.3	38
62	Kruppel-like factor 2 regulates trafficking and homeostasis of gammadelta T cells. <i>Journal of Immunology</i> , <b>2010</b> , 184, 6060-6	5.3	37
61	Epidermal Langerhans cells are not required for UV-induced immunosuppression. <i>Journal of Immunology</i> , <b>2009</b> , 183, 5548-53	5.3	35
60	IL-4 sensitivity shapes the peripheral CD8+ T cell pool and response to infection. <i>Journal of Experimental Medicine</i> , <b>2016</b> , 213, 1319-29	16.6	34
59	Positive selection optimizes the number and function of MHCII-restricted CD4+ T cell clones in the naive polyclonal repertoire. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 11241-5	11.5	34
58	How Lipid-Specific T Cells Become Effectors: The Differentiation of iNKT Subsets. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1450	8.4	33
57	A low affinity TCR ligand restores positive selection of CD8+ T cells in vivo. <i>Journal of Immunology</i> , <b>2001</b> , 166, 6602-7	5.3	33
56	Primary EBV infection induces an expression profile distinct from other viruses but similar to hemophagocytic syndromes. <i>PLoS ONE</i> , <b>2014</b> , 9, e85422	3.7	29
55	Langerhans cells are not required for the CD8 T cell response to epidermal self-antigens. <i>Journal of Immunology</i> , <b>2009</b> , 182, 4657-64	5.3	29
54	TCR affinity and tolerance mechanisms converge to shape T cell diabetogenic potential. <i>Journal of Immunology</i> , <b>2014</b> , 193, 571-9	5.3	26
53	Cholera toxin activates nonconventional adjuvant pathways that induce protective CD8 T-cell responses after epicutaneous vaccination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 2072-7	11.5	26
52	Central tolerance: what have we learned from mice?. <i>Seminars in Immunopathology</i> , <b>2008</b> , 30, 399-409	12	26

51	Directing T cell fate: How thymic antigen presenting cells coordinate thymocyte selection. <i>Seminars in Cell and Developmental Biology</i> , <b>2018</b> , 84, 2-10	7.5	26
50	Isolation, identification, and purification of murine thymic epithelial cells. <i>Journal of Visualized Experiments</i> , <b>2014</b> , e51780	1.6	25
49	CD53, a thymocyte selection marker whose induction requires a lower affinity TCR-MHC interaction than CD69, but is up-regulated with slower kinetics. <i>International Immunology</i> , <b>2002</b> , 14, 249-58	4.9	25
48	ARTC2.2/P2RX7 Signaling during Cell Isolation Distorts Function and Quantification of Tissue-Resident CD8 T Cell and Invariant NKT Subsets. <i>Journal of Immunology</i> , <b>2019</b> , 202, 2153-2163	5.3	25
47	Central tolerance to self-antigen expressed by cortical epithelial cells. <i>Journal of Immunology</i> , <b>2004</b> , 172, 851-6	5.3	24
46	From pre-DP, post-DP, SP4, and SP8 Thymocyte Cell Counts to a Dynamical Model of Cortical and Medullary Selection. <i>Frontiers in Immunology</i> , <b>2014</b> , 5, 19	8.4	22
45	Microbiota-Driven Activation of Intrahepatic B Cells Aggravates NASH Through Innate and Adaptive Signaling. <i>Hepatology</i> , <b>2021</b> , 74, 704-722	11.2	22
44	Measuring Thymic Clonal Deletion at the Population Level. <i>Journal of Immunology</i> , <b>2019</b> , 202, 3226-3233	5.3	21
43	Receptor sensitivity: when T cells lose their sense of self. <i>Current Biology</i> , <b>2003</b> , 13, R239-41	6.3	20
42	Prospective studies of infectious mononucleosis in university students. <i>Clinical and Translational Immunology</i> , <b>2016</b> , 5, e94	6.8	20
41	Postselection thymocyte maturation and emigration are independent of IL-7 and ERK5. <i>Journal of Immunology</i> , <b>2011</b> , 186, 1343-7	5.3	19
40	Impaired Epstein-Barr Virus-Specific Neutralizing Antibody Response during Acute Infectious Mononucleosis Is Coincident with Global B-Cell Dysfunction. <i>Journal of Virology</i> , <b>2015</b> , 89, 9137-41	6.6	18
39	Cytokine-Mediated Loss of Blood Dendritic Cells During Epstein-Barr Virus-Associated Acute Infectious Mononucleosis: Implication for Immune Dysregulation. <i>Journal of Infectious Diseases</i> , <b>2015</b> , 212, 1957-61	7	17
38	Recent advances in iNKT cell development. <i>F1000Research</i> , <b>2020</b> , 9,	3.6	17
37	Myeloid cells activate iNKT cells to produce IL-4 in the thymic medulla. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 22262-22268	11.5	17
36	Assays of thymic selection. Fetal thymus organ culture and in vitro thymocyte dulling assay. <i>Methods in Molecular Biology</i> , <b>2001</b> , 156, 219-32	1.4	15
35	Development of promyelocytic leukemia zinc finger-expressing innate CD4 T cells requires stronger T-cell receptor signals than conventional CD4 T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 16264-9	11.5	14
34	T cell progenitor therapy-facilitated thymopoiesis depends upon thymic input and continued thymic microenvironment interaction. <i>JCI Insight</i> , <b>2017</b> , 2,	9.9	14



33	Cutting Edge: Dual TCR $\alpha$ Expression Poses an Autoimmune Hazard by Limiting Regulatory T Cell Generation. <i>Journal of Immunology</i> , <b>2017</b> , 199, 33-38	5.3	13
32	Thymic emigration: sphingosine-1-phosphate receptor-1-dependent models and beyond. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 925-30	6.1	12
31	Why CD8+ T cells need diversity when growing up. <i>Immunity</i> , <b>2010</b> , 32, 5-6	32.3	12
30	Conditioning of Langerhans cells induced by a primary CD8 T cell response to self-antigen in vivo. <i>Journal of Immunology</i> , <b>2006</b> , 176, 4658-65	5.3	12
29	Positive selection is limited by available peptide-dependent MHC conformations. <i>Journal of Immunology</i> , <b>2000</b> , 164, 3519-26	5.3	12
28	The specificity of positive selection: MHC and peptides. <i>Immunological Reviews</i> , <b>1993</b> , 135, 51-66	11.3	11
27	The central tolerance response to male antigen in normal mice is deletion and not receptor editing. <i>Journal of Immunology</i> , <b>2003</b> , 171, 4048-53	5.3	9
26	Development, ontogeny, and maintenance of TCR $\alpha$ CD8 $\beta$ IEL. <i>Current Opinion in Immunology</i> , <b>2019</b> , 58, 83-88	7.8	8
25	Classical MHC expression by DP thymocytes impairs the selection of non-classical MHC restricted innate-like T cells. <i>Nature Communications</i> , <b>2021</b> , 12, 2308	17.4	6
24	Programmed Death-1 Restrains the Germinal Center in Type 1 Diabetes. <i>Journal of Immunology</i> , <b>2019</b> , 203, 844-852	5.3	5
23	Intestinal CD8 $\beta$ IELs derived from two distinct thymic precursors have staggered ontogeny. <i>Journal of Experimental Medicine</i> , <b>2020</b> , 217,	16.6	5
22	Treg cells meet their limit. <i>Nature Immunology</i> , <b>2009</b> , 10, 565-6	19.1	4
21	Engagement of the costimulatory molecule ICOS in tissues promotes establishment of CD8 tissue-resident memory T $\alpha$ cells.. <i>Immunity</i> , <b>2021</b> ,	32.3	4
20	T cell receptor editing. <i>Immunology Letters</i> , <b>2000</b> , 75, 27-31	4.1	3
19	Spontaneous partial loss of the OT-I transgene. <i>Nature Immunology</i> , <b>2016</b> , 17, 471	19.1	3
18	Epithelial STAT6 O-GlcNAcylation drives a concerted anti-helminth alarmin response dependent on tuft cell hyperplasia and Gasdermin C.. <i>Immunity</i> , <b>2022</b> ,	32.3	3
17	OKT3 and H57-597: From Discovery, to Commercialization, to the Clinic. <i>Journal of Immunology</i> , <b>2016</b> , 197, 3429-3430	5.3	2
16	Intravenous Labeling and Analysis of the Content of Thymic Perivascular Spaces. <i>Bio-protocol</i> , <b>2018</b> , 8,	0.9	2



15	Ultrasound Guided Intra-thymic Injection to Track Recent Thymic Emigrants and Investigate T Cell Development. <i>Bio-protocol</i> , <b>2018</b> , 8,	0.9	2
14	Wait, Wait IDK Now Go In: iNKT Cells Resolve Liver Inflammation. <i>Immunity</i> , <b>2017</b> , 47, 609-610	32.3	1
13	Tec kinases in T cell development: a clue behind the mask?. <i>Immunity</i> , <b>2006</b> , 25, 9-11	32.3	1
12	Type 2 cytokines in the thymus activate Sirp <sup>hi</sup> dendritic cells to promote clonal deletion. <i>Nature Immunology</i> ,	19.1	1
11	MHC Class I on murine hematopoietic APC selects Type A IEL precursors in the thymus. <i>European Journal of Immunology</i> , <b>2021</b> , 51, 1080-1088	6.1	0
10	Mouse Models of Negative Selection <b>2007</b> , 207-221		
9	Lymphocyte development. <i>Current Opinion in Immunology</i> , <b>2006</b> , 18, 113-115	7.8	
8	Regulation of KLF2 in the Thymus. <i>FASEB Journal</i> , <b>2008</b> , 22, 346-346	0.9	
7	Presentation of skin self antigens by non-hematopoietic cells induces autoimmunity.. <i>FASEB Journal</i> , <b>2008</b> , 22, 463-463	0.9	
6	Options for TCR Interactions: TCR Agonists, Antagonists and Partial Agonists <b>1996</b> , 181-190		
5	Epstein-Barr Virus and Cytomegalovirus563-577		
4	Roles of Krüppel-like Factors in Lymphocytes <b>2009</b> , 95-106		
3	Characterization of Nur77+ Cells in Murine Peripheral Blood.. <i>Blood</i> , <b>2009</b> , 114, 1361-1361	2.2	
2	Patrolling Murine Monocytes Are Defined by Their Expression of the Orphan Nuclear Receptor, Nur77 (nr4a1). <i>Blood</i> , <b>2010</b> , 116, 4723-4723	2.2	
1	For T Cells, the Child Is Father of the Man. <i>Cell</i> , <b>2018</b> , 174, 16-18	56.2	