

Antonio Lasalvia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2377109/antonio-lasalvia-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

3,509
citations

32
h-index

54
g-index

161
ext. papers

4,371
ext. citations

5.2
avg. IF

5.06
L-index

#	Paper	IF	Citations
142	Global pattern of experienced and anticipated discrimination reported by people with major depressive disorder: a cross-sectional survey. <i>Lancet, The</i> , 2013 , 381, 55-62	4.0	258
141	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
140	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. <i>JAMA Psychiatry</i> , 2018 , 75, 36-46	14.5	154
139	Caregiving in schizophrenia: development, internal consistency and reliability of the Involvement Evaluation Questionnaire--European Version. EPSILON Study 4. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s21-7	5.4	134
138	Influence of perceived organisational factors on job burnout: survey of community mental health staff. <i>British Journal of Psychiatry</i> , 2009 , 195, 537-44	5.4	113
137	Reliability of the Camberwell Assessment of Need--European Version. EPSILON Study 6. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s34-40	5.4	107
136	The perception of needs for care in staff and patients in community-based mental health services. The South-Verona Outcome Project 3. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 366-75	6.5	95
135	Changes and predictors of change in objective and subjective quality of life: multiwave follow-up study in community psychiatric practice. <i>British Journal of Psychiatry</i> , 2005 , 187, 121-30	5.4	92
134	The state of the art in European research on reducing social exclusion and stigma related to mental health: a systematic mapping of the literature. <i>European Psychiatry</i> , 2014 , 29, 381-9	6	91
133	Listening to patients' needs to improve their subjective quality of life. <i>Psychological Medicine</i> , 2005 , 35, 1655-65	6.9	86
132	Feasibility and Effectiveness of a Multi-Element Psychosocial Intervention for First-Episode Psychosis: Results From the Cluster-Randomized Controlled GET UP PIANO Trial in a Catchment Area of 10 Million Inhabitants. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1192-203	1.3	78
131	Subjective quality of life: its relationship with clinician-rated and patient-rated psychopathology. The South-Verona Outcome Project 6. <i>Psychotherapy and Psychosomatics</i> , 2002 , 71, 275-84	9.4	77
130	Development, internal consistency and reliability of the Verona Service Satisfaction Scale--European Version. EPSILON Study 7. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s41-8	5.4	77
129	Severe and persistent mental illness: a useful definition for prioritizing community-based mental health service interventions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 457-63	4.5	76
128	Satisfaction with mental health services among people with schizophrenia in five European sites: results from the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 229-45	1.3	74
127	People with schizophrenia in five countries: conceptual similarities and intercultural differences in family caregiving. <i>Schizophrenia Bulletin</i> , 2003 , 29, 573-86	1.3	66
126	Levels of burn-out among healthcare workers during the COVID-19 pandemic and their associated factors: a cross-sectional study in a tertiary hospital of a highly burdened area of north-east Italy. <i>BMJ Open</i> , 2021 , 11, e045127	3	61

125	Should the label "schizophrenia" be abandoned?. <i>Schizophrenia Research</i> , 2015 , 162, 276-84	3.6	60
124	Predictors of changes in caregiving burden in people with schizophrenia: a 3-year follow-up study in a community mental health service. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 66-76	6.5	60
123	Psychological impact of COVID-19 pandemic on healthcare workers in a highly burdened area of north-east Italy. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 30, e1	5.1	56
122	The impact of cannabis use on age of onset and clinical characteristics in first-episode psychotic patients. Data from the Psychosis Incident Cohort Outcome Study (PICOS). <i>Journal of Psychiatric Research</i> , 2013 , 47, 438-44	5.2	54
121	Applications and usefulness of routine measurement of patients' satisfaction with community-based mental health care. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 53-65	6.5	46
120	Association study of dysbindin gene with clinical and outcome measures in a representative cohort of Italian schizophrenic patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 647-59	3.5	43
119	Evaluating a community-based mental health service focusing on severe mental illness. The Verona experience. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 90-4	6.5	42
118	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2019 , 49, 1378-1391	6.9	42
117	Hippocampal Subfield Volumes in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 552-559	1.3	41
116	First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , 2014 , 205, 127-34	5.4	40
115	Does staff-patient agreement on needs for care predict a better mental health outcome? A 4-year follow-up in a community service. <i>Psychological Medicine</i> , 2008 , 38, 123-33	6.9	38
114	Classification of first-episode psychosis in a large cohort of patients using support vector machine and multiple kernel learning techniques. <i>NeuroImage</i> , 2017 , 145, 238-245	7.9	36
113	Prevention and early intervention in youth mental health: is it time for a multidisciplinary and trans-diagnostic model for care?. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 23	3.6	36
112	The influence of gender on clinical and social characteristics of patients at psychosis onset: A report from the Psychosis Incident Cohort Outcome Study (PICOS). <i>Psychological Medicine</i> , 2012 , 42, 769-80	6.9	35
111	Heterogeneity of outcomes in schizophrenia. 3-year follow-up of treated prevalent cases. <i>British Journal of Psychiatry</i> , 2004 , 184, 48-57	5.4	34
110	Discrimination in the workplace, reported by people with major depressive disorder: a cross-sectional study in 35 countries. <i>BMJ Open</i> , 2016 , 6, e009961	3	32
109	Assessing the outcome of community-based psychiatric care: building a feedback loop from 'real world' health services research into clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 6-15	6.5	31
108	Effect of COMT genotype on aggressive behaviour in a community cohort of schizophrenic patients. <i>Neuroscience Letters</i> , 2011 , 495, 17-21	3.3	29

107	Multiple perspectives on mental health outcome: needs for care and service satisfaction assessed by staff, patients and family members. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1035-45	4.5	28
106	The role of experienced and anticipated discrimination in the lives of people with first-episode psychosis. <i>Psychiatric Services</i> , 2014 , 65, 1034-40	3.3	27
105	Outcome of patients dropping out from community-based mental health care: a 6-year multiwave follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 42-52	6.5	27
104	Predictors of length of stay in psychiatric inpatient units: Does their effect vary across countries?. <i>European Psychiatry</i> , 2018 , 48, 6-12	6	26
103	Immune and metabolic alterations in first episode psychosis (FEP) patients. <i>Brain, Behavior, and Immunity</i> , 2018 , 70, 315-324	16.6	22
102	Psychosis Incident Cohort Outcome Study (PICOS). A multisite study of clinical, social and biological characteristics, patterns of care and predictors of outcome in first-episode psychosis. Background, methodology and overview of the patient sample. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 281-303	5.1	22
101	Is neuregulin 1 involved in determining cerebral volumes in schizophrenia? Preliminary results showing a decrease in superior temporal gyrus volume. <i>Neuropsychobiology</i> , 2012 , 65, 119-25	4	22
100	Predictors of changes in needs for care in patients receiving community psychiatric treatment: a 4-year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 31-41	6.5	22
99	Classification of first-episode psychosis: a multi-modal multi-feature approach integrating structural and diffusion imaging. <i>Journal of Neural Transmission</i> , 2015 , 122, 897-905	4.3	20
98	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 1536-1548	6.9	20
97	The European Network of National Schizophrenia Networks Studying Gene-Environment Interactions (EU-GEI): Incidence and First-Episode Case-Control Programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 645-657	4.5	20
96	Predictors and moderators of treatment outcome in patients receiving multi-element psychosocial intervention for early psychosis: results from the GET UP pragmatic cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 342-349	5.4	19
95	Influence of childhood trauma on diagnosis and substance use in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017 , 211, 151-156	5.4	19
94	The use of dynamic susceptibility contrast (DSC) MRI to automatically classify patients with first episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 38-44	3.6	18
93	Specialised teams or personal continuity across inpatient and outpatient mental healthcare? Study protocol for a natural experiment. <i>BMJ Open</i> , 2015 , 5, e008996	3	18
92	Cross-national variations in reported discrimination among people treated for major depression worldwide: the ASPEN/INDIGO international study. <i>British Journal of Psychiatry</i> , 2015 , 207, 507-14	5.4	17
91	Should we be concerned about stigma and discrimination in people at risk for psychosis? A systematic review. <i>Psychological Medicine</i> , 2020 , 50, 705-726	6.9	17
90	Self-stigma as a mediator between social capital and empowerment among people with major depressive disorder in Europe: the ASPEN study. <i>European Psychiatry</i> , 2015 , 30, 58-64	6	16

89	A new generation of pragmatic trials of psychosocial interventions is needed. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 111-7	5.1	16
88	Predicting clinical and social outcome of patients attending 'real world' mental health services: a 6-year multi-wave follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 16-30	6.5	16
87	Positive symptoms in first-episode psychosis patients experiencing low maternal care and stressful life events: a pilot study to explore the role of the COMT gene. <i>Stress</i> , 2014 , 17, 410-5	3	15
86	Neurocognitive profile and its association with psychopathology in first-degree relatives of patients with schizophrenia. a case-control study. <i>Psychiatry Research</i> , 2012 , 200, 137-43	9.9	15
85	The contribution of epidemiology to defining the most appropriate approach to genetic research on schizophrenia. <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 81-90		15
84	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. <i>Psychological Medicine</i> , 2021 , 51, 623-633	6.9	15
83	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case-control study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	13
82	In-patient treatment in functional and sectorised care: patient satisfaction and length of stay. <i>British Journal of Psychiatry</i> , 2018 , 212, 81-87	5.4	13
81	Social capital and reported discrimination among people with depression in 15 European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1589-98	4.5	13
80	Nature and impact of European anti-stigma depression programmes. <i>Health Promotion International</i> , 2014 , 29, 403-13	3	13
79	Occupational stress and job burnout in mental health. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 279-85	5.1	13
78	Dimensional structure of first episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 1431-1438	3.3	13
77	Heterogeneity of the Departments of Mental Health in the Veneto Region ten years after the National Plan 1994-96 for Mental Health. Which implication for clinical practice? Findings from the PICOS Project. <i>Epidemiologia E Psichiatria Sociale</i> , 2007 , 16, 59-70		12
76	Healthcare system performance in continuity of care for patients with severe mental illness: A comparison of five European countries. <i>Health Policy</i> , 2020 , 124, 25-36	3.2	12
75	Increased gyrification in schizophrenia and non affective first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 269-275	3.6	10
74	Successful Use of Single Doses of Granulocyte-Colony Stimulating Factor (G-CSF) in the Treatment of Late-Onset Agranulocytosis Associated With Clozapine in a Patient With Treatment-Resistant Schizophrenia: A Case Report. <i>Journal of Clinical Psychopharmacology</i> , 2016 , 36, 173-4	1.7	10
73	What is in a name? Renaming schizophrenia as a starting point for moving ahead with its re-conceptualization. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 285-7	5.1	10
72	Implications of long-term conditions for both mental and physical health: comparison of rheumatoid arthritis and schizophrenia. <i>Quality of Life Research</i> , 2009 , 18, 699-707	3.7	10

71	Childhood trauma and glucose metabolism in patients with first-episode psychosis. <i>Psychoneuroendocrinology</i> , 2020 , 113, 104536	5	10
70	The same or different psychiatrists for in- and out-patient treatment? A multi-country natural experiment. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 29, e10	5.1	10
69	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
68	Family Burden, Emotional Distress and Service Satisfaction in First Episode Psychosis. Data from the GET UP Trial. <i>Frontiers in Psychology</i> , 2017 , 8, 721	3.4	9
67	Correlations between immune and metabolic serum markers and schizophrenia/bipolar disorder polygenic risk score in first-episode psychosis. <i>Microbial Biotechnology</i> , 2020 , 14, 507-511	3.3	9
66	The impact of gender and childhood abuse on age of psychosis onset, psychopathology and needs for care in psychosis patients. <i>Schizophrenia Research</i> , 2019 , 210, 164-171	3.6	9
65	Current evidence of childhood traumatic experiences in psychosis - focus on gender differences. <i>Psychiatry Research</i> , 2019 , 281, 112507	9.9	8
64	Acute in-patient care in modern, community-based mental health services. Where and how?. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 275-281	5.1	8
63	Can the role of genetic factors in schizophrenia be enlightened by studies of candidate gene mutant mice behaviour?. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 778-97	3.8	8
62	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	7
61	Depression prevention and mental health promotion interventions: is stigma taken into account? An overview of the Italian initiatives. <i>Epidemiology and Psychiatric Sciences</i> , 2013 , 22, 363-74	5.1	7
60	Fighting discrimination and stigma against people with mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 1-9		7
59	The acceptability of the NICE recommendations for schizophrenia in the Italian Departments of Mental Health. The SIEP-DIRECT's Project on the discrepancy between routine practice and evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 291-304	5.1	7
58	Renaming schizophrenia: benefits, challenges and barriers. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 251-253	5.1	7
57	Renaming schizophrenia? A survey among psychiatrists, mental health service users and family members in Italy. <i>Schizophrenia Research</i> , 2021 , 228, 502-509	3.6	7
56	Non literal language comprehension in a large sample of first episode psychosis patients in adulthood. <i>Psychiatry Research</i> , 2018 , 260, 78-89	9.9	7
55	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021 , 26, 4529-4543	15.1	7
54	Prosody abilities in a large sample of affective and non-affective first episode psychosis patients. <i>Comprehensive Psychiatry</i> , 2018 , 86, 31-38	7.3	6

53	Executive functioning and psychopathological profile in relatives of individuals with deficit v. non-deficit schizophrenia: a pilot study. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 85-97	5.1	6
52	Care across all phases of schizophrenia and initiation of treatment: discrepancy between routine practice and evidence. The SIEP-DIRECT's Project. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 305-318	5.1	6
51	The treatment of acute psychotic episode: discrepancy between routine practice and evidence. The project SIEP-DIRECT's. <i>Epidemiology and Psychiatric Sciences</i> , 2008 , 17, 319-330	5.1	6
50	A longitudinal evaluation of two-year outcome in a community-based mental health service using graphical chain models. The South-Verona Outcome Project 9. <i>International Journal of Methods in Psychiatric Research</i> , 2004 , 13, 10-23	4.3	6
49	The Sustained Psychological Impact of the COVID-19 Pandemic on Health Care Workers One Year after the Outbreak-A Repeated Cross-Sectional Survey in a Tertiary Hospital of North-East Italy.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
48	Migration history and risk of psychosis: results from the multinational EU-GEI study. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	6
47	Classification of Psychoses Based on Immunological Features: A Machine Learning Study in a Large Cohort of First-Episode and Chronic Patients. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1141-1155	1.3	6
46	A standardised tool for assessing needs in forensic psychiatric population: clinical validation of the Italian CANFOR, staff version. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 274-81	5.1	5
45	Perspectives of healthcare providers, service users, and family members about mental illness stigma in primary care settings: A multi-site qualitative study of seven countries in Africa, Asia, and Europe. <i>PLoS ONE</i> , 2021 , 16, e0258729	3.7	5
44	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2021 , 230, 104-107	3.6	5
43	Predictors of 9-month hospitalization in patients with first-episode affective and non-affective psychosis. Results from the GET UP pragmatic cluster randomized controlled trial. <i>Schizophrenia Research</i> , 2017 , 190, 187-188	3.6	4
42	Predictors of Employment for People With Mental Illness: Results of a Multicenter Randomized Trial on the Effectiveness of Placement Budgets for Supported Employment. <i>Frontiers in Psychiatry</i> , 2019 , 10, 518	5	4
41	Childhood trauma and psychotic disorders: evidence, theoretical perspectives, and implication for interventions. <i>Epidemiology and Psychiatric Sciences</i> , 2009 , 18, 277-283	5.1	4
40	Late-Onset Cholestatic Liver Injury During Combination Treatment With Chlorpromazine and Olanzapine: A Case Report. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 175-176	1.7	4
39	Gender and 5-years course of psychosis patients: focus on clinical and social variables. <i>Archives of Women's Mental Health</i> , 2020 , 23, 63-70	5	4
38	Fighting discrimination and stigma against people with mental disorders. <i>Epidemiologia E Psichiatria Sociale</i> , 2008 , 17, 1-9		4
37	Impact of the hospital built environment on treatment satisfaction of psychiatric in-patients. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	3
36	Use of psychiatric hospitals and social integration of patients with psychiatric disorders: a prospective cohort study in five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1425-1438	4.5	3

35	Development and validation of the DISCUS scale: A reliable short measure for assessing experienced discrimination in people with mental health problems on a global level. <i>Schizophrenia Research</i> , 2019 , 212, 213-220	3.6	3
34	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country case-control study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	3
33	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
32	Association between the COMT gene and neurological abnormalities and poorer executive function in psychosis. <i>Psychiatry Research</i> , 2015 , 230, 742-3	9.9	2
31	Words matter: after more than a century Schizophrenia needs rebranding. <i>BJ Psych Advances</i> , 2018 , 24, 33-36	0.8	2
30	An Idiosyncratic, Acute, Systemic, and Life-Threatening Adverse Reaction in a Young Patient Treated With Clozapine: A Case Report. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 387-389	1.7	2
29	Tackling the mental illness stigma in low- and middle-income countries: lessons learned from high-income countries and mistakes to avoid. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 395-8	5.1	2
28	Discrimination reported by people with major depressive disorder—authors' reply. <i>Lancet, The</i> , 2013 , 381, 1181-2	4.0	2
27	Outcomes from Italian community psychiatric services studies. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 501-6	1.8	2
26	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	2
25	Learning with Heterogeneous Data for Longitudinal Studies. <i>Lecture Notes in Computer Science</i> , 2015 , 535-542	0.9	2
24	Dietary habits and physical activity in first-episode psychosis patients treated in community services. Effect on early anthropometric and cardio-metabolic alterations. <i>Schizophrenia Research</i> , 2020 , 216, 374-381	3.6	2
23	Predictors of personal continuity of care of patients with severe mental illness: A comparison across five European countries. <i>European Psychiatry</i> , 2019 , 56, 69-74	6	2
22	The psychological impact of COVID-19 among primary care physicians in the province of Verona, Italy: a cross-sectional study during the first pandemic wave. <i>Family Practice</i> , 2021 ,	1.9	2
21	DSM-5 two years later: facts, myths and some key open issues. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 185-7	5.1	1
20	Altered syntactic abilities in first episode patients: An inner phenomenon characterizing psychosis. <i>European Psychiatry</i> , 2019 , 61, 119-126	6	1
19	Patterns of experienced and anticipated discrimination in patients with Schizophrenia. Italian results from the INDIGO international multisite project. <i>Epidemiology and Psychiatric Sciences</i> , 2010 , 19, 314-325	5.1	1
18	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case-Control Study.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	1

17	"First-episode psychosis: Structural covariance deficits in salience network correlate with symptoms severity". <i>Journal of Psychiatric Research</i> , 2021 , 136, 409-420	5.2	1
16	Classification of first-episode psychosis using cortical thickness: A large multicenter MRI study. <i>European Neuropsychopharmacology</i> , 2021 , 47, 34-47	1.2	1
15	Pathways to care, DUP, and types of interventions over 5 years following psychosis onset: findings from a naturalistic study conducted in routine generalist mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 175-186	4.5	1
14	Comparing discrimination among people with schizophrenia, affective and anxiety disorders. A multilevel study in five European countries. <i>Journal of Affective Disorders</i> , 2021 , 279, 191-202	6.6	1
13	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. <i>Translational Psychiatry</i> , 2021 , 11, 423	8.6	1
12	Insula volumes in first-episode and chronic psychosis: A longitudinal MRI study.. <i>Schizophrenia Research</i> , 2022 , 241, 14-23	3.6	0
11	Behind the screen of voluntary psychiatric hospital admissions: A qualitative exploration of treatment pressures and informal coercion in experiences of patients in Italy, Poland and the United Kingdom. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211003942	8.5	0
10	Duration of Untreated Psychosis in First-Episode Psychosis is not Associated With Common Genetic Variants for Major Psychiatric Conditions: Results From the Multi-Center EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1653-1662	1.3	0
9	Social contacts, friends and satisfaction with friendships in patients with psychotic, mood and neurotic disorders 1 year after hospitalisation: data from five European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 363-373	4.5	0
8	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. <i>Schizophrenia Research</i> , 2021 , 236, 69-79	3.6	0
7	Admission to In-patient Psychiatric Care in the Veneto Region (Italy), Specialisation vs. Personal Continuity of Care Approach. Preliminary Findings from the COFI Study-Italian Sites. <i>European Psychiatry</i> , 2017 , 41, S619-S619	6	
6	Pathways to Care and Patterns of Care in First Episode Psychosis Patients Treated in Community Based-mental Health Services. A 5-Years Follow-up from the PICOS. <i>European Psychiatry</i> , 2017 , 41, S160-S160	6	
5	Neurological soft signs and prepulse inhibition of the startle reflex in psychosis: A pilot study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 276-84	2.4	
4	Implementing evidence-based treatments in routine mental health services	57-77	
3	Do outcomes of psychiatric hospital treatment differ for migrants and non-migrants?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1957-1965	4.5	
2	Measuring discrimination experienced by people with a mental illness: replication of the short-form DISCUS in six world regions.. <i>Psychological Medicine</i> , 2022 , 1-11	6.9	
1	P.0460 Insula longitudinal grey matter modification in first-episode and chronic psychosis: a MRI study. <i>European Neuropsychopharmacology</i> , 2021 , 53, S337-S338	1.2	