

Jianping Lu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2377288/jianping-lu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

10,039
citations

47
h-index

99
g-index

197
ext. papers

10,650
ext. citations

3.8
avg, IF

6.23
L-index

#	Paper	IF	Citations
178	Elastic Properties of Carbon Nanotubes and Nanoropes. <i>Physical Review Letters</i> , 1997 , 79, 1297-1300	7.4	1315
177	Gas molecule adsorption in carbon nanotubes and nanotube bundles. <i>Nanotechnology</i> , 2002 , 13, 195-200	9.4	979
176	Generation of continuous and pulsed diagnostic imaging x-ray radiation using a carbon-nanotube-based field-emission cathode. <i>Applied Physics Letters</i> , 2002 , 81, 355-357	3.4	378
175	Band-gap change of carbon nanotubes: Effect of small uniaxial and torsional strain. <i>Physical Review B</i> , 1999 , 60, 13874-13878	3.3	323
174	First-principles study of Li-intercalated carbon nanotube ropes. <i>Physical Review Letters</i> , 2000 , 85, 1706-97	7.4	271
173	Ground state and phase transitions in solid C60. <i>Physical Review Letters</i> , 1992 , 68, 1551-1554	7.4	261
172	Novel magnetic properties of carbon nanotubes. <i>Physical Review Letters</i> , 1995 , 74, 1123-1126	7.4	260
171	Electronic Properties of Carbon Nanotubes with Covalent Sidewall Functionalization. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 4227-4230	3.4	252
170	Thermal conductivity of an untwinned YBa2Cu3O7- delta single crystal and a new interpretation of the superconducting state thermal transport. <i>Physical Review Letters</i> , 1992 , 69, 1431-1434	7.4	245
169	Noncovalent functionalization of carbon nanotubes by aromatic organic molecules. <i>Applied Physics Letters</i> , 2003 , 82, 3746-3748	3.4	237
168	Comparison of spin dynamics in YBa2Cu3O7- delta and La2-xSrxCuO4: Effects of Fermi-surface geometry. <i>Physical Review B</i> , 1993 , 47, 9055-9076	3.3	211
167	Contact resistance between carbon nanotubes. <i>Physical Review B</i> , 2001 , 63,	3.3	206
166	Magnetism of transition-metal/carbon-nanotube hybrid structures. <i>Physical Review Letters</i> , 2003 , 90, 257203	7.4	195
165	Elastic properties of single and multilayered nanotubes. <i>Journal of Physics and Chemistry of Solids</i> , 1997 , 58, 1649-1652	3.9	191
164	Structural phase transition in carbon nanotube bundles under pressure. <i>Physical Review B</i> , 2000 , 61, 5939-5944	7.4	188
163	Properties of one-dimensional quasilattices. <i>Physical Review B</i> , 1986 , 33, 4809-4817	3.3	188
162	Effects of sidewall functionalization on conducting properties of single wall carbon nanotubes. <i>Nano Letters</i> , 2006 , 6, 916-9	11.5	185

161	Work functions of pristine and alkali-metal intercalated carbon nanotubes and bundles. <i>Physical Review B</i> , 2002 , 65,	3.3	174
160	Atomic Scale Sliding and Rolling of Carbon Nanotubes. <i>Physical Review Letters</i> , 1999 , 83, 5050-5053	7.4	161
159	Vibrational modes of carbon nanotubes and nanoropes. <i>Physical Review B</i> , 1999 , 60, 6535-6540	3.3	141
158	Orientalional disorder and electronic states in C60 and A3C60, where A is an alkali metal. <i>Physical Review Letters</i> , 1992 , 68, 1050-1053	7.4	141
157	Band Gap Tuning of Hydrogenated Graphene: H Coverage and Configuration Dependence. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 3236-3242	3.8	139
156	Stationary scanning x-ray source based on carbon nanotube field emitters. <i>Applied Physics Letters</i> , 2005 , 86, 184104	3.4	136
155	Carbon nanotube based microfocus field emission x-ray source for microcomputed tomography. <i>Applied Physics Letters</i> , 2006 , 89, 103111	3.4	112
154	Evidence for dx ₂ -y ₂ pairing from nuclear-magnetic-resonance experiments in the superconducting state of YBa ₂ Cu ₃ O ₇ . <i>Physical Review B</i> , 1993 , 47, 9151-9154	3.3	107
153	Electron field emission properties of closed carbon nanotubes. <i>Physical Review Letters</i> , 2003 , 91, 23680	7.4	104
152	Metal-insulator transitions in degenerate Hubbard models and AxC ₆₀ . <i>Physical Review B</i> , 1994 , 49, 5687-5690	3.3	104
151	Binding energies and electronic structures of adsorbed titanium chains on carbon nanotubes. <i>Physical Review B</i> , 2002 , 66,	3.3	100
150	Shape of large single- and multiple-shell fullerenes. <i>Physical Review B</i> , 1994 , 49, 11421-11424	3.3	98
149	High resolution stationary digital breast tomosynthesis using distributed carbon nanotube x-ray source array. <i>Medical Physics</i> , 2012 , 39, 2090-9	4.4	93
148	A dynamic micro-CT scanner based on a carbon nanotube field emission x-ray source. <i>Physics in Medicine and Biology</i> , 2009 , 54, 2323-40	3.8	90
147	Lattice-Oriented Growth of Single-Walled Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 6505-6508	3.4	88
146	Complete Spin Polarization for a Carbon Nanotube with an Adsorbed Atomic Transition-Metal Chain. <i>Nano Letters</i> , 2004 , 4, 561-563	11.5	73
145	Gas adsorption in single-walled carbon nanotubes studied by NMR. <i>Physical Review B</i> , 2003 , 68,	3.3	71
144	Neutron scattering as a probe for unconventional superconducting states. <i>Physical Review Letters</i> , 1992 , 68, 125-128	7.4	68

- 143 Ground-state structural and dynamical properties of solid C60 from an empirical intermolecular potential. *Physical Review B*, **1992**, 46, 4301-4303 3.3 68
- 142 Quantum transport properties of ultrathin silver nanowires. *Nanotechnology*, **2003**, 14, 501-504 3.4 67
- 141 Engineering the electronic structure of single-walled carbon nanotubes by chemical functionalization. *ChemPhysChem*, **2005**, 6, 598-601 3.2 67
- 140 NMR relaxation and neutron scattering in a Fermi-liquid picture of the metallic copper oxides. *Physical Review Letters*, **1990**, 65, 2466-2469 7.4 66
- 139 Dynamic radiography using a carbon-nanotube-based field-emission x-ray source. *Review of Scientific Instruments*, **2004**, 75, 3264-3267 1.7 63
- 138 Design and characterization of a spatially distributed multibeam field emission x-ray source for stationary digital breast tomosynthesis. *Medical Physics*, **2009**, 36, 4389-99 4.4 61
- 137 Structural properties and vibrational modes of Si34 and Si46 clathrates. *Physical Review B*, **1997**, 56, 13898-13908 3.5 61
- 136 Distinct properties of single-wall carbon nanotubes with monovalent sidewall additions. *Nanotechnology*, **2005**, 16, 635-638 3.4 57
- 135 Superelasticity of Carbon Nanocoils from Atomistic Quantum Simulations. *Nanoscale Research Letters*, **2010**, 5, 478-483 5 51
- 134 A nanotube-based field emission x-ray source for microcomputed tomography. *Review of Scientific Instruments*, **2005**, 76, 094301 1.7 50
- 133 Density-functional calculations of the structure and stability of C240. *Physical Review B*, **1994**, 49, 8526-8538 3.5 50
- 132 Pressure-induced metallization in solid boron. *Physical Review B*, **2002**, 66, 110101 3.3 43
- 131 Orientational disorder and normal-state electronic-transport properties of A3C60. *Physical Review B*, **1992**, 46, 4367-4370 3.3 43
- 130 First-Principles Study of Water Chains Encapsulated in Single-Walled Carbon Nanotube. *Journal of Physical Chemistry C*, **2009**, 113, 5368-5375 3.8 42
- 129 Multiplexing radiography using a carbon nanotube based x-ray source. *Applied Physics Letters*, **2006**, 89, 064106 3.4 42
- 128 Carbon nanotube electron field emitters for x-ray imaging of human breast cancer. *Nanotechnology*, **2014**, 25, 245704 3.4 41
- 127 True nanocable assemblies with insulating BN nanotube sheaths and conducting Cu nanowire cores. *Journal of Physical Chemistry B*, **2006**, 110, 2529-32 3.4 40
- 126 Development of a carbon nanotube based microfocus x-ray tube with single focusing electrode. *Review of Scientific Instruments*, **2006**, 77, 054302 1.7 39

125	Prospective-gated cardiac micro-CT imaging of free-breathing mice using carbon nanotube field emission x-ray. <i>Medical Physics</i> , 2010 , 37, 5306-12	4.4	38
124	Quantum interference effects in electronic transport through nanotube contacts. <i>Physical Review B</i> , 2003 , 67,	3.3	36
123	Magnetotransport properties of magnetic granular solids: The role of unfilled d bands. <i>Physical Review B</i> , 1993 , 48, 6728-6731	3.3	36
122	Competing order parameters for increased T _c in "polytype" multilayer Cu-O systems. <i>Physical Review B</i> , 1989 , 39, 2238-2244	3.3	35
121	Dependency of image quality on system configuration parameters in a stationary digital breast tomosynthesis system. <i>Medical Physics</i> , 2013 , 40, 031917	4.4	34
120	Electronic structure of a quasiperiodic system. <i>Physical Review B</i> , 1987 , 36, 4471-4474	3.3	34
119	Magnetic interactions in the metallic phase of the copper oxides: A Fermi-liquid description. <i>Physical Review B</i> , 1992 , 45, 4930-4940	3.3	31
118	Pairing instabilities in the two-dimensional Hubbard model. <i>Physical Review B</i> , 1992 , 46, 11163-11166	3.3	29
117	Phenomenological description of the copper oxides as almost localized Fermi liquids. <i>Physical Review B</i> , 1990 , 42, 1033-1036	3.3	27
116	Stationary chest tomosynthesis using a carbon nanotube x-ray source array: a feasibility study. <i>Physics in Medicine and Biology</i> , 2015 , 60, 81-100	3.8	25
115	. <i>IEEE Access</i> , 2014 , 2, 971-981	3.5	22
114	Nanocables made of a transition metal wire and boron nitride sheath: Density functional calculations. <i>Physical Review B</i> , 2006 , 74,	3.3	22
113	An update on carbon nanotube-enabled X-ray sources for biomedical imaging. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2018 , 10, e1475	9.2	21
112	Image reconstruction from limited angle projections collected by multisource interior x-ray imaging systems. <i>Physics in Medicine and Biology</i> , 2011 , 56, 6337-57	3.8	21
111	Stationary digital breast tomosynthesis with distributed field emission X-ray tube. <i>Proceedings of SPIE</i> , 2011 , 7961,	1.7	20
110	Image-guided microbeam irradiation to brain tumour bearing mice using a carbon nanotube x-ray source array. <i>Physics in Medicine and Biology</i> , 2014 , 59, 1283-303	3.8	19
109	Yu, Salamon, and Lu reply. <i>Physical Review Letters</i> , 1993 , 71, 1658	7.4	19
108	Pilot study for compact microbeam radiation therapy using a carbon nanotube field emission micro-CT scanner. <i>Medical Physics</i> , 2014 , 41, 061710	4.4	18

107	Structural and electronic properties of germanium clathrates Ge ₄₆ and K ₈ Ge ₄₆ . <i>Physical Review B</i> , 1999 , 60, 14177-14181	3.3	18
106	Oriental correlations and order in A ₃ C ₆₀ . <i>Applied Physics A: Materials Science and Processing</i> , 1993 , 56, 215-217	2.6	18
105	A nonorthogonal tight-binding total energy model for molecular simulations. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2003 , 319, 523-529	2.3	16
104	Modeling and simulations of carbon nanotubes and their junctions on surfaces. <i>Applied Surface Science</i> , 2003 , 219, 123-128	6.7	16
103	Acoustic-wave propagation in quasiperiodic, incommensurate, and random systems. <i>Physical Review B</i> , 1988 , 38, 8067-8074	3.3	16
102	Fiber-optic detector for real time dosimetry of a micro-planar x-ray beam. <i>Medical Physics</i> , 2015 , 42, 1966-1972	4.2	15
101	Prospective respiratory gated carbon nanotube micro computed tomography. <i>Academic Radiology</i> , 2011 , 18, 588-93	4.3	15
100	Compressive sampling based interior reconstruction for dynamic carbon nanotube micro-CT. <i>Journal of X-Ray Science and Technology</i> , 2009 , 17, 295-303	2.1	15
99	Stationary digital breast tomosynthesis system with a multi-beam field emission x-ray source array 2008 ,		15
98	Magnetic interactions in the metallic phase of the copper oxides. <i>Physica C: Superconductivity and Its Applications</i> , 1989 , 162-164, 1467-1468	1.3	15
97	Percolation and scaling on a quasilattice. <i>Journal of Statistical Physics</i> , 1987 , 46, 1057-1066	1.5	15
96	Treating Brain Tumor with Microbeam Radiation Generated by a Compact Carbon-Nanotube-Based Irradiator: Initial Radiation Efficacy Study. <i>Radiation Research</i> , 2015 , 184, 322-33	3.1	14
95	Mistakes in quasilattices. <i>Physical Review Letters</i> , 1986 , 57, 2706-2709	7.4	14
94	Stationary intraoral digital tomosynthesis using a carbon nanotube X-ray source array. <i>Dentomaxillofacial Radiology</i> , 2015 , 44, 20150098	3.9	13
93	Carbon Nanotube based X-ray Sources: Applications in Pre-Clinical and Medical Imaging. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 648 Supplement 1, S281-S283	1.2	13
92	Second generation stationary digital breast tomosynthesis system with faster scan time and wider angular span. <i>Medical Physics</i> , 2017 , 44, 4482-4495	4.4	12
91	Nanotube x-ray for cancer therapy: a compact microbeam radiation therapy system for brain tumor treatment. <i>Expert Review of Anticancer Therapy</i> , 2014 , 14, 1411-8	3.5	12
90	Torsional electromechanical systems based on carbon nanotubes. <i>Reports on Progress in Physics</i> , 2012 , 75, 116501	14.4	12

89	Statistical iterative reconstruction to improve image quality for digital breast tomosynthesis. <i>Medical Physics</i> , 2015 , 42, 5377-90	4.4	11
88	Physiologically gated microbeam radiation using a field emission x-ray source array. <i>Medical Physics</i> , 2014 , 41, 081705	4.4	11
87	Detection of aortic arch calcification in apolipoprotein E-null mice using carbon nanotube-based micro-CT system. <i>Journal of the American Heart Association</i> , 2013 , 2, e003358	6	11
86	Distributed source x-ray tube technology for tomosynthesis imaging. <i>Proceedings of SPIE</i> , 2010 , 7622, 76225M	1.7	11
85	Stationary chest tomosynthesis using a CNT x-ray source array 2013 ,		10
84	Structural and functional connectivity between the lateral posterior-pulvinar complex and primary visual cortex in the ferret. <i>European Journal of Neuroscience</i> , 2016 , 43, 230-44	3.5	10
83	Characterization and preliminary imaging evaluation of a clinical prototype stationary intraoral tomosynthesis system. <i>Medical Physics</i> , 2018 , 45, 5172-5185	4.4	10
82	Comparison of a stationary digital breast tomosynthesis system to magnified 2D mammography using breast tissue specimens. <i>Academic Radiology</i> , 2014 , 21, 1547-52	4.3	9
81	Design and feasibility studies of a stationary digital breast tomosynthesis system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011 , 648, S220-S223	1.2	9
80	Non-contact respiration monitoring for in-vivo murine micro computed tomography: characterization and imaging applications. <i>Physics in Medicine and Biology</i> , 2012 , 57, 5749-63	3.8	9
79	A multi-beam x-ray imaging system based on carbon nanotube field emitters 2006 , 6142, 10		9
78	Design and characterization of a carbon-nanotube-based micro-focus x-ray tube for small animal imaging 2010 ,		8
77	From fermiology to spin dynamics: Current status of Fermi liquid based approaches to the cuprates. <i>Journal of Physics and Chemistry of Solids</i> , 1991 , 52, 1337-1348	3.9	8
76	Spin polarons in high-Tc copper oxides: Differences between electron- and hole-doped systems. <i>Physical Review B</i> , 1990 , 42, 950-953	3.3	8
75	Neurocognitive sparing of desktop microbeam irradiation. <i>Radiation Oncology</i> , 2017 , 12, 127	4.2	7
74	Quantum conductance of armchair carbon nanocoils: roles of geometry effects. <i>Science China: Physics, Mechanics and Astronomy</i> , 2011 , 54, 841-845	3.6	7
73	Temporal multiplexing radiography for dynamic x-ray imaging. <i>Review of Scientific Instruments</i> , 2009 , 80, 093902	1.7	7
72	Investigation of Sparse Data Mouse Imaging Using Micro-CT with a Carbon-Nanotube-Based X-ray Source. <i>Tsinghua Science and Technology</i> , 2010 , 15, 74-78	3.4	7

71	Electron Field Emission from Carbon Nanotubes: Modeling and Simulations. <i>Molecular Simulation</i> , 2004 , 30, 199-203	2	7
70	Initial clinical evaluation of stationary digital chest tomosynthesis in adult patients with cystic fibrosis. <i>European Radiology</i> , 2019 , 29, 1665-1673	8	7
69	Adapted fan-beam volume reconstruction for stationary digital breast tomosynthesis 2015 ,		6
68	Anode thermal analysis of high power microfocus CNT x-ray tubes for in vivo small animal imaging 2012 ,		6
67	Multi-beam X-ray source breast tomosynthesis reconstruction with different algorithms. <i>Proceedings of SPIE</i> , 2010 , 7622, 76220H	1.7	6
66	GUTZWILLER APPROXIMATION IN DEGENERATE HUBBARD MODELS. <i>International Journal of Modern Physics B</i> , 1996 , 10, 3717-3725	1.1	6
65	Evaluation of carbon nanotube x-ray source array for stationary head computed tomography. <i>Medical Physics</i> , 2021 , 48, 1089-1099	4.4	6
64	The role of stationary intraoral tomosynthesis in reducing proximal overlap in bitewing radiography. <i>Dentomaxillofacial Radiology</i> , 2020 , 49, 20190504	3.9	5
63	Interior tomographic imaging of mouse heart in a carbon nanotube micro-CT. <i>Journal of X-Ray Science and Technology</i> , 2016 , 24, 549-63	2.1	5
62	Tomosynthesis reconstruction from multi-beam X-ray sources		5
61	Calculations of electronic structure of Ge ₄₄ Mn ₂ Ba ₈ and Ge ₄₂ Mn ₄ Ba ₈ clathrates. <i>Physical Review B</i> , 2004 , 70,	3.3	5
60	Effect of residual catalyst on the vibrational modes of single-walled carbon nanotubes. <i>Journal of Applied Physics</i> , 2004 , 96, 5158-5162	2.5	5
59	Magnetic interactions in the metallic phase of the copper oxides. <i>Physica C: Superconductivity and Its Applications</i> , 1991 , 172, 481-485	1.3	5
58	Competition between magnetic and Fermi liquid phases in the copper oxides. <i>Physica C: Superconductivity and Its Applications</i> , 1989 , 162-164, 1465-1466	1.3	5
57	Rectangular computed tomography using a stationary array of CNT emitters: initial experimental results 2013 ,		4
56	Breast tomosynthesis reconstruction with a multi-beam x-ray source 2009 ,		4
55	Phase diagram of the t-J model: A semiclassical calculation. <i>Physical Review B</i> , 1991 , 43, 3540-3548	3.3	4
54	Evaluation of back projection methods for breast tomosynthesis image reconstruction. <i>Journal of Digital Imaging</i> , 2015 , 28, 338-45	5.3	3

53	Ray-tracing-based reconstruction algorithms for digital breast tomosynthesis. <i>Journal of Electronic Imaging</i> , 2015 , 24, 023028	0.7	3
52	Band gap tuning in HgTe through uniaxial strains. <i>Solid State Communications</i> , 2013 , 166, 1-5	1.6	3
51	Evaluation of imaging geometry for stationary chest tomosynthesis 2014 ,		3
50	Breast tomosynthesis imaging configuration optimization based on computer simulation. <i>Journal of Electronic Imaging</i> , 2014 , 23, 013017	0.7	3
49	Demonstration of a scatter correction technique in digital breast tomosynthesis 2013 ,		3
48	Respiratory-gated micro-CT using a carbon nanotube based micro-focus field emission x-ray source 2008 ,		3
47	Nonlinear dynamical properties of a somatosensory cortical model. <i>Information Sciences</i> , 2001 , 132, 53-66	6.7	3
46	Pairing of spinless fermions in two dimensions. <i>Physical Review B</i> , 1991 , 44, 5263-5268	3.3	3
45	Microscopic model for high-Tc oxide superconductors. <i>Physical Review B</i> , 1989 , 40, 7372-7375	3.3	3
44	Stationary digital intraoral tomosynthesis: demonstrating the clinical potential of the first-generation system 2018 ,		3
43	Delayed contrast enhancement imaging of a murine model for ischemia reperfusion with carbon nanotube micro-CT. <i>PLoS ONE</i> , 2015 , 10, e0115607	3.7	3
42	Plasmon-gating photoluminescence in graphene/GeSi quantum dots hybrid structures. <i>Scientific Reports</i> , 2015 , 5, 17688	4.9	3
41	Contrast enhanced imaging with a stationary digital breast tomosynthesis system 2017 ,		2
40	Estimating scatter from sparsely measured primary signal. <i>Journal of Medical Imaging</i> , 2017 , 4, 013508	2.6	2
39	Initial clinical evaluation of stationary digital chest tomosynthesis 2016 ,		2
38	Increased microcalcification visibility in lumpectomy specimens using a stationary digital breast tomosynthesis system 2014 ,		2
37	Physiologically gated micro-beam radiation therapy using electronically controlled field emission x-ray source array. <i>Proceedings of SPIE</i> , 2013 , 8671,	1.7	2
36	Initial clinical evaluation of stationary digital breast tomosynthesis 2015 ,		2

35	Optimizing configuration parameters of a stationary digital breast tomosynthesis system based on carbon nanotube x-ray sources 2012 ,		2
34	X-ray fluorescence molecular imaging with high sensitivity: feasibility study in phantoms 2012 ,		2
33	Multiplexing radiography based on carbon nanotube field emission X-ray technology 2007 ,		2
32	Generating synthetic mammograms for stationary 3D mammography 2019 ,		2
31	Stationary intraoral tomosynthesis for dental imaging 2017 ,		1
30	Implementation of interior micro-CT on a carbon nanotube dynamic micro-CT scanner for lower radiation dose 2015 ,		1
29	Visualizing microcalcifications in lumpectomy specimens: an exploration into the clinical potential of carbon nanotube-enabled digital breast tomosynthesis. <i>Biomedical Physics and Engineering Express</i> , 2019 , 5,	1.5	1
28	The structural and electronic properties of amorphous HgCdTe from first-principles calculations. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 025304	3	1
27	Low dose scatter correction for digital chest tomosynthesis 2015 ,		1
26	Prospective gated chest tomosynthesis using CNT X-ray source array 2015 ,		1
25	Pre-computed backprojection based penalized-likelihood (PPL) reconstruction with an edge-preserved regularizer for stationary Digital Breast Tomosynthesis 2014 ,		1
24	An application of pre-computed backprojection based penalized-likelihood (PPL) image reconstruction on stationary digital breast tomosynthesis 2013 ,		1
23	A stationary digital breast tomosynthesis scanner 2012 ,		1
22	Hadamard multiplexing radiography based on carbon nanotube field emission multi-pixel x-ray technology 2008 ,		1
21	2006 ,		1
20	Effects of orientational disorder on the electronic structure and transport in AxCTO. <i>Physical Review B</i> , 1995 , 51, 16615-16618	3.3	1
19	Phantom-based study exploring the effects of different scatter correction approaches on the reconstructed images generated by contrast-enhanced stationary digital breast tomosynthesis. <i>Journal of Medical Imaging</i> , 2018 , 5, 013502	2.6	1
18	Simulation on system configuration for stationary head CT using linear carbon nanotube x-ray source arrays. <i>Journal of Medical Imaging</i> , 2021 , 8, 052114	2.6	1

17	Simulation on system configuration for stationary head CT using linear carbon nanotube x-ray source arrays. <i>Journal of Medical Imaging</i> , 2021 , 8, 052114	2.6	1
16	Comparative evaluation of tomosynthesis, computed tomography, and magnetic resonance imaging findings for metacarpophalangeal joints from equine cadavers. <i>American Journal of Veterinary Research</i> , 2021 , 82, 872-879	1.1	1
15	Carbon Nanotube Field-Emission X-Ray-Based Micro-computed Tomography for Biomedical Imaging. <i>Springer Series in Biomaterials Science and Engineering</i> , 2016 , 201-225	0.6	1
14	Feasibility of dual-energy CBCT by spectral filtration of a dual-focus CNT x-ray source.. <i>PLoS ONE</i> , 2022 , 17, e0262713	3.7	0
13	Point-of-Care Tomosynthesis Imaging of the Wrist. <i>Military Medicine</i> , 2021 , 186, 745-750	1.3	0
12	Initial Clinical Experience with Stationary Digital Breast Tomosynthesis. <i>Academic Radiology</i> , 2019 , 26, 1363-1372	4.3	
11	Ab initio investigation of the structural and electronic properties of amorphous HgTe. <i>Journal of Physics Condensed Matter</i> , 2014 , 26, 045503	1.8	
10	Carbon Nanotube X-Ray for Dynamic Micro-CT Imaging of Small Animal Models 2011 , 139-158		
9	Metallic copper oxide as an almost localized fermi liquid. <i>Physica B: Condensed Matter</i> , 1990 , 163, 275-277.8		
8	TU-F-BRF-09: Feasibility Study of Spatial and Temporal Fractionation Using a Table-Top Image-Guided MRT System. <i>Medical Physics</i> , 2014 , 41, 472-472	4.4	
7	WE-G-BRE-01: A High Power Nanotube X-Ray Microbeam Irradiator for Preclinical Brain Tumor Treatment. <i>Medical Physics</i> , 2014 , 41, 517-517	4.4	
6	TU-E-217BCD-11: Evaluating the Performance of a Stationary Digital Breast Tomosynthesis System. <i>Medical Physics</i> , 2012 , 39, 3916	4.4	
5	SU-D-217A-01: A High-Resolution in Vivo Molecular Imaging Technique Based on X- Ray Fluorescence. <i>Medical Physics</i> , 2012 , 39, 3620	4.4	
4	WE-C-217BCD-03: Restricted Data Set Reconstruction Based on Respiration Quality to Improve Prospectively Gated in Vivo Micro-CT of Mice. <i>Medical Physics</i> , 2012 , 39, 3949-3950	4.4	
3	SU-F-500-10: Targeted Delivery of Microbeam Irradiation and Initial Mouse Brain Tumor Model Studies Using a Table Top MRT System. <i>Medical Physics</i> , 2013 , 40, 384-385	4.4	
2	Applying synthetic radiography to intraoral tomosynthesis: a step towards achieving 3D imaging in the dental clinic. <i>Dentomaxillofacial Radiology</i> , 2021 , 50, 20200159	3.9	
1	Feasibility of a prototype carbon nanotube enabled stationary digital chest tomosynthesis system for identification of pulmonary nodules by pulmonologists.. <i>Journal of Thoracic Disease</i> , 2022 , 14, 257-268	2.6	