

Pim C Cuijpers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/237736/pim-c-cuijpers-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

908
papers

59,039
citations

127
h-index

211
g-index

976
ext. papers

73,396
ext. citations

5.8
avg, IF

8.26
L-index

#	Paper	IF	Citations
908	Linking the RCADS-25 to the PROMIS pediatric item banks Anxiety and Depressive Symptoms in a general Dutch population sample.. <i>Quality of Life Research</i> , 2022 , 1	3.7	
907	One in five, not one in 17, youth patients deteriorate during psychotherapy for depression.. <i>European Child and Adolescent Psychiatry</i> , 2022 , 1	5.5	
906	Effectiveness of a WHO self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial.. <i>World Psychiatry</i> , 2022 , 21, 88-95	14.4	8
905	Depressieve stoornis bij Belgische eerstejaarsstudenten. <i>JGZ Tijdschrift Voor Jeugdgezondheidszorg</i> , 2022 , 54, 9-15	0.1	0
904	Feasibility and acceptability of Problem Management Plus (PM+) among Syrian refugees and asylum seekers in Switzerland: a mixed-method pilot randomized controlled trial.. <i>Högre Utbildning</i> , 2022 , 13, 2002027	5	2
903	Psychosocial and mental health challenges faced by emerging adults living with HIV and support systems aiding their positive coping: a qualitative study from the Kenyan coast.. <i>BMC Public Health</i> , 2022 , 22, 76	4.1	1
902	Back2Action: effectiveness of physiotherapy blended with eHealth consisting of pain education and behavioural activation versus physiotherapy alone-protocol for a pragmatic randomised clinical trial for people with subacute or persistent spinal pain.. <i>BMJ Open</i> , 2022 , 12, e050808	3	
901	Exploring the efficacy of psychological treatments for depression: a multiverse meta-analysis protocol.. <i>BMJ Open</i> , 2022 , 12, e050197	3	
900	Group problem management plus (PM+) to decrease psychological distress among Syrian refugees in Turkey: a pilot randomised controlled trial.. <i>BMC Psychiatry</i> , 2022 , 22, 8	4.2	4
899	Guided internet-based transdiagnostic individually tailored Cognitive Behavioral Therapy for symptoms of depression and/or anxiety in college students: A randomized controlled trial.. <i>Behaviour Research and Therapy</i> , 2022 , 150, 104028	5.2	1
898	Why primary prevention often is no prevention at all.. <i>European Neuropsychopharmacology</i> , 2022 , 58, 1-3	1.2	0
897	Mechanistic pathways of change in twice weekly versus once weekly sessions of psychotherapy for depression.. <i>Behaviour Research and Therapy</i> , 2022 , 151, 104038	5.2	1
896	Effects of self-guided stress management interventions in college students: A systematic review and meta-analysis.. <i>Internet Interventions</i> , 2022 , 28, 100503	4.4	6
895	Clinical response to SSRIs relative to cognitive behavioral therapy in depression: a symptom-specific approach.. <i>World Psychiatry</i> , 2022 , 21, 152-153	14.4	0
894	Individual differences in response to once versus twice weekly sessions of CBT and IPT for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2022 , 90, 5-17	6.5	0
893	Screening of psychiatric disorders in women with high-risk pregnancy: Accuracy of three psychological tools.. <i>Health Science Reports</i> , 2022 , 5, e518	2.2	1
892	Mental health problems and service gaps experienced by pregnant adolescents and young women in Sub-Saharan Africa: A systematic review.. <i>EclinicalMedicine</i> , 2022 , 44, 101289	11.3	2

891	Protocol for individual participant data meta-analysis of interventions for post-traumatic stress.. <i>BMJ Open</i> , 2022 , 12, e054830	3	0
890	Comparative short-term efficacy and acceptability of a combination of pharmacotherapy and psychotherapy for depressive disorder in children and adolescents: a systematic review and meta-analysis.. <i>BMC Psychiatry</i> , 2022 , 22, 139	4.2	0
889	Adolescent anxiety and depression: burden of disease study in 53,894 secondary school pupils in the Netherlands.. <i>BMC Psychiatry</i> , 2022 , 22, 225	4.2	1
888	Time for united action on depression: a Lancet-World Psychiatric Association Commission.. <i>Lancet, The</i> , 2022 , 399, 957-1022	40	23
887	Impact of major disease outbreaks in the third millennium on adolescent and youth sexual and reproductive health and rights in low and/or middle-income countries: a systematic scoping review protocol.. <i>BMJ Open</i> , 2022 , 12, e051216	3	
886	Effectiveness of a brief group behavioral intervention for common mental disorders in Syrian refugees in Jordan: A randomized controlled trial.. <i>PLoS Medicine</i> , 2022 , 19, e1003949	11.6	2
885	Preventing the mental health consequences of war in refugee populations.. <i>Epidemiology and Psychiatric Sciences</i> , 2022 , 31, e24	5.1	1
884	Scalable psychological interventions for Syrian refugees in Europe and the Middle East: STRENGTHS study protocol for a prospective individual participant data meta-analysis.. <i>BMJ Open</i> , 2022 , 12, e058101 ³		
883	Cost-effectiveness of the Self-Help Plus Intervention for Adult Syrian Refugees Hosted in Turkey.. <i>JAMA Network Open</i> , 2022 , 5, e2211489	10.4	0
882	Mental health stigma at primary health care centres in Lebanon: qualitative study.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 23	3.6	1
881	Efficacy of the eHealth application Oncokompas, facilitating incurably ill cancer patients to self-manage their palliative care needs: A randomized controlled trial.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 18, 100390		2
880	Efficacy and Moderators of Internet-Based Interventions in Adults with Subthreshold Depression: An Individual Participant Data Meta-Analysis of Randomized Controlled Trials. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 94-106	9.4	21
879	Looking beyond depression: a meta-analysis of the effect of behavioral activation on depression, anxiety, and activation. <i>Psychological Medicine</i> , 2021 , 51, 1491-1504	6.9	16
878	Digital interventions for the treatment of depression: A meta-analytic review.. <i>Psychological Bulletin</i> , 2021 , 147, 749-786	19.1	19
877	Effectiveness and Moderators of an Internet-Based Mobile-Supported Stress Management Intervention as a Universal Prevention Approach: Randomized Controlled Trial.. <i>Journal of Medical Internet Research</i> , 2021 , 23, e22107	7.6	1
876	A systematic review and meta-analysis of diagnostic test accuracy studies of self-report screening instruments for common mental disorders in Arabic-speaking adults.. <i>Global Mental Health (Cambridge, England)</i> , 2021 , 8, e43	3.9	2
875	A longitudinal study of mental health before and during the COVID-19 pandemic in Syrian refugees. <i>Høgre Utbildning</i> , 2021 , 12, 1991651	5	1
874	Prevention and treatment of mental health and psychosocial problems in college students: An umbrella review of meta-analyses.. <i>Clinical Psychology: Science and Practice</i> , 2021 , 28, 229-244	3.7	6

873	Online computer or therapist-guided cognitive behavioral therapy in university students with anxiety and/or depression: study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e049554 ²		3
872	Temporal and specific pathways of change in cognitive behavioral therapy (CBT) and interpersonal psychotherapy (IPT) for depression.. <i>Behaviour Research and Therapy</i> , 2021 , 151, 104010	5.2	1
871	Implementation Outcome Scales for Digital Mental Health (iOSDMH): Scale Development and Cross-sectional Study. <i>JMIR Formative Research</i> , 2021 , 5, e24332	2.5	2
870	Psychotherapy for comorbid depression and somatic disorders: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	2
869	Alcohol and illicit drug use among young people living with HIV compared to their uninfected peers from the Kenyan coast: prevalence and risk indicators. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021 , 16, 86	3.4	2
868	ADHD Comorbidity Structure and Impairment: Results of the WHO World Mental Health Surveys International College Student Project (WMH-ICS). <i>Journal of Attention Disorders</i> , 2021 , 10870547211057275	2.7	1
867	The lack of statistical power of subgroup analyses in meta-analyses: a cautionary note. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e78	5.1	4
866	Depressive symptoms and psychological distress from antenatal to postnatal period in women with high-risk pregnancy: A prospective study during the COVID-19 pandemic.. <i>Indian Journal of Psychiatry</i> , 2021 , 63, 536-542	2.2	2
865	Feasibility trial of a brief scalable psychological intervention for Syrian refugee adolescents in Jordan. <i>Högre Utbildning</i> , 2021 , 12, 1901408	5	0
864	More treatment but no less depression: The treatment-prevalence paradox.. <i>Clinical Psychology Review</i> , 2021 , 91, 102111	10.8	7
863	Moving beyond a 'one-size-fits-all' rationale in global mental health: prospects of a precision psychology paradigm. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e63	5.1	1
862	Exploratory and confirmatory factor analysis of the 12-item Arabic World Health Organization Disability Assessment Schedule (WHODAS 2.0) as a screening tool for Syrian refugees. <i>BJPsych Open</i> , 2021 , 7,	5	2
861	Comparative efficacy and acceptability of psychotherapies for panic disorder with or without agoraphobia: systematic review and network meta-analysis of randomised controlled trials.. <i>British Journal of Psychiatry</i> , 2021 , 1-13	5.4	1
860	The effects of psychological treatments of depression in children and adolescents on response, reliable change, and deterioration: a systematic review and meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2021 ,	5.5	4
859	Universal depression prevention: An umbrella review of meta-analyses. <i>Journal of Psychiatric Research</i> , 2021 , 144, 483-493	5.2	3
858	The eHealth self-management application 'Oncokompas' that supports cancer survivors to improve health-related quality of life and reduce symptoms: which groups benefit most?. <i>Acta Oncologica</i> , 2021 , 60, 403-411	3.2	9
857	Design of a health-economic Markov model to assess cost-effectiveness and budget impact of the prevention and treatment of depressive disorder. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021 , 21, 1031-1042	2.2	2
856	A structured expressive writing activity targeting body image-related distress among head and neck cancer survivors: who do we reach and what are the effects?. <i>Supportive Care in Cancer</i> , 2021 , 29, 5763-5776	3.9	3

855	Effects of psychosocial interventions among people cared for in emergency departments after a suicide attempt: a systematic review protocol. <i>Systematic Reviews</i> , 2021 , 10, 68	3	0
854	More Light? Opportunities and Pitfalls in Digitalized Psychotherapy Process Research. <i>Frontiers in Psychology</i> , 2021 , 12, 544129	3.4	14
853	Transdiagnostic Internet Intervention for Indonesian University Students With Depression and Anxiety: Evaluation of Feasibility and Acceptability. <i>JMIR Mental Health</i> , 2021 , 8, e20036	6	4
852	Step-by-step: Feasibility randomised controlled trial of a mobile-based intervention for depression among populations affected by adversity in Lebanon. <i>Internet Interventions</i> , 2021 , 24, 100380	4.4	6
851	Internet-Based Cognitive Behavioral Therapy for Depression: A Systematic Review and Individual Patient Data Network Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 361-371	14.5	97
850	The relation between therapy quality, therapy processes and outcomes and identifying for whom therapy quality matters in CBT and IPT for depression. <i>Behaviour Research and Therapy</i> , 2021 , 139, 103815	5.2	2
849	Feasibility and acceptability of a guided internet-based stress management intervention for university students with high levels of stress: Protocol for an open trial. <i>Internet Interventions</i> , 2021 , 24, 100369	4.4	1
848	Organizing Psycho-Oncological Care for Cancer Patients: The Patient's Perspective. <i>Frontiers in Psychology</i> , 2021 , 12, 625117	3.4	6
847	Effect of an internet- and app-based stress intervention compared to online psychoeducation in university students with depressive symptoms: Results of a randomized controlled trial. <i>Internet Interventions</i> , 2021 , 24, 100374	4.4	7
846	Two decades of digital interventions for anxiety disorders: a systematic review and meta-analysis of treatment effectiveness. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	9
845	Psychotherapies for depression: a network meta-analysis covering efficacy, acceptability and long-term outcomes of all main treatment types. <i>World Psychiatry</i> , 2021 , 20, 283-293	14.4	24
844	Most at-risk individuals will not develop a mental disorder: the limited predictive strength of risk factors. <i>World Psychiatry</i> , 2021 , 20, 224-225	14.4	4
843	Psychologic Treatment of Depression Compared With Pharmacotherapy and Combined Treatment in Primary Care: A Network Meta-Analysis. <i>Annals of Family Medicine</i> , 2021 , 19, 262-270	2.9	6
842	Psychological treatment of depression in institutional settings: A meta-analytic review. <i>Journal of Affective Disorders</i> , 2021 , 286, 340-350	6.6	2
841	A Web-Based Group Cognitive Behavioral Therapy Intervention for Symptoms of Anxiety and Depression Among University Students: Open-Label, Pragmatic Trial. <i>JMIR Mental Health</i> , 2021 , 8, e27400	6	3
840	Translating evidence-based psychological interventions for older adults with depression and anxiety into public and private mental health settings using a stepped care framework: Study protocol. <i>Contemporary Clinical Trials</i> , 2021 , 104, 106360	2.3	1
839	Psychometric properties of the Dutch-Flemish PROMIS pediatric item banks Anxiety and Depressive Symptoms in a general population. <i>Quality of Life Research</i> , 2021 , 30, 2683-2695	3.7	4
838	A Guided Internet-Based Problem-Solving Intervention Delivered Through Smartphones for Secondary School Pupils During the COVID-19 Pandemic in India: Protocol for a Pilot Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021 , 10, e30339	2	0

837	Individual participant data systematic reviews with meta-analyses of psychotherapies for borderline personality disorder. <i>BMJ Open</i> , 2021 , 11, e047416	3	2
836	A network meta-analysis of psychosocial interventions for refugees and asylum seekers with PTSD. <i>BMJ Global Health</i> , 2021 , 6,	6.6	5
835	Prevalence and factors associated with common mental disorders in young people living with HIV in sub-Saharan Africa: a systematic review. <i>Journal of the International AIDS Society</i> , 2021 , 24 Suppl 2, e257054	5.4	8
834	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. <i>Lancet Psychiatry</i> , 2021 , 8, 500-511	23.3	27
833	Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. <i>Clinical Psychology Review</i> , 2021 , 86, 102005	10.8	9
832	Top-down and Bottom-up Pathways to Developing Psychological Interventions. <i>JAMA Psychiatry</i> , 2021 , 78, 593-594	14.5	6
831	Increasing demand for school counselling through a lay counsellor-delivered classroom sensitisation intervention: a stepped-wedge cluster randomised controlled trial in New Delhi, India. <i>BMJ Global Health</i> , 2021 , 6,	6.6	2
830	Selective serotonin reuptake inhibitors, and serotonin and norepinephrine reuptake inhibitors for anxiety, obsessive-compulsive, and stress disorders: A 3-level network meta-analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003664	11.6	3
829	Cognitive restructuring, behavioral activation and cognitive-behavioral therapy in the treatment of adult depression: A network meta-analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2021 , 89, 563-574	6.5	8
828	Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	7
827	The effects of psychotherapies for depression on response, remission, reliable change, and deterioration: A meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 288-299	6.5	10
826	The effects of psychological treatment of perinatal depression: an overview. <i>Archives of Womens Mental Health</i> , 2021 , 24, 801-806	5	2
825	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 403-414	9.4	13
824	Psychological factors for the onset of depression: a meta-analysis of prospective studies. <i>BMJ Open</i> , 2021 , 11, e050129	3	0
823	Physical Exercise Interventions Targeting Cognitive Functioning and the Cognitive Domains in Nondementia Samples: A Systematic Review of Meta-Analyses. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021 , 34, 91-101	3.8	3
822	Prevalence and predictors of common mental disorders among Syrian refugees in Istanbul, Turkey: a cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 475-484	4.5	19
821	A randomized controlled trial on the efficacy of life review therapy targeting incurably ill cancer patients: do their informal caregivers benefit?. <i>Supportive Care in Cancer</i> , 2021 , 29, 1257-1264	3.9	3
820	Psychological interventions to improve sleep in college students: A meta-analysis of randomized controlled trials. <i>Journal of Sleep Research</i> , 2021 , 30, e13097	5.8	6

819	Cost-utility of an eHealth application 'Oncokompas' that supports cancer survivors in self-management: results of a randomised controlled trial. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 77-86 ^{5.1}	5.1	10
818	Regulatory requirements for psychological interventions. <i>Lancet Psychiatry</i> , 2021 , 8, 174-176	23.3	2
817	Depression prevalence based on the Edinburgh Postnatal Depression Scale compared to Structured Clinical Interview for DSM Disorders classification: Systematic review and individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1860	4.3	11
816	Mediators and mechanisms of change in internet- and mobile-based interventions for depression: A systematic review. <i>Clinical Psychology Review</i> , 2021 , 83, 101953	10.8	24
815	Psychological interventions to prevent the onset of depressive disorders: A meta-analysis of randomized controlled trials. <i>Clinical Psychology Review</i> , 2021 , 83, 101955	10.8	16
814	Different control conditions can produce different effect estimates in psychotherapy trials for depression. <i>Journal of Clinical Epidemiology</i> , 2021 , 132, 59-70	5.7	9
813	Body image distress in head and neck cancer patients: what are we looking at?. <i>Supportive Care in Cancer</i> , 2021 , 29, 2161-2169	3.9	10
812	A guided Internet-delivered intervention for adjustment disorders: A randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2021 , 28, 313-324	2.9	2
811	Care-as-usual control groups across different settings in randomized trials on psychotherapy for adult depression: a meta-analysis. <i>Psychological Medicine</i> , 2021 , 51, 634-644	6.9	15
810	Self-help plus for refugees and asylum seekers; study protocol for a series of individual participant data meta-analyses. <i>Høre Utbildning</i> , 2021 , 12, 1930690	5	1
809	Are Suicidal Thoughts and Behaviors a Temporary Phenomenon in Early Adolescence?. <i>Crisis</i> , 2021 , 42, 78-81	2.8	0
808	Feasibility trial of a scalable transdiagnostic group psychological intervention for Syrians residing in a refugee camp. <i>Høre Utbildning</i> , 2021 , 12, 1932295	5	1
807	Evaluating the Effectiveness of an E-Mental Health Intervention for People Living in Lebanon: Protocol for Two Randomized Controlled Trials. <i>JMIR Research Protocols</i> , 2021 , 10, e21585	2	3
806	The efficacy of antidepressant medication and interpersonal psychotherapy for adult acute-phase depression: study protocol of a systematic review and meta-analysis of individual participant data. <i>BJPsych Open</i> , 2021 , 7, e56	5	0
805	DetectaWeb-Distress Scale: A Global and Multidimensional Web-Based Screener for Emotional Disorder Symptoms in Children and Adolescents. <i>Frontiers in Psychology</i> , 2021 , 12, 627604	3.4	1
804	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	4
803	Comparative efficacy and acceptability of expressive writing treatments compared with psychotherapy, other writing treatments, and waiting list control for adult trauma survivors: a systematic review and network meta-analysis. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	1
802	Prevalence, risk and protective indicators of common mental disorders among young people living with HIV compared to their uninfected peers from the Kenyan coast: a cross-sectional study. <i>BMC Psychiatry</i> , 2021 , 21, 90	4.2	5

801	A risk algorithm that predicts alcohol use disorders among college students. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
800	How can we estimate QALYs based on PHQ-9 scores? Equipercentile linking analysis of PHQ-9 and EQ-5D. <i>Evidence-Based Mental Health</i> , 2021 ,	11.1	4
799	Physiological and self-reported arousal in virtual reality versus face-to-face emotional activation and cognitive restructuring in university students: A crossover experimental study using wearable monitoring. <i>Behaviour Research and Therapy</i> , 2021 , 142, 103877	5.2	5
798	Increasing the clinical interpretability of PHQ-9 through equipercentile linking with health utility values by EQ-5D-3L. <i>Evidence-Based Mental Health</i> , 2021 , 24, e6	11.1	
797	Symptom monitoring in cancer and fully automated advice on supportive care: Patients' perspectives on self-management strategies and the eHealth self-management application Oncokompas. <i>European Journal of Cancer Care</i> , 2021 , 30, e13497	2.4	0
796	Symptom clusters among cancer survivors: what can machine learning techniques tell us?. <i>BMC Medical Research Methodology</i> , 2021 , 21, 166	4.7	0
795	Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	0
794	Data-driven methods distort optimal cutoffs and accuracy estimates of depression screening tools: a simulation study using individual participant data. <i>Journal of Clinical Epidemiology</i> , 2021 , 137, 137-147	5.7	3
793	Reasons for not reaching or using web-based self-management applications, and the use and evaluation of Oncokompas among cancer survivors, in the context of a randomised controlled trial. <i>Internet Interventions</i> , 2021 , 25, 100429	4.4	6
792	Internet- and mobile-based interventions for the treatment of specific phobia: A systematic review and preliminary meta-analysis. <i>Internet Interventions</i> , 2021 , 26, 100462	4.4	2
791	The Associations of Common Psychological Problems With Mental Disorders Among College Students. <i>Frontiers in Psychiatry</i> , 2021 , 12, 573637	5	2
790	Selective outcome reporting and the effectiveness of psychotherapies for depression. <i>World Psychiatry</i> , 2021 , 20, 444-445	14.4	3
789	A Meta-analytic Review: Psychological Treatment of Subthreshold Depression in Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021 , 60, 1072-1084	7.2	4
788	Comparing machine learning to a rule-based approach for predicting suicidal behavior among adolescents: Results from a longitudinal population-based survey. <i>Journal of Affective Disorders</i> , 2021 , 295, 1415-1420	6.6	0
787	Effectiveness and costs associated with a lay counselor-delivered, brief problem-solving mental health intervention for adolescents in urban, low-income schools in India: 12-month outcomes of a randomized controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003778	11.6	1
786	Sociodemographic Differences in Time Trends of Suicidal Thoughts and Suicide Attempts Among Adolescents Living in Amsterdam, The Netherlands. <i>Crisis</i> , 2021 , 42, 369-377	2.8	1
785	Initial treatment choices to achieve sustained response in major depression: a systematic review and network meta-analysis. <i>World Psychiatry</i> , 2021 , 20, 387-396	14.4	7
784	Routine outcome measurement in adolescents seeking mental health services: standardization of HoNOSCA in Kenyan sample. <i>BMC Psychiatry</i> , 2021 , 21, 440	4.2	

783	Commentary: Did the internet cause an increase in the prevalence of mental disorders? - A commentary on Aboujaoude and Gega (2021). <i>Child and Adolescent Mental Health</i> , 2021 , 26, 381-382	2.2	
782	Comparative efficacy and acceptability of psychotherapies for post-traumatic stress disorder in children and adolescents: a systematic review and network meta-analysis. <i>Evidence-Based Mental Health</i> , 2021 , 24, 153-160	11.1	3
781	Does gender role explain a high risk of depression? A meta-analytic review of 40 years of evidence. <i>Journal of Affective Disorders</i> , 2021 , 294, 261-278	6.6	2
780	Efficacy and effectiveness of psychological interventions on co-occurring mood and anxiety disorders in older adults: A systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 858-872	3.9	1
779	Impact of comorbid personality disorders on psychotherapy for post-traumatic stress disorder: systematic review and meta-analysis. <i>Høre Utbildning</i> , 2021 , 12, 1929753	5	0
778	Feasibility and acceptability of Problem Management Plus with Emotional Processing (PM+EP) for refugee youth living in the Netherlands: study protocol. <i>Høre Utbildning</i> , 2021 , 12, 1947003	5	1
777	Shortening the Edinburgh postnatal depression scale using optimal test assembly methods: Development of the EPDS-Dep-5. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 348-362	6.5	1
776	Targets and outcomes of psychotherapies for mental disorders. <i>European Psychiatry</i> , 2021 , 64, S2-S3	6	
775	Which psychotherapy is effective in panic disorder? Findings and reflections from a systematic network meta-analysis. <i>European Psychiatry</i> , 2021 , 64, S118-S118	6	
774	Indirect prevention and treatment of depression: An emerging paradigm?. <i>Clinical Psychology in Europe</i> , 2021 , 3,	2.5	2
773	A task-sharing intervention for prepartum common mental disorders: Feasibility, acceptability and responses in a South African sample. <i>African Journal of Primary Health Care and Family Medicine</i> , 2020 , 12, e1-e9	1.9	0
772	Post-traumatic growth and its predictors among Syrian refugees in Istanbul: A mental health population survey. <i>Journal of Migration and Health</i> , 2020 , 1-2, 100010	1.5	3
771	Working memory moderates the relation between the brain-derived neurotropic factor (BDNF) and psychotherapy outcome for depression. <i>Journal of Psychiatric Research</i> , 2020 , 130, 424-432	5.2	7
770	Opportunities, Enablers, and Barriers to the Use of Recorded Recovery Narratives in Clinical Settings. <i>Frontiers in Psychiatry</i> , 2020 , 11, 589731	5	5
769	The reliability, validity and factorial structure of the Swahili version of the 7-item generalized anxiety disorder scale (GAD-7) among adults living with HIV from Kilifi, Kenya. <i>Annals of General Psychiatry</i> , 2020 , 19, 62	3.4	17
768	The impact of psychosocial interventions on condom and contraceptive use in LMICs: Meta-analysis of randomised controlled trials. <i>Global Public Health</i> , 2020 , 15, 1182-1199	3.5	4
767	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 402	5	8
766	Pathways towards scaling up Problem Management Plus in Turkey: a theory of change workshop. <i>Conflict and Health</i> , 2020 , 14, 22	4	5

765	Process and outcome of child psychotherapies offered in Kenya: a mixed methods study protocol on improving child mental health. <i>BMC Psychiatry</i> , 2020 , 20, 263	4.2	2
764	Open access of psychological intervention manuals. <i>World Psychiatry</i> , 2020 , 19, 251-252	14.4	6
763	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020 , 10, e034158	3	4
762	Efficacy of cognitive bias modification interventions in anxiety and depressive disorders: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2020 , 7, 506-514	23.3	46
761	Comparative efficacy and acceptability of antidepressants, psychotherapies, and their combination for acute treatment of children and adolescents with depressive disorder: a systematic review and network meta-analysis. <i>Lancet Psychiatry</i> , 2020 , 7, 581-601	23.3	58
760	Correlates of health-related quality of life among adults receiving combination antiretroviral therapy in coastal Kenya. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 169	3	4
759	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression: Systematic Review and Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2290-2300	27.4	86
758	Stigma for common mental disorders in racial minorities and majorities a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020 , 20, 879	4.1	20
757	Psychotherapy for Depression Across Different Age Groups: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 694-702	14.5	61
756	Effectiveness of universal multiple-risk lifestyle interventions in reducing depressive symptoms: Systematic review and meta-analysis. <i>Preventive Medicine</i> , 2020 , 134, 106067	4.3	12
755	Protocol for a randomized controlled trial: peer-to-peer Group Problem Management Plus (PM+) for adult Syrian refugees in Turkey. <i>Trials</i> , 2020 , 21, 283	2.8	9
754	Somatic distress among Syrian refugees in Istanbul, Turkey: A cross-sectional study. <i>Journal of Psychosomatic Research</i> , 2020 , 132, 109993	4.1	8
753	The efficacy of adding short-term psychodynamic psychotherapy to antidepressants in the treatment of depression: A systematic review and meta-analysis of individual participant data. <i>Clinical Psychology Review</i> , 2020 , 80, 101886	10.8	9
752	Addressing missing data in randomized clinical trials: A causal inference perspective. <i>PLoS ONE</i> , 2020 , 15, e0234349	3.7	4
751	The effects of once- versus twice-weekly sessions on psychotherapy outcomes in depressed patients. <i>British Journal of Psychiatry</i> , 2020 , 216, 222-230	5.4	29
750	The course of symptoms of anxiety and depression from time of diagnosis up to 2 years follow-up in head and neck cancer patients treated with primary (chemo)radiation. <i>Oral Oncology</i> , 2020 , 102, 104576	4.4	11
749	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020 , 122, 115-128.e1	5.7	58
748	Treatment outcomes for depression: challenges and opportunities. <i>Lancet Psychiatry</i> , 2020 , 7, 925-927	23.3	51

747	Eye movement desensitization and reprocessing for mental health problems: a systematic review and meta-analysis. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 165-180	4.4	35
746	Prevention of eating disorders at universities: A systematic review and meta-analysis. <i>International Journal of Eating Disorders</i> , 2020 , 53, 813-833	6.3	23
745	The importance of physical and mental health in explaining health-related academic role impairment among college students. <i>Journal of Psychiatric Research</i> , 2020 , 123, 54-61	5.2	18
744	Effectiveness of a peer-refugee delivered psychological intervention to reduce psychological distress among adult Syrian refugees in the Netherlands: study protocol. <i>Høge Utdanning</i> , 2020 , 11, 1694347	5	17
743	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020 , 962280219889080	2.3	104
742	Should research misconduct be criminalized?. <i>Research Ethics</i> , 2020 , 16, 1-12	2.8	24
741	Psychometric evaluation of two short versions of the Revised Child Anxiety and Depression Scale. <i>BMC Psychiatry</i> , 2020 , 20, 47	4.2	12
740	The effect of e-mental health interventions on academic performance in university and college students: A meta-analysis of randomized controlled trials. <i>Internet Interventions</i> , 2020 , 20, 100321	4.4	17
739	Psychosocial interventions for intimate partner violence in low and middle income countries: A meta-analysis of randomised controlled trials. <i>Journal of Global Health</i> , 2020 , 10, 010409	4.3	3
738	Technological Interventions for Depression 2020 ,		
737	Prevalence and factors related to psychiatric symptoms in low risk pregnancy. <i>Caspian Journal of Internal Medicine</i> , 2020 , 11, 211-218	1	6
736	Problem Management Plus (PM+) for Syrian refugees in the Netherlands. <i>European Journal of Public Health</i> , 2020 , 30,	2.1	3
735	Three Decades of Internet- and Computer-Based Interventions for the Treatment of Depression: Protocol for a Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2020 , 9, e14860	2	5
734	Effects of Internet-Based Cognitive Behavioral Therapy in Routine Care for Adults in Treatment for Depression and Anxiety: Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18100	7.6	45
733	Comprehensive database and individual patient data meta-analysis of randomised controlled trials on psychotherapies reducing suicidal thoughts and behaviour: study protocol. <i>BMJ Open</i> , 2020 , 10, e037366	3.66	0
732	Which psychotherapy is effective in panic disorder? And which delivery formats are supported by the evidence? Study protocol for two systematic reviews and network meta-analyses. <i>BMJ Open</i> , 2020 , 10, e038909	3	2
731	Preferred Self-Administered Questionnaires to Assess Depression, Anxiety and Somatization in People With Musculoskeletal Pain - A Modified Delphi Study. <i>Journal of Pain</i> , 2020 , 21, 409-417	5.2	8
730	Development of a transdiagnostic, low-intensity, psychological intervention for common adolescent mental health problems in Indian secondary schools. <i>Behaviour Research and Therapy</i> , 2020 , 130, 103439	5.2	26

729	A network meta-analysis of the effects of psychotherapies, pharmacotherapies and their combination in the treatment of adult depression. <i>World Psychiatry</i> , 2020 , 19, 92-107	14.4	89
728	The effects of different types of treatment for anxiety on repetitive negative thinking: A meta-analysis. <i>Clinical Psychology: Science and Practice</i> , 2020 , 27, e12316	3.7	1
727	Binge eating and purging in first-year college students: Prevalence, psychiatric comorbidity, and academic performance. <i>International Journal of Eating Disorders</i> , 2020 , 53, 339-348	6.3	17
726	Long-term efficacy of meaning-centered group psychotherapy for cancer survivors: 2-Year follow-up results of a randomized controlled trial. <i>Psycho-Oncology</i> , 2020 , 29, 711-718	3.9	6
725	Suicide risk management in research on internet-based interventions for depression: A synthesis of the current state and recommendations for future research. <i>Journal of Affective Disorders</i> , 2020 , 263, 676-683	6.6	9
724	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale - Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110256	4.1	22
723	Role of eHealth application Oncokompas in supporting self-management of symptoms and health-related quality of life in cancer survivors: a randomised, controlled trial. <i>Lancet Oncology</i> , 2020 , 21, 80-94	21.7	54
722	What is needed to eradicate the depression epidemic, and why. <i>Mental Health and Prevention</i> , 2020 , 17, 200177	2.3	15
721	Prospective biomarkers of major depressive disorder: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2020 , 25, 321-338	15.1	88
720	Long-term Outcomes of Cognitive Behavioral Therapy for Anxiety-Related Disorders: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2020 , 77, 265-273	14.5	83
719	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110256	4.1	4
718	Improving adherence to an online intervention for low mood with a virtual coach: study protocol of a pilot randomized controlled trial. <i>Trials</i> , 2020 , 21, 860	2.8	4
717	Psychological interventions as an alternative and add-on to antidepressant medication to prevent depressive relapse: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2020 , 1-8	5.4	5
716	Validation of a Swahili version of the 9-item Patient Health Questionnaire (PHQ-9) among adults living with HIV compared to a community sample from Kilifi, Kenya. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100013	1.4	10
715	Impact of receiving recorded mental health recovery narratives on quality of life in people experiencing psychosis, people experiencing other mental health problems and for informal carers: Narrative Experiences Online (NEON) study protocol for three randomised controlled trials. <i>Trials</i> , 2020 , 21, 661	2.8	13
714	Sources of Stress and Their Associations With Mental Disorders Among College Students: Results of the World Health Organization World Mental Health Surveys International College Student Initiative. <i>Frontiers in Psychology</i> , 2020 , 11, 1759	3.4	38
713	Effectiveness of Internet- and Mobile-Based Cognitive Behavioral Therapy to Reduce Suicidal Ideation and Behaviors: Protocol for a Systematic Review and Meta-Analysis of Individual Participant Data. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
712	Effectiveness of a brief lay counsellor-delivered, problem-solving intervention for adolescent mental health problems in urban, low-income schools in India: a randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 571-582	14.5	22

711	Effectiveness of online psychological and psychoeducational interventions to prevent depression: Systematic review and meta-analysis of randomized controlled trials. <i>Clinical Psychology Review</i> , 2020 , 82, 101931	10.8	13
710	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , 2020 , 1-11	6.9	12
709	Overestimation of Postpartum Depression Prevalence Based on a 5-item Version of the EPDS: Systematic Review and Individual Participant Data Meta-analysis. <i>Canadian Journal of Psychiatry</i> , 2020 , 65, 835-844	4.8	3
708	Peer-provided Problem Management Plus (PM+) for adult Syrian refugees: a pilot randomised controlled trial on effectiveness and cost-effectiveness. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29,	5.1	15
707	Planning the scale up of brief psychological interventions using theory of change. <i>BMC Health Services Research</i> , 2020 , 20, 801	2.9	6
706	Exercise interventions for the prevention of depression: a systematic review of meta-analyses. <i>BMC Public Health</i> , 2020 , 20, 1255	4.1	39
705	Discrepancies from registered protocols and spin occurred frequently in randomized psychotherapy trials-A meta-epidemiologic study. <i>Journal of Clinical Epidemiology</i> , 2020 , 128, 49-56	5.7	7
704	Psychological and pharmacological treatments for generalized anxiety disorder (GAD): a meta-analysis of randomized controlled trials. <i>Cognitive Behaviour Therapy</i> , 2020 , 49, 1-21	4.4	30
703	Problem-solving intervention to prevent depression in non-professional caregivers: a randomized controlled trial with 8 years of follow-up. <i>Psychological Medicine</i> , 2020 , 50, 1002-1009	6.9	4
702	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
701	The effects of fifteen evidence-supported therapies for adult depression: A meta-analytic review. <i>Psychotherapy Research</i> , 2020 , 30, 279-293	3.6	70
700	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 1368-1380	6.9	65
699	On the Road to Personalized Psychotherapy: A Research Agenda Based on Cognitive Behavior Therapy for Depression. <i>Frontiers in Psychiatry</i> , 2020 , 11, 607508	5	15
698	Addressing missing data in randomized clinical trials: A causal inference perspective 2020 , 15, e0234349		
697	Addressing missing data in randomized clinical trials: A causal inference perspective 2020 , 15, e0234349		
696	Addressing missing data in randomized clinical trials: A causal inference perspective 2020 , 15, e0234349		
695	Addressing missing data in randomized clinical trials: A causal inference perspective 2020 , 15, e0234349		
694	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1803	4.3	24

693	The effectiveness of a low-intensity problem-solving intervention for common adolescent mental health problems in New Delhi, India: protocol for a school-based, individually randomized controlled trial with an embedded stepped-wedge, cluster randomized controlled recruitment trial. <i>Trials</i> , 2019 , 20, 568	2.8	12
692	Symptom-specific effectiveness of an internet-based intervention in the treatment of mild to moderate depressive symptomatology: The potential of network estimation techniques. <i>Behaviour Research and Therapy</i> , 2019 , 122, 103440	5.2	9
691	Preventing depression in the community by voluntary sector providers (PERSUADE): intervention development and protocol for a parallel randomised controlled feasibility trial. <i>BMJ Open</i> , 2019 , 9, e023791	3.91	1
690	Efficacy of an unguided internet-based self-help intervention for social anxiety disorder in university students: A randomized controlled trial. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1766	4.3	34
689	Introduction to the special issue: The WHO World Mental Health International College Student (WMH-ICS) initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1762	4.3	24
688	The World Health Organization World Mental Health International College Student initiative: An overview. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1761	4.3	42
687	Lifetime and 12-month treatment for mental disorders and suicidal thoughts and behaviors among first year college students. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1764	4.3	56
686	Meta-analysis on the efficacy of psychological treatments for anorexia nervosa. <i>European Eating Disorders Review</i> , 2019 , 27, 331-351	5.3	31
685	Efficacy and cost-effectiveness of an unguided, internet-based self-help intervention for social anxiety disorder in university students: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 197	4.2	4
684	The International Index of Erectile Function (IIEF)-A Systematic Review of Measurement Properties. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1078-1091	1.1	29
683	"It is like a mind attack": stress and coping among urban school-going adolescents in India. <i>BMC Psychology</i> , 2019 , 7, 31	2.8	17
682	Adaptation of problem-solving therapy for primary care to prevent late-life depression in Goa, India: the 'DIL' intervention. <i>Global Health Action</i> , 2019 , 12, 1420300	3	3
681	Barriers of mental health treatment utilization among first-year college students: First cross-national results from the WHO World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1782	4.3	81
680	The effects of cognitive behavioral and mindfulness-based therapies on psychological distress in patients with multiple sclerosis, Parkinson's disease and Huntington's disease: Two meta-analyses. <i>Journal of Psychosomatic Research</i> , 2019 , 122, 43-51	4.1	21
679	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. <i>World Psychiatry</i> , 2019 , 18, 183-191	14.4	40
678	Examining the effectiveness of a web-based intervention for symptoms of depression and anxiety in college students: study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e028739	3	11
677	Additional Approaches to Treatment of Depression-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1635-1636	27.4	1
676	Preferred self-administered questionnaires to assess fear of movement, coping, self-efficacy, and catastrophizing in patients with musculoskeletal pain-A modified Delphi study. <i>Pain</i> , 2019 , 160, 600-606	8	17

675	Predicting the incidence of non-suicidal self-injury in college students. <i>European Psychiatry</i> , 2019 , 59, 44-51	6	41
674	Effectiveness and Acceptability of Cognitive Behavior Therapy Delivery Formats in Adults With Depression: A Network Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 700-707	14.5	128
673	Effectiveness of Self-guided App-Based Virtual Reality Cognitive Behavior Therapy for Acrophobia: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 682-690	14.5	73
672	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: which groups specifically benefit? Secondary analyses of a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2019 , 27, 4543-4553	3.9	4
671	Factors associated with depression over time in head and neck cancer patients: A systematic review. <i>Psycho-Oncology</i> , 2019 , 28, 1159-1183	3.9	23
670	Measuring health-related quality of life in colorectal cancer patients: systematic review of measurement properties of the EORTC QLQ-CR29. <i>Supportive Care in Cancer</i> , 2019 , 27, 2395-2412	3.9	6
669	Biological markers evaluated in randomized trials of psychological treatments for depression: a systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 101, 32-44	9	17
668	The Effects of Meditation, Yoga, and Mindfulness on Depression, Anxiety, and Stress in Tertiary Education Students: A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 193	5	47
667	The Female Sexual Function Index (FSFI)-A Systematic Review of Measurement Properties. <i>Journal of Sexual Medicine</i> , 2019 , 16, 640-660	1.1	39
666	Psychotherapy for depression and anxiety in low- and middle-income countries 2019 , 173-192		5
665	The Revised Mental Health Inventory-5 (MHI-5) as an ultra-brief screening measure of bidimensional mental health in children and adolescents. <i>Psychiatry Research</i> , 2019 , 274, 247-253	9.9	20
664	Efficacy and acceptability of psychosocial interventions in asylum seekers and refugees: systematic review and meta-analysis. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 376-388	5.1	71
663	Psychological and Psychosocial Interventions for PTSD, Depression and Anxiety Among Children and Adolescents in Low- and Middle-Income Countries: A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019 , 10, 933	5	11
662	Step-by-Step, an E-Mental Health Intervention for Depression: A Mixed Methods Pilot Study From Lebanon. <i>Frontiers in Psychiatry</i> , 2019 , 10, 986	5	20
661	Positive mental health among cancer survivors: overlap in psychological well-being, personal meaning, and posttraumatic growth. <i>Supportive Care in Cancer</i> , 2019 , 27, 443-450	3.9	5
660	Efficacy and cost-effectiveness of guided and unguided internet- and mobile-based indicated transdiagnostic prevention of depression and anxiety (ICare Prevent): A three-armed randomized controlled trial in four European countries. <i>Internet Interventions</i> , 2019 , 16, 52-64	4.4	24
659	Efficacy and acceptability of psychological interventions for social anxiety disorder in children and adolescents: a meta-analysis of randomized controlled trials. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 79-89	5.5	12
658	Meditation techniques . relaxation therapies when treating anxiety: a meta-analytic review. <i>Psychological Medicine</i> , 2019 , 49, 2118-2133	6.9	17

657	Priorities and preferences for school-based mental health services in India: a multi-stakeholder study with adolescents, parents, school staff, and mental health providers. <i>Global Mental Health (Cambridge, England)</i> , 2019 , 6, e18	3.9	17
656	Can Between-Session Homework Be Delivered Digitally? A Pilot Randomized Clinical Trial of CBT for Adjustment Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
655	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e030259	3	18
654	The efficacy of app-supported smartphone interventions for mental health problems: a meta-analysis of randomized controlled trials. <i>World Psychiatry</i> , 2019 , 18, 325-336	14.4	180
653	Psychological theories of depressive relapse and recurrence: A systematic review and meta-analysis of prospective studies. <i>Clinical Psychology Review</i> , 2019 , 74, 101773	10.8	10
652	The longitudinal association between lifetime mental disorders and first onset or recurrent suicide ideation. <i>BMC Psychiatry</i> , 2019 , 19, 345	4.2	13
651	Targets and outcomes of psychotherapies for mental disorders: an overview. <i>World Psychiatry</i> , 2019 , 18, 276-285	14.4	61
650	Effectiveness of a Web- and Mobile-Guided Psychological Intervention for Depressive Symptoms in Turkey: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e13239	2	2
649	Translation of the eHealth Impact Questionnaire for a Population of Dutch Electronic Health Users: Validation Study. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13408	7.6	8
648	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 911-920	7.3	9
647	Treatment gap and mental health service use among Syrian refugees in Sultanbeyli, Istanbul: a cross-sectional survey. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e70	5.1	45
646	Practitioner Review: Unguided and guided self-help interventions for common mental health disorders in children and adolescents: a systematic review and meta-analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019 , 60, 828-847	7.9	45
645	Researcher allegiance in research on psychosocial interventions: meta-research study protocol and pilot study. <i>BMJ Open</i> , 2019 , 9, e024622	3	5
644	Identifying psychosocial characteristics that predict outcome to the UPLIFT programme for people with persistent back pain: protocol for a prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e028747	3	2
643	Problem-Solving Therapy for Older Adults at Risk for Depression: A Qualitative Analysis of the Depression in Later Life Trial. <i>American Journal of Psychotherapy</i> , 2019 , 72, 88-94	1.3	1
642	Guided or self-guided internet-based cognitive-behavioural therapy (iCBT) for depression? Study protocol of an individual participant data network meta-analysis. <i>BMJ Open</i> , 2019 , 9, e026820	3	4
641	Prevalence of adjustment disorder among cancer patients, and the reach, effectiveness, cost-utility and budget impact of tailored psychological treatment: study protocol of a randomized controlled trial. <i>BMC Psychology</i> , 2019 , 7, 89	2.8	3
640	Psychological Treatment of Depression in Primary Care: Recent Developments. <i>Current Psychiatry Reports</i> , 2019 , 21, 129	9.1	56

639	The mechanisms and processes of connection: developing a causal chain model capturing impacts of receiving recorded mental health recovery narratives. <i>BMC Psychiatry</i> , 2019 , 19, 413	4.2	9
638	Standalone smartphone apps for mental health-a systematic review and meta-analysis. <i>Npj Digital Medicine</i> , 2019 , 2, 118	15.7	125
637	Internet interventions for mental health in university students: A systematic review and meta-analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1759	4.3	110
636	Prevention of depression will only succeed when it is structurally embedded and targets big determinants. <i>World Psychiatry</i> , 2019 , 18, 111-112	14.4	32
635	The role impairment associated with mental disorder risk profiles in the WHO World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1750	4.3	30
634	Effect of a Lay Counselor Intervention on Prevention of Major Depression in Older Adults Living in Low- and Middle-Income Countries: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 13-20	14.5	33
633	Mental disorder comorbidity and suicidal thoughts and behaviors in the World Health Organization World Mental Health Surveys International College Student initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1752	4.3	44
632	Increasing intentions to use mental health services among university students. Results of a pilot randomized controlled trial within the World Health Organization's World Mental Health International College Student Initiative. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1754	4.3	55
631	Is psychotherapy effective? Pretending everything is fine will not help the field forward. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 356-357	5.1	4
630	Patients' experiences of life review therapy combined with memory specificity training (LRT-MST) targeting cancer patients in palliative care. <i>Supportive Care in Cancer</i> , 2019 , 27, 3311-3319	3.9	4
629	Adoption and implementation of a web-based self-management application "Oncokompas" in routine cancer care: a national pilot study. <i>Supportive Care in Cancer</i> , 2019 , 27, 2911-2920	3.9	18
628	Different Types and Acceptability of Psychotherapies for Acute Anxiety Disorders in Children and Adolescents: A Network Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 41-50	14.5	34
627	Prediction of major depressive disorder onset in college students. <i>Depression and Anxiety</i> , 2019 , 36, 294-304	3.4	46
626	Guided internet-based transdiagnostic intervention for Indonesian university students with symptoms of anxiety and depression: A pilot study protocol. <i>Internet Interventions</i> , 2019 , 15, 28-34	4.4	10
625	The Role of Common Factors in Psychotherapy Outcomes. <i>Annual Review of Clinical Psychology</i> , 2019 , 15, 207-231	20.5	192
624	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. <i>Depression and Anxiety</i> , 2019 , 36, 82-92	8.4	12
623	Component studies of psychological treatments of adult depression: A systematic review and meta-analysis. <i>Psychotherapy Research</i> , 2019 , 29, 15-29	3.6	54
622	Unmet care needs, care provision and patient satisfaction in patients with a late life depression: a cross-sectional study. <i>Aging and Mental Health</i> , 2019 , 23, 491-497	3.5	6

621	Was Eysenck right after all? A reassessment of the effects of psychotherapy for adult depression. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 28, 21-30	5.1	71
620	Translating the BDI and BDI-II into the HAMD and vice versa with equipercetile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e24	5.1	20
619	Dismantling, personalising and optimising internet cognitive-behavioural therapy for depression: a study protocol for individual participant data component network meta-analysis. <i>BMJ Open</i> , 2019 , 8, e026137	3	11
618	User-Centered App Adaptation of a Low-Intensity E-Mental Health Intervention for Syrian Refugees. <i>Frontiers in Psychiatry</i> , 2018 , 9, 663	5	37
617	The Lancet Psychiatry Commission on psychological treatments research in tomorrow's science. <i>Lancet Psychiatry</i> , 2018 , 5, 237-286	23.3	268
616	Which patients benefit specifically from short-term psychodynamic psychotherapy (STPP) for depression? Study protocol of a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2018 , 8, e018900	3	8
615	Are studies of psychotherapies for depression more or less generalizable than studies of antidepressants?. <i>Journal of Affective Disorders</i> , 2018 , 234, 8-13	6.6	20
614	Development and testing of TraumaGameplay: an iterative experimental approach using the trauma film paradigm. <i>Høge Utbildning</i> , 2018 , 9, 1424447	5	12
613	The effects of cognitive-behavior therapy for depression on repetitive negative thinking: A meta-analysis. <i>Behaviour Research and Therapy</i> , 2018 , 106, 71-85	5.2	54
612	Cost-utility analysis of meaning-centered group psychotherapy for cancer survivors. <i>Psycho-Oncology</i> , 2018 , 27, 1772-1779	3.9	4
611	'Oncokompas', a web-based self-management application to support patient activation and optimal supportive care: a feasibility study among breast cancer survivors. <i>Acta Oncologica</i> , 2018 , 57, 924-934	3.2	37
610	Computer therapy for the anxiety and depression disorders is effective, acceptable and practical health care: An updated meta-analysis. <i>Journal of Anxiety Disorders</i> , 2018 , 55, 70-78	10.9	384
609	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018 , 57, 263-273.e1	7.2	137
608	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288	4.5	58
607	Who benefits from psychotherapies for adult depression? A meta-analytic update of the evidence. <i>Cognitive Behaviour Therapy</i> , 2018 , 47, 91-106	4.4	34
606	Psychotherapies for depression in low- and middle-income countries: a meta-analysis. <i>World Psychiatry</i> , 2018 , 17, 90-101	14.4	52
605	The effects of psychotherapy for depression on anxiety symptoms: a meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 2140-2152	6.9	30
604	Internet-based guided self-help for glioma patients with depressive symptoms: a randomized controlled trial. <i>Journal of Neuro-Oncology</i> , 2018 , 137, 191-203	4.8	30

603	Internet-based vs. face-to-face cognitive behavior therapy for psychiatric and somatic disorders: an updated systematic review and meta-analysis. <i>Cognitive Behaviour Therapy</i> , 2018 , 47, 1-18	4.4	554
602	Problem-solving therapy for adult depression: An updated meta-analysis. <i>European Psychiatry</i> , 2018 , 48, 27-37	6	52
601	Cost effectiveness of guided Internet-based interventions for depression in comparison with control conditions: An individual-participant data meta-analysis. <i>Depression and Anxiety</i> , 2018 , 35, 209-219	8.4	25
600	No Sustainable Effects of an Internet-Based Relapse Prevention Program over 24 Months in Recurrent Depression: Primary Outcomes of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 55-57	9.4	11
599	A psychomotor diagnostic instrument for patients with post-traumatic stress disorder. <i>Body, Movement and Dance in Psychotherapy</i> , 2018 , 13, 33-49	0.6	1
598	Comparative efficacy and tolerability of new-generation antidepressants for major depressive disorder in children and adolescents: protocol of an individual patient data meta-analysis. <i>BMJ Open</i> , 2018 , 8, e018357	3	5
597	A Meta-Analysis of Social Skills Training and Related Interventions for Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 475-491	1.3	76
596	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018 , 212, 377-385	5.4	36
595	The DSM-5 nonsuicidal self-injury disorder among incoming college students: Prevalence and associations with 12-month mental disorders and suicidal thoughts and behaviors. <i>Depression and Anxiety</i> , 2018 , 35, 629-637	8.4	48
594	Comparative efficacy and acceptability of psychotherapies for post-traumatic stress disorder in children and adolescents: study protocol for a systematic review and network meta-analysis. <i>BMJ Open</i> , 2018 , 8, e020198	3	5
593	A systematic review of the measurement properties of the Body Image Scale (BIS) in cancer patients. <i>Supportive Care in Cancer</i> , 2018 , 26, 1715-1726	3.9	25
592	Efficacy and moderators of psychological interventions in treating subclinical symptoms of depression and preventing major depressive disorder onsets: protocol for an individual patient data meta-analysis of randomised controlled trials. <i>BMJ Open</i> , 2018 , 8, e018582	3	15
591	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 2456-2466	6.9	60
590	Aging and well-being in Goa, India: a qualitative study. <i>Aging and Mental Health</i> , 2018 , 22, 168-174	3.5	5
589	Cognitive and behavioral therapies in the treatment of insomnia: A meta-analysis. <i>Sleep Medicine Reviews</i> , 2018 , 38, 3-16	10.2	251
588	Effectiveness of Web- and Mobile-Based Treatment of Subthreshold Depression With Adherence-Focused Guidance: A Single-Blind Randomized Controlled Trial. <i>Behavior Therapy</i> , 2018 , 49, 71-83	4.8	37
587	Mental health problems in college freshmen: Prevalence and academic functioning. <i>Journal of Affective Disorders</i> , 2018 , 225, 97-103	6.6	286
586	Is cognitive-behavioural therapy more effective than relaxation therapy in the treatment of anxiety disorders? A meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 1427-1436	6.9	16

585	Depressive symptoms in relation to overall survival in people with head and neck cancer: A longitudinal cohort study. <i>Psycho-Oncology</i> , 2018 , 27, 2245-2256	3.9	24
584	The efficacy of Life Review Therapy combined with Memory Specificity Training (LRT-MST) targeting cancer patients in palliative care: A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0197277 ³⁻⁷		20
583	Reduced Self-Control after 3 Months of Imprisonment; A Pilot Study. <i>Frontiers in Psychology</i> , 2018 , 9, 69	3.4	13
582	The effectiveness of virtual reality based interventions for symptoms of anxiety and depression: A meta-analysis. <i>Scientific Reports</i> , 2018 , 8, 10323	4.9	84
581	Methodological Recommendations for Trials of Psychological Interventions. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 276-284	9.4	103
580	Effectiveness of a transdiagnostic individually tailored Internet-based and mobile-supported intervention for the indicated prevention of depression and anxiety (ICare Prevent) in Dutch college students: study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 118	2.8	13
579	A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. <i>Supportive Care in Cancer</i> , 2018 , 26, 2551-2560	3.9	5
578	Persistent Double Standards in Evaluating the Effectiveness of Cognitive Bias Modification: A Commentary on Wiers et al. (2018). <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 344-345	1.9	2
577	What are the effects of preventative interventions on major depressive disorder (MDD) in young adults? A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2018 , 239, 18-29	6.6	17
576	Do guided internet-based interventions result in clinically relevant changes for patients with depression? An individual participant data meta-analysis. <i>Clinical Psychology Review</i> , 2018 , 63, 80-92	10.8	136
575	Economic Evaluation of an Internet-Based Preventive Cognitive Therapy With Minimal Therapist Support for Recurrent Depression: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10437	7.6	6
574	Effectiveness of an Internet- and App-Based Intervention for College Students With Elevated Stress: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e136	7.6	78
573	WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders. <i>Journal of Abnormal Psychology</i> , 2018 , 127, 623-638	7	591
572	The prevalence of suicidal thoughts and behaviours among college students: a meta-analysis. <i>Psychological Medicine</i> , 2018 , 48, 554-565	6.9	166
571	Offspring outcomes after prenatal interventions for common mental disorders: a meta-analysis. <i>BMC Medicine</i> , 2018 , 16, 208	11.4	8
570	Effectiveness and treatment moderators of internet interventions for adult problem drinking: An individual patient data meta-analysis of 19 randomised controlled trials. <i>PLoS Medicine</i> , 2018 , 15, e1002714 ¹¹⁻⁶		106
569	Diagnostic accuracy of the Geriatric Depression Scale-30, Geriatric Depression Scale-15, Geriatric Depression Scale-5 and Geriatric Depression Scale-4 for detecting major depression: protocol for a systematic review and individual participant data meta-analysis. <i>BMJ Open</i> , 2018 , 8, e026598	3	13
568	The Challenges of Improving Treatments for Depression. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2529-2530	27.4	39

567	Internet-Based Cognitive-Behavioral Therapy in the Treatment of Depression. <i>Focus (American Psychiatric Publishing)</i> , 2018 , 16, 393-394	1.1	3
566	Cognitive-Behavioral Analysis System of Psychotherapy, Drug, or Their Combination for Persistent Depressive Disorder: Personalizing the Treatment Choice Using Individual Participant Data Network Metaregression. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 140-153	9.4	41
565	Severe role impairment associated with mental disorders: Results of the WHO World Mental Health Surveys International College Student Project. <i>Depression and Anxiety</i> , 2018 , 35, 802-814	8.4	77
564	Negative effects of psychotherapies for adult depression: A meta-analysis of deterioration rates. <i>Journal of Affective Disorders</i> , 2018 , 239, 138-145	6.6	36
563	The associations between non-suicidal self-injury and first onset suicidal thoughts and behaviors. <i>Journal of Affective Disorders</i> , 2018 , 239, 171-179	6.6	101
562	It Is Time to Invest in the Prevention of Depression. <i>JAMA Network Open</i> , 2018 , 1, e180335	10.4	21
561	Persistent Double Standards in Evaluating the Effectiveness of Cognitive Bias Modification: A Commentary on Wiers et al. (2018). <i>Journal of Studies on Alcohol and Drugs</i> , 2018 , 79, 344-345	1.9	2
560	The 6-month effectiveness of Internet-based guided self-help for depression in adults with Type 1 and 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2017 , 34, 99-107	3.5	58
559	Economic evidence for the clinical management of major depressive disorder: a systematic review and quality appraisal of economic evaluations alongside randomised controlled trials. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 501-516	5.1	5
558	Posttraumatic growth among head and neck cancer survivors with psychological distress. <i>Psycho-Oncology</i> , 2017 , 26, 96-101	3.9	27
557	Initial severity of depression and efficacy of cognitive-behavioural therapy: individual-participant data meta-analysis of pill-placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2017 , 210, 190-196	5.4	34
556	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. <i>World Psychiatry</i> , 2017 , 16, 30-40	14.4	296
555	Individual patient data meta-analysis of combined treatments versus psychotherapy (with or without pill placebo), pharmacotherapy or pill placebo for adult depression: a protocol. <i>BMJ Open</i> , 2017 , 7, e013478	3	12
554	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms: A Meta-analysis of Individual Participant Data. <i>JAMA Psychiatry</i> , 2017 , 74, 351-359	14.5	346
553	Efficacy of Psychotherapies for Borderline Personality Disorder: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2017 , 74, 319-328	14.5	301
552	The Need for Research on Treatments of Chronic Depression. <i>JAMA Psychiatry</i> , 2017 , 74, 242-243	14.5	15
551	Differences in executive functioning between violent and non-violent offenders. <i>Psychological Medicine</i> , 2017 , 47, 1784-1793	6.9	33
550	Four decades of outcome research on psychotherapies for adult depression: An overview of a series of meta-analyses.. <i>Canadian Psychology</i> , 2017 , 58, 7-19	3.2	98

549	Anxiety: There is an app for that. A systematic review of anxiety apps. <i>Depression and Anxiety</i> , 2017 , 34, 518-525	8.4	144
548	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , 2017 , 185, 954-964	3.8	32
547	Internet and mobile interventions for depression: Opportunities and challenges. <i>Depression and Anxiety</i> , 2017 , 34, 596-602	8.4	53
546	Intervention development for the indicated prevention of depression in later life: the "DIL" protocol in Goa, India. <i>Contemporary Clinical Trials Communications</i> , 2017 , 6, 131-139	1.8	9
545	In the pursuit of truth, we should not prioritize correlational over causal evidence. <i>Psychotherapy Research</i> , 2017 , 27, 36-37	3.6	1
544	Adherence to a web-based pre-treatment for phobias in outpatient clinics. <i>Internet Interventions</i> , 2017 , 9, 38-45	4.4	7
543	Internet-Based Self-Help Interventions for Depression in Routine Care-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 853	14.5	6
542	Reviews and Meta-analyses of Psychotherapy Efficacy for Borderline Personality Disorder-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 854-855	14.5	6
541	Moderators of the effects of meaning-centered group psychotherapy in cancer survivors on personal meaning, psychological well-being, and distress. <i>Supportive Care in Cancer</i> , 2017 , 25, 3385-3393	3.9	9
540	Internet interventions for adult illicit substance users: a meta-analysis. <i>Addiction</i> , 2017 , 112, 1521-1532	4.6	45
539	Efficacy of meaning-centered group psychotherapy for cancer survivors: a randomized controlled trial. <i>Psychological Medicine</i> , 2017 , 47, 1990-2001	6.9	52
538	Sponsorship bias in the comparative efficacy of psychotherapy and pharmacotherapy for adult depression: meta-analysis. <i>British Journal of Psychiatry</i> , 2017 , 210, 16-23	5.4	17
537	The effect of treatment as usual on major depressive disorder: A meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 210, 72-81	6.6	38
536	Are personalised treatments of adult depression finally within reach?. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 40-42	5.1	21
535	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. <i>Depression and Anxiety</i> , 2017 , 34, 246-256	8.4	16
534	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2017 , 372, 331-341	3.2	264
533	Cost-Utility of Stepped Care Targeting Psychological Distress in Patients With Head and Neck or Lung Cancer. <i>Journal of Clinical Oncology</i> , 2017 , 35, 314-324	2.2	15
532	PRIORITIES FOR HEALTH ECONOMIC METHODOLOGICAL RESEARCH: RESULTS OF AN EXPERT CONSULTATION. <i>International Journal of Technology Assessment in Health Care</i> , 2017 , 33, 609-619	1.8	5

531	Internet-delivered cognitive behavioral therapy for posttraumatic stress disorder in international humanitarian aid workers: Study protocol. <i>Internet Interventions</i> , 2017 , 10, 23-28	4.4	1
530	Invited commentary on [Confusing procedures with process in cognitive bias modification research. <i>British Journal of Psychiatry</i> , 2017 , 211, 272-273	5.4	16
529	Equivalence of Psychodynamic Therapy to Other Established Treatments: Limited Supporting Evidence and Clinical Relevance. <i>American Journal of Psychiatry</i> , 2017 , 174, 1122-1123	11.9	
528	DetectaWeb Project: study protocol of a web-based detection of mental health of children and adolescents. <i>BMJ Open</i> , 2017 , 7, e017218	3	9
527	The development of CHAMP: a checklist for the appraisal of moderators and predictors. <i>BMC Medical Research Methodology</i> , 2017 , 17, 173	4.7	13
526	Demographic and need factors of early, delayed and no mental health care use in major depression: a prospective study. <i>BMC Psychiatry</i> , 2017 , 17, 367	4.2	17
525	Psychological treatments are as effective as pharmacotherapies in the treatment of adult depression: a summary from Randomized Clinical Trials and neuroscience evidence. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2017 , 20, 273	0.9	7
524	A Risk Algorithm for the Persistence of Suicidal Thoughts and Behaviors During College. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e828-e836	4.6	18
523	Self-Directed Approaches to the Treatment of Depression 2017 , 468-477		1
522	Protecting youth mental health, protecting our future. <i>World Psychiatry</i> , 2017 , 16, 327-328	14.4	8
521	A pilot randomized controlled trial of E-care for caregivers: An internet intervention for caregivers of depressed patients. <i>Internet Interventions</i> , 2017 , 9, 88-99	4.4	4
520	Clinical relevance of findings in trials of CBT for depression. <i>European Psychiatry</i> , 2017 , 45, 207-211	6	15
519	Comparative efficacy and acceptability of antidepressants, psychological interventions, and their combination for depressive disorder in children and adolescents: protocol for a network meta-analysis. <i>BMJ Open</i> , 2017 , 7, e016608	3	11
518	Strengthening mental health care systems for Syrian refugees in Europe and the Middle East: integrating scalable psychological interventions in eight countries. <i>Hjgre Utbildning</i> , 2017 , 8, 1388102	5	113
517	A guided self-help intervention targeting psychological distress among head and neck cancer and lung cancer patients: motivation to start, experiences and perceived outcomes. <i>Supportive Care in Cancer</i> , 2017 , 25, 127-135	3.9	7
516	Psychotherapy over the Last Four Decades. <i>Harvard Review of Psychiatry</i> , 2017 , 25, 155-158	4.1	4
515	Trust: an essential condition in the application of a caregiver support intervention in nursing practice. <i>BMC Psychiatry</i> , 2017 , 17, 47	4.2	2
514	Why prudence is needed when interpreting articles reporting clinical trial results in mental health. <i>Trials</i> , 2017 , 18, 143	2.8	8

513	Efficacy, cost-utility and reach of an eHealth self-management application 'Oncokompas' that helps cancer survivors to obtain optimal supportive care: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 228	2.8	32
512	It's a bit taboo—a qualitative study of Norwegian adolescents' perceptions of mental healthcare services. <i>Emotional and Behavioural Difficulties</i> , 2017 , 22, 111-126	1	11
511	A Qualitative Evaluation of an Inpatient Nursing Intervention for Depressed Elderly: The Systematic Activation Method. <i>Perspectives in Psychiatric Care</i> , 2017 , 53, 280-288	2.2	7
510	First onset of suicidal thoughts and behaviours in college. <i>Journal of Affective Disorders</i> , 2017 , 207, 291-299	2.9	61
509	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1112-1122	5	8
508	Pre-post effect sizes should be avoided in meta-analyses. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 364-368	5.1	142
507	Prevention of Mental Health Disorders Using Internet- and Mobile-Based Interventions: A Narrative Review and Recommendations for Future Research. <i>Frontiers in Psychiatry</i> , 2017 , 8, 116	5	117
506	Preventing Late-Life Depression: Lessons in Intervention Development From Goa, India. <i>Innovation in Aging</i> , 2017 , 1, igx030	0.1	3
505	Is investigator background related to outcome in head to head trials of psychotherapy and pharmacotherapy for adult depression? A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0171654	3.7	3
504	Economic evaluation of an e-mental health intervention for patients with retinal exudative diseases who receive intraocular anti-VEGF injections (E-PsEYE): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e018149	3	5
503	The Benefit of Web- and Computer-Based Interventions for Stress: A Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2017 , 19, e32	7.6	190
502	Preventing Depression in Adults With Subthreshold Depression: Health-Economic Evaluation Alongside a Pragmatic Randomized Controlled Trial of a Web-Based Intervention. <i>Journal of Medical Internet Research</i> , 2017 , 19, e5	7.6	45
501	The effects of cognitive behavioral therapy are not systematically falling: A revision of Johnsen and Friberg (2015). <i>Psychological Bulletin</i> , 2017 , 143, 326-340	19.1	13
500	Cognitive-behavioral versus psychodynamic therapy for major depression: Secondary outcomes of a randomized clinical trial. <i>Journal of Consulting and Clinical Psychology</i> , 2017 , 85, 653-663	6.5	9
499	A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma-frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , 2017 , 59, 1317-1338	1.5	2
498	Online Intervention for Prevention of Major Depression—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 881-2	27.4	5
497	Mental disorders among college students in the World Health Organization World Mental Health Surveys. <i>Psychological Medicine</i> , 2016 , 46, 2955-2970	6.9	490
496	Relative effects of cognitive and behavioral therapies on generalized anxiety disorder, social anxiety disorder and panic disorder: A meta-analysis. <i>Journal of Anxiety Disorders</i> , 2016 , 43, 79-89	10.9	48

495	Scaling-up of treatment of depression and anxiety - Authors' reply. <i>Lancet Psychiatry, the</i> , 2016 , 3, 603-4	23.3	4
494	Are all psychotherapies equally effective in the treatment of adult depression? The lack of statistical power of comparative outcome studies. <i>Evidence-Based Mental Health</i> , 2016 , 19, 39-42	11.1	44
493	Effect of a Web-Based Guided Self-Help Intervention for Prevention of Major Depression in Adults With Subthreshold Depression. <i>Obstetrical and Gynecological Survey</i> , 2016 , 71, 526-527	2.4	2
492	European COMPARative Effectiveness research on blended Depression treatment versus treatment-as-usual (E-COMPARED): study protocol for a randomized controlled, non-inferiority trial in eight European countries. <i>Trials</i> , 2016 , 17, 387	2.8	92
491	THE LONG-TERM EFFICACY OF ACUTE-PHASE PSYCHOTHERAPY FOR DEPRESSION: A META-ANALYSIS OF RANDOMIZED TRIALS. <i>Depression and Anxiety</i> , 2016 , 33, 370-83	8.4	28
490	Comparative efficacy and tolerability of antidepressants for major depressive disorder in children and adolescents: a network meta-analysis. <i>Lancet, The</i> , 2016 , 388, 881-90	40	343
489	How to prove that your therapy is effective, even when it is not: a guideline. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 428-435	5.1	57
488	Screening for psychological distress in follow-up care to identify head and neck cancer patients with untreated distress. <i>Supportive Care in Cancer</i> , 2016 , 24, 2541-8	3.9	39
487	Validation of online psychometric instruments for common mental health disorders: a systematic review. <i>BMC Psychiatry</i> , 2016 , 16, 45	4.2	62
486	Cost-effectiveness of i-Sleep, a guided online CBT intervention, for patients with insomnia in general practice: protocol of a pragmatic randomized controlled trial. <i>BMC Psychiatry</i> , 2016 , 16, 85	4.2	24
485	Determinants of help-seeking behavior in depression: a cross-sectional study. <i>BMC Psychiatry</i> , 2016 , 16, 78	4.2	32
484	E-care 4 caregivers - an online intervention for nonprofessional caregivers of patients with depression: study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2016 , 17, 193	2.8	4
483	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: a randomized, controlled trial. <i>Annals of Oncology</i> , 2016 , 27, 1754-60	10.3	37
482	A randomized clinical trial on the effectiveness of an intervention to treat psychological distress and improve quality of life after autologous stem cell transplantation. <i>Annals of Hematology</i> , 2016 , 95, 105-114	3	25
481	Pretreatment depression as a prognostic indicator of survival and nutritional status in patients with head and neck cancer. <i>Cancer</i> , 2016 , 122, 971-2	6.4	3
480	Determinants of attitudes towards professional mental health care, informal help and self-reliance in people with subclinical depression. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 84-93	8.5	5
479	Changing the Direction of Suicide Prevention Research: A Necessity for True Population Impact. <i>JAMA Psychiatry</i> , 2016 , 73, 435-6	14.5	32
478	European Psychiatric Association Guidance on psychotherapy in chronic depression across Europe. <i>European Psychiatry</i> , 2016 , 33, 18-36	6	86

477	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 481-90	11.9	28
476	Combining pharmacotherapy and psychotherapy or monotherapy for major depression? A meta-analysis on the long-term effects. <i>Journal of Affective Disorders</i> , 2016 , 194, 144-52	6.6	100
475	Internet-delivered acceptance-based behaviour therapy for generalized anxiety disorder: A randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2016 , 77, 86-95	5.2	58
474	Psychometric Characteristics of a Patient Reported Outcome Measure on Ego-Integrity and Despair among Cancer Patients. <i>PLoS ONE</i> , 2016 , 11, e0156003	3.7	8
473	Psychometric Properties of the Dutch Depression Stigma Scale (DSS) and Associations with Personal and Perceived Stigma in a Depressed and Community Sample. <i>PLoS ONE</i> , 2016 , 11, e0160740	3.7	16
472	The Effectiveness of Cognitive Bias Modification Interventions for Substance Addictions: A Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0162226	3.7	119
471	Adherence to Internet-Based Mobile-Supported Stress Management: A Pooled Analysis of Individual Participant Data From Three Randomized Controlled Trials. <i>Journal of Medical Internet Research</i> , 2016 , 18, e146	7.6	60
470	Effectiveness of a Web-Based Guided Self-help Intervention for Outpatients With a Depressive Disorder: Short-term Results From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016 , 18, e80	7.6	26
469	Internet- and mobile-based stress management for employees with adherence-focused guidance: efficacy and mechanism of change. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 382-94	4.3	63
468	ICBT for Depression 2016 , 17-32		5
467	Psychotherapy Effectiveness 2016 , 383-385		
466	EFFECTIVENESS OF INTERNET-DELIVERED COGNITIVE BEHAVIORAL THERAPY FOR POSTTRAUMATIC STRESS DISORDER: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Depression and Anxiety</i> , 2016 , 33, 783-91	8.4	129
465	The efficacy of eye movement desensitization and reprocessing for post-traumatic stress disorder and depression among Syrian refugees: results of a randomized controlled trial. <i>Psychological Medicine</i> , 2016 , 46, 2583-93	6.9	67
464	PSYCHOLOGICAL TREATMENT OF DEPRESSION IN COLLEGE STUDENTS: A METAANALYSIS. <i>Depression and Anxiety</i> , 2016 , 33, 400-14	8.4	55
463	Effect of psychotherapy for depression on quality of life: meta-analysis. <i>British Journal of Psychiatry</i> , 2016 , 209, 460-468	5.4	54
462	Self-guided internet-based and mobile-based stress management for employees: results of a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 315-23	2.1	96
461	Cognitive-Behavioural Analysis System of Psychotherapy (CBASP), a drug, or their combination: differential therapeutics for persistent depressive disorder: a study protocol of an individual participant data network meta-analysis. <i>BMJ Open</i> , 2016 , 6, e011769	3	11
460	The future of psychotherapy research: stop the waste and focus on issues that matter. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 291-4	5.1	13

459	Does Internet-based guided-self-help for depression cause harm? An individual participant data meta-analysis on deterioration rates and its moderators in randomized controlled trials. <i>Psychological Medicine</i> , 2016 , 46, 2679-93	6.9	89
458	The effects of cognitive and behavioural therapies for anxiety disorders on depression: a meta-analysis. <i>Psychological Medicine</i> , 2016 , 46, 3451-3462	6.9	24
457	Diagnostic accuracy of the Depression subscale of the Hospital Anxiety and Depression Scale (HADS-D) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2016 , 6, e011913	3	19
456	Interpersonal Psychotherapy for Mental Health Problems: A Comprehensive Meta-Analysis. <i>American Journal of Psychiatry</i> , 2016 , 173, 680-7	11.9	127
455	The effect of psychotherapeutic interventions on positive and negative affect in depression: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 202, 153-62	6.6	34
454	Economic evaluation of Internet-based problem-solving guided self-help treatment in comparison with enhanced usual care for depressed outpatients waiting for face-to-face treatment: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2016 , 200, 284-92	6.6	15
453	Differential efficacy of cognitive behavioral therapy and psychodynamic therapy for major depression: a study of prescriptive factors. <i>Psychological Medicine</i> , 2016 , 46, 731-44	6.9	23
452	Psychological interventions for adults with bipolar disorder: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2016 , 208, 213-22	5.4	73
451	Scaling-up treatment of depression and anxiety: a global return on investment analysis. <i>Lancet Psychiatry</i> , 2016 , 3, 415-24	23.3	548
450	Comparative Efficacy of Seven Psychotherapeutic Interventions for Patients with Depression: A Network Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 229-243	1.1	39
449	Personalized Psychotherapy for Adult Depression: A Meta-Analytic Review. <i>Behavior Therapy</i> , 2016 , 47, 966-980	4.8	46
448	Self-compassion enhances the efficacy of explicit cognitive reappraisal as an emotion regulation strategy in individuals with major depressive disorder. <i>Behaviour Research and Therapy</i> , 2016 , 82, 1-10	5.2	57
447	Long-term economic consequences of child maltreatment: a population-based study. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1297-1305	5.5	14
446	Effect of a Web-Based Guided Self-help Intervention for Prevention of Major Depression in Adults With Subthreshold Depression: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 1854-63	27.4	137
445	Feasibility of an eHealth application "OncoKompas" to improve personalized survivorship cancer care. <i>Supportive Care in Cancer</i> , 2016 , 24, 2163-2171	3.9	63
444	How effective are cognitive behavior therapies for major depression and anxiety disorders? A meta-analytic update of the evidence. <i>World Psychiatry</i> , 2016 , 15, 245-258	14.4	233
443	Is duration of psychological treatment for depression related to return into treatment?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1495-1507	4.5	6
442	Efficacy of cognitive bias modification interventions in anxiety and depression: meta-analysis. <i>British Journal of Psychiatry</i> , 2015 , 206, 7-16	5.4	361

441	Stepped care treatment delivery for depression: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2015 , 45, 231-46	6.9	143
440	The efficacy of short-term psychodynamic psychotherapy for depression: A meta-analysis update. <i>Clinical Psychology Review</i> , 2015 , 42, 1-15	10.8	111
439	Reasons and determinants of help-seeking in people with a subclinical depression. <i>Journal of Affective Disorders</i> , 2015 , 173, 105-12	6.6	30
438	The effects of blinding on the outcomes of psychotherapy and pharmacotherapy for adult depression: A meta-analysis. <i>European Psychiatry</i> , 2015 , 30, 685-93	6	30
437	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , 2015 , 227, 230-7	9.9	14
436	Pharmacological prevention of post-traumatic stress disorder and acute stress disorder: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2015 , 2, 413-421	23.3	84
435	Letter to the Editor: Mechanisms of change in an internet-based therapy for depression - a comment on Van der Zanden et al.: a reply. <i>Psychological Medicine</i> , 2015 , 45, 664-5	6.9	
434	Long-term efficacy of indicated prevention of depression in non-professional caregivers: randomized controlled trial. <i>Psychological Medicine</i> , 2015 , 45, 1401-12	6.9	18
433	The Future of Perinatal Depression Identification 2015 , 240-255		1
432	The effects of psychological treatment of maternal depression on children and parental functioning: a meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 237-45	5.5	104
431	Psychotherapies for adult depression: recent developments. <i>Current Opinion in Psychiatry</i> , 2015 , 28, 24-9	4.9	37
430	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy: An Individual Patient Data Meta-analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 1102-5	14.5	117
429	Adapting a blended motivational interviewing and problem-solving intervention to address risky substance use amongst South Africans. <i>Psychotherapy Research</i> , 2015 , 25, 435-44	3.6	31
428	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. <i>BMC Psychiatry</i> , 2015 , 15, 137	4.2	22
427	Improving access to supportive cancer care through an eHealth application: a qualitative needs assessment among cancer survivors. <i>Journal of Clinical Nursing</i> , 2015 , 24, 1367-79	3.2	74
426	The Three-Month Effect of Mobile Internet-Based Cognitive Therapy on the Course of Depressive Symptoms in Remitted Recurrently Depressed Patients: Results of a Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 90-99	9.4	27
425	Comparative efficacy and acceptability of psychotherapies for depression in children and adolescents: A systematic review and network meta-analysis. <i>World Psychiatry</i> , 2015 , 14, 207-22	14.4	164
424	The effectiveness of interventions during and after residence in women's shelters: a meta-analysis. <i>European Journal of Public Health</i> , 2015 , 25, 15-9	2.1	49

423	Comparative efficacy and acceptability of psychotherapies for acute anxiety disorders in children and adolescents: study protocol for a network meta-analysis. <i>BMJ Open</i> , 2015 , 5, e008572	3	9
422	Mental health nurses' support to caregivers of older adults with severe mental illness: a qualitative study. <i>BMC Nursing</i> , 2015 , 14, 37	3.2	2
421	The effects of cognitive behavior therapy for adult depression on dysfunctional thinking: A meta-analysis. <i>Clinical Psychology Review</i> , 2015 , 42, 62-71	10.8	76
420	A randomized controlled trial on the role of support in Internet-based problem solving therapy for depression and anxiety. <i>Behaviour Research and Therapy</i> , 2015 , 72, 63-71	5.2	65
419	Effectiveness of psychological interventions in preventing recurrence of depressive disorder: meta-analysis and meta-regression. <i>Journal of Affective Disorders</i> , 2015 , 174, 400-10	6.6	106
418	Therapist-rated outcomes in a randomized clinical trial comparing cognitive behavioral therapy and psychodynamic therapy for major depression. <i>Journal of Affective Disorders</i> , 2015 , 170, 112-8	6.6	11
417	Is depression associated with increased oxidative stress? A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2015 , 51, 164-75	5	368
416	Predictors of treatment dropout in self-guided web-based interventions for depression: an 'individual patient data' meta-analysis. <i>Psychological Medicine</i> , 2015 , 45, 2717-26	6.9	163
415	What if a placebo effect explained all the activity of depression treatments?. <i>World Psychiatry</i> , 2015 , 14, 310-1	14.4	27
414	Restoring depleted resources: Efficacy and mechanisms of change of an internet-based unguided recovery training for better sleep and psychological detachment from work. <i>Health Psychology</i> , 2015 , 34S, 1240-1251	5	76
413	Common (Nonspecific) Factors in Psychotherapy 2015 , 1-6		12
412	EMDR for Syrian refugees with posttraumatic stress disorder symptoms: results of a pilot randomized controlled trial. <i>Högre Utbildning</i> , 2015 , 6, 27414	5	92
411	Differential response to depression prevention among a sample of informal caregivers: Moderator analysis of longer-term follow-up trial data. <i>Psychiatry Research</i> , 2015 , 230, 271-8	9.9	5
410	Effectiveness of a web-based cognitive behavioural intervention for subthreshold depression: pragmatic randomised controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 348-58	9.4	66
409	Economic Evaluation of a Web-Based Guided Self-Help Intervention for Employees With Depressive Symptoms: Results of a Randomized Controlled Trial. <i>Journal of Occupational and Environmental Medicine</i> , 2015 , 57, 666-75	2	18
408	The efficacy of a blended motivational interviewing and problem solving therapy intervention to reduce substance use among patients presenting for emergency services in South Africa: A randomized controlled trial. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2015 , 10, 46	3.4	40
407	Intervenciones basadas en internet para los trastornos depresivos: Una visión general. <i>Revista De Psicopatología Y Psicología Clínica</i> , 2015 , 19, 209	2	9
406	Effectiveness of an Internet intervention for family caregivers of people with dementia: results of a randomized controlled trial. <i>PLoS ONE</i> , 2015 , 10, e0116622	3.7	111

405	Internet and computer-based cognitive behavioral therapy for anxiety and depression in youth: a meta-analysis of randomized controlled outcome trials. <i>PLoS ONE</i> , 2015 , 10, e0119895	3.7	271
404	Where You Live May Make You Old: The Association between Perceived Poor Neighborhood Quality and Leukocyte Telomere Length. <i>PLoS ONE</i> , 2015 , 10, e0128460	3.7	39
403	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. <i>PLoS ONE</i> , 2015 , 10, e0133730	3.7	23
402	Does Publication Bias Inflate the Apparent Efficacy of Psychological Treatment for Major Depressive Disorder? A Systematic Review and Meta-Analysis of US National Institutes of Health-Funded Trials. <i>PLoS ONE</i> , 2015 , 10, e0137864	3.7	110
401	Is there an excess of significant findings in published studies of psychotherapy for depression?. <i>Psychological Medicine</i> , 2015 , 45, 439-46	6.9	40
400	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015 , 15, 302	4.8	14
399	Prevention of depressive disorders in older adults: An overview. <i>PsyCh Journal</i> , 2015 , 4, 3-10	1.4	12
398	The Efficacy of Mindfulness-Based Interventions in Primary Care: A Meta-Analytic Review. <i>Annals of Family Medicine</i> , 2015 , 13, 573-82	2.9	85
397	Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2015 , 5, e009742	3	35
396	Internet-based treatment of depression. <i>Current Opinion in Psychology</i> , 2015 , 4, 131-135	6.2	29
395	Costs and effects of Internet cognitive behavioral treatment blended with face-to-face treatment: Results from a naturalistic study. <i>Internet Interventions</i> , 2015 , 2, 77-83	4.4	67
394	For whom are internet-based occupational mental health interventions effective? Moderators of internet-based problem-solving training outcome. <i>Internet Interventions</i> , 2015 , 2, 39-47	4.4	21
393	Increasing the acceptance of internet-based mental health interventions in primary care patients with depressive symptoms. A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 176, 9-17	6.6	151
392	Practitioner Review: Cognitive bias modification for mental health problems in children and adolescents: a meta-analysis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 723-734	7.9	87
391	Study Protocol: The influence of Running Therapy on executive functions and sleep of prisoners. <i>F1000Research</i> , 2015 , 4, 152	3.6	2
390	Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. <i>PLoS ONE</i> , 2015 , 10, e0140771	3.7	88
389	Trials of Intervention Principles: Evaluation Methods for Evolving Behavioral Intervention Technologies. <i>Journal of Medical Internet Research</i> , 2015 , 17, e166	7.6	128
388	An eHealth Application in Head and Neck Cancer Survivorship Care: Health Care Professionals' Perspectives. <i>Journal of Medical Internet Research</i> , 2015 , 17, e235	7.6	35

387	Telephone Management Program for Patients Discharged From an Emergency Department After a Suicide Attempt: A 5-Year Follow-Up Study in a Spanish Population. <i>Crisis</i> , 2015 , 36, 345-52	2.8	11
386	Indicated Prevention 2015 , 99-112		
385	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 349-58	4.5	15
384	GET.ON Mood Enhancer: efficacy of Internet-based guided self-help compared to psychoeducation for depression: an investigator-blinded randomised controlled trial. <i>Trials</i> , 2014 , 15, 39	2.8	26
383	Evaluating the efficacy and cost-effectiveness of web-based indicated prevention of major depression: design of a randomised controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 25	4.2	42
382	The effects of psychotherapies for major depression in adults on remission, recovery and improvement: a meta-analysis. <i>Journal of Affective Disorders</i> , 2014 , 159, 118-26	6.6	261
381	Prevalence of depression in cancer patients: a meta-analysis of diagnostic interviews and self-report instruments. <i>Psycho-Oncology</i> , 2014 , 23, 121-30	3.9	449
380	Advancing psychotherapy and evidence-based psychological interventions. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 58-91	4.3	102
379	Psychotherapy for subclinical depression: meta-analysis. <i>British Journal of Psychiatry</i> , 2014 , 205, 268-74	5.4	101
378	Treatment of comorbid alcohol use disorders and depression with cognitive-behavioural therapy and motivational interviewing: a meta-analysis. <i>Addiction</i> , 2014 , 109, 394-406	4.6	144
377	Feasibility of a worker-directed web-based intervention for employees with depressive symptoms. <i>Internet Interventions</i> , 2014 , 1, 132-140	4.4	10
376	Efficacy and cost-effectiveness of minimal guided and unguided internet-based mobile supported stress-management in employees with occupational stress: a three-armed randomised controlled trial. <i>BMC Public Health</i> , 2014 , 14, 807	4.1	55
375	Adding psychotherapy to antidepressant medication in depression and anxiety disorders: a meta-analysis. <i>World Psychiatry</i> , 2014 , 13, 56-67	14.4	221
374	Control condition design and implementation features in controlled trials: a meta-analysis of trials evaluating psychotherapy for depression. <i>Translational Behavioral Medicine</i> , 2014 , 4, 407-23	3.2	66
373	Internet-based guided self-help for glioma patients with depressive symptoms: design of a randomized controlled trial. <i>BMC Neurology</i> , 2014 , 14, 81	3.1	19
372	Effectiveness and cost-effectiveness of meaning-centered group psychotherapy in cancer survivors: protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 22	4.2	36
371	Curtailment: a method to reduce the length of self-report questionnaires while maintaining diagnostic accuracy. <i>Psychiatry Research</i> , 2014 , 215, 477-82	9.9	7
370	Improving the cost-effectiveness of a healthcare system for depressive disorders by implementing telemedicine: a health economic modeling study. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 253-62	6.5	42

369	Consensus statement on defining and measuring negative effects of Internet interventions. <i>Internet Interventions</i> , 2014 , 1, 12-19	4.4	212
368	The effects of psychological treatments for adult depression on physical activity: A systematic review. <i>Mental Health and Physical Activity</i> , 2014 , 7, 6-8	5	11
367	Response to the letters of Dr Amos and Dr Preti and colleagues. <i>Schizophrenia Research</i> , 2014 , 153, 237-9.6		
366	PREVENTIVE PSYCHOTHERAPY. <i>Schizophrenia Research</i> , 2014 , 153, S42-S43	3.6	1
365	Do depression treatments reduce suicidal ideation? The effects of CBT, IPT, pharmacotherapy, and placebo on suicidality. <i>Journal of Affective Disorders</i> , 2014 , 167, 98-103	6.6	43
364	Managing depression in older age: psychological interventions. <i>Maturitas</i> , 2014 , 79, 160-9	5	90
363	Reaching and recruiting Turkish migrants for a clinical trial through Facebook: A process evaluation. <i>Internet Interventions</i> , 2014 , 1, 74-83	4.4	21
362	Online cognitive-based intervention for depression: exploring possible circularity in mechanisms of change. <i>Psychological Medicine</i> , 2014 , 44, 1159-70	6.9	13
361	The Efficacy of Cognitive-Behavioral Therapy and Psychodynamic Therapy in the Outpatient Treatment of Major Depression: A Randomized Clinical Trial. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 324-335	1.1	2
360	Adding Psychotherapy to Antidepressant Medication in Depression and Anxiety Disorders: a Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 347-358	1.1	9
359	Improving outcomes in social anxiety disorder. <i>Lancet Psychiatry</i> , 2014 , 1, 324-6	23.3	1
358	Effectiveness of guided and unguided low-intensity internet interventions for adult alcohol misuse: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e99912	3.7	178
357	Adherence to Internet-based and face-to-face cognitive behavioural therapy for depression: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e100674	3.7	206
356	The scars of childhood adversity: minor stress sensitivity and depressive symptoms in remitted recurrently depressed adult patients. <i>PLoS ONE</i> , 2014 , 9, e111711	3.7	8
355	The effects of psychotherapy for adult depression on social support: A meta-analysis. <i>Cognitive Therapy and Research</i> , 2014 , 38, 600-611	2.7	17
354	The diagnostic accuracy of the Patient Health Questionnaire-2 (PHQ-2), Patient Health Questionnaire-8 (PHQ-8), and Patient Health Questionnaire-9 (PHQ-9) for detecting major depression: protocol for a systematic review and individual patient data meta-analyses. <i>Systematic Reviews</i> , 2014 , 3, 101	3	53
353	Blended vs. face-to-face cognitive behavioural treatment for major depression in specialized mental health care: study protocol of a randomized controlled cost-effectiveness trial. <i>BMC Psychiatry</i> , 2014 , 14, 290	4.2	52
352	Guided Internet-delivered cognitive behavioural treatment for insomnia: a randomized trial. <i>Psychological Medicine</i> , 2014 , 44, 1521-32	6.9	75

351	Preventing the onset of major depressive disorder: a meta-analytic review of psychological interventions. <i>International Journal of Epidemiology</i> , 2014 , 43, 318-29	7.8	277
350	Towards a dimensional approach to common mental disorders in the ICD-11?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 481-2	2.6	5
349	Gender as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression: an "individual patient data" meta-analysis. <i>Depression and Anxiety</i> , 2014 , 31, 941-51	8.4	103
348	The effects of psychotherapy on depression among racial-ethnic minority groups: a metaregression analysis. <i>Psychiatric Services</i> , 2014 , 65, 612-7	3.3	19
347	Meaning-centered group psychotherapy in cancer survivors: a feasibility study. <i>Psycho-Oncology</i> , 2014 , 23, 827-31	3.9	17
346	What is the threshold for a clinically relevant effect? The case of major depressive disorders. <i>Depression and Anxiety</i> , 2014 , 31, 374-8	8.4	84
345	Guided Internet-based vs. face-to-face cognitive behavior therapy for psychiatric and somatic disorders: a systematic review and meta-analysis. <i>World Psychiatry</i> , 2014 , 13, 288-95	14.4	651
344	The relationship between acculturation strategies and depressive and anxiety disorders in Turkish migrants in the Netherlands. <i>BMC Psychiatry</i> , 2014 , 14, 252	4.2	35
343	Comprehensive meta-analysis of excess mortality in depression in the general community versus patients with specific illnesses. <i>American Journal of Psychiatry</i> , 2014 , 171, 453-62	11.9	307
342	The longitudinal prediction of costs due to health care uptake and productivity losses in a cohort of employees with and without depression or anxiety. <i>Journal of Occupational and Environmental Medicine</i> , 2014 , 56, 794-801	2	7
341	E-health to manage distress in patients with an implantable cardioverter-defibrillator: primary results of the WEBCARE trial. <i>Psychosomatic Medicine</i> , 2014 , 76, 593-602	3.7	21
340	The effect of psychotherapy for depression on improvements in social functioning: a meta-analysis. <i>Psychological Medicine</i> , 2014 , 44, 2913-26	6.9	41
339	Combined pharmacotherapy and psychotherapy in the treatment of mild to moderate major depression?. <i>JAMA Psychiatry</i> , 2014 , 71, 747-8	14.5	10
338	Psychological interventions for psychosis: a meta-analysis of comparative outcome studies. <i>American Journal of Psychiatry</i> , 2014 , 171, 523-38	11.9	213
337	Comparison of psychotherapies for adult depression to pill placebo control groups: a meta-analysis. <i>Psychological Medicine</i> , 2014 , 44, 685-95	6.9	59
336	What does the data say about the importance of eye movement in EMDR?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014 , 45, 226-8	2.6	9
335	Is excess mortality higher in depressed men than in depressed women? A meta-analytic comparison. <i>Journal of Affective Disorders</i> , 2014 , 161, 47-54	6.6	38
334	Web-based depression treatment: associations of clients' word use with adherence and outcome. <i>Journal of Affective Disorders</i> , 2014 , 160, 10-3	6.6	35

333	Differences between men and women in self-reported body mass index and its relation to drug use. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014 , 9, 1	3.4	30
332	Psychological treatment of generalized anxiety disorder: a meta-analysis. <i>Clinical Psychology Review</i> , 2014 , 34, 130-40	10.8	287
331	Behavioural activation for depression; an update of meta-analysis of effectiveness and sub group analysis. <i>PLoS ONE</i> , 2014 , 9, e100100	3.7	259
330	Attrition and adherence in a WEB-Based Distress Management Program for Implantable Cardioverter defibrillator Patients (WEBCARE): randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e52	7.6	30
329	Short-term effects of a web-based guided self-help intervention for employees with depressive symptoms: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e121	7.6	25
328	Short-term effectiveness of web-based guided self-help for phobic outpatients: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e226	7.6	27
327	Long-term results of a web-based guided self-help intervention for employees with depressive symptoms: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2014 , 16, e168	7.6	32
326	Efficacy of an internet-based problem-solving training for teachers: results of a randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 582-96	4.3	57
325	Correction: systematic review: do patient expectations influence treatment outcomes in total knee and total hip arthroplasty?. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 72	3	78
324	Effectiveness of a web-based intervention for injured claimants: a randomized controlled trial. <i>Trials</i> , 2013 , 14, 227	2.8	10
323	Non-fatal burden of disease due to mental disorders in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1591-9	4.5	16
322	Differences in impact of long term caregiving for mentally ill older adults on the daily life of informal caregivers: a qualitative study. <i>BMC Psychiatry</i> , 2013 , 13, 103	4.2	15
321	Web-based guided self-help for employees with depressive symptoms (Happy@Work): design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 61	4.2	11
320	Guided online treatment in routine mental health care: an observational study on uptake, drop-out and effects. <i>BMC Psychiatry</i> , 2013 , 13, 43	4.2	25
319	Effectiveness and cost-effectiveness of an internet intervention for family caregivers of people with dementia: design of a randomized controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 17	4.2	40
318	Smoking cessation interventions for smokers with current or past depression. <i>The Cochrane Library</i> , 2013 , CD006102	5.2	79
317	Suicide prevention in schizophrenia spectrum disorders and psychosis: a systematic review. <i>BMC Psychology</i> , 2013 , 1, 6	2.8	11
316	Preventing a first episode of psychosis: meta-analysis of randomized controlled prevention trials of 12 month and longer-term follow-ups. <i>Schizophrenia Research</i> , 2013 , 149, 56-62	3.6	270

315	Predictors and moderators of response to internet-delivered Interpersonal Psychotherapy and Cognitive Behavior Therapy for depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 343-51	6.6	67
314	The efficacy of cognitive-behavioral therapy and psychodynamic therapy in the outpatient treatment of major depression: a randomized clinical trial. <i>American Journal of Psychiatry</i> , 2013 , 170, 1041-50	11.9	138
313	Do claim factors predict health care utilization after transport accidents?. <i>Accident Analysis and Prevention</i> , 2013 , 53, 121-6	6.1	15
312	Choosing between Internet-based psychodynamic versus cognitive behavioral therapy for depression: a pilot preference study. <i>BMC Psychiatry</i> , 2013 , 13, 268	4.2	20
311	Effectiveness and cost effectiveness of guided online treatment for patients with major depressive disorder on a waiting list for psychotherapy: study protocol of a randomized controlled trial. <i>Trials</i> , 2013 , 14, 412	2.8	10
310	Effective therapies or effective mechanisms in treatment guidelines for depression?. <i>Depression and Anxiety</i> , 2013 , 30, 1055-7	8.4	6
309	Do compensation processes impair mental health? A meta-analysis. <i>Injury</i> , 2013 , 44, 674-83	2.5	51
308	A meta-analysis of the contribution of eye movements in processing emotional memories. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013 , 44, 231-9	2.6	193
307	Two-year stability and change of neuroticism and extraversion in treated and untreated persons with depression: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2013 , 150, 201-8	6.6	15
306	Depression and social anxiety in help-seeking patients with an ultra-high risk for developing psychosis. <i>Psychiatry Research</i> , 2013 , 209, 309-13	9.9	44
305	Procedural justice and quality of life in compensation processes. <i>Injury</i> , 2013 , 44, 1431-6	2.5	27
304	The effects of psychotherapy for adult depression on suicidality and hopelessness: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2013 , 144, 183-90	6.6	104
303	How do low back pain patients conceptualize their expectations regarding treatment? Content analysis of interviews. <i>European Spine Journal</i> , 2013 , 22, 1986-95	2.7	26
302	How much psychotherapy is needed to treat depression? A metaregression analysis. <i>Journal of Affective Disorders</i> , 2013 , 149, 1-13	6.6	127
301	Internet-based treatment of major depression for patients on a waiting list for inpatient psychotherapy: protocol for a multi-centre randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 318	4.2	13
300	Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. <i>BMJ Open</i> , 2013 , 3,	3	149
299	Breast cancer survivorship symptom management: current perspective and future development. <i>Breast Cancer Management</i> , 2013 , 2, 71-81	0.7	11
298	Response shifts in mental health interventions: an illustration of longitudinal measurement invariance. <i>Psychological Assessment</i> , 2013 , 25, 520-31	5.3	50

297	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ, The</i> , 2013 , 346, f540	5.9	182
296	Comparative efficacy of seven psychotherapeutic interventions for patients with depression: a network meta-analysis. <i>PLoS Medicine</i> , 2013 , 10, e1001454	11.6	314
295	Therapist behaviours in internet-delivered cognitive behaviour therapy: analyses of e-mail correspondence in the treatment of generalized anxiety disorder. <i>Behavioural and Cognitive Psychotherapy</i> , 2013 , 41, 280-9	2.1	101
294	Emotion regulation skills training enhances the efficacy of inpatient cognitive behavioral therapy for major depressive disorder: a randomized controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 234-45	9.4	148
293	Psychological treatment of anxiety in primary care: a meta-analysis. <i>Psychological Medicine</i> , 2013 , 43, 351-61	6.9	23
292	The efficacy of psychotherapy and pharmacotherapy in treating depressive and anxiety disorders: a meta-analysis of direct comparisons. <i>World Psychiatry</i> , 2013 , 12, 137-48	14.4	289
291	Predicting outcome of Internet-based treatment for depressive symptoms. <i>Psychotherapy Research</i> , 2013 , 23, 559-67	3.6	29
290	A meta-analysis of cognitive-behavioural therapy for adult depression, alone and in comparison with other treatments. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 376-85	4.8	595
289	Differential mortality rates in major and subthreshold depression: meta-analysis of studies that measured both. <i>British Journal of Psychiatry</i> , 2013 , 202, 22-7	5.4	155
288	Double trouble: does co-morbid chronic somatic illness increase risk for recurrence in depression? A systematic review. <i>PLoS ONE</i> , 2013 , 8, e57510	3.7	10
287	Four decades of research on alexithymia: moving toward clinical applications. <i>Frontiers in Psychology</i> , 2013 , 4, 861	3.4	52
286	Meaning making in cancer survivors: a focus group study. <i>PLoS ONE</i> , 2013 , 8, e76089	3.7	35
285	Psychological group-treatments of social anxiety disorder: a meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e79034	3.7	21
284	Internet-delivered interpersonal psychotherapy versus internet-delivered cognitive behavioral therapy for adults with depressive symptoms: randomized controlled noninferiority trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e82	7.6	91
283	An Internet-based guided self-help intervention for panic symptoms: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e154	7.6	29
282	For whom does it work? moderators of outcome on the effect of a transdiagnostic internet-based maintenance treatment after inpatient psychotherapy: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e191	7.6	40
281	Internet-based, culturally sensitive, problem-solving therapy for Turkish migrants with depression: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e227	7.6	38
280	Personality and perceived need for mental health care among primary care patients. <i>Journal of Affective Disorders</i> , 2012 , 136, 666-74	6.6	20

279	Detection of people at risk of developing a first psychosis: comparison of two recruitment strategies. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 21-30	6.5	60
278	Adulthood trauma and HPA-axis functioning in healthy subjects and PTSD patients: a meta-analysis. <i>Psychoneuroendocrinology</i> , 2012 , 37, 317-31	5	127
277	A proof of principle for using adaptive testing in Routine Outcome Monitoring: the efficiency of the Mood and Anxiety Symptoms Questionnaire -Anhedonic Depression CAT. <i>BMC Medical Research Methodology</i> , 2012 , 12, 4	4.7	21
276	Prevalence and correlates of depressive symptoms in Chinese older adults: a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 305-12	3.9	108
275	Parental death during childhood and psychopathology in adulthood. <i>Psychiatry Research</i> , 2012 , 198, 516-20	4.9	25
274	Therapeutic alliance in guided internet-delivered cognitive behavioural treatment of depression, generalized anxiety disorder and social anxiety disorder. <i>Behaviour Research and Therapy</i> , 2012 , 50, 544-50	5.2	137
273	The efficacy of non-directive supportive therapy for adult depression: a meta-analysis. <i>Clinical Psychology Review</i> , 2012 , 32, 280-91	10.8	182
272	Stepped care targeting psychological distress in head and neck and lung cancer patients: a randomized clinical trial. <i>BMC Cancer</i> , 2012 , 12, 173	4.8	42
271	CS07-03 - Combined treatment is more effective than psychotherapy or pharmacotherapy alone. is the difference relevant for the practice?. <i>European Psychiatry</i> , 2012 , 27, 1	6	
270	Association of smoking and nicotine dependence with severity and course of symptoms in patients with depressive or anxiety disorder. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 138-46	4.9	65
269	Feasibility and outcome of a web-based self-help intervention for depressive symptoms in patients with multiple sclerosis: a pilot study. <i>Journal of the Neurological Sciences</i> , 2012 , 315, 104-9	3.2	15
268	Early intervention to reduce the global health and economic burden of major depression in older adults. <i>Annual Review of Public Health</i> , 2012 , 33, 123-35	20.6	100
267	Exploring Lawyer-Client Interaction: A Qualitative Study of Positive Lawyer Characteristics. <i>Psychological Injury and Law</i> , 2012 , 5, 89-94	2.8	8
266	Who are we missing? Non-participation in an Internet intervention trial for depression and anxiety in adolescents. <i>European Child and Adolescent Psychiatry</i> , 2012 , 21, 593-5	5.5	13
265	Prevention of anxiety disorders in primary care: a feasibility study. <i>BMC Psychiatry</i> , 2012 , 12, 206	4.2	9
264	The generalizability of psychotherapy efficacy trials in major depressive disorder: an analysis of the influence of patient selection in efficacy trials on symptom outcome in daily practice. <i>BMC Psychiatry</i> , 2012 , 12, 192	4.2	19
263	The systematic activation method as a nursing intervention in depressed elderly: a protocol for a multi-centre cluster randomized trial. <i>BMC Psychiatry</i> , 2012 , 12, 144	4.2	7
262	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 137	4.2	17

261	Effectiveness and cost-effectiveness of web-based treatment for phobic outpatients on a waiting list for psychotherapy: protocol of a randomised controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 131	4.2	9
260	Systematic review: do patient expectations influence treatment outcomes in total knee and total hip arthroplasty?. <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 152	3	80
259	Psychodynamic guided self-help for adult depression through the internet: a randomised controlled trial. <i>PLoS ONE</i> , 2012 , 7, e38021	3.7	107
258	Single-item screening for agoraphobic symptoms: validation of a web-based audiovisual screening instrument. <i>PLoS ONE</i> , 2012 , 7, e38480	3.7	9
257	Effects of Internet-based guided self-help problem-solving therapy for adolescents with depression and anxiety: a randomized controlled trial. <i>PLoS ONE</i> , 2012 , 7, e43485	3.7	52
256	Depression and Dysthymic Disorders 2012 ,		4
255	Personalized treatment of adult depression: medication, psychotherapy, or both? A systematic review. <i>Depression and Anxiety</i> , 2012 , 29, 855-64	8.4	94
254	The Systematic Activation Method (SAM) in depressed elderly: a case report. <i>Perspectives in Psychiatric Care</i> , 2012 , 48, 25-33	2.2	4
253	Rethinking recommendations for screening for depression in primary care. <i>Cmaj</i> , 2012 , 184, 413-8	3.5	142
252	Cognitive behavioral therapy for subjects at ultrahigh risk for developing psychosis: a randomized controlled clinical trial. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1180-8	1.3	135
251	Preventing depression: a global priority. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 1033-4	27.4	204
250	Predictors of health-related quality of life in patients treated with auto- and allo-SCT for hematological malignancies. <i>Bone Marrow Transplantation</i> , 2012 , 47, 757-69	4.4	59
249	Meta-analysis of efficacy of interventions for elevated depressive symptoms in adults diagnosed with cancer. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 990-1004	9.7	145
248	Re-rethinking the article by Thombs and colleagues: Figure 1:. <i>Cmaj</i> , 2012 , 184, 438.2-439	3.5	2
247	Internet-based psychodynamic versus cognitive behavioral guided self-help for generalized anxiety disorder: a randomized controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 344-55	9.4	130
246	Mixed anxiety depression should not be included in DSM-5. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 495-8	1.8	14
245	Is a severe clinical profile an effect modifier in a Web-based depression treatment for adults with type 1 or type 2 diabetes? Secondary analyses from a randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2012 , 14, e2	7.6	19
244	Effectiveness of an online group course for depression in adolescents and young adults: a randomized trial. <i>Journal of Medical Internet Research</i> , 2012 , 14, e86	7.6	84

243	Innovative ICT solutions to improve treatment outcomes for depression: the ICT4Depression project. <i>Studies in Health Technology and Informatics</i> , 2012 , 181, 339-43	0.5	26
242	Pathways to psychosis: help-seeking behavior in the prodromal phase. <i>Schizophrenia Research</i> , 2011 , 132, 213-9	3.6	44
241	How effective is bibliotherapy for very old adults with subthreshold depression? A randomized controlled trial. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 256-65	6.5	23
240	Prevention of late-life anxiety and depression has sustained effects over 24 months: a pragmatic randomized trial. <i>American Journal of Geriatric Psychiatry</i> , 2011 , 19, 230-9	6.5	67
239	Competitive Memory Training for treating depression and rumination in depressed older adults: a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2011 , 49, 588-96	5.2	51
238	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , 2011 , 186, 239-43	9.9	97
237	Effectiveness of guided self-help for depression and anxiety disorders in primary care: a pragmatic randomized controlled trial. <i>Psychiatry Research</i> , 2011 , 187, 113-20	9.9	21
236	Applying computerized adaptive testing to the CES-D scale: a simulation study. <i>Psychiatry Research</i> , 2011 , 188, 147-55	9.9	50
235	Quick and easy self-rating of Generalized Anxiety Disorder: validity of the Dutch web-based GAD-7, GAD-2 and GAD-SI. <i>Psychiatry Research</i> , 2011 , 188, 58-64	9.9	131
234	Psychological treatment of depression in inpatients: a systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2011 , 31, 353-60	10.8	60
233	New psychotherapies for mood and anxiety disorders: necessary innovation or waste of resources?. <i>Canadian Journal of Psychiatry</i> , 2011 , 56, 251; author reply 251-2	4.8	4
232	Psychological treatments for depression and anxiety disorders in low- and middle- income countries: a meta-analysis. <i>African Journal of Psychiatry</i> , 2011 , 14, 200-7		30
231	Public Health and Tobacco Use 2011 , 280-281		
230	Psychiatric history and subthreshold symptoms as predictors of the occurrence of depressive or anxiety disorder within 2 years. <i>British Journal of Psychiatry</i> , 2011 , 198, 206-12	5.4	91
229	Self-guided psychological treatment for depressive symptoms: a meta-analysis. <i>PLoS ONE</i> , 2011 , 6, e21234	3.7	175
228	Targeted prevention of anti-social behavior in an urban context. <i>Crime Prevention and Community Safety</i> , 2011 , 13, 102-118	0.7	
227	Online screening en zelfhulpbehandeling voor depressie en angst: resultaten uit twee promotietrajecten. <i>GZ - Psychologie</i> , 2011 , 3, 30-34	0	
226	The role of peer relationships in the development of early school-age externalizing problems. <i>Child Development</i> , 2011 , 82, 758-65	4.9	59

225	Review: a conceptual model of perceived burden of informal caregivers for older persons with a severe functional psychiatric syndrome and concomitant problematic behaviour. <i>Journal of Clinical Nursing</i> , 2011 , 20, 2233-58	3.2	23
224	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011 , 133, 76-85	6.6	223
223	The disease burden of childhood adversities in adults: a population-based study. <i>Child Abuse and Neglect</i> , 2011 , 35, 937-45	4.3	78
222	Development and reach of a web-based cognitive behavioural therapy programme to reduce symptoms of depression and diabetes-specific distress. <i>Patient Education and Counseling</i> , 2011 , 84, 49-53 ^{3.1}	3.1	30
221	Zelfhulp voor depressie en angststoornissen. <i>Huisarts En Wetenschap</i> , 2011 , 54, 488-490	0.1	
220	Measurement invariance of the Center for Epidemiological Studies Depression Scale (CES-D) among Chinese and Dutch elderly. <i>BMC Medical Research Methodology</i> , 2011 , 11, 74	4.7	55
219	Disrupting the rhythm of depression using Mobile Cognitive Therapy for recurrent depression: randomized controlled trial design and protocol. <i>BMC Psychiatry</i> , 2011 , 11, 12	4.2	23
218	The effectiveness of problem solving therapy in deprived South African communities: results from a pilot study. <i>BMC Psychiatry</i> , 2011 , 11, 156	4.2	27
217	Psychological treatment of depressive symptoms in Chinese elderly inpatients with significant medical comorbidity: a meta-analysis. <i>BMC Psychiatry</i> , 2011 , 11, 92	4.2	4
216	Happiness and health behaviours in Chilean college students: a cross-sectional survey. <i>BMC Public Health</i> , 2011 , 11, 443	4.1	79
215	Stepped care treatment for depression and anxiety in primary care. a randomized controlled trial. <i>Trials</i> , 2011 , 12, 171	2.8	51
214	Effectiveness of an online group course for adolescents and young adults with depressive symptoms: study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 196	2.8	8
213	Empowerment of personal injury victims through the internet: design of a randomized controlled trial. <i>Trials</i> , 2011 , 12, 29	2.8	5
212	The effects of an Internet based self-help course for reducing panic symptoms--Don't Panic Online: study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 75	2.8	15
211	Interpersonal psychotherapy for depression: a meta-analysis. <i>American Journal of Psychiatry</i> , 2011 , 168, 581-92	11.9	304
210	All at once or one at a time? A randomized controlled trial comparing two ways to deliver bibliotherapy for panic disorder. <i>Cognitive Behaviour Therapy</i> , 2011 , 40, 228-35	4.4	9
209	Can the patient decide which modules to endorse? An open trial of tailored internet treatment of anxiety disorders. <i>Cognitive Behaviour Therapy</i> , 2011 , 40, 57-64	4.4	59
208	Web-based depression treatment for type 1 and type 2 diabetic patients: a randomized, controlled trial. <i>Diabetes Care</i> , 2011 , 34, 320-5	14.6	156

207	Developing an interactive website for adolescents with a mentally ill family member. <i>Clinical Child Psychology and Psychiatry</i> , 2011 , 16, 351-64	2	26
206	Treating chronic symptoms of depression in the virtual clinic: findings on chronicity of depression in patients treated with internet-based computerized cognitive behaviour therapy for depression. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 313-5	9.4	12
205	Therapist effects in guided internet-delivered CBT for anxiety disorders. <i>Behavioural and Cognitive Psychotherapy</i> , 2011 , 39, 311-22	2.1	35
204	Psychological treatment of depression: results of a series of meta-analyses. <i>Nordic Journal of Psychiatry</i> , 2011 , 65, 354-64	2.3	196
203	Establishing guidelines for executing and reporting Internet intervention research. <i>Cognitive Behaviour Therapy</i> , 2011 , 40, 82-97	4.4	135
202	Age at smoking onset and the onset of depression and anxiety disorders. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 809-19	4.9	32
201	Supportive accountability: a model for providing human support to enhance adherence to eHealth interventions. <i>Journal of Medical Internet Research</i> , 2011 , 13, e30	7.6	576
200	Cognitive mediation of panic reduction during an early intervention for panic. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 20-9	6.5	15
199	Effectiveness of a mood management component as an adjunct to a telephone counselling smoking cessation intervention for smokers with a past major depression: a pragmatic randomized controlled trial. <i>Addiction</i> , 2010 , 105, 1991-9	4.6	27
198	Stepped care for depression in primary care: what should be offered and how?. <i>Medical Journal of Australia</i> , 2010 , 192, S36-9	4	60
197	Efficacy of cognitive-behavioural therapy and other psychological treatments for adult depression: meta-analytic study of publication bias. <i>British Journal of Psychiatry</i> , 2010 , 196, 173-8	5.4	274
196	The effects of psychotherapy for adult depression are overestimated: a meta-analysis of study quality and effect size. <i>Psychological Medicine</i> , 2010 , 40, 211-23	6.9	335
195	Overweight, obesity, and depression: a systematic review and meta-analysis of longitudinal studies. <i>Archives of General Psychiatry</i> , 2010 , 67, 220-9		2313
194	Computer therapy for the anxiety and depressive disorders is effective, acceptable and practical health care: a meta-analysis. <i>PLoS ONE</i> , 2010 , 5, e13196	3.7	877
193	Effects of a visiting service for older widowed individuals: a randomized clinical trial. <i>Death Studies</i> , 2010 , 34, 777-803	3.9	10
192	Is guided self-help as effective as face-to-face psychotherapy for depression and anxiety disorders? A systematic review and meta-analysis of comparative outcome studies. <i>Psychological Medicine</i> , 2010 , 40, 1943-57	6.9	569
191	Economic costs of neuroticism: a population-based study. <i>Archives of General Psychiatry</i> , 2010 , 67, 1086-93		180
190	Reasons and determinants for not receiving treatment for common mental disorders. <i>Psychiatric Services</i> , 2010 , 61, 250-7	3.3	89

189	HET STIMULEREN VAN POSITIEVE RELATIES MET KLASGENOTEN.: <i>Kind & Adolescent Praktijk</i> , 2010 , 9, 168-173		0
188	The effects of mindfulness-based stress reduction therapy on mental health of adults with a chronic medical disease: a meta-analysis. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 539-44	4.1	545
187	Psychological treatment of depressive symptoms in patients with medical disorders: a meta-analysis. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 23-32	4.1	67
186	Meta-analysis on the effectiveness of mindfulness-based stress reduction therapy on mental health of adults with a chronic disease: What should the reader not make of it?. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 614-615	4.1	9
185	Online cognitive behavioral therapy and problem-solving therapy for depressive symptoms: Exploring mechanisms of change. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010 , 41, 64-70	2.6	87
184	Minor and major depression in the general population: does dysfunctional thinking play a role?. <i>Comprehensive Psychiatry</i> , 2010 , 51, 266-74	7.3	20
183	The efficacy of short-term psychodynamic psychotherapy for depression: a meta-analysis. <i>Clinical Psychology Review</i> , 2010 , 30, 25-36	10.8	224
182	Psychotherapy for chronic major depression and dysthymia: a meta-analysis. <i>Clinical Psychology Review</i> , 2010 , 30, 51-62	10.8	192
181	Self-reported versus clinician-rated symptoms of depression as outcome measures in psychotherapy research on depression: a meta-analysis. <i>Clinical Psychology Review</i> , 2010 , 30, 768-78	10.8	170
180	The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. <i>Psychiatry Research</i> , 2010 , 176, 45-50	9.9	115
179	Depression and obesity: a meta-analysis of community-based studies. <i>Psychiatry Research</i> , 2010 , 178, 230-5	9.9	503
178	Prevention of major depression. <i>Annual Review of Clinical Psychology</i> , 2010 , 6, 181-212	20.5	208
177	Preventie van depressie: een overzicht. <i>Gedrag & Gezondheid</i> , 2010 , 38, 28-35		1
176	Change and stability in childhood clique membership, isolation from cliques, and associated child characteristics. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2010 , 39, 12-24	5.4	16
175	The contribution of active medication to combined treatments of psychotherapy and pharmacotherapy for adult depression: a meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 415-23	6.5	40
174	Treatment-related and patient-related expectations of patients with musculoskeletal disorders: a systematic review of published measurement tools. <i>Clinical Journal of Pain</i> , 2010 , 26, 470-88	3.5	28
173	Preventing depression in high-risk groups. <i>Current Opinion in Psychiatry</i> , 2010 , 23, 8-11	4.9	36
172	Does pretreatment severity moderate the efficacy of psychological treatment of adult outpatient depression? A meta-analysis. <i>Journal of Consulting and Clinical Psychology</i> , 2010 , 78, 668-80	6.5	137

171	Early intervention in panic: pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010 , 196, 326-31	5.4	28
170	Depressiepreventie: van een stevige inhoudelijke basis naar verschil gaan maken. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2010 , 88, 224-226	0.2	1
169	Het bereik van preventieve interventies voor depressie. <i>TSG: Tijdschrift Voor Gezondheidswetenschappen</i> , 2010 , 88, 278-284	0.2	2
168	De effecten van psychotherapie bij depressie voor volwassenen zijn overschat. <i>Tijdschrift Voor Psychotherapie</i> , 2010 , 36, 259-268		3
167	Maternal cortisol and offspring birthweight: results from a large prospective cohort study. <i>Psychoneuroendocrinology</i> , 2010 , 35, 644-52	5	69
166	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. <i>BMC Cancer</i> , 2010 , 10, 361	4.8	19
165	Recruiting participants for interventions to prevent the onset of depressive disorders: possible ways to increase participation rates. <i>BMC Health Services Research</i> , 2010 , 10, 181	2.9	62
164	Expanding the limits of bibliotherapy for panic disorder: randomized trial of self-help without support but with a clear deadline. <i>Behavior Therapy</i> , 2010 , 41, 267-76	4.8	48
163	Who is MADD? Mixed anxiety depressive disorder in the general population. <i>Journal of Affective Disorders</i> , 2010 , 121, 180-3	6.6	13
162	Brief self-rated screening for depression on the Internet. <i>Journal of Affective Disorders</i> , 2010 , 122, 253-96.6		70
161	Continuous and dichotomous outcomes in studies of psychotherapy for adult depression: a meta-analytic comparison. <i>Journal of Affective Disorders</i> , 2010 , 126, 349-57	6.6	8
160	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , 2010 , 27, 1057-65	8.4	107
159	The course of untreated anxiety and depression, and determinants of poor one-year outcome: a one-year cohort study. <i>BMC Psychiatry</i> , 2010 , 10, 86	4.2	74
158	Guided self-help on the Internet for Turkish migrants with depression: the design of a randomized controlled trial. <i>Trials</i> , 2010 , 11, 101	2.8	9
157	A single blind randomized controlled trial of cognitive behavioural therapy in a help-seeking population with an At Risk Mental State for psychosis: the Dutch Early Detection and Intervention Evaluation (EDIE-NL) trial. <i>Trials</i> , 2010 , 11, 30	2.8	43
156	Preventie van depressie: een overzicht. <i>Psychologie and Gezondheid</i> , 2010 , 2010, 28-35		
155	Cost-utility and cost-effectiveness of internet-based treatment for adults with depressive symptoms: randomized trial. <i>Journal of Medical Internet Research</i> , 2010 , 12, e53	7.6	104
154	Comparing psychotherapy and pharmacotherapy for adult depression: adjusting for differential dropout rates. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1246	4.6	6

153	Prevention of Mental Disorders in Late Life 2010 , 844-849		
152	Psychological treatment of social anxiety disorder: a meta-analysis. <i>Psychological Medicine</i> , 2009 , 39, 241-54	6.9	211
151	What makes Internet therapy work?. <i>Cognitive Behaviour Therapy</i> , 2009 , 38 Suppl 1, 55-60	4.4	154
150	Meta-analysis of computer-aided psychotherapy: problems and partial solutions. <i>Cognitive Behaviour Therapy</i> , 2009 , 38, 83-90	4.4	17
149	Therapist factors in Internet-delivered cognitive behavioural therapy for major depressive disorder. <i>Cognitive Behaviour Therapy</i> , 2009 , 38, 247-54	4.4	35
148	Review: relaxation better than wait-list, minimal or no treatment for depression but not as good as psychological treatments. <i>Evidence-Based Mental Health</i> , 2009 , 12, 76-7	11.1	2
147	Stepped-care prevention of anxiety and depression in late life: a randomized controlled trial. <i>Archives of General Psychiatry</i> , 2009 , 66, 297-304		212
146	Review: exercise may moderately improve depressive symptoms. <i>Evidence-Based Mental Health</i> , 2009 , 12, 76-7	11.1	1
145	Computerized prospective screening for high levels of emotional distress in head and neck cancer patients and referral rate to psychosocial care. <i>Oral Oncology</i> , 2009 , 45, e129-33	4.4	72
144	Depression and body mass index, a u-shaped association. <i>BMC Public Health</i> , 2009 , 9, 14	4.1	224
143	Stepped care for depression and anxiety: from primary care to specialized mental health care: a randomised controlled trial testing the effectiveness of a stepped care program among primary care patients with mood or anxiety disorders. <i>BMC Health Services Research</i> , 2009 , 9, 90	2.9	29
142	Psychoeducation for depression, anxiety and psychological distress: a meta-analysis. <i>BMC Medicine</i> , 2009 , 7, 79	11.4	200
141	Effects and feasibility of a preventive intervention in sub-threshold and mild panic disorder: Results of a pilot study. <i>BMC Research Notes</i> , 2009 , 2, 4	2.3	12
140	Economic costs of social phobia: a population-based study. <i>Journal of Affective Disorders</i> , 2009 , 115, 421-6	4.6	70
139	Psychotherapy versus the combination of psychotherapy and pharmacotherapy in the treatment of depression: a meta-analysis. <i>Depression and Anxiety</i> , 2009 , 26, 279-88	8.4	157
138	Stapsgewijze preventie van angst en depressie bij ouderen. <i>Huisarts En Wetenschap</i> , 2009 , 52, 668-673	0.1	1
137	Preventing panic disorder: cost-effectiveness analysis alongside a pragmatic randomised trial. <i>Cost Effectiveness and Resource Allocation</i> , 2009 , 7, 8	2.4	23
136	Rationale and design of WEBCARE: a randomized, controlled, web-based behavioral intervention trial in cardioverter-defibrillator patients to reduce anxiety and device concerns and enhance quality of life. <i>Trials</i> , 2009 , 10, 120	2.8	23

135	Implementation of Internet-based preventive interventions for depression and anxiety: role of support? The design of a randomized controlled trial. <i>Trials</i> , 2009 , 10, 59	2.8	22
134	Prevention of depression and anxiety in adolescents: a randomized controlled trial testing the efficacy and mechanisms of Internet-based self-help problem-solving therapy. <i>Trials</i> , 2009 , 10, 93	2.8	27
133	Incidence of social phobia and identification of its risk indicators: a model for prevention. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 62-70	6.5	46
132	Translating effective web-based self-help for problem drinking into the real world. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 1401-8	3.7	41
131	Self-help treatment for insomnia through television and book: a randomized trial. <i>Patient Education and Counseling</i> , 2009 , 74, 29-34	3.1	31
130	Internettherapie bij depressieve klachten: een gerandomiseerde studie. <i>Psychologie and Gezondheid</i> , 2009 , 37, 202-212		1
129	Online cognitieve gedragstherapie voor diabetespatiënten met depressieve klachten: een gerandomiseerd gecontroleerd onderzoek. <i>Psychologie and Gezondheid</i> , 2009 , 37, 222-228		2
128	Psychological treatment as an umbrella term for evidence-based psychotherapies?. <i>Nordic Psychology</i> , 2009 , 61, 4-15	1.1	2
127	Psychoeducational treatment and prevention of depression: the "Coping with Depression" course thirty years later. <i>Clinical Psychology Review</i> , 2009 , 29, 449-58	10.8	195
126	Self-help therapy for insomnia: a meta-analysis. <i>Sleep Medicine Reviews</i> , 2009 , 13, 61-71	10.2	136
125	Screening for mood and anxiety disorders with the five-item, the three-item, and the two-item Mental Health Inventory. <i>Psychiatry Research</i> , 2009 , 168, 250-5	9.9	188
124	Curbing problem drinking with personalized-feedback interventions: a meta-analysis. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 247-55	6.1	145
123	Psychosocial problems and continued smoking during pregnancy. <i>Addictive Behaviors</i> , 2009 , 34, 403-6	4.2	60
122	On-line and Off-line Strategies for Preventing Depression. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
121	Internet-based and other computerized psychological treatments for adult depression: a meta-analysis. <i>Cognitive Behaviour Therapy</i> , 2009 , 38, 196-205	4.4	928
120	Computer-aided psychotherapy for anxiety disorders: a meta-analytic review. <i>Cognitive Behaviour Therapy</i> , 2009 , 38, 66-82	4.4	318
119	Psychological treatment of depression in primary care: a meta-analysis. <i>British Journal of General Practice</i> , 2009 , 59, e51-60	1.6	115
118	Self-help and Internet-guided interventions in depression and anxiety disorders: a systematic review of meta-analyses. <i>CNS Spectrums</i> , 2009 , 14, 34-40	1.8	102

117	Is psychotherapy for depression equally effective in younger and older adults? A meta-regression analysis. <i>International Psychogeriatrics</i> , 2009 , 21, 16-24	3.4	65
116	Testing links between childhood positive peer relations and externalizing outcomes through a randomized controlled intervention study. <i>Journal of Consulting and Clinical Psychology</i> , 2009 , 77, 905-15	6.5	75
115	A brief Web-based screening questionnaire for common mental disorders: development and validation. <i>Journal of Medical Internet Research</i> , 2009 , 11, e19	7.6	115
114	Prevention: an achievable goal in personalized medicine. <i>Dialogues in Clinical Neuroscience</i> , 2009 , 11, 447-54	5.7	11
113	Adding psychotherapy to pharmacotherapy in the treatment of depressive disorders in adults: a meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1219-29	4.6	159
112	Early risk indicators of internalizing problems in late childhood: a 9-year longitudinal study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 774-80	7.9	85
111	Web-based self-help for problem drinkers: a pragmatic randomized trial. <i>Addiction</i> , 2008 , 103, 218-27	4.6	228
110	Cost-utility of a visiting service for older widowed individuals: randomised trial. <i>BMC Health Services Research</i> , 2008 , 8, 128	2.9	16
109	Predictors of outcome of group and internet-based cognitive behavior therapy. <i>Journal of Affective Disorders</i> , 2008 , 105, 137-45	6.6	87
108	Internet administration of the Edinburgh Depression Scale. <i>Journal of Affective Disorders</i> , 2008 , 106, 301-5	6.6	32
107	Characteristics of effective psychological treatments of depression: a metaregression analysis. <i>Psychotherapy Research</i> , 2008 , 18, 225-36	3.6	83
106	An epidemiological approach to depression prevention in old age. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 444-53	6.5	44
105	Prenatal smoking and internalizing and externalizing problems in children studied from childhood to late adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 779-87	7.2	73
104	One-year follow-up results of a randomized controlled clinical trial on internet-based cognitive behavioural therapy for subthreshold depression in people over 50 years. <i>Psychological Medicine</i> , 2008 , 38, 635-9	6.9	111
103	Depression and alcohol use among the Dutch residential home elderly: Is there a shared vulnerability?. <i>Addiction Research and Theory</i> , 2008 , 16, 514-525	2.6	2
102	Psychotherapy for depression in adults: a meta-analysis of comparative outcome studies. <i>Journal of Consulting and Clinical Psychology</i> , 2008 , 76, 909-22	6.5	666
101	Preventing the onset of depressive disorders: a meta-analytic review of psychological interventions. <i>American Journal of Psychiatry</i> , 2008 , 165, 1272-80	11.9	289
100	Internet-administered cognitive behavior therapy for health problems: a systematic review. <i>Journal of Behavioral Medicine</i> , 2008 , 31, 169-77	3.6	384

99	Social phobia and number of social fears, and their association with comorbidity, health-related quality of life and help seeking: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 273-9	4.5	90
98	Screening of depression in adolescents through the Internet : sensitivity and specificity of two screening questionnaires. <i>European Child and Adolescent Psychiatry</i> , 2008 , 17, 32-8	5.5	102
97	Psychological treatment of depression: a meta-analytic database of randomized studies. <i>BMC Psychiatry</i> , 2008 , 8, 36	4.2	154
96	Web-based cognitive behavioural therapy (W-CBT) for diabetes patients with co-morbid depression: design of a randomised controlled trial. <i>BMC Psychiatry</i> , 2008 , 8, 9	4.2	33
95	Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. <i>Trials</i> , 2008 , 9, 67	2.8	13
94	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
93	Psychological treatment of postpartum depression: a meta-analysis. <i>Journal of Clinical Psychology</i> , 2008 , 64, 103-18	2.8	130
92	Alexithymia and cognitive behaviour therapy outcome for subthreshold depression. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 164-7	6.5	44
91	Internet-based treatment for adults with depressive symptoms: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2008 , 10, e44	7.6	188
90	Predicting successful treatment outcome of web-based self-help for problem drinkers: secondary analysis from a randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2008 , 10, e46	7.6	40
89	Effectiveness of a web-based self-help intervention for symptoms of depression, anxiety, and stress: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2008 , 10, e7	7.6	197
88	Are psychological and pharmacologic interventions equally effective in the treatment of adult depressive disorders? A meta-analysis of comparative studies. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1675-85; quiz 1839-41	4.6	130
87	Are individual and group treatments equally effective in the treatment of depression in adults?: A meta-analysis. <i>European Journal of Psychiatry</i> , 2008 , 22,	1	64
86	The effects of reminiscence on psychological well-being in older adults: a meta-analysis. <i>Aging and Mental Health</i> , 2007 , 11, 291-300	3.5	233
85	Target groups for the prevention of late-life anxiety. <i>British Journal of Psychiatry</i> , 2007 , 190, 428-34	5.4	43
84	Reducing the length of mental health instruments through structurally incomplete designs. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 150-60	4.3	10
83	Using decision theory to derive optimal cut-off scores of screening instruments: an illustration explicating costs and benefits of mental health screening. <i>International Journal of Methods in Psychiatric Research</i> , 2007 , 16, 219-29	4.3	38
82	Sensitivity and specificity of the Major Depression Inventory in outpatients. <i>BMC Psychiatry</i> , 2007 , 7, 39	4.2	61

81	Cognitive Behavioral Therapy versus Short Psychodynamic Supportive Psychotherapy in the outpatient treatment of depression: a randomized controlled trial. <i>BMC Psychiatry</i> , 2007 , 7, 58	4.2	23
80	Internet-based treatment for adults with depressive symptoms: the protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2007 , 7, 72	4.2	19
79	Smoking is associated with first-ever incidence of mental disorders: a prospective population-based study. <i>Addiction</i> , 2007 , 102, 1303-9	4.6	60
78	Economic costs of minor depression: a population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 229-36	6.5	155
77	Psychological treatments of subthreshold depression: a meta-analytic review. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 434-41	6.5	156
76	Personality traits and health-related quality of life in patients with mood and anxiety disorders. <i>Quality of Life Research</i> , 2007 , 16, 1-8	3.7	45
75	Self-help interventions for anxiety disorders: an overview. <i>Current Psychiatry Reports</i> , 2007 , 9, 284-90	9.1	87
74	Actions taken to cope with depressed mood: the role of personality traits. <i>Aging and Mental Health</i> , 2007 , 11, 457-63	3.5	10
73	Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. <i>Psychological Medicine</i> , 2007 , 37, 319-28	6.9	1199
72	Internet-based cognitive behavioural therapy for subthreshold depression in people over 50 years old: a randomized controlled clinical trial. <i>Psychological Medicine</i> , 2007 , 37, 1797-806	6.9	232
71	Predictors of psychological adjustment after bereavement. <i>International Psychogeriatrics</i> , 2007 , 19, 921-34	3.4	29
70	Behavioral activation treatments of depression: a meta-analysis. <i>Clinical Psychology Review</i> , 2007 , 27, 318-26	10.8	684
69	Problem solving therapies for depression: a meta-analysis. <i>European Psychiatry</i> , 2007 , 22, 9-15	6	182
68	Prevention of anxiety and depression in the age group of 75 years and over: a randomised controlled trial testing the feasibility and effectiveness of a generic stepped care programme among elderly community residents at high risk of developing anxiety and depression versus usual care [ISRCTN26474553]. <i>BMC Public Health</i> , 2006 , 6, 186	4.1	24
67	Predicting the onset of major depressive disorder and dysthymia in older adults with subthreshold depression: a community based study. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 811-8	3.9	41
66	Psychological treatment of late-life depression: a meta-analysis of randomized controlled trials. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1139-49	3.9	168
65	Cost-effectiveness of preventing depression in primary care patients: randomised trial. <i>British Journal of Psychiatry</i> , 2006 , 188, 330-6	5.4	78
64	Prevention of late-life depression in primary care: do we know where to begin?. <i>American Journal of Psychiatry</i> , 2006 , 163, 1611-21	11.9	108

63	Mood and anxiety disorders in widowhood: a systematic review. <i>Aging and Mental Health</i> , 2006 , 10, 327-345	104
62	Opportunities for cost-effective prevention of late-life depression: an epidemiological approach. <i>Archives of General Psychiatry</i> , 2006 , 63, 290-6	145
61	When children of problem drinkers grow old: does the increased risk of mental disorders persist?. <i>Addictive Behaviors</i> , 2006 , 31, 2284-91	4.2 11
60	Effectiveness of the Coping With Depression (CWD) course for older adults provided by the community-based mental health care system in the Netherlands: a randomized controlled field trial. <i>International Psychogeriatrics</i> , 2006 , 18, 307-25	3.4 50
59	De toekomst komt vanzelf. <i>Tijdschrift Voor Psychotherapie</i> , 2006 , 32, 4-11	
58	Screening and early psychological intervention for depression in schools : systematic review and meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2006 , 15, 300-7	5.5 43
57	Prevention 2006 , 341-357	
56	Directions for the International Society for Research on Internet Interventions (ISRII). <i>Journal of Medical Internet Research</i> , 2006 , 8, e23	7.6 75
55	Costs of nine common mental disorders: implications for curative and preventive psychiatry. <i>Journal of Mental Health Policy and Economics</i> , 2006 , 9, 193-200	1.3 248
54	Adapting and disseminating effective public health interventions in another country: towards a systematic approach. <i>European Journal of Public Health</i> , 2005 , 15, 166-9	2.1 31
53	Personality traits of patients with mood and anxiety disorders. <i>Psychiatry Research</i> , 2005 , 133, 229-37	9.9 49
52	Depressive disorders in caregivers of dementia patients: a systematic review. <i>Aging and Mental Health</i> , 2005 , 9, 325-30	3.5 261
51	Prevention programmes for children of problem drinkers: A review. <i>Drugs: Education, Prevention and Policy</i> , 2005 , 12, 465-475	1.2 24
50	Preventing the incidence of new cases of mental disorders: a meta-analytic review. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 119-25	1.8 115
49	Outcome of cognitive behaviour therapy for minor depression in routine practice. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2005 , 78, 179-88	3.5 10
48	Zin en onzin van verslavingspreventie. <i>Verslaving</i> , 2005 , 1, 2-8	1
47	Widgets: why are some interventions better than others?. <i>Addiction</i> , 2005 , 100, 1375-6; author reply 1376-7	4.6 1
46	Predicting the onset of major depression in subjects with subthreshold depression in primary care: a prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 133-8	6.5 56

45	Examining differential effects of psychological treatment of depressive disorder: an application of trajectory analyses. <i>Journal of Affective Disorders</i> , 2005 , 89, 137-46	6.6	41
44	Creative reminiscence as an early intervention for depression: results of a pilot project. <i>Aging and Mental Health</i> , 2005 , 9, 302-4	3.5	56
43	Minimal-contact psychotherapy for sub-threshold depression in primary care. Randomised trial. <i>British Journal of Psychiatry</i> , 2004 , 185, 416-21	5.4	108
42	Cannabis use and the risk of later schizophrenia: a review. <i>Addiction</i> , 2004 , 99, 425-30	4.6	148
41	The effects on mortality of brief interventions for problem drinking: a meta-analysis. <i>Addiction</i> , 2004 , 99, 839-45	4.6	111
40	Subthreshold depression as a risk indicator for major depressive disorder: a systematic review of prospective studies. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 325-31	6.5	369
39	Reply:. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 311-312	6.5	
38	Minor depression: risk profiles, functional disability, health care use and risk of developing major depression. <i>Journal of Affective Disorders</i> , 2004 , 79, 71-9	6.6	263
37	Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. <i>Journal of Affective Disorders</i> , 2004 , 81, 241-9	6.6	48
36	Increased mortality in depressive disorders: a review. <i>Current Psychiatry Reports</i> , 2004 , 6, 430-7	9.1	105
35	Same Prevention, Different Effects? Effect modification in an alcohol misuse prevention project among high-school juniors. <i>Drugs: Education, Prevention and Policy</i> , 2003 , 10, 185-193	1.2	2
34	Examining the effects of prevention programs on the incidence of new cases of mental disorders: the lack of statistical power. <i>American Journal of Psychiatry</i> , 2003 , 160, 1385-91	11.9	136
33	Effects of reminiscence and life review on late-life depression: a meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2003 , 18, 1088-94	3.9	250
32	Three Decades of Drug Prevention Research. <i>Drugs: Education, Prevention and Policy</i> , 2003 , 10, 7-20	1.2	69
31	Psychiatric disorders in adult children of parents with a history of psychopathology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 7-12	4.5	43
30	The effects of drug abuse prevention at school: the 'Healthy School and Drugs' project. <i>Addiction</i> , 2002 , 97, 67-73	4.6	73
29	Peer-led and adult-led school drug prevention: a meta-analytic comparison. <i>Journal of Drug Education</i> , 2002 , 32, 107-19	0.1	65
28	Nicotine Dependence and Regular Nicotine Use in Adult Children of Alcoholics. <i>Addiction Research and Theory</i> , 2002 , 10, 69-81	2.6	4

27	Excess mortality in depression: a meta-analysis of community studies. <i>Journal of Affective Disorders</i> , 2002 , 72, 227-36	6.6	555
26	Effective ingredients of school-based drug prevention programs. A systematic review. <i>Addictive Behaviors</i> , 2002 , 27, 1009-23	4.2	327
25	Secondary prevention of depressive symptoms in elderly inhabitants of residential homes. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 702-8	3.9	32
24	Mortality and depressive symptoms in inhabitants of residential homes. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 131-8	3.9	35
23	Effects of family interventions on burden of relatives of psychiatric patients in The Netherlands: a pilot study. <i>Community Mental Health Journal</i> , 2001 , 37, 179-87	2.1	24
22	Assessing parental alcoholism: a comparison of the family history research diagnostic criteria versus a single-question method. <i>Addictive Behaviors</i> , 2001 , 26, 741-8	4.2	26
21	Burnout among relatives of psychiatric patients attending psychoeducational support groups. <i>Psychiatric Services</i> , 2000 , 51, 375-9	3.3	63
20	The effects of family interventions on relatives' burden: A meta-analysis. <i>Journal of Mental Health</i> , 1999 , 8, 275-285	2.7	114
19	Depressive symptoms in chronically ill elderly people in residential homes. <i>Aging and Mental Health</i> , 1999 , 3, 221-226	3.5	19
18	Psychiatric disorders in adult children of problem drinkers: prevalence, first onset and comparison with other risk factors. <i>Addiction</i> , 1999 , 94, 1489-98	4.6	51
17	Relation between quality of life and chronic illnesses in elderly living in residential homes: a prospective study. <i>International Psychogeriatrics</i> , 1999 , 11, 445-54	3.4	21
16	A psychoeducational approach to the treatment of depression: A meta-analysis of lewinsohn's coping with depression course. <i>Behavior Therapy</i> , 1998 , 29, 521-533	4.8	88
15	Psychological outreach programmes for the depressed elderly: a meta-analysis of effects and dropout. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 41-8	3.9	55
14	Minimising interventions in the treatment and prevention of depression. Taking the consequences of the 'Dodo Bird Verdict'. <i>Journal of Mental Health</i> , 1998 , 7, 355-365	2.7	9
13	Prevention of depression in chronic general medical disorders: a pilot study. <i>Psychological Reports</i> , 1998 , 82, 735-8	1.6	8
12	Bibliotherapy in unipolar depression: a meta-analysis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 1997 , 28, 139-47	2.6	207
11	Psychologische strategieën bij de preventie van terugval bij depressie. <i>Tijdschrift Voor Psychotherapie</i> , 1997 , 23, 138-143		0
10	Welke psychotherapie is het meest effectief bij een depressie? Het oordeel van de Dodo. <i>Tijdschrift Voor Psychotherapie</i> , 1997 , 23, 190-199		1

9	Change mechanisms of support groups for caregivers of dementia patients. <i>International Psychogeriatrics</i> , 1996 , 8, 575-87	3.4	14
8	De effecten van psychologische behandeling van depressies. Een overzicht van meta-analyses. <i>Tijdschrift Voor Psychotherapie</i> , 1996 , 22, 231-239		6
7	Childhood adversities and mental disorders in first-year college students: results from the World Mental Health International College Student Initiative. <i>Psychological Medicine</i> ,1-11	6.9	0
6	Stress management interventions for college students: A systematic review and meta-analysis.. <i>Clinical Psychology: Science and Practice</i> ,	3.7	9
5	Psychological treatment of perinatal depression: a meta-analysis. <i>Psychological Medicine</i> ,1-13	6.9	2
4	Feasibility and acceptability of a guided internet-based stress management intervention for university students with high levels of stress: Protocol for an open trial (Preprint)		1
3	Effectiveness of an Internet- and App-Based Intervention for College Students With Elevated Stress: Randomized Controlled Trial (Preprint)		1
2	Treating depression with a smartphone-delivered self-help cognitive behavioral therapy for insomnia: a parallel-group randomized controlled trial. <i>Psychological Medicine</i> ,1-15	6.9	1
1	Development of a transdiagnostic stepped care programme for common adolescent mental health problems in Indian secondary schools: lessons from a pilot study examining acceptability and feasibility. <i>Global Mental Health (Cambridge, England)</i> ,1-5	3.9	1