

Luiz M Mundim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2377689/luiz-m-mundim-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

908 papers	42,390 citations	87 h-index	165 g-index
945 ext. papers	47,602 ext. citations	4.9 avg, IF	6.51 L-index

#	Paper	IF	Citations
908	Search for W resonances in proton-proton collisions at $\sqrt{s}=13$ TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	0
907	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of Leptons in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2022 , 128, 081805	7.4	0
906	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
905	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
904	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
903	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
902	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	0
901	Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 213	4.2	0
900	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
899	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
898	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
897	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
896	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
895	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
894	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
893	Measurement of the inclusive $\sigma(\text{t}\bar{\text{t}})$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
892	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7.4	0

891	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
890	Measurement of differential $t\bar{t}$ production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	1
889	Measurement of the electroweak production of $Z\ell\ell$ and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , 2021 , 104,	4.9	1
888	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
887	Development and validation of HERWIG++ tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
886	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
885	Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2021 , 16, P05014	1	11
884	Measurement of the CP-violating phase ϕ_s in the $B_s^0 \rightarrow \pi^0(1020) \pi^0 K^0$ channel in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136188	4.2	1
883	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
882	Observation of a New Excited Beauty Strange Baryon Decaying to $\Lambda_b^0 \pi^+ \pi^-$. <i>Physical Review Letters</i> , 2021 , 126, 252003	7.4	1
881	Performance of the CMS muon trigger system in proton-proton collisions at $\sqrt{s} = 13$. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
880	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
879	Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 136018	4.2	6
878	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
877	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
876	Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 813, 136036	4.2	1
875	Search for long-lived particles using displaced jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
874	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4

873	Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136409	4.2	0
872	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2021 , 127, 102002	7.4	1
871	Search for a heavy vector resonance decaying to a γ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
870	Measurement of the azimuthal anisotropy of π^0 and mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136385	4.2	1
869	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
868	Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136446	4.2	8
867	Search for W^\pm bosons decaying to a top and a bottom quark at $\sqrt{s}=13\text{TeV}$ in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
866	First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136565	4.2	0
865	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , 2021 , 104,	4.9	3
864	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
863	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
862	Search for top squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2021 , 104,	4.9	4
861	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
860	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
859	Measurements of the W boson rapidity, helicity, double-differential cross sections, and charge asymmetry in pp collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2020 , 102,	4.9	4
858	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , 2020 , 125, 222001	7.4	1
857	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
856	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18

855	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
854	Search for disappearing tracks in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135502	4.2	14
853	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
852	Multiparticle correlation studies in pPb collisions at $s_{NN}=8.16$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2
851	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
850	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
849	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
848	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
847	Constraints on the $\langle c_1 \rangle$ versus $\langle c_2 \rangle$ Polarizations in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6
846	Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12
845	Study of excited B_0 states decaying to $B_0 \pi \pi$ in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135345	4.2	19
844	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25
843	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
842	A multi-dimensional search for new heavy resonances decaying to boosted $\gamma\gamma$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
841	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
840	Measurement of differential cross sections and charge ratios for s -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
839	Measurement of $(\bar{t}t)$ normalised multi-differential cross sections in (pp) collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
838	Observation of the $B_0 \rightarrow \pi^0 \pi^0$ decay in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5

837	Reconstruction of signal amplitudes in the CMS electromagnetic calorimeter in the presence of overlapping proton-proton interactions. <i>Journal of Instrumentation</i> , 2020 , 15, P10002-P10002	1	4
836	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
835	Strange hadron production in pp and pPb collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review C</i> , 2020 , 101,	2.7	1
834	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
833	W+W boson pair production in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2020 , 102,	4.9	4
832	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
831	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s}=13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
830	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2020 , 124, 202001	7.4	2
829	Observation of the $B_{s1} \rightarrow X(3872) \gamma$ Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7.4	4
828	Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2020 , 102,	4.9	6
827	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
826	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
825	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2020 , 125, 102001	7.4	3
824	Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135285	4.2	5
823	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with $e\bar{\nu}_\tau$ in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
822	Studies of Beauty Suppression via Nonprompt D^0 Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2019 , 123, 022001	7.4	7
821	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
820	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19

8 ₁₉	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
8 ₁₈	Search for an L \bar{L} gauge boson using $Z \rightarrow 4\ell$ events in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
8 ₁₇	Search for the pair production of light top squarks in the e^+e^- final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
8 ₁₆	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9
8 ₁₅	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
8 ₁₄	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4.9	42
8 ₁₃	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
8 ₁₂	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-129	4.2	27
8 ₁₁	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
8 ₁₀	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
8 ₀₉	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
8 ₀₈	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
8 ₀₇	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
8 ₀₆	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
8 ₀₅	Measurement of prompt (Υ S) production cross sections in proton-lead and proton-proton collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 509-532	4.2	6
8 ₀₄	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
8 ₀₃	Search for ($\overline{\text{t}}\text{t}\text{H}$) production in the ($\text{H}\text{to}\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}\text{t}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
8 ₀₂	Search for Narrow H Resonances in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1

801	Observation of Two Excited B_{c}^{+} States and Measurement of the $B_{c}^{+}(2S)$ Mass in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31
800	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
799	Measurement of nuclear modification factors of $\phi(1S)$, $\phi(2S)$, and $\phi(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 270-293	4.2	40
798	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
797	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	2
796	Search for the production of $W\Box W\Box$ events at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	3
795	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	13
794	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
793	Measurement of exclusive ϕ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
792	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
791	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
790	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
789	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
788	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
787	Measurement of the top quark Yukawa coupling from $t\bar{t}$ kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
786	Measurements of differential Z boson production cross sections in proton-proton collisions at ($\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
785	Study of the ($\text{B}^{+} \rightarrow \text{J}/\psi \overline{\Lambda} \text{p}$) decay in proton-proton collisions at ($\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
784	Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	12

783	Measurement of the top quark polarization and $t\bar{t}$ spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	13
782	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to dilepton pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
781	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	10
780	Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV using charge-dependent azimuthal anisotropies. <i>Physical Review C</i> , 2019 , 100,	2.7	5
779	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
778	Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
777	Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
776	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
775	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
774	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
773	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
772	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
771	Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 251-272	4.2	20
770	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{NN}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
769	Observation of the Higgs boson decay to a pair of dileptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
768	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
767	Search for Higgsino pair production in pp collisions at $\sqrt{s}=13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $H\rightarrow b\bar{b}$. <i>Physical Review D</i> , 2018 , 97,	4.9	8
766	Search for resonant and nonresonant Higgs boson pair production in the ($\ell\ell\ell\ell$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19

765	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
764	Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
763	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
762	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
761	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
760	Measurement of the inclusive ($\overline{\sigma}(\mathbf{t})$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
759	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
758	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
757	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
756	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
755	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
754	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
753	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\mathbf{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
752	Measurement of normalized differential ($\overline{\sigma}(\mathbf{t})$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
751	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
750	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
749	Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
748	Measurement of the B polarization and angular parameters in $B \rightarrow J/\psi$ decays from pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	6

747	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4.2	9
746	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $s=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	20
745	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $s=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	51
744	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
743	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-190	4.2	4
742	Search for pair production of vector-like quarks in the bWb^*W channel from proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4.2	29
741	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358-384	4.2	11
740	Search for new long-lived particles at $s=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4.2	20
739	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 384-409	4.2	2
738	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
737	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
736	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at $\sqrt{s_{\text{NN}}}=8.16\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
735	Search for top squarks and dark matter particles in opposite-charge dilepton final states at $s=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	26
734	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s_{\text{NN}}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
733	Observation of $t\bar{t}\gamma\gamma H$ Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
732	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at $13\sqrt{\text{TeV}}$. <i>Physical Review Letters</i> , 2018 , 120, 241801	7.4	9
731	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
730	Search for vectorlike light-flavor quark partners in proton-proton collisions at $s=8\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	6

729	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24
728	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
727	Search for the X(5568) State Decaying into $B_s^0 \pi^0$ in Proton-Proton Collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
726	Measurements of the $(\text{pp} \rightarrow \text{ZZ})$ production cross section and the $(\text{ZZ} \rightarrow 4\ell)$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, \text{TeV})$ 2018 , 78, 1		3
725	Azimuthal anisotropy of charged particles with transverse momentum up to $100\text{GeV}/c$ in PbPb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27
724	Search for $(\text{t}\overline{\text{t}}\text{H})$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
723	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
722	Search for natural and split supersymmetry in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$ in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
721	Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions. <i>Physical Review C</i> , 2018 , 98,	2.7	6
720	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
719	Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018 , 13, P10034-P10034	1	7
718	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13
717	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
716	Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 98,	4.9	14
715	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 241802	7.4	20
714	Measurement of jet substructure observables in $t\bar{t}$ events from proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 98,	4.9	12
713	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
712	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9

711	Performance of reconstruction and identification of ℓ leptons decaying to hadrons and ν_{ℓ} in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
710	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7.4	6
709	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
708	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
707	Studies of η and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
706	Observation of the $Z \rightarrow \ell^+ \ell^-$ Decay in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7.4	1
705	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
704	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
703	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\ell$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
702	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
701	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
700	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
699	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
698	Search for dark matter produced in association with a Higgs boson decaying to $\ell\bar{\nu} \ell\bar{\nu}$ at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
697	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
696	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\nu_{\overline{q}} \overline{q}$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
695	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
694	Observation of the $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16

693	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
692	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
691	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying ℓ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
690	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two ℓ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28
689	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
688	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
687	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
686	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
685	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
684	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
683	Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 101-127	4.2	35
682	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12
681	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40
680	Measurement of Prompt D^0 Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
679	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 349-370	4.2	6
678	Search for excited quarks of light and heavy flavor in ℓ -jet final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5
677	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
676	Evidence for the Higgs boson decay to a bottom quark-antiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47

675	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
674	Measurement of angular parameters from the decay $B^0 \rightarrow K^{*0} \mu^+ \mu^-$ in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 517-541	4.2	44
673	Nuclear modification factor of D0 mesons in PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 474-496	4.2	61
672	Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 440-467	4.2	34
671	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 021802	7.4	23
670	Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 147-170	4.2	55
669	Observation of the decay $B^+ \rightarrow K^+ (1020) K^0$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 66-86	4.2	2
668	Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	7
667	Measurement of the WZ production cross section in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
666	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	11
665	Measurements of the $[\text{Formula: see text}]$ production cross section in lepton+jets final states in pp collisions at 8 $[\text{Formula: see text}]$ and ratio of 8 to 7 $[\text{Formula: see text}]$ cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
664	Inclusive search for supersymmetry using razor variables in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	9
663	Measurement of the $[\text{Formula: see text}]$ production cross section using events in the $[\text{Formula: see text}]$ final state in pp collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
662	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
661	Search for electroweak production of charginos in final states with two μ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
660	Measurement of the production cross section of a W $[\text{boson}]$ in association with two b jets in pp collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
659	Measurement of the WZ production cross section in pp collisions at $[\text{Formula: see text}]$ and 8 $[\text{Formula: see text}]$ and search for anomalous triple gauge couplings at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
658	Measurement of prompt and nonprompt $[\text{Formula: see text}]$ production in $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26

657	Suppression of $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57
656	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
655	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
654	Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 80-105	4.2	11
653	Measurement of the cross section for electroweak production of $Z\ell\ell$ association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
652	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
651	Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 103-129	4.2	23
650	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ using the \cancel{E}_T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
649	Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ and combination with 8 TeV data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 57-80	4.2	50
648	Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
647	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13
646	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
645	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
644	Search for Supersymmetry in pp Collisions at $\sqrt{s}=13\text{ TeV}$ in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7.4	7
643	Measurement of the $B^{\{0\}}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
642	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2017 , 96,	4.9	15
641	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
640	Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review C</i> , 2017 , 96,	2.7	5

639	Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s}=2.76$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	39
638	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
637	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
636	Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	7
635	Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables $M_{b\bar{b}MT2}$, and $M_{b\bar{b}n}$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	8
634	Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	50
633	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
632	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
631	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
630	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s}_{NN}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22
629	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
628	Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 336-358	4.2	10
627	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s}_{NN}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
626	Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 50-71	4.2	6
625	Search for anomalous couplings in boosted $WW/WZ\text{-}qq$ production in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 21-42	4.2	22
624	Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 391-412	4.2	3
623	Search for heavy gauge W' bosons in events with an energetic lepton and large missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 278-301	4.2	24
622	Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 306-329	4.2	14

621	Search for high-mass $Z\bar{\chi}$ resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 363-387	4.2	10
620	Search for $(\overline{\mathbf{t}}\mathbf{t})$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
619	Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 634-656	4.2	11
618	Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
617	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	41
616	Search for associated production of dark matter with a Higgs boson decaying to $(\overline{\mathbf{b}}\mathbf{b})$ or $\mathbf{t}\bar{\mathbf{t}}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
615	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11
614	Observation of $Y(1S)$ pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
613	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
612	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
611	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
610	Measurement of the semileptonic $(\overline{\mathbf{t}}\mathbf{t}) + \mathbf{b}\bar{\mathbf{b}}$ production cross section in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
609	Measurements of the $pp \rightarrow W\mathbf{b}$ and $pp \rightarrow Z\mathbf{b}$ cross sections and limits on anomalous quartic gauge couplings at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
608	Mechanical stability of the CMS strip tracker measured with a laser alignment system. <i>Journal of Instrumentation</i> , 2017 , 12, P04023-P04023	1	
607	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
606	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
605	Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 563-584	4.2	6
604	Search for black holes and other new phenomena in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 279-307	4.2	10

603	Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 533-558	4.2	25
602	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
601	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
600	Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	10
599	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
598	Measurement of the differential inclusive B ⁺ hadron cross sections in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 435-456	4.2	15
597	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
596	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
595	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
594	Relative Modification of Prompt (Υ S) and J/ Υ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
593	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
592	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
591	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
590	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23
589	Measurement of electroweak-induced production of W Υ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
588	Searches for W Υ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
587	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
586	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18

585	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
584	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
583	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12
582	Search for Higgs boson pair production in the $b\bar{b}$ final state in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	14
581	Measurement of charged pion, kaon, and proton production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	33
580	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 682-705	4.2	29
579	Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 315-337	4.2	6
578	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
577	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
576	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
575	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
574	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
573	Search for top quark partners with charge 5/3 in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
572	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
571	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
570	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
569	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
568	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46

567	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
566	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
565	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
564	Search for high-mass $Z\gamma$ resonances in $e+e\rightarrow\gamma\gamma$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
563	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
562	Search for CP violation in ($\overline{t}t$) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
561	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
560	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
559	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
558	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
557	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
556	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
555	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57
554	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
553	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
552	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61
551	Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	2
550	Search for vectorlike charge $2/3$ T quarks in proton-proton collisions at ($s=8$) TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	66

549	Search for single production of scalar leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
548	Measurements of $t\bar{t}$ spin correlations and top quark polarization using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
547	Measurement of the top quark mass using charged particles in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	10
546	Search for supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with boosted W bosons and b jets using razor variables. <i>Physical Review D</i> , 2016 , 93,	4.9	10
545	Search for pair-produced vectorlike B quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	35
544	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
543	Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	48
542	Search for pair production of first and second generation leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	39
541	Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s}=8$ TeV using a template method. <i>Physical Review D</i> , 2016 , 93,	4.9	11
540	Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	18
539	Measurement of the top quark mass using proton-proton data at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
538	Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays. <i>Physical Review Letters</i> , 2016 , 116, 032301	7.4	19
537	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
536	Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 479-500	4.2	6
535	Combined search for anomalous pseudoscalar HVV couplings in $VH(H\rightarrow b\bar{b})$ production and $H\rightarrow VV$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 672-696	4.2	28
534	Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 365-386	4.2	9
533	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
532	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2

531	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
530	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
529	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
528	Measurement of the ($\overline{\mathrm{t}}\mathrm{t}$) production cross section in the $\mathrm{e}\overline{\mathrm{e}}$ channel in proton-proton collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
527	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
526	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
525	Evidence for exclusive $\mathrm{B}\overline{\mathrm{B}}\mathrm{W} + \mathrm{W}$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
524	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
523	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
522	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
521	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	11
520	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
519	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s}=2.76$, text {TeV}). <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	17
518	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
517	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
516	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
515	Search for $\mathrm{W}\overline{\mathrm{b}}\mathrm{b}$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
514	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21

513	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
512	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
511	Measurement of the ratio $B(Bs_0 \rightarrow \mu^+ \mu^- (980))/B(Bs_0 \rightarrow \mu^+ \mu^- (1020))$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 84-102	4.2	4
510	Search for neutral MSSM Higgs bosons decaying to $\mu\mu$ in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 221-246	4.2	11
509	Search for a Higgs boson decaying into $\mu\mu$ with low dilepton mass in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 341-362	4.2	13
508	Search for W^\pm decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 196-216	4.2	14
507	Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 296-320	4.2	20
506	Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the $\mu\mu$ +jets final state in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 321-346	4.2	10
505	Study of Z boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 36-57	4.2	35
504	A search for pair production of new light bosons decaying into muons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 146-168	4.2	51
503	Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 59-80	4.2	22
502	Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 152-180	4.2	30
501	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12
500	Measurement of the $[\text{Formula: see text}]$ production cross section in the all-jets final state in pp collisions at $[\text{Formula: see text}] [\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
499	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
498	Search for massive WH resonances decaying into the $[\text{Formula: see text}]$ final state at $[\text{Formula: see text}] [\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
497	Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 102-124	4.2	42
496	Measurement of the CP-violating weak phase ϕ_s and the decay width difference Δ using the $Bs_0 \rightarrow \mu^+ \mu^- (1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26

495	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 154-179	4.2	15
494	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
493	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
492	Search for heavy Majorana neutrinos in $e^+e^- \rightarrow \mu^+\mu^-$ jets and $e^+e^- \rightarrow \mu^+\mu^-$ jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
491	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96
490	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\mu\mu$ in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
489	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
488	Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with h. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 217-244	4.2	46
487	Search for exotic decays of a Higgs boson into undetectable particles and one or more photons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 363-388	4.2	9
486	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
485	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
484	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
483	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
482	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
481	Reconstruction and identification of μ lepton decays to hadrons and B_t CMS. <i>Journal of Instrumentation</i> , 2016 , 11, P01019-P01019	1	75
480	Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	55
479	Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 512-534	4.2	17
478	LHC forward physics. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2016 , 43, 110201	2.9	75

477	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	14
476	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4-2	9
475	Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4-9	44
474	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	4
473	Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV. <i>Physical Review D</i> , 2016 , 94,	4-9	3
472	Measurement of the ZZ production cross section and Z \rightarrow $\mu^+\mu^-$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4-2	22
471	Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with 0 μ leptons. <i>Physical Review D</i> , 2016 , 94,	4-9	7
470	Measurement of the integrated and differential $t\bar{t}$ production cross sections for high-pT top quarks in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 94,	4-9	21
469	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 6-31	4-2	5
468	Angular analysis of the decay $B^0 \rightarrow \mu^+\mu^-$ from pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 424-448	4-2	59
467	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	21
466	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	20
465	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	6
464	Search for neutral resonances decaying into a Z boson and a pair of b jets or μ leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 369-394	4-2	33
463	Measurement of the $Z\mu\mu$ production cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous ZZ $\mu\mu$ and Z $\mu\mu$ trilinear gauge boson couplings. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 448-468	4-2	10
462	μ (nS) polarizations versus particle multiplicity in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 31-52	4-2	5
461	Search for lepton flavour violating decays of the Higgs boson to $e\bar{\mu}$ and $e\mu$ in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 472-500	4-2	35
460	Measurement of the inelastic cross section in proton-lead collisions at $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 641-662	4-2	10

459	Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 178-201	4.2	4
458	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
457	Search for new resonances decaying via WZ to leptons in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 83-104	4.2	47
456	Measurement of the pp- $\bar{Z}Z$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 250-272	4.2	38
455	Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 741, 12-37	4.2	37
454	Measurement of the production cross section ratio $\sigma(B^0 \rightarrow \tau^+ \nu_\tau)/\sigma(B^0 \rightarrow \mu^+ \nu_\mu)$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 383-402	4.2	14
453	Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 503-525	4.2	17
452	Search for a standard model-like Higgs boson in the $\tau\tau$ and e^+e^- decay channels at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 184-207	4.2	59
451	Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 745, 5-28	4.2	20
450	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 79-99	4.2	21
449	Measurement of the cross section ratio $\sigma(t\bar{t}b\bar{b})/\sigma(t\bar{t}j\bar{j})$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 132-153	4.2	15
448	Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	24
447	Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	83
446	Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	62
445	Search for monotop signatures in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 101801	7.4	25
444	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
443	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7.4	39
442	Measurement of J/ ψ and $\Upsilon(2S)$ Prompt Double-Differential Cross Sections in pp Collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 191802	7.4	41

441	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , 2015 , 114, 051801	7.4	62
440	Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	152
439	Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	41
438	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
437	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
436	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
435	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
434	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow J/\psi$ and $B \rightarrow J/\psi$ and $(\mathcal{B}(\mathcal{B} \rightarrow \mathcal{J}/\psi)_{\mathcal{B} \rightarrow \mathcal{J}/\psi}^{\text{measured}})/\mathcal{B}(\mathcal{B} \rightarrow \mathcal{J}/\psi)_{\mathcal{B} \rightarrow \mathcal{J}/\psi}^{\text{theoretical}}$ in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13
433	Search for disappearing tracks in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
432	Study of Z production in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}=2.76)$ TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
431	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
430	Observation of the rare $B(s)(0) \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. <i>Nature</i> , 2015 , 522, 68-72	50.4	326
429	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $(\sqrt{s}=2.76)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
428	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34
427	Search for narrow high-mass resonances in proton-proton collisions at $\sqrt{s}=8$ TeV decaying to a Z and a Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 255-277	4.2	30
426	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
425	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
424	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48

423	Study of W boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 565-586	4.2	36
422	Measurements of the $\gamma(1S)$, $\gamma(2S)$, and $\gamma(3S)$ differential cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 14-34	4.2	27
421	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
420	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
419	Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s}=8$ TeV and decaying to $\mu\mu$ as a function of transverse momentum and rapidity. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 154-175	4.2	42
418	Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 560-582	4.2	78
417	Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions. <i>Physical Review C</i> , 2015 , 92,	2.7	104
416	Search for the standard model Higgs boson produced through vector boson fusion and decaying to $b\bar{b}$. <i>Physical Review D</i> , 2015 , 92,	4.9	37
415	Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	5
414	Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	61
413	Study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	4
412	Measurement of diffractive dissociation cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	29
411	Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	142
410	Search for supersymmetry with photons in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	5
409	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. <i>Physical Review D</i> , 2015 , 92,	4.9	37
408	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , 2015 , 115, 012301	7.4	145
407	Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P08010-P08010	1	141
406	Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $\mu\mu b\bar{b}$ final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 221-243	4.2	48

405	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
404	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
403	Search for lepton-flavour-violating decays of the Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 337-362	4.2	175
402	Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at \sqrt{s} =8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 747, 98-119	4.2	62
401	Search for heavy Majorana neutrinos in $\tau\bar{\tau}$ + jets events in proton-proton collisions at \sqrt{s} =8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 144-166	4.2	58
400	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
399	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33
398	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
397	Search for a charged Higgs boson in pp collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
396	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
395	Search for a light charged Higgs boson decaying to ($\overline{\text{charm}}\text{charm}$) in pp collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33
394	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
393	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
392	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
391	Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at \sqrt{s} =8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 494-519	4.2	113
390	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
389	Combined Measurement of the Higgs Boson Mass in pp Collisions at \sqrt{s} =7 and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7.4	709
388	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7

387	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4.2	41
386	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98
385	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4.2	25
384	Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 187-209	4.2	36
383	Comparison of the $Z/\bar{\nu} + \text{jets}$ to $\bar{\nu} + \text{jets}$ cross sections in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	5
382	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
381	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 742, 200-224	4.2	64
380	Measurement of the $(\overline{t}t)$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	43
379	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
378	Search for new physics in events with same-sign dileptons and jets in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
377	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=8$ TeV in dilepton final states containing one lepton. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 23-43	4.2	17
376	Measurement of the electron structure function F_2^{eep} at LEP energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 737, 39-47	4.2	
375	Measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 33-57	4.2	41
374	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 64-85	4.2	116
373	Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 371-397	4.2	57
372	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(\sqrt{s_{NN}}) = 5.02$ (TeV). <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	67
371	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
370	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131

369	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
368	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
367	Event activity dependence of $(Y)(nS)$ production in $(\sqrt{s_{NN}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
366	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
365	Evidence for the 125 GeV Higgs boson decaying to a pair of ℓ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101
364	Search for $W^? \rightarrow b$ decays in the lepton + jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23
363	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
362	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81
361	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
360	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
359	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
358	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74
357	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
356	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
355	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text] 5.02 [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
354	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
353	Inclusive search for a vector-like T quark with charge . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 729, 149-171	4.2	103
352	Modification of jet shapes in PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 243-263	4.2	124

351	Search for baryon number violation in top-quark decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 731, 173-196	4.2	9
350	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7.4	62
349	Observation of a peaking structure in the J/ψ mass spectrum from $B \rightarrow J/\psi K$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 734, 261-281	4.2	83
348	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 733, 328-353	4.2	50
347	Measurement of prompt J/ψ to J/ψ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}} = 2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7.4	38
346	Searches for heavy Higgs bosons in two-Higgs-doublet models and for $t\text{-}\bar{t}h$ decay using multilepton and diphoton final states in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	43
345	Search for supersymmetry with razor variables in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	11
344	Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	62
343	Search for heavy neutrinos and $[Formula: see text]$ bosons with right-handed couplings in proton-proton collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
342	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
341	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
340	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
339	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
338	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
337	Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
336	Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 735, 204-225	4.2	19
335	Search for excited quarks in the $b\bar{b}$ jet final state in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 274-293	4.2	21
334	Alignment of the CMS tracker with LHC and cosmic ray data. <i>Journal of Instrumentation</i> , 2014 , 9, P06009-P06009	4.2	24

333	Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 90,	2.7	89
332	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
331	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
330	Search for anomalous production of events with three or more leptons in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	64
329	Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 191802	7.4	54
328	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
327	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , 2014 , 112, 171801	7.4	58
326	Search for jet extinction in the inclusive jet-pT spectrum from proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	5
325	Measurement of the W and Z inclusive cross sections in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous triple gauge boson couplings. <i>Physical Review D</i> , 2014 , 89,	4.9	28
324	Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks. <i>Physical Review D</i> , 2014 , 89,	4.9	145
323	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 171802	7.4	46
322	Measurement of the muon charge asymmetry in inclusive pp-W+X production at $\sqrt{s}=7$ TeV and an improved determination of light parton distribution functions. <i>Physical Review D</i> , 2014 , 90,	4.9	63
321	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
320	Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62
319	Search for WW and WZ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	24
318	Measurement of the ratio of inclusive jet cross sections using the anti-kT algorithm with radius parameters $R=0.5$ and 0.7 in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	36
317	CMS Collaboration. <i>Nuclear Physics A</i> , 2014 , 932, 595-620	1.3	5
316	Measurement of four-jet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	23

315	Measurement of the properties of a Higgs boson in the four-lepton final state. <i>Physical Review D</i> , 2014 , 89,	4.9	260
314	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
313	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
312	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
311	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , 2014 , 9, P10009-P10009	1	279
310	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
309	Searches for light- and heavy-flavour three-jet resonances in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 193-214	4.2	35
308	Determination of the top-quark pole mass and strong coupling constant from the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 728, 496-517	4.2	64
307	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
306	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV 2014 , 2014, 1		3
305	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
304	Search for microscopic black holes in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38
303	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
302	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
301	Study of exclusive two-photon production of W+W in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
300	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
299	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35
298	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39

297	Measurement of the $(\overline{\mathrm{t}}\mathrm{t})$ production cross section in the all-jet final state in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
296	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \pi^0$ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
295	Study of the underlying event at forward rapidity in pp collisions at $(\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
294	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	15
293	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	33
292	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	30
291	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	16
290	Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4-2	15
289	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4-2	49
288	Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1252-1272	4-2	16
287	Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 42-61	4-2	20
286	Angular analysis and branching fraction measurement of the decay $B^0 \rightarrow K^0 \pi^0 \pi^0$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 77-100	4-2	35
285	Search for a new bottomonium state decaying to $J/\psi \pi^0 \pi^0$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 57-76	4-2	31
284	Measurement of the $W+W$ and ZZ production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 721, 190-211	4-2	72
283	Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 88,	4-9	5
282	Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4-9	20
281	Measurement of the production cross section for $(\mathrm{Z}\gamma \rightarrow \nu \overline{\nu})$ in pp collisions at $(\sqrt{s}=7)$ TeV and limits on ZZ and Z triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	12
280	Measurement of the W-boson helicity in top-quark decays from $(\overline{\mathrm{t}}\mathrm{t})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	25

279	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
278	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
277	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
276	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
275	Measurement of the $(\bar{t}t)$ production cross section in the $\mu\mu$ jets channel in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
274	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
273	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
272	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
271	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
270	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
269	Measurement of the $W+W$ cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
268	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
267	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
266	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable ΣT . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
265	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
264	Measurement of the inelastic proton-proton cross section at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 5-27	4.2	74
263	Event shapes and azimuthal correlations in Z+jets events in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 238-261	4.2	30
262	Measurement of the σ_{inel} . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 83-104	4.2	42

261	Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1208-1228	4.2	9
260	Searches for Higgs bosons in pp collisions at $\sqrt{s}=7$ and 8 TeV in the context of four-generation and fermiophobic models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 725, 36-59	4.2	13
259	Search for a . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1229-1251	4.2	31
258	Measurement of the prompt . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 381-402	4.2	83
257	Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 725, 243-270	4.2	50
256	Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 564-586	4.2	26
255	Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 724, 213-240	4.2	315
254	Search for a Higgs boson decaying into a Z and a photon in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 587-609	4.2	73
253	Measurement of the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 101-125	4.2	44
252	Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs. <i>Physical Review Letters</i> , 2013 , 110, 081803	7.4	235
251	Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 723, 280-301	4.2	12
250	ForwardBackward asymmetry of DrellYan lepton pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 752-772	4.2	24
249	Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 773-794	4.2	109
248	Observation of long-range, near-side angular correlations in pPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 795-814	4.2	452
247	Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 815-840	4.2	20
246	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
245	Measurement of differential top-quark-pair production cross sections in pp collisions at $(\sqrt{s}) = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
244	Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Physical Review D</i> , 2013 , 87,	4.9	63

243	Search for contact interactions in $tt\bar{t}\bar{t}$ events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	5
242	Measurement of the $B_s(0) \rightarrow \mu^+\mu^-$ branching fraction and search for $B(0) \rightarrow \mu^+\mu^-$ with the CMS experiment. <i>Physical Review Letters</i> , 2013 , 111, 101804	7.4	220
241	Searches for new physics using the $tt\bar{t}\bar{t}$ invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 211804	7.4	76
240	Interpretation of searches for supersymmetry with simplified models. <i>Physical Review D</i> , 2013 , 88,	4.9	52
239	Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 081802	7.4	41
238	Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets. <i>Physical Review Letters</i> , 2013 , 111, 221801	7.4	35
237	Search for Z' resonances decaying to $tt\bar{t}\bar{t}$ in dilepton+jets final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	33
236	Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the CMS detector. <i>Physical Review D</i> , 2013 , 87,	4.9	85
235	Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC. <i>Physical Review D</i> , 2013 , 87,	4.9	10
234	Rapidity distributions in exclusive Z +jet and $tt\bar{t}\bar{t}$ jet events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	11
233	Search for fractionally charged particles in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	32
232	Measurement of the uS , dS , and SS polarizations in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 081802	7.4	71
231	Measurement of the azimuthal anisotropy of neutral pions in Pb-Pb collisions at $\sqrt{s}(NN)=2.76$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 042301	7.4	17
230	Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 022003	7.4	54
229	Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 141802	7.4	41
228	Search for contact interactions using the inclusive jet p_T spectrum in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	10
227	Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 081801	7.4	40
226	Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network. <i>Physical Review D</i> , 2013 , 87,	4.9	13

225	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2013 , 87,	2.7	148
224	Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	9
223	Measurement of associated production of vector bosons and top quark-antiquark pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 172002	7.4	34
222	Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of Instrumentation</i> , 2013 , 8, P09009-P09009	1	111
221	Identification of b-quark jets with the CMS experiment. <i>Journal of Instrumentation</i> , 2013 , 8, P04013-P04013		376
220	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 709, 28-49	4.2	59
219	Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 26-48	4.2	437
218	Search for the standard model Higgs boson decaying to $\tau\tau$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 91-113	4.2	83
217	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 256-277	4.2	111
216	Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 284-306	4.2	57
215	Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 403-425	4.2	138
214	Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 711, 15-34	4.2	16
213	Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 712, 176-197	4.2	144
212	Study of high-p _T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{NN}}=2.76\sim\mathrm{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
211	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{NN}}=2.76\sim\mathrm{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
210	Jet production rates in association with W and Z bosons in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
209	Exclusive W^+W^- production in proton-proton collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
208	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s}=7\text{ TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20

207	Inclusive b-jet production in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
206	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	12
205	Suppression of non-prompt J/ψ and (Υ)(1S) in PbPb collisions at ($\sqrt{s_{\text{NN}}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	184
204	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	44
203	Measurement of the cross section for production of ($\overline{b} X$) decaying to muons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	3
202	Measurement of the $Z/\gamma + b$ -jet cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
201	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	27
200	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	65
199	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	101
198	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	43
197	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	17
196	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	24
195	Measurement of the underlying event activity in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	11
194	Search for anomalous (\overline{t}) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	57
193	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	155
192	Search for a fermiophobic Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
191	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	92
190	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\text{NN}}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	73

189	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	64
188	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	41
187	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	10
186	Search for resonant $(\overline{\text{t}}\text{t})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	25
185	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
184	Measurement of the single-top-quark t-channel cross section in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	70
183	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $(\sqrt{s}=7;\text{TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	12
182	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with lepton+jets final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
181	Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 30-61	4-2	5161
180	Measurement of the $\text{tt}\bar{\nu}$ production cross section in pp collisions at $s=7$ TeV in dilepton final states containing a ν . <i>Physical Review D</i> , 2012 , 85,	4-9	31
179	Search for heavy neutrinos and W(R) bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 261802	7-4	42
178	Measurement of the rapidity and transverse momentum distributions of Z bosons in pp collisions at $(s)=7$ TeV. <i>Physical Review D</i> , 2012 , 85,	4-9	77
177	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , 2012 , 338, 1569-75	33-3	71
176	Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $s=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 68-90	4-2	111
175	Measurement of the B cross section and the B to B ratio with J/ψ decays in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 136-147	4-2	30
174	Search for heavy long-lived charged particles in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 408-433	4-2	54
173	Search for narrow resonances in dilepton mass spectra in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 158-179	4-2	59
172	Study of W boson production in PbPb and pp collisions at $s_{\text{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 66-87	4-2	76

171	Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 103-121	4.2	42
170	Search for high-mass resonances decaying into dilepton pairs in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 82-102	4.2	26
169	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $(\sqrt{s} = 7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	30
168	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $(\sqrt{s} = 0.9, 2.76, \text{ and } 7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	133
167	A search for a doubly-charged Higgs boson in pp collisions at $(\sqrt{s} = 7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	111
166	Measurement of the top-quark mass in $(\text{t}\overline{\text{t}})$ events with dilepton final states in pp collisions at $(\sqrt{s}=7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	36
165	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $(\sqrt{s} = 7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
164	Measurement of the relative prompt production rate of η and η' in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
163	Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 260-284	4.2	23
162	Search for heavy Majorana neutrinos in $\mu\mu+\text{jets}$ and $e\mu+\text{jets}$ events in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 109-128	4.2	41
161	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in proton-proton collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 129-150	4.2	57
160	Search for charge-asymmetric production of χ^{\pm}_0 . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 351-370	4.2	13
159	Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with a lepton in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 307-328	4.2	33
158	Search for three-jet resonances in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 329-347	4.2	24
157	Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 348-368	4.2	33
156	Performance of CMS muon reconstruction in pp collision events at $\sqrt{s}=7\text{TeV}$. <i>Journal of Instrumentation</i> , 2012 , 7, P10002-P10002	1	398
155	Search for signatures of extra dimensions in the diphoton mass spectrum at the large hadron collider. <i>Physical Review Letters</i> , 2012 , 108, 111801	7.4	53
154	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $(\sqrt{s}=7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11

153	J/ψ and ψ(2S) production in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	69
152	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	11
151	Search for ($B_s \rightarrow \mu^+ \mu^-$) and $B^0 \rightarrow \mu^+ \mu^-$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	52
150	Search for a Higgs boson in the decay channel $H \rightarrow Z\gamma \rightarrow \gamma(\gamma\gamma)$ in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	21
149	Search for microscopic black holes in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	34
148	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at ($\sqrt{s} = 7\text{TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
147	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
146	Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review D</i> , 2012 , 86,	4-9	28
145	Measurement of the pseudorapidity and centrality dependence of the transverse energy density in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 152303	7-4	55
144	Azimuthal anisotropy of charged particles at high transverse momenta in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 022301	7-4	95
143	Search for a W' or techni- W decaying into WZ in pp Collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 141801	7-4	26
142	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 171803	7-4	111
141	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 109, 071803	7-4	46
140	Search for the standard model Higgs boson in the decay channel $H \rightarrow Z\gamma \rightarrow \gamma\gamma$ in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 108, 111804	7-4	85
139	Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 121801	7-4	51
138	Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 111806	7-4	65
137	Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7TeV . <i>Physical Review D</i> , 2012 , 86,	4-9	18
136	Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>Physical Review D</i> , 2012 , 85,	4-9	40

135	Combined search for the quarks of a sequential fourth generation. <i>Physical Review D</i> , 2012 , 86,	4.9	23
134	Study of the Dijet mass spectrum in pp $\rightarrow W$ +jets events at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 251801	7.4	12
133	Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 108, 261803	7.4	116
132	Observation of sequential B suppression in PbPb collisions. <i>Physical Review Letters</i> , 2012 , 109, 222301	7.4	172
131	Observation of a new B baryon. <i>Physical Review Letters</i> , 2012 , 108, 252002	7.4	57
130	Performance of \bar{b} -lepton reconstruction and identification in CMS. <i>Journal of Instrumentation</i> , 2012 , 7, P01001-P01001	1	81
129	Measurement of dijet angular distributions and search for quark compositeness in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 201804	7.4	45
128	Missing transverse energy performance of the CMS detector. <i>Journal of Instrumentation</i> , 2011 , 6, P09001-P09001	7.4	4
127	Measurement of W and Z production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 701, 535-555	4.2	38
126	Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 702, 336-354	4.2	13
125	Search for first generation scalar leptoquarks in the $pp \rightarrow \ell q$ process. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 703, 246-266	4.2	11
124	Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 123-142	4.2	111
123	A search for excited leptons in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 143-162	4.2	8
122	Search for physics beyond the standard model using multilepton signatures in $pp \rightarrow \ell\ell\ell\ell$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 411-433	4.2	28
121	Search for single top quark production via contact interactions at LEP2. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	3
120	A study of the b-quark fragmentation function with the DELPHI detector at LEP I and an averaged distribution obtained at the Z Pole. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	25
119	Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
118	Measurement of the $(\bar{t}t)$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35

117	Charged particle multiplicities in pp interactions at ($\sqrt{s} = 0.9$), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	89
116	Measurements of inclusive W and Z cross sections in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	104
115	Search for heavy stable charged particles in pp collisions at ($\sqrt{s} = 7$; {TeV}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	34
114	Inclusive b-hadron production cross section with muons in pp collisions at ($\sqrt{s} = 7$; {TeV}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	21
113	Measurement of ($\overline{\text{B}}\text{B}$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7$; {TeV}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	27
112	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s} = 7$; {TeV}). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	38
111	Strange particle production in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	78
110	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	21
109	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
108	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46
107	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	10
106	Measurement of the ($t\bar{t}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	48
105	Long-range and short-range dihadron angular correlations in central PbPb collisions at ($\sqrt{s_{\text{NN}}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	56
104	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	12
103	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	28
102	Search for same-sign top-quark pair production at ($\sqrt{s} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	39
101	Charged particle transverse momentum spectra in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
100	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ($\sqrt{s_{\text{NN}}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	87

99	Search for new physics with jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
98	Search for supersymmetry in pp collisions at ($\sqrt{s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
97	Measurement of the underlying event activity at the LHC with ($\sqrt{s} = 7$) TeV and comparison with ($\sqrt{s} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	70
96	Measurement of the Drell-Yan cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
95	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121
94	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	19
93	Measurement of the $t\bar{t}$ production cross section in pp collisions at 7 TeV in lepton+jets events using b-quark jet identification. <i>Physical Review D</i> , 2011 , 84,	4.9	44
92	Upsilon production cross section in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2011 , 83,	4.9	77
91	Measurement of the differential cross section for isolated prompt photon production in pp collisions at 7 TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	45
90	Measurement of the B_s^0 Production Cross Section with $B_s^0 \rightarrow J/\psi$ Decays in pp Collisions at $s=7$ TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	31
89	Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2011 , 84,	2.7	395
88	Indications of suppression of excited χ states in Pb-Pb collisions at ($\sqrt{s_{NN}}=2.76$) TeV. <i>Physical Review Letters</i> , 2011 , 107, 052302	7.4	137
87	First measurement of the cross section for top-quark pair production in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 695, 424-443	4.2	79
86	Search for microscopic black hole signatures at the Large Hadron Collider. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 697, 434-453	4.2	61
85	Search for a heavy gauge boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 698, 21-39	4.2	26
84	Search for supersymmetry in pp collisions at 7 TeV in events with jets and missing transverse energy. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 698, 196-218	4.2	166
83	Measurement of $W+W\bar{W}$ production and search for the Higgs boson in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 699, 25-47	4.2	86
82	First measurement of hadronic event shapes in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 699, 48-67	4.2	35

81	Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 700, 187-206	4.2	44
80	Search for a χ^0 . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 701, 160-179	4.2	26
79	Search for a heavy bottom-like quark in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 701, 204-223	4.2	28
78	Measurement of the isolated prompt photon production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 082001	7.4	57
77	Measurement of the $B(+)$ production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 112001	7.4	59
76	Search for $B(s)(0) \rightarrow \mu^+ \mu^-$ and $B(0) \rightarrow \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 191802	7.4	44
75	Search for pair production of second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 201803	7.4	13
74	Search for supersymmetry at the LHC in events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 107, 221804	7.4	188
73	Study of Z Boson Production in PbPb Collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 212301	7.4	66
72	Search for supersymmetry in pp collisions at $\sqrt{s}=7$ TeV in events with two photons and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 106, 211802	7.4	45
71	Search for pair production of first-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 201802	7.4	17
70	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. <i>Physical Review D</i> , 2011 , 84,	4.9	42
69	Search for new physics with a monojet and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 201804	7.4	49
68	Search for a vectorlike quark with charge 2/3 in $t+Z$ events from pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 271802	7.4	53
67	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 132001	7.4	94
66	Measurement of the B_0 production cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 252001	7.4	48
65	Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 101801	7.4	34
64	Publisher's Note: Search for Dijet Resonances in 7 TeV pp Collisions at CMS [Phys. Rev. Lett. 105, 211801 (2010)]. <i>Physical Review Letters</i> , 2011 , 106,	7.4	9

63	Search for neutral minimal supersymmetric standard model Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 231801	7.4	63
62	Dijet azimuthal decorrelations in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 122003	7.4	48
61	Measurement of the polarization of W bosons with large transverse momenta in W + jets events at the LHC. <i>Physical Review Letters</i> , 2011 , 107, 021802	7.4	37
60	Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 091802	7.4	63
59	Search for stopped Gluinos in pp collisions at square root $s=7$ TeV. <i>Physical Review Letters</i> , 2011 , 106, 011801	7.4	38
58	Determination of jet energy calibration and transverse momentum resolution in CMS. <i>Journal of Instrumentation</i> , 2011 , 6, P11002-P11002	1	463
57	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV 2011 , 2011, 1		5
56	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. <i>Journal of Instrumentation</i> , 2010 , 5, T03014-T03014	1	34
55	Search for quark compositeness with the dijet centrality ratio in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 262001	7.4	35
54	First measurement of Bose-Einstein correlations in proton-proton collisions at $\sqrt{s}=0.9$ and 2.36 TeV at the LHC. <i>Physical Review Letters</i> , 2010 , 105, 032001	7.4	44
53	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at square root of $s = 7$ TeV. <i>Physical Review Letters</i> , 2010 , 105, 022002	7.4	353
52	Search for dijet resonances in 7 TeV pp collisions at CMS. <i>Physical Review Letters</i> , 2010 , 105, 211801	7.4	116
51	Performance and operation of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , 2010 , 5, T03010-T03010	1	31
50	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. <i>Journal of Instrumentation</i> , 2010 , 5, T03013-T03013	1	5
49	Performance of the CMS drift tube chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03015-T03015		
48	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03016-T03016	1	2
47	Performance study of the CMS barrel resistive plate chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03017-T03017	1	8
46	Performance of the CMS cathode strip chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03018-T03018	1	4

45	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010 , 5, T03019-T03019	1	4
44	Alignment of the CMS silicon tracker during commissioning with cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03009-T03009	1	35
43	Commissioning of the CMS experiment and the cosmic run at four tesla. <i>Journal of Instrumentation</i> , 2010 , 5, T03001-T03001	1	15
42	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03004-T03004	1	2
41	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. <i>Journal of Instrumentation</i> , 2010 , 5, T03020-T03020	1	8
40	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. <i>Journal of Instrumentation</i> , 2010 , 5, T03021-T03021	1	16
39	Performance of CMS muon reconstruction in cosmic-ray events. <i>Journal of Instrumentation</i> , 2010 , 5, T03022-T03022	1	10
38	CMS data processing workflows during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010 , 5, T03006-T03006	1	2
37	Measurements of CP-conserving trilinear gauge boson couplings WWV ($V=Z$) in $e+e$ collisions at LEP2. <i>European Physical Journal C</i> , 2010 , 66, 35-56	4.2	18
36	Study of the dependence of direct soft photon production on the jet characteristics in hadronic Z^0 decays. <i>European Physical Journal C</i> , 2010 , 67, 343-366	4.2	10
35	First measurement of the underlying event activity at the LHC with ($\sqrt{s} = 0.9$) TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4.2	36
34	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 1165-1192	4.2	99
33	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ($\sqrt{s} = 0.9$) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
32	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389
31	Measurement of the charge ratio of atmospheric muons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 692, 83-104	4.2	32
30	Inclusive single-particle production in two-photon collisions at LEP II with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 678, 444-449	4.2	1
29	Search for one large extra dimension with the DELPHI detector at LEP. <i>European Physical Journal C</i> , 2009 , 60, 17-23	4.2	35
28	A study of $(\bar{b}b)$ production in $e+e$ collisions at ($\sqrt{s}=130$) $\sqrt{07}$ GeV. <i>European Physical Journal C</i> , 2009 , 60, 1-15	4.2	10

27	Correlations between polarisation states of W particles in the reaction $e^+e^- \rightarrow W^+W^-$ at LEP2 energies 189-209 GeV. <i>European Physical Journal C</i> , 2009 , 63, 611-623	4.2	
26	Measurement of the tau lepton polarisation at LEP2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2008 , 659, 65-73	4.2	
25	Higgs boson searches in CP-conserving and CP-violating MSSM scenarios with the DELPHI detector. <i>European Physical Journal C</i> , 2008 , 54, 1	4.2	
24	Study of W-boson polarisations and triple gauge boson couplings in the reaction $e^+e^- \rightarrow W^+W^-$ at LEP 2. <i>European Physical Journal C</i> , 2008 , 54, 345-364	4.2	32
23	Measurement of the mass and width of the W boson in e^+e^- collisions at $(\sqrt{s}) = 161-209$ GeV. <i>European Physical Journal C</i> , 2008 , 55, 1	4.2	28
22	Study of b-quark mass effects in multijet topologies with the DELPHI detector at LEP. <i>European Physical Journal C</i> , 2008 , 55, 525-538	4.2	15
21	Di-jet production in W^+W^- collisions at LEP2. <i>European Physical Journal C</i> , 2008 , 58, 531-541	4.2	1
20	Observation of the muon inner bremsstrahlung at LEP1. <i>European Physical Journal C</i> , 2008 , 57, 499-514	4.2	8
19	Study of multi-muon bundles in cosmic ray showers detected with the DELPHI detector at LEP. <i>Astroparticle Physics</i> , 2007 , 28, 273-286	2.4	40
18	Search for pentaquarks in the hadronic decays of the Z boson with the DELPHI detector at LEP. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007 , 653, 151-160	4.2	5
17	Search for a fourth generation b-quark at LEP-II at $(\sqrt{s}) = 196-209$ GeV. <i>European Physical Journal C</i> , 2007 , 50, 507-518	4.2	3
16	Investigation of Colour Reconnection in WW events with the DELPHI detector at LEP-2. <i>European Physical Journal C</i> , 2007 , 51, 249	4.2	12
15	Z^0 production in e^+e^- interactions at $(\sqrt{s}) = 183-209, \text{GeV}$. <i>European Physical Journal C</i> , 2007 , 51, 503-523	4.2	2
14	Study of triple-gauge-boson couplings ZZZ, ZZ γ and Z $\gamma\gamma$ at LEP. <i>European Physical Journal C</i> , 2007 , 51, 525-542	4.2	21
13	Search for \tilde{B} in two-photon collisions at LEP II with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 634, 340-346	4.2	10
12	Masses, lifetimes and production rates of \tilde{g} . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 639, 179-191	4.2	2
11	Study of leading hadrons in gluon and quark fragmentation. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006 , 643, 147-157	4.2	6
10	Precision electroweak measurements on the Z resonance. <i>Physics Reports</i> , 2006 , 427, 257-454	27.7	730

9	Evidence for an excess of soft photons in hadronic decays of Z^0 . <i>European Physical Journal C</i> , 2006 , 47, 273-294	4.2	17
8	Search for neutral MSSM Higgs bosons at LEP. <i>European Physical Journal C</i> , 2006 , 47, 547	4.2	496
7	Measurement of the B^0 decay form factor. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 585, 63-84	4.2	25
6	Search for single top production via FCNC at LEP at $\sqrt{s}=189\pm 08$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004 , 590, 21-34	4.2	35
5	A measurement of the branching fractions of the b-quark into charged and neutral b-hadrons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 576, 29-42	4.2	13
4	Search for doubly charged Higgs bosons at LEP2. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 552, 127-137	4.2	59
3	Inclusive $b\bar{b}$ decays to wrong sign charmed mesons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 561, 26-40	4.2	3
2	Study of inclusive J/ψ production in two-photon collisions at LEP II with the DELPHI detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003 , 565, 76-86	4.2	36
1	Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s}=189\pm 02$ GeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002 , 525, 17-28	4.2	12