

Subhasis Ghoshal

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2379482/subhasis-ghoshal-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

2,928
citations

31
h-index

51
g-index

95
ext. papers

3,509
ext. citations

8.2
avg, IF

5.79
L-index

#	Paper	IF	Citations
87	Mobility of solid and porous hollow SiO nanoparticles in saturated porous media: Impacts of surface and particle structure. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 480-490	9.3	4
86	Role of tactic response on the mobilization of motile bacteria through micrometer-sized pores.. <i>Science of the Total Environment</i> , 2022 , 832, 154938	10.2	1
85	Inorganic Porous Nanoparticles as Pesticide or Nutrient Carriers 2022 , 363-390		
84	Development of an LC-MS-based method to study the fate of nanoencapsulated pesticides in soils and strawberry plant.. <i>Talanta</i> , 2021 , 239, 123093	6.2	0
83	Characterizing the effects of titanium dioxide and silver nanoparticles released from painted surfaces due to weathering on zebrafish (). <i>Nanotoxicology</i> , 2021 , 15, 527-541	5.3	1
82	Uptake and Translocation of Mesoporous SiO-Coated ZnO Nanoparticles to Following Foliar Application. <i>Environmental Science & Technology</i> , 2021 , 55, 13551-13560	10.3	7
81	Recent Advances in Sulfidated Zerovalent Iron for Contaminant Transformation. <i>Environmental Science & Technology</i> , 2021 , 55, 8464-8483	10.3	12
80	Cadmium-Containing Quantum Dots Used in Electronic Displays: Implications for Toxicity and Environmental Transformations. <i>ACS Applied Nano Materials</i> , 2021 , 4, 8417-8428	5.6	5
79	A rhamnolipid biosurfactant increased bacterial population size but hindered hydrocarbon biodegradation in weathered contaminated soils. <i>Science of the Total Environment</i> , 2021 , 778, 145441	10.2	10
78	A comprehensive assessment of the degradation of C1 and C2 chlorinated hydrocarbons by sulfidated nanoscale zerovalent iron. <i>Water Research</i> , 2021 , 201, 117328	12.5	2
77	Salt selected for hydrocarbon-degrading bacteria and enhanced hydrocarbon biodegradation in slurry bioreactors. <i>Water Research</i> , 2021 , 202, 117424	12.5	2
76	Density Functional Theory Calculations Decipher Complex Reaction Pathways of 6:2 Fluorotelomer Sulfonate to Perfluoroalkyl Carboxylates Initiated by Hydroxyl Radical. <i>Environmental Science & Technology</i> , 2021 ,	10.3	2
75	Self-Assembled Surfactant-Templated Synthesis of Porous Hollow Silica Nanoparticles: Mechanism of Formation and Feasibility of Post-Synthesis Nanoencapsulation. <i>Langmuir</i> , 2020 , 36, 14633-14643	4	7
74	Elaboration of a core@shell bimagnetic nanoadsorbent (CoFe ₂ O ₄ @Fe ₂ O ₃) for the removal of As(V) from water. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 600, 125002	5.1	8
73	Transformation of 6:2 Fluorotelomer Sulfonate by Cobalt(II)-Activated Peroxymonosulfate. <i>Environmental Science & Technology</i> , 2020 , 54, 4631-4640	10.3	20
72	Technology readiness and overcoming barriers to sustainably implement nanotechnology-enabled plant agriculture. <i>Nature Food</i> , 2020 , 1, 416-425	14.4	90
71	Soil Enzyme Activities as an Integral Part of the Environmental Risk Assessment of Nanopesticides. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 8514-8516	5.7	3

70	New Insights into the Degradation Mechanism of Perfluorooctanoic Acid by Persulfate from Density Functional Theory and Experimental Data. <i>Environmental Science & Technology</i> , 2019 , 53, 8672-8681	10.3	40
69	In situ remediation of subsurface contamination: opportunities and challenges for nanotechnology and advanced materials. <i>Environmental Science: Nano</i> , 2019 , 6, 1283-1302	7.1	38
68	A comparison of the effects of natural organic matter on sulfidated and nonsulfidated nanoscale zerovalent iron colloidal stability, toxicity, and reactivity to trichloroethylene. <i>Science of the Total Environment</i> , 2019 , 671, 254-261	10.2	37
67	Fate and inhibitory effect of silver nanoparticles in high rate moving bed biofilm reactors. <i>Science of the Total Environment</i> , 2019 , 647, 1199-1210	10.2	15
66	Impacts of Continuous Inflow of Low Concentrations of Silver Nanoparticles on Biological Performance and Microbial Communities of Aerobic Heterotrophic Wastewater Biofilm. <i>Environmental Science & Technology</i> , 2019 , 53, 9148-9159	10.3	4
65	Transformation of novel polyfluoroalkyl substances (PFASs) as co-contaminants during biopile remediation of petroleum hydrocarbons. <i>Journal of Hazardous Materials</i> , 2019 , 362, 140-147	12.8	33
64	Sulfidation of nanoscale zerovalent iron in the presence of two organic macromolecules and its effects on trichloroethene degradation. <i>Environmental Science: Nano</i> , 2018 , 5, 782-791	7.1	18
63	Amendment of Agricultural Soil with Metal Nanoparticles: Effects on Soil Enzyme Activity and Microbial Community Composition. <i>Environmental Science & Technology</i> , 2018 , 52, 1908-1918	10.3	114
62	Sorption of Perfluoroalkyl Acids to Fresh and Aged Nanoscale Zerovalent Iron Particles. <i>Environmental Science & Technology</i> , 2018 , 52, 6300-6308	10.3	23
61	Selective biostimulation of cold- and salt-tolerant hydrocarbon-degrading <i>Dietzia maris</i> in petroleum-contaminated sub-Arctic soils with high salinity. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 294-304	3.5	13
60	Natural freeze-thaw cycles may increase the risk associated with contamination in surface and groundwater environments. <i>Water Research X</i> , 2018 , 1, 100005	8.1	7
59	Optimal Design of Sulfidated Nanoscale Zerovalent Iron for Enhanced Trichloroethene Degradation. <i>Environmental Science & Technology</i> , 2018 , 52, 11078-11086	10.3	71
58	Growth and Attachment-Facilitated Entry of Bacteria into Submicrometer Pores Can Enhance Bioremediation and Oil Recovery in Low-Permeability and Microporous Media. <i>Environmental Science and Technology Letters</i> , 2016 , 3, 399-403	11	12
57	Dissolution Behavior of Silver Nanoparticles and Formation of Secondary Silver Nanoparticles in Municipal Wastewater by Single-Particle ICP-MS. <i>Environmental Science & Technology</i> , 2016 , 50, 13318-13327	10.3	39
56	Effects of Rhamnolipid and Carboxymethylcellulose Coatings on Reactivity of Palladium-Doped Nanoscale Zerovalent Iron Particles. <i>Environmental Science & Technology</i> , 2016 , 50, 1812-20	10.3	38
55	Comparison of the transport of the aggregates of nanoscale zerovalent iron under vertical and horizontal flow. <i>Chemosphere</i> , 2016 , 144, 1398-407	8.4	14
54	Interaction between palladium-doped zerovalent iron nanoparticles and biofilm in granular porous media: characterization, transport and viability. <i>Environmental Science: Nano</i> , 2016 , 3, 127-137	7.1	11
53	Transport of carboxymethyl cellulose-coated zerovalent iron nanoparticles in a sand tank: Effects of sand grain size, nanoparticle concentration and injection velocity. <i>Chemosphere</i> , 2016 , 150, 8-16	8.4	20

52	Phase Transfer of Palladized Nanoscale Zerovalent Iron for Environmental Remediation of Trichloroethene. <i>Environmental Science & Technology</i> , 2016 , 50, 8631-9	10.3	16
51	Correlation Equation for Predicting the Single-Collector Contact Efficiency of Colloids in a Horizontal Flow. <i>Langmuir</i> , 2015 , 31, 7210-9	4	13
50	Enhanced reductive dechlorination of trichloroethylene by sulfidated nanoscale zerovalent iron. <i>Water Research</i> , 2015 , 78, 144-53	12.5	199
49	Bioaccessible Porosity in Soil Aggregates and Implications for Biodegradation of High Molecular Weight Petroleum Compounds. <i>Environmental Science & Technology</i> , 2015 , 49, 14368-75	10.3	24
48	Reduced transport potential of a palladium-doped zero valent iron nanoparticle in a water saturated loamy sand. <i>Water Research</i> , 2015 , 68, 354-63	12.5	37
47	Mathematical modeling of CO ₂ uptake by concrete during accelerated carbonation curing. <i>Cement and Concrete Research</i> , 2015 , 67, 1-10	10.3	103
46	Do stressful conditions make adaptation difficult? Guppies in the oil-polluted environments of southern Trinidad. <i>Evolutionary Applications</i> , 2015 , 8, 854-70	4.8	30
45	Effects of diurnal temperature variation on microbial community and petroleum hydrocarbon biodegradation in contaminated soils from a sub-Arctic site. <i>Environmental Microbiology</i> , 2015 , 17, 4916-28	5.2	27
44	The effects of viscosity of carboxymethyl cellulose on aggregation and transport of nanoscale zerovalent iron. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 481, 451-459	5.1	21
43	Transport, motility, biofilm forming potential and survival of <i>Bacillus subtilis</i> exposed to cold temperature and freeze-thaw. <i>Water Research</i> , 2014 , 58, 239-47	12.5	18
42	Pilot-scale bioremediation of a petroleum hydrocarbon-contaminated clayey soil from a sub-Arctic site. <i>Journal of Hazardous Materials</i> , 2014 , 280, 595-602	12.8	44
41	Respiratory quotients as a useful indicator of the enhancement of petroleum hydrocarbon biodegradation in field-aged contaminated soils in cold climates. <i>Cold Regions Science and Technology</i> , 2014 , 106-107, 110-119	3.8	8
40	Straining of polyelectrolyte-stabilized nanoscale zero valent iron particles during transport through granular porous media. <i>Water Research</i> , 2014 , 50, 80-9	12.5	94
39	Biodegradation of petroleum hydrocarbons in contaminated clayey soils from a sub-arctic site: the role of aggregate size and microstructure. <i>Chemosphere</i> , 2013 , 91, 1620-6	8.4	22
38	Rhamnolipid biosurfactant and soy protein act as effective stabilizers in the aggregation and transport of palladium-doped zerovalent iron nanoparticles in saturated porous media. <i>Environmental Science & Technology</i> , 2013 , 47, 13355-64	10.3	74
37	Short-term inactivation rates of selected Gram-positive and Gram-negative bacteria attached to metal oxide mineral surfaces: role of solution and surface chemistry. <i>Environmental Science & Technology</i> , 2013 , 47, 5729-37	10.3	20
36	Role of cold climate and freeze-thaw on the survival, transport, and virulence of <i>Yersinia enterocolitica</i> . <i>Environmental Science & Technology</i> , 2013 , 47, 14169-77	10.3	17
35	Physicochemical Processes Limiting CO ₂ Uptake in Concrete during Accelerated Carbonation Curing. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 5529-5537	3.9	43

34	Aggregation and deposition kinetics of carboxymethyl cellulose-modified zero-valent iron nanoparticles in porous media. <i>Water Research</i> , 2012 , 46, 1735-44	12.5	115
33	Petroleum hydrocarbon biodegradation under seasonal freeze-thaw soil temperature regimes in contaminated soils from a sub-Arctic site. <i>Environmental Science & Technology</i> , 2011 , 45, 1061-6	10.3	31
32	Method for the direct observation and quantification of survival of bacteria attached to negatively or positively charged surfaces in an aqueous medium. <i>Environmental Science & Technology</i> , 2011 , 45, 8345-51	10.3	37
31	Systematic comparison of the size, surface characteristics and colloidal stability of zero valent iron nanoparticles pre- and post-grafted with common polymers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 390, 95-104	5.1	132
30	Comparison of the effects of variable site temperatures and constant incubation temperatures on the biodegradation of petroleum hydrocarbons in pilot-scale experiments with field-aged contaminated soils from a cold regions site. <i>Chemosphere</i> , 2011 , 82, 872-8	8.4	30
29	Deposition of carboxymethylcellulose-coated zero-valent iron nanoparticles onto silica: roles of solution chemistry and organic molecules. <i>Langmuir</i> , 2010 , 26, 12832-40	4	80
28	CO2 Sequestration in Concrete through Accelerated Carbonation Curing in a Flow-through Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 1143-1149	3.9	70
27	Bacterial adhesion to hydrocarbons: role of asphaltenes and resins. <i>Colloids and Surfaces B: Biointerfaces</i> , 2010 , 79, 219-26	6	20
26	Assessment of transport of two polyelectrolyte-stabilized zero-valent iron nanoparticles in porous media. <i>Journal of Contaminant Hydrology</i> , 2010 , 118, 143-51	3.9	98
25	Biodegradation of semi- and non-volatile petroleum hydrocarbons in aged, contaminated soils from a sub-Arctic site: laboratory pilot-scale experiments at site temperatures. <i>Chemosphere</i> , 2010 , 80, 319-26	8.4	66
24	A modified microbial adhesion to hydrocarbons assay to account for the presence of hydrocarbon droplets. <i>Journal of Colloid and Interface Science</i> , 2010 , 344, 492-6	9.3	37
23	Use of a whole-cell biosensor to assess the bioavailability enhancement of aromatic hydrocarbon compounds by nonionic surfactants. <i>Biotechnology and Bioengineering</i> , 2008 , 99, 86-98	4.9	14
22	Solubilization kinetics for polycyclic aromatic hydrocarbons transferring from a non-aqueous phase liquid to non-ionic surfactant solutions. <i>Journal of Colloid and Interface Science</i> , 2008 , 320, 298-306	9.3	19
21	Three-dimensional visualization and quantification of non-aqueous phase liquid volumes in natural porous media using a medical X-ray Computed Tomography scanner. <i>Journal of Contaminant Hydrology</i> , 2007 , 93, 96-110	3.9	21
20	SHEDDING LIGHT ON THE BIOAVAILABILITY OF ORGANIC POLLUTANTS 2007 , 105-124		
19	The role of interfacial films in the mass transfer of naphthalene from creosotes to water. <i>Journal of Contaminant Hydrology</i> , 2004 , 74, 283-98	3.9	12
18	Selective solubilization of polycyclic aromatic hydrocarbons from multicomponent nonaqueous-phase liquids into nonionic surfactant micelles. <i>Environmental Science & Technology</i> , 2004 , 38, 5878-87	10.3	52
17	Reduction of benzene and naphthalene mass transfer from crude oils by aging-induced interfacial films. <i>Environmental Science & Technology</i> , 2004 , 38, 2102-10	10.3	23

16	Naphthalene biodegradation from non-aqueous-phase liquids in batch and column systems: comparison of biokinetic rate coefficients. <i>Biotechnology Progress</i> , 2003 , 19, 844-52	2.8	8
15	Characterization of a new solvent-responsive gene locus in <i>Pseudomonas putida</i> F1 and its functionalization as a versatile biosensor. <i>Environmental Microbiology</i> , 2003 , 5, 1309-27	5.2	70
14	Micellar solubilization of naphthalene and phenanthrene from nonaqueous-phase liquids. <i>Environmental Science & Technology</i> , 2002 , 36, 3901-7	10.3	30
13	Exposing culprit organic pollutants: a review. <i>Journal of Microbiological Methods</i> , 2002 , 49, 103-19	2.8	75
12	Acid Hydrolysis Lignin as a Sorbent for Naphthalene. <i>Water Quality Research Journal of Canada</i> , 2001 , 36, 719-735	1.7	3
11	Anaerobic Biodegradation of Trichloroethylene Sorbed by a Surrogate Soil Organic Matter. <i>Journal of Environmental Quality</i> , 2000 , 29, 1033-1040	3.4	6
10	Epigenetic Toxicity of a Mixture of Polycyclic Aromatic Hydrocarbons on Gap Junctional Intercellular Communication Before and After Biodegradation. <i>Environmental Science & Technology</i> , 1999 , 33, 1044-1050	10.3	28
9	Biodegradation kinetics of naphthalene in nonaqueous phase liquid-water mixed batch systems: Comparison of model predictions and experimental results 1998 , 57, 356-366		14
8	Mass Transfer and Bioavailability of PAH Compounds in Coal Tar NAPL Slurry Systems. 2. Experimental Evaluations. <i>Environmental Science & Technology</i> , 1997 , 31, 2268-2276	10.3	43
7	Chemical Characterization of Coal Tar/Water Interfacial Films. <i>Environmental Science & Technology</i> , 1996 , 30, 1014-1022	10.3	46
6	Biodegradation of Naphthalene from Coal Tar and Heptamethylnonane in Mixed Batch Systems. <i>Environmental Science & Technology</i> , 1996 , 30, 1282-1291	10.3	84
5	Bioavailability of hydrophobic organic compounds from nonaqueous-phase liquids: The biodegradation of naphthalene from coal tar. <i>Environmental Toxicology and Chemistry</i> , 1996 , 15, 1894-1908	10.3	20
4	Bioavailability of hydrophobic organic compounds from nonaqueous-phase liquids: The biodegradation of naphthalene from coal tar 1996 , 15, 1894		2
3	Additions and corrections: interfacial films in coal tar nonaqueous-phase liquid-water systems. <i>Environmental Science & Technology</i> , 1994 , 28, 756	10.3	23
2	Interfacial films in coal tar nonaqueous-phase liquid-water systems. <i>Environmental Science & Technology</i> , 1993 , 27, 2914-2918	10.3	84
1	Role of Photodegradation in Pentachlorophenol Decontamination in Soils. <i>Annals of the New York Academy of Sciences</i> , 1992 , 665, 412-422	6.5	3