

Narcis Avarvari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2380366/publications.pdf>

Version: 2024-02-01

135
papers

4,122
citations

101384

36
h-index

138251

58
g-index

140
all docs

140
docs citations

140
times ranked

3368
citing authors

#	ARTICLE	IF	CITATIONS
1	Chiral Emissive Lanthanide Complexes from Enantiopure [6]Heliceneâ€bis(pyrazolyl)â€pyridine Ligands. European Journal of Inorganic Chemistry, 2022, 2022, .	1.0	8
2	Field-induced mononuclear cobalt(<i>ii</i>) single-molecule magnet (SMM) based on a benzothiadiazole- <i>ortho</i> -vanillin ligand. Dalton Transactions, 2022, 51, 4760-4771.	1.6	7
3	Helical thienothiophene (TT) and benzothienoâ€benzothiophene (BTBT) derivatives: synthesis, structural characterization and semiconducting properties. Journal of Materials Chemistry C, 2022, 10, 8034-8042.	2.7	5
4	Metal-Organic Framework vs. Coordination Polymerâ€Influence of the Lanthanide on the Nature of the Heteroleptic Anilate/Terephthalate 3D Network. Crystals, 2022, 12, 763.	1.0	4
5	Configurationally stable dithia[7]helicene and dithia-quasi[8]circulene fused dithiolones. Organic Chemistry Frontiers, 2022, 9, 4260-4270.	2.3	4
6	Zinc(II) and copper(II) complexes with benzothiadiazole Schiff-base ligands. Polyhedron, 2022, 224, 115994.	1.0	3
7	Dielectric magnetochiral anisotropy. Nature Communications, 2022, 13, .	5.8	11
8	Enhancement of electrocatalytic oxygen evolution by chiral molecular functionalization of hybrid 2D electrodes. Nature Communications, 2022, 13, .	5.8	48
9	Tuning the Organogelating and Spectroscopic Properties of a C ₃ â€Symmetric Pyreneâ€Based Gelator through Charge Transfer. Chemistry - A European Journal, 2021, 27, 2410-2420.	1.7	6
10	Straightforward <i>N</i> -alkylation of diketopyrrolopyrroles through the Mitsunobu reaction with benzyl, $\hat{\pm}$ -branched, and chiral alcohols. Chemical Communications, 2021, 57, 6514-6517.	2.2	7
11	Conducting chiral nickel(ii) bis(dithiolene) complexes: structural and electron transport modulation with the charge and the number of stereogenic centres. Journal of Materials Chemistry C, 2021, 9, 4119-4140.	2.7	10
12	Schiff-base [4]helicene Zn(<i>ii</i>) complexes as chiral emitters. Dalton Transactions, 2021, 50, 10533-10539.	1.6	10
13	Dimensionality Control in Crystalline Zinc(II) and Silver(I) Complexes with Ditopic Benzothiadiazole-Dipyridine Ligands. Chemistry, 2021, 3, 269-287.	0.9	9
14	Old Donors for New Molecular Conductors: Combining TMTSF and BEDT-TTF with Anionic (TaF ₆) ¹⁻ (PF ₆) ^x Alloys. Crystals, 2021, 11, 386.	1.0	5
15	Thiopheneâ€Bipyridine Appended Diketopyrrolopyrrole Ligands and Platinum(II) Complexes. Inorganic Chemistry, 2021, 60, 7351-7363.	1.9	4
16	Mono- and Binuclear Copper(II) and Nickel(II) Complexes with the 3,6-Bis(picolylamino)-1,2,4,5-Tetrazine Ligand. Molecules, 2021, 26, 2122.	1.7	2
17	Chiral Radical Cation Salts of Me-EDT-TTF and DM-EDT-TTF with Octahedral, Linear and Tetrahedral Monoanions. Magnetochemistry, 2021, 7, 87.	1.0	5
18	Stereospecific onâ€Surface Cyclodehydrogenation of Bishelicenes: Preservation of Handedness from Helical to Planar Chirality. Chemistry - A European Journal, 2021, 27, 13523-13526.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Magneto-chiral anisotropy: From fundamentals to perspectives. <i>Chirality</i> , 2021, 33, 844-857.	1.3	31
20	Unusual stoichiometry, band structure and band filling in conducting enantiopure radical cation salts of TM-BEDT-TTF showing helical packing of the donors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 10777-10786.	2.7	7
21	Chiroptical properties of anionic and neutral nickel(II) bis(dithiolene) complexes based on methyl and dimethyl- <i>ddd</i> ligands. <i>Chirality</i> , 2021, , .	1.3	0
22	Combined Experimental/Theoretical Study on the Luminescent Properties of Homoleptic/Heteroleptic Erbium(III) Anilate-Based 2D Coordination Polymers. <i>Inorganic Chemistry</i> , 2021, 60, 17765-17774.	1.9	8
23	Heteroleptic NIR-Emitting Yb ^{III} /Anilate-Based Neutral Coordination Polymer Nanosheets for Solvent Sensing. <i>ACS Applied Nano Materials</i> , 2020, 3, 94-104.	2.4	29
24	Ligand exchange reactions on the chiral Au ₃₈ cluster: CD modulation caused by the modification of the ligand shell composition. <i>Nanoscale</i> , 2020, 12, 18160-18170.	2.8	6
25	In Search of Chiral Molecular Superconductors: $\text{P}(\text{S},\text{S})\text{M}(\text{BEDT-TTF})_2\text{ClO}_4$ Revisited. <i>Advanced Materials</i> , 2020, 32, e2002811.	11.1	19
26	Conservation of structural arrangements and 3:1 stoichiometry in a series of crystalline conductors of TMTTF, TMTSF, BEDT-TTF, and chiral DM-EDT-TTF with the oxo-bis[pentafluorotantalate] dianion. <i>Chemical Science</i> , 2020, 11, 10078-10091.	3.7	20
27	Radical Cation Salts of Tetramethyltetrathiafulvalene (TM-TTF) and Tetramethyltetraselenafulvalene (TM-TSF) with Chlorocyananilate-Based Anions. <i>Crystal Growth and Design</i> , 2020, 20, 6777-6786.	1.4	3
28	Chiral Conducting Me-EDT-TTF and Et-EDT-TTF-Based Radical Cation Salts with the Perchlorate Anion. <i>Crystals</i> , 2020, 10, 1069.	1.0	8
29	1,2,4,5-Tetrazine based ligands and complexes. <i>Dalton Transactions</i> , 2020, 49, 5759-5777.	1.6	33
30	Heteroatom Bridged Tetrathiafulvalenes. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 1706-1719.	1.0	7
31	Mn(III) Chain Coordination Polymers Assembled by Salicylidene-2-ethanolamine Schiff Base Ligands: Synthesis, Crystal Structures, and HFPR Study. <i>Crystal Growth and Design</i> , 2020, 20, 1491-1502.	1.4	5
32	Combining Chirality and Hydrogen Bonding in Methylated Ethylenedithio-Tetrathiafulvalene Primary Diamide Precursors and Radical Cation Salts. <i>Crystal Growth and Design</i> , 2020, 20, 2516-2526.	1.4	10
33	Solvent Dependent Prototropic Tautomerism in a Schiff Base Derived from <i>o</i> -Vanillin and 2-Aminobenzylalcohol. <i>ChemistrySelect</i> , 2019, 4, 7858-7865.	0.7	3
34	Co-existence of ferro- and antiferromagnetic interactions in a hexanuclear mixed-valence $\text{CoII}_2\text{MnII}_2\text{MnIV}_2$ cluster sustained by a multidentate Schiff base ligand. <i>Dalton Transactions</i> , 2019, 48, 11862-11871.	1.6	5
35	Versatile coordination behaviour of the chloro-tetrazine-picolyamine ligand: mixed-valence binuclear $\text{Cu}^{\text{i}}/\text{Cu}^{\text{ii}}$ complexes. <i>Dalton Transactions</i> , 2019, 48, 11966-11977.	1.6	6
36	Helicene Bis(pyrazolyl)pyridine Ligands for Luminescent Transition-Metal Complexes. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4807-4814.	1.0	7

#	ARTICLE	IF	CITATIONS
37	Magnetic Molecular Conductors Based on Bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) and the Tris(chlorocyananilate)ferrate(III) Complex. <i>Inorganic Chemistry</i> , 2019, 58, 15359-15370.	1.9	8
38	Dysprosium Chlorocyananilate-Based 2D-Layered Coordination Polymers. <i>Inorganic Chemistry</i> , 2019, 58, 13988-13998.	1.9	22
39	The fate of bromine after temperature-induced dehydrogenation of on-surface synthesized bisheptahelicene. <i>Chemical Science</i> , 2019, 10, 2998-3004.	3.7	25
40	Large Synthetic Molecule that either Folds or Aggregates through Weak Supramolecular Interactions Determined by Solvent. <i>ACS Omega</i> , 2019, 4, 10108-10120.	1.6	8
41	Dipicolylamino-methoxy-1,2,4,5-tetrazine ligand and its metal complexes: Structural and photophysical studies. <i>Polyhedron</i> , 2019, 170, 232-238.	1.0	5
42	Water Docking Bias in [4]Helicene. <i>Angewandte Chemie</i> , 2019, 131, 11379-11383.	1.6	0
43	Water Docking Bias in [4]Helicene. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11257-11261.	7.2	11
44	Main-Group-Based Electro- and Photoactive Chiral Materials. <i>Chemical Reviews</i> , 2019, 119, 8435-8478.	23.0	181
45	Chiral EDT-TTF precursors with one stereogenic centre: substituent size modulation of the conducting properties in the (R-EDT-TTF) ₂ PF ₆ (R = Me or Et) series. <i>Journal of Materials Chemistry C</i> , 2019, 7, 12664-12673.	2.7	13
46	Helicene Bis(pyrazolyl)pyridine Ligands for Luminescent Transition-Metal Complexes. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4797-4797.	1.0	0
47	Tetrathiafulvalene- $\{2,2\}$ paracyclophanes: Synthesis, crystal structures, and chiroptical properties. <i>Chirality</i> , 2018, 30, 568-575.	1.3	11
48	Heterometallic mixed-valence complex with a {CoII CoIII Cu ₂ O ₄ } core as a new type of cobalt-based oxide cubane. <i>Journal of Coordination Chemistry</i> , 2018, 71, 68-77.	0.8	2
49	Mononuclear and One-Dimensional Cobalt(II) Complexes with the 3,6-Bis(picoylamino)-1,2,4,5-tetrazine Ligand. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 449-457.	1.0	10
50	Conducting Anilate-Based Mixed-Valence Fe(II)Fe(III) Coordination Polymer: Small-Polaron Hopping Model for Oxalate-Type Fe(II)Fe(III) 2D Networks. <i>Journal of the American Chemical Society</i> , 2018, 140, 12611-12621.	6.6	58
51	Stereospecific Autocatalytic Surface Explosion Chemistry of Polycyclic Aromatic Hydrocarbons. <i>Journal of the American Chemical Society</i> , 2018, 140, 7705-7709.	6.6	11
52	Structural Diversity in a New Series of Halogenated Quinoyl Salicylaldimides-Based Fe ^{III} Complexes Showing Solid-State Halogen-Bonding/Halogen- \cdots -Halogen Interactions. <i>Crystal Growth and Design</i> , 2018, 18, 4187-4199.	1.4	10
53	Spontaneous separation of on-surface synthesized tris-helicenes into two-dimensional homochiral domains. <i>Chemical Communications</i> , 2018, 54, 7948-7951.	2.2	30
54	Iron(ii) and cobalt(ii) complexes based on anionic phenanthroline-imidazolite ligands: reversible single-crystal-to-single-crystal transformations. <i>CrystEngComm</i> , 2018, 20, 4141-4150.	1.3	0

#	ARTICLE	IF	CITATIONS
55	Conformational Study and Chiroptical Properties of Chiral Dimethyl-Ethylenedithio-Tetrathiafulvalene (DM-EDT-TTF). <i>Chimia</i> , 2018, 72, 389.	0.3	11
56	Nanosheets of Two-Dimensional Neutral Coordination Polymers Based on Near-Infrared-Emitting Lanthanides and a Chlorocyananilate Ligand. <i>Chemistry of Materials</i> , 2018, 30, 6575-6586.	3.2	36
57	Chiral metal-dithiolene complexes. <i>Coordination Chemistry Reviews</i> , 2017, 346, 20-31.	9.5	33
58	Synthesis and Physical Properties of Purely Organic BEDT-TTF-Based Conductors Containing Hetero-/Homosubstituted Cl/CN-Anilate Derivatives. <i>Inorganic Chemistry</i> , 2017, 56, 12564-12571.	1.9	14
59	Triplet state CPL active heliceneâ€“dithiolene platinum bipyridine complexes. <i>Chemical Communications</i> , 2017, 53, 9210-9213.	2.2	69
60	Charge Fluctuations in the Dimer-Mott Insulating State of (rac-DM-EDT-TTF) ₂ PF ₆ . <i>Journal of Physical Chemistry C</i> , 2017, 121, 21975-21984.	1.5	3
61	Triggering Emission with the Helical Turn in Thiadiazoleâ€“Helicenes. <i>Chemistry - A European Journal</i> , 2017, 23, 437-446.	1.7	42
62	Enantiopure Radical Cation Salt Based on Tetramethyl-Bis(ethylenedithio)-Tetrathiafulvalene and Hexanuclear Rhenium Cluster. <i>Crystals</i> , 2016, 6, 8.	1.0	6
63	Triggering Gel Formation and Luminescence through Donorâ€“Acceptor Interactions in a C ₃ -Symmetric Tris(pyrene) System. <i>Chemistry - A European Journal</i> , 2016, 22, 5839-5843.	1.7	11
64	Distinguishing between Mechanical and Electrostatic Interaction in Single Pass Multi Frequency Electrostatic Force Microscopy Measurements on a Molecular Material. <i>Langmuir</i> , 2016, 32, 13593-13599.	1.6	7
65	Covalent non-fused tetrathiafulvaleneâ€“acceptor systems. <i>Chemical Communications</i> , 2016, 52, 7906-7927.	2.2	54
66	Localization versus Delocalization in Chiral Single Component Conductors of Gold Bis(dithiolene) Complexes. <i>Journal of the American Chemical Society</i> , 2016, 138, 6838-6851.	6.6	43
67	Anion size control of the packing in the metallic versus semiconducting chiral radical cation salts (DM-EDT-TTF) ₂ XF ₆ (X = P, As, Sb). <i>Chemical Communications</i> , 2016, 52, 12438-12441.	2.2	32
68	Surface-assisted diastereoselective Ullmann coupling of bishelicenes. <i>Chemical Communications</i> , 2016, 52, 12694-12697.	2.2	28
69	Internal Probing of the Supramolecular Organization of Pyreneâ€“Based Organogelators. <i>Chemistry - an Asian Journal</i> , 2016, 11, 81-85.	1.7	8
70	Regioselective synthesis of chiral dimethyl-bis(ethylenedithio)tetrathiafulvalene sulfones. <i>Beilstein Journal of Organic Chemistry</i> , 2015, 11, 1105-1111.	1.3	4
71	Structural, photophysical and magnetic properties of transition metal complexes based on the dipicolylamino-chloro-1,2,4,5-tetrazine ligand. <i>Dalton Transactions</i> , 2015, 44, 8855-8866.	1.6	20
72	Complete Series of Chiral Paramagnetic Molecular Conductors Based on Tetramethyl-bis(ethylenedithio)-tetrathiafulvalene (TM-BEDT-TTF) and Chloranilate-Bridged Heterobimetallic Honeycomb Layers. <i>Inorganic Chemistry</i> , 2015, 54, 3643-3653.	1.9	52

#	ARTICLE	IF	CITATIONS
73	Switching-on luminescence in anilate-based molecular materials. Dalton Transactions, 2015, 44, 15786-15802.	1.6	28
74	Modulation of the charge transfer and photophysical properties in non-fused tetrathiafulvalene-benzothiadiazole derivatives. Organic and Biomolecular Chemistry, 2015, 13, 1040-1047.	1.5	18
75	Thiophene-benzoquinones: synthesis, crystal structures and preliminary coordination chemistry of derived anilate ligands. Organic and Biomolecular Chemistry, 2014, 12, 8752-8763.	1.5	13
76	Enantiopure Conducting Salts of Dimethylbis(ethylenedithio)tetrathiafulvalene (DM-BEDT-TTF) with the Hexachlororhenate(IV) Anion. European Journal of Inorganic Chemistry, 2014, 2014, 3855-3862.	1.0	29
77	Electrical magnetochiral anisotropy in a bulk chiral molecular conductor. Nature Communications, 2014, 5, 3757.	5.8	185
78	Hierarchical Self-Assembly of Supramolecular Helical Fibres from Amphiphilic C ₃ -Symmetrical Functional Tris(tetrathiafulvalenes). Chemistry - A European Journal, 2014, 20, 17443-17453.	1.7	35
79	Hydrogen-Bonded Supramolecular Architectures Based on Tris(Hydranilato)Metallate(III) (M = Fe, Cr) Metallotectons. Crystal Growth and Design, 2014, 14, 5938-5948.	1.4	21
80	Charge transfer complexes and radical cation salts of chiral methylated organosulfur donors. CrystEngComm, 2014, 16, 3906.	1.3	35
81	Revisiting urea-based gelators: strong solvent- and casting-microstructure dependencies and organogel processing using an alumina template. New Journal of Chemistry, 2014, 38, 4448-4457.	1.4	8
82	Charge-sensitive vibrational modes in the (EDT-TTF-OX) ₂ AsF ₆ chiral molecular conductors. Open Physics, 2014, 12, .	0.8	1
83	Electronic tuning effects via π -linkers in tetrathiafulvalene-based dyes. New Journal of Chemistry, 2014, 38, 3269.	1.4	23
84	Structural Diversity and Physical Properties of Paramagnetic Molecular Conductors Based on Bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) and the Tris(chloranilato)ferrate(III) Complex. Inorganic Chemistry, 2014, 53, 7028-7039.	1.9	40
85	Halogen-bonding in a new family of tris(haloanilato)metallate(μ_3) magnetic molecular building blocks. Dalton Transactions, 2014, 43, 7006-7019.	1.6	47
86	Ethylenedithio- π -Tetrathiafulvalene- π -Helicenes: Electroactive Helical Precursors with Switchable Chiroptical Properties. Chemistry - A European Journal, 2013, 19, 13160-13167.	1.7	73
87	Tetrathiafulvalene-s-tetrazine: versatile platform for donor-acceptor systems and multifunctional ligands. RSC Advances, 2013, 3, 3218.	1.7	30
88	Chirality Driven Metallic versus Semiconducting Behavior in a Complete Series of Radical Cation Salts Based on Dimethyl-Ethylenedithio-Tetrathiafulvalene (DM-EDT-TTF). Journal of the American Chemical Society, 2013, 135, 17176-17186.	6.6	79
89	Tetrathiafulvalene- π -Benzothiadiazoles as Redox-Tunable Donor-Acceptor Systems: Synthesis and Photophysical Study. Chemistry - A European Journal, 2013, 19, 2504-2514.	1.7	47
90	Tetrathiafulvalene-1,3,5-triazines as (Multi)Donor-Acceptor Systems with Tunable Charge Transfer: Structural, Photophysical, and Theoretical Investigations. Inorganic Chemistry, 2013, 52, 5023-5034.	1.9	24

#	ARTICLE	IF	CITATIONS
91	Tetramethyl- <i>Bis</i> (ethylenedithio)-Tetrathiafulvalene (TM-BEDT-TTF) Revisited: Crystal Structures, Chiroptical Properties, Theoretical Calculations, and a Complete Series of Conducting Radical Cation Salts. <i>Chirality</i> , 2013, 25, 466-474.	1.3	45
92	Electroactive Bisiminopyridine Ligands: Synthesis and Complexation Studies. <i>Crystals</i> , 2012, 2, 338-348.	1.0	16
93	Twists and turns in the hierarchical self-assembly pathways of a non-amphiphilic chiral supramolecular material. <i>Chemical Communications</i> , 2012, 48, 4552.	2.2	57
94	Radical cation salts of BEDT-TTF, enantiopure tetramethyl-BEDT-TTF, and TTF-Oxazoline (TTF-Ox) donors with the homoleptic TRISPHAT anion. <i>New Journal of Chemistry</i> , 2011, 35, 2279.	1.4	21
95	Hierarchical Chiral Expression from the Nano- to Mesoscale in Synthetic Supramolecular Helical Fibers of a Nonamphiphilic <i>C</i> ₃ -Symmetrical π -Functional Molecule. <i>Journal of the American Chemical Society</i> , 2011, 133, 8344-8353.	6.6	154
96	Electroactive oxazoline ligands. <i>Coordination Chemistry Reviews</i> , 2010, 254, 1523-1533.	9.5	37
97	Order Versus Disorder in Chiral Tetrathiafulvalene-Oxazoline Radical-Cation Salts: Structural and Theoretical Investigations and Physical Properties. <i>Chemistry - A European Journal</i> , 2010, 16, 528-537.	1.7	47
98	Bis(dithiomethyl-tetrathiafulvalene) with two phenyl-phosphino bridges. <i>Comptes Rendus Chimie</i> , 2010, 13, 1227-1232.	0.2	4
99	Bis(tetrathiafulvalenes) with aromatic bridges: electron delocalization in the oxidized species through EPR and theoretical studies. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 9650.	1.3	13
100	Hybrid Organic/Inorganic Complexes Based on Electroactive Tetrathiafulvalene-Functionalized Diphosphanes Tethered to C ₃ -Symmetrized Mo ₃ Q ₄ (Q = S, Se) Clusters. <i>Inorganic Chemistry</i> , 2010, 49, 1894-1904.	1.9	26
101	Selective monosulfoxidation of tetrathiafulvalenes into chiral TTF-sulfoxides. <i>Chirality</i> , 2009, 21, 818-825.	1.3	18
102	Mono- and Bis(tetrathiafulvalene)-1,3,5-triazines as Covalently Linked Donor-Acceptor Systems: Structural, Spectroscopic, and Theoretical Investigations. <i>Chemistry - A European Journal</i> , 2009, 15, 380-387.	1.7	35
103	Tetrathiafulvalene-based group XV ligands: Synthesis, coordination chemistry and radical cation salts. <i>Coordination Chemistry Reviews</i> , 2009, 253, 1398-1438.	9.5	250
104	Rigid Bis(tetrathiafulvalenes) Doubly Bridged by Phosphino Groups and Derivatives: Synthesis and Intramolecular Mixed Valence State. <i>Organometallics</i> , 2009, 28, 3691-3699.	1.1	20
105	Constructing Robust Channel Structures by Packing Metallacalixarenes: Reversible Single-Crystal-to-Single-Crystal Dehydration. <i>Journal of the American Chemical Society</i> , 2009, 131, 4586-4587.	6.6	66
106	Strategies towards chiral molecular conductors. <i>Journal of Materials Chemistry</i> , 2009, 19, 4061.	6.7	116
107	Supramolecular electroactive organogel and conducting nanofibers with C ₃ -symmetrical architectures. <i>Journal of Materials Chemistry</i> , 2009, 19, 4495.	6.7	56
108	C ₂ -symmetric chiral tetrathiafulvalene-bis(oxazolines) (TTF-BOX): new precursors for organic materials and electroactive metal complexes. <i>Chemical Communications</i> , 2009, , 3753.	2.2	26

#	ARTICLE	IF	CITATIONS
109	Conducting mixed-valence salt of bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) with the paramagnetic heteroleptic anion [Cr ^{III} (oxalate) ₂ (2,2'-bipyridine)] ⁺ . <i>New Journal of Chemistry</i> , 2008, 32, 333-339.	1.4	22
110	Synthesis and reactivity of silylated tetrathiafulvalenes. <i>Dalton Transactions</i> , 2008, , 4866.	1.6	15
111	Chemo- and enantioselective sulfoxidation of bis(ethylenedithio)-tetrathiafulvalene (BEDT-TTF) into chiral BEDT-TTF-sulfoxide. <i>Chemical Communications</i> , 2008, , 220-222.	2.2	33
112	O ⁻ S vs. N ⁻ S intramolecular nonbonded interactions in neutral and radical cation salts of TTF-oxazoline derivatives: synthesis, theoretical investigations, crystalline structures, and physical properties. <i>New Journal of Chemistry</i> , 2007, 31, 1468.	1.4	57
113	Intramolecular Mixed-Valence State Through Silicon or Germanium Double Bridges in Rigid Bis(Tetrathiafulvalenes). <i>Chemistry - A European Journal</i> , 2007, 13, 5394-5400.	1.7	34
114	Copper (II) and cobalt (II) complexes of chiral tetrathiafulvalene-oxazoline (TTF-OX) and tetrathiafulvalene-thiomethyl-oxazoline (TTF-SMe-OX) derivatives. <i>Inorganica Chimica Acta</i> , 2007, 360, 233-240.	1.2	22
115	Tetrathiafulvalene-hydroxyamides and -oxazolines: hydrogen bonding, chirality, and a radical cation salt. <i>Tetrahedron</i> , 2005, 61, 10935-10942.	1.0	43
116	Electrospray ionization mass spectrometry of organic-inorganic materials: identification and gas-phase reactivity of functionalized octahedral rhenium(III) clusters. <i>Journal of Mass Spectrometry</i> , 2005, 40, 60-65.	0.7	9
117	Tetrathiafulvalene ⁺ phosphine-based iron and ruthenium carbonyl complexes: Electrochemical and EPR studies. <i>Physical Chemistry Chemical Physics</i> , 2005, 7, 85-93.	1.3	37
118	Multielectron Donors Based on TTF ⁺ Phosphine and Ferrocene ⁺ Phosphine Hybrid Complexes of a Hexarhenium(III) Octahedral Cluster Core. <i>Inorganic Chemistry</i> , 2005, 44, 3459-3465.	1.9	47
119	Chiral Molecular Metals: Syntheses, Structures, and Properties of the AsF ₆ ⁻ Salts of Racemic (R,S)-, (R)-, and (S)-Tetrathiafulvalene ⁺ Oxazoline Derivatives. <i>Journal of the American Chemical Society</i> , 2005, 127, 5748-5749.	6.6	94
120	A Series of Redox Active, Tetrathiafulvalene-Based Amidopyridines and Bipyridines Ligands: Syntheses, Crystal Structures, a Radical Cation Salt and Group 10 Transition-Metal Complexes. <i>Chemistry - A European Journal</i> , 2004, 10, 3697-3707.	1.7	129
121	Structural Isomerism in Crystals of Redox-Active Secondaryortho-Diamides: The Role of Competing Intra- and Intermolecular Hydrogen Bonds in Directing Crystalline Topologies. <i>Chemistry - A European Journal</i> , 2004, 10, 4498-4511.	1.7	47
122	Structures of tertiary phosphines incorporating the redox active o-Me2TTF core: an example of structure adaptation to molecular symmetry in (o-Me2TTF)3P. <i>Comptes Rendus Chimie</i> , 2004, 7, 895-899.	0.2	5
123	[2 + 2]Photocyclization in a single-crystal-to-single-crystal transformation of a TTF-amido-pyridine. <i>Chemical Communications</i> , 2004, , 1538.	2.2	33
124	1,4-Dihydro-1,4-diphosphinine fused with two tetrathiafulvalenes. <i>Chemical Communications</i> , 2004, , 2794-2795.	2.2	45
125	First cation radical salt of a tetrathiafulvalene ⁺ -based phosphine metal complex. <i>Chemical Communications</i> , 2004, , 1300-1301.	2.2	82
126	Tetrathiafulvalene based phosphino-oxazolines: a new family of redox active chiral ligands. <i>Chemical Communications</i> , 2004, , 1384-1385.	2.2	65

#	ARTICLE	IF	CITATIONS
127	Unexpected Reactivity of PdCl ₂ and PtCl ₂ Complexes of the Unsaturated Diphosphine o-Me ₂ TTF(PPh ₂) ₂ toward Chloride Abstraction with Thallium Triflate. <i>Inorganic Chemistry</i> , 2004, 43, 3136-3141.	1.9	78
128	Ferromagnetic Coupling through Spin Polarization in the Hexanuclear [MnIII ₃ CuII ₃] Complex. <i>Inorganic Chemistry</i> , 2004, 43, 5189-5191.	1.9	40
129	Neutral and Dianionic Organoantimony(III) Dithiolene Complexes: Syntheses, X-ray Crystal Structures, and Unexpected Reactivity. <i>Organometallics</i> , 2003, 22, 2042-2049.	1.1	26
130	Singular Crystalline 2D-Layered Topologies Directed by Ribbons of Self-Complementary Amide-Amide Ring Motifs in [EDT-TTF-(CONH ₂) ₂] ₂ X (X = HSO ₄ ⁻ , ClO ₄ ⁻ , ReO ₄ ⁻ , AsF ₆ ⁻): Coupled Activation of Ribbon Curvature, Electron Interactions, and Magnetic Susceptibility. <i>Journal of the American Chemical Society</i> , 2003, 125, 11583-11590.	6.6	66
131	Sb-S and S-S interactions in the first neutral and oxidized diphenylstibino (Ph ₂ Sb) derivatives of the redox active tetrathiafulvalene (TTF) core. <i>Dalton Transactions RSC</i> , 2002, , 3686-3690.	2.3	19
132	Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes. <i>Journal of Organometallic Chemistry</i> , 2002, 643-644, 292-300.	0.8	59
133	Two Successive Single Crystal Phase Transitions Involving the Coordination Sphere of Antimony in PhSb(dmit), the First Organo-Antimony(III) Dithiolene Complex. <i>Inorganic Chemistry</i> , 2001, 40, 2570-2577.	1.9	31
134	Reactivity and Mechanistic Issues in the Photocyclisation of Dihalostyryl-Naphthalenes towards Halo[4]helicenes: a Transposition on a Mallory Theme. <i>ChemPhotoChem</i> , 0, , .	1.5	2
135	[4]Helicene based anions in electrocrystallization with tetrachalcogenafulvalene donors. <i>CrystEngComm</i> , 0, , .	1.3	1