## Katariina Laine

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2380558/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	European guidelines on perinatal care- Peripartum care Episiotomy. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 8797-8802.	0.7	7
2	Risk of preterm birth in relation to history of preterm birth: a populationâ€based registry study of 213 335 women in Norway. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 900-907.	1.1	14
3	Substantial decrease in preeclampsia prevalence and risk over two decades: A population-based study of 1,153,227 deliveries in Norway. Pregnancy Hypertension, 2022, 28, 21-27.	0.6	11
4	Association between maternal country of birth and preterm birth: A population-based register study of 910,752 deliveries. Scandinavian Journal of Public Health, 2021, 49, 904-913.	1.2	4
5	Maternal diseases and risk of hypertensive disorders of pregnancy across gestational age groups. Pregnancy Hypertension, 2021, 25, 25-33.	0.6	9
6	Birth Injuries and Perineal Trauma. , 2021, , 462-468.		0
7	Hands up if you do not understand hands on. Midwifery, 2020, 90, 102836.	1.0	0
8	Effect of maternal country of birth on intrapartum epidural use – A population-based register study of 602 095 deliveries. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 250, 41-47.	0.5	6
9	Adverse perinatal outcomes in 665,244 term and post-term deliveries—a Norwegian population-based study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 247, 212-218.	0.5	12
10	Effects of external cephalic version for breech presentation at or near term in high-resource settings: A systematic review of randomized and non-randomized studies. European Journal of Midwifery, 2020, 4, 1-8.	0.5	4
11	Impact of animated instruction on tablets and hands-on training in applying bimanual perineal support on episiotomy rates: an intervention study. International Urogynecology Journal, 2019, 30, 1343-1350.	0.7	3
12	The role of mediolateral episiotomy during operative vaginal delivery. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 192-196.	0.5	47
13	Country of birth and county of residence and association with overweight and obesity—a population-based study of 219 555 pregnancies in Norway. Journal of Public Health, 2019, 41, e290-e299.	1.0	7
14	Induction Of Labor Among Singleton Pregnancies In Six Palestinian Governmental Hospitals: A Population-Based Cohort Study. International Journal of Women's Health, 2019, Volume 11, 597-605.	1.1	1
15	Prevalence and risk of pre-eclampsia and gestational hypertension in twin pregnancies: a population-based register study. BMJ Open, 2019, 9, e029908.	0.8	63
16	Differences in rates and odds for emergency caesarean section in six Palestinian hospitals: a population-based birth cohort study. BMJ Open, 2018, 8, e019509.	0.8	18
17	A populationâ€based study of the effect of pregnancy history on risk of stillbirth. International Journal of Gynecology and Obstetrics, 2018, 140, 73-80.	1.0	7
18	Maternal body mass index as a predictor for delivery method. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 212-218.	1.3	32

KATARIINA LAINE

#	Article	lF	CITATIONS
19	Enhancing recognition of obstetric anal sphincter injuries in six maternity units in Palestine: an interventional quality improvement study. BMJ Open, 2018, 8, e020983.	0.8	10
20	Impact of electronic and blended learning programs for manual perineal support on incidence of obstetric anal sphincter injuries: a prospective interventional study. BMC Medical Education, 2018, 18, 258.	1.0	9
21	Evaluation of Accuracy of Episiotomy Incision in a Governmental Maternity Unit in Palestine: An Observational Study. Obstetrics and Gynecology International, 2018, 2018, 1-6.	0.5	4
22	Caesarean section in Palestine using the Robson Ten Group Classification System: a population-based birth cohort study. BMJ Open, 2018, 8, e022875.	0.8	17
23	Episiotomy practice in six Palestinian hospitals: a population-based cohort study among singleton vaginal births. BMJ Open, 2018, 8, e021629.	0.8	7
24	The association of maternal country of birth and education with hypertensive disorders of pregnancy: A populationâ€based study of 960Â516 deliveries in Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 1237-1247.	1.3	21
25	Diagnosis and repair of perineal injuries: knowledge before and after expert training—a multicentre observational study among Palestinian physicians and midwives. BMJ Open, 2017, 7, e014183.	0.8	17
26	Evaluation of an animated instructional video as a training tool for manual perineum support during vaginal delivery. International Journal of Gynecology and Obstetrics, 2017, 137, 213-219.	1.0	5
27	Building a research registry for studying birth complications and outcomes in six Palestinian governmental hospitals. BMC Pregnancy and Childbirth, 2017, 17, 112.	0.9	23
28	Fetal head size and effect of manual perineal protection. PLoS ONE, 2017, 12, e0189842.	1.1	21
29	Episiotomy preferences, indication, and classification – a survey among Nordic doctors. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 587-595.	1.3	16
30	Intrapartum Interventions and Risk of Perineal Trauma. , 2016, , 83-96.		1
31	Perineal Trauma and Its Impact on Women's Health. , 2016, , 147-160.		2
32	Sexual activity and dyspareunia the first year postpartum in relation to degree of perineal trauma. International Urogynecology Journal, 2016, 27, 1513-1523.	0.7	43
33	Role of Training to Reduce Perineal Trauma at an Organsiational Level. , 2016, , 181-185.		0
34	Risk Factors for Perineal Trauma. , 2016, , 71-82.		0
35	The Association of Episiotomy with Obstetric Anal Sphincter Injury–A Population Based Matched Cohort Study. PLoS ONE, 2014, 9, e107053.	1.1	29
36	Modeling manual perineal protection during vaginal delivery. International Urogynecology Journal, 2014, 25, 65-71.	0.7	45

KATARIINA LAINE

#	Article	IF	CITATIONS
37	Effect of different episiotomy techniques on perineal pain and sexual activity 3Âmonths after delivery. International Urogynecology Journal, 2014, 25, 1629-1637.	0.7	30
38	Different episiotomy techniques, postpartum perineal pain, and blood loss: an observational study. International Urogynecology Journal, 2013, 24, 865-872.	0.7	43
39	Are obstetric anal sphincter ruptures preventable?– Large and consistent rupture rate variations between the Nordic countries and between delivery units in Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 94-100.	1.3	65
40	Changing associations of episiotomy and anal sphincter injury across risk strata: results of a population-based register study in Finland 2004–2011. BMJ Open, 2013, 3, e003216.	0.8	27
41	Prevalence and Risk Indicators for Anal Incontinence among Pregnant Women. ISRN Obstetrics & Gynecology, 2013, 2013, 1-8.	1.2	11
42	Classification of episiotomy: towards a standardisation of terminology. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 1284-1285.	1.1	2
43	Incidence of obstetric anal sphincter injuries after training to protect the perineum: cohort study. BMJ Open, 2012, 2, e001649.	0.8	126
44	Classification of episiotomy: towards a standardisation of terminology. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 522-526.	1.1	112
45	Mange sfinkterskader kan forebygges. Tidsskrift for Den Norske Laegeforening, 2012, 132, 2364-2365.	0.2	1
46	Evaluation of the incision angle of mediolateral episiotomy at 60 degrees. International Journal of Gynecology and Obstetrics, 2011, 112, 220-224.	1.0	85
47	Prevalence and risk factors for anal incontinence after obstetric anal sphincter rupture. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 319-324.	1.3	64
48	Changing incidence of anal sphincter tears in four Nordic countries through the last decades. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 146, 71-75.	0.5	142
49	Anal sphincter tears at spontaneous delivery: A comparison of five hospitals in Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1176-1180.	1.3	20
50	Decreasing the Incidence of Anal Sphincter Tears During Delivery. Obstetrics and Gynecology, 2008, 111, 1053-1057.	1.2	118