

Thomas A Mcnicholas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2381049/thomas-a-mcnicholas-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

3,145
citations

27
h-index

55
g-index

118
ext. papers

3,481
ext. citations

5.5
avg, IF

4.56
L-index

#	Paper	IF	Citations
90	Real-time assessment of learning curve for robot-assisted laparoscopic prostatectomy. <i>Annals of the Royal College of Surgeons of England</i> , 2020 , 102, 717-725	1.4	4
89	The UroLift system: a progress report. <i>Trends in Urology & Men's Health</i> , 2020 , 11, 13-17	0.3	2
88	Subpubic cartilaginous cyst: an unusual cause of urinary tract infection. <i>JRSM Open</i> , 2018 , 9, 2054270417739779	0.3	1
87	Benign prostatic hyperplasia. <i>Revista Da Associação Médica Brasileira</i> , 2018 , 64, 876-881	1.4	4
86	Can Anterior Prostatic Fat Harbor Prostate Cancer Metastasis? A Prospective Cohort Study. <i>Current Urology</i> , 2017 , 10, 182-185	1.7	3
85	The Management of Unplanned Erection during Endoscopic Urological Surgery. <i>Current Urology</i> , 2017 , 10, 113-117	1.7	5
84	Benign prostatic hyperplasia. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16031	51.1	132
83	Benign prostatic hyperplasia and new treatment options - a critical appraisal of the UroLift system. <i>Medical Devices: Evidence and Research</i> , 2016 , 9, 115-23	1.5	21
82	Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 415.e13-9 ^{2.8}	2.8	15
81	Prosthetics and the Prostate 2016 , 93-101		
80	Clinical performance of serum isoform [-2]proPSA (p2PSA), and its derivatives %p2PSA and the Prostate Health Index, in men aged . <i>BJU International</i> , 2015 , 115, 913-20	5.6	25
79	Clinical performance of the Prostate Health Index (PHI) for the prediction of prostate cancer in obese men: data from the PROMETHEUS project, a multicentre European prospective study. <i>BJU International</i> , 2015 , 115, 537-45	5.6	20
78	Preoperative Prostate-specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer: Results from a Multicentric European Prospective Study. <i>European Urology</i> , 2015 , 68, 132-8	10.2	56
77	Integrative review on the non-invasive management of lower urinary tract symptoms in men following treatments for pelvic malignancies. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1184-208 ^{2.9}	2.9	8
76	Psychological distress in out-patients undergoing flexible cystoscopy for the investigation of bladder cancer. <i>Journal of Clinical Urology</i> , 2015 , 8, 196-201	0.2	1
75	Ejaculatory dysfunction after treatment for lower urinary tract symptoms: retrograde ejaculation or retrograde thinking?. <i>BJU International</i> , 2015 , 115, 186-7	5.6	30
74	Multicenter European external validation of a prostate health index-based nomogram for predicting prostate cancer at extended biopsy. <i>European Urology</i> , 2014 , 66, 906-12	10.2	65

73	Developing a robotic prostatectomy service and a robotic fellowship programme - defining the learning curve. <i>Current Urology</i> , 2013 , 7, 136-44	1.7	9
72	Clinical performance of serum prostate-specific antigen isoform [-2]proPSA (p2PSA) and its derivatives, %p2PSA and the prostate health index (PHI), in men with a family history of prostate cancer: results from a multicentre European study, the PROMetheuS project. <i>BJU International</i> , 2013 , 112, 212-21	5.6	75
71	Serum isoform [-2]proPSA derivatives significantly improve prediction of prostate cancer at initial biopsy in a total PSA range of 2-10 ng/ml: a multicentric European study. <i>European Urology</i> , 2013 , 63, 986-94	10.2	149
70	Minimally invasive prostatic urethral lift: surgical technique and multinational experience. <i>European Urology</i> , 2013 , 64, 292-9	10.2	76
69	Dutasteride treatment over 2 years delays prostate-specific antigen progression in patients with biochemical failure after radical therapy for prostate cancer: results from the randomised, placebo-controlled Avodart After Radical Therapy for Prostate Cancer Study (ARTS). <i>European Urology</i> , 2013 , 63, 779-87	10.2	34
68	Re: Giorgio Guazzoni, Massimo Lazzeri, Luciano Nava, et al. Preoperative prostate-specific antigen isoform p2PSA and its derivatives, %p2PSA and Prostate Health Index, predict pathologic outcomes in patients undergoing radical prostatectomy for prostate cancer. <i>Eur Urol</i> 2012 ; 61:155-61. <i>European Urology</i> , 2012 , 62, 1445, author reply 1447	10.2	
67	Diagnosis and medical treatment of lower urinary tract symptoms in adult men: applying specialist guidelines in clinical practice. <i>BJU International</i> , 2012 , 110, 710-8	5.6	27
66	Benign prostatic hyperplasia and male lower urinary tract symptoms. <i>American Family Physician</i> , 2012 , 86, 359-60	1.3	3
65	Safety and feasibility of the prostatic urethral lift: a novel, minimally invasive treatment for lower urinary tract symptoms (LUTS) secondary to benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2011 , 108, 82-8	5.6	74
64	Current prospects for the chemoprevention of prostate cancer. <i>Trends in Urology & Men's Health</i> , 2011 , 2, 32-34	0.3	
63	Benign prostatic hyperplasia and male lower urinary tract symptoms (LUTS). <i>Clinical Evidence</i> , 2011 , 2011,		8
62	Current prospects for the chemoprevention of prostate cancer. <i>BJU International</i> , 2010 , 106, 751-3	5.6	3
61	Benign prostatic hyperplasia: counting the cost of its management. <i>BJU International</i> , 2010 , 106, 586	5.6	2
60	Optimizing erectile function after radical prostatectomy. <i>BJU International</i> , 2009 , 103, 430-2	5.6	
59	Can dutasteride delay or prevent the progression of prostate cancer in patients with biochemical failure after radical therapy? Rationale and design of the Avodart after Radical Therapy for Prostate Cancer Study. <i>BJU International</i> , 2009 , 103, 590-6	5.6	12
58	Multiple newly identified loci associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2008 , 40, 316-21	36.3	722
57	Multisite evaluation of noninvasive bladder pressure flow recording using the penile cuff device: assessment of test-retest agreement. <i>Journal of Urology</i> , 2008 , 180, 2515-21	2.5	4
56	Successful use of steroids and ureteric stents in 24 patients with idiopathic retroperitoneal fibrosis: a retrospective study. <i>Nephron Clinical Practice</i> , 2008 , 108, c213-20		47

55	The measurement of psychological distress in men being investigated for the presence of prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2008 , 11, 384-9	6.2	42
54	Novel method for open-access laparoscopic port insertion using the killian nasal speculum: the lister technique. <i>Journal of Endourology</i> , 2008 , 22, 317-9	2.7	4
53	The use of propofol sedation for transrectal ultrasonography-guided prostate biopsy is associated with high patient satisfaction and acceptability. <i>European Journal of Radiology</i> , 2007 , 63, 94-5	4.7	12
52	Review of Testim gel. <i>Expert Opinion on Pharmacotherapy</i> , 2006 , 7, 477-84	4	19
51	Dutasteride improves objective and subjective disease measures in men with benign prostatic hyperplasia and modest or severe prostate enlargement. <i>Journal of Urology</i> , 2006 , 176, 1045-50; discussion 1050	2.5	20
50	Testim [®] Gel: Review of Clinical Data. <i>European Urology Supplements</i> , 2005 , 4, 24-30	0.9	
49	Complications of vasectomy. <i>Annals of the Royal College of Surgeons of England</i> , 2005 , 87, 406-10	1.4	59
48	Laser surgery of the prostate: a review of the current options. <i>Scientific World Journal, The</i> , 2004 , 4 Suppl 1, 201-13	2.2	0
47	Should urologists do their own diagnostic ultrasonography?. <i>BJU International</i> , 2004 , 93, 249-50	5.6	3
46	Testicular granulocytic sarcoma, a source of diagnostic confusion. <i>Urology</i> , 2004 , 64, 807-9	1.6	16
45	A novel testosterone gel formulation normalizes androgen levels in hypogonadal men, with improvements in body composition and sexual function. <i>BJU International</i> , 2003 , 91, 69-74	5.6	156
44	Drug treatments for lower urinary tract symptoms secondary to bladder outflow obstruction: focus on quality of life. <i>Drugs</i> , 2003 , 63, 1947-62	12.1	16
43	The Management of Prostatic Obstruction: How to Determine the Best Options?. <i>European Urology Supplements</i> , 2003 , 2, 13-19	0.9	3
42	Primary renal carcinoid natural history of the disease for ten years: case report. <i>BMC Urology</i> , 2002 , 2, 1	2.2	11
41	Oral sildenafil (Viagra) in male erectile dysfunction: use, efficacy and safety profile in an unselected cohort presenting to a British district general hospital. <i>BMC Urology</i> , 2002 , 2, 4	2.2	12
40	Prevalence of undiagnosed prostate cancer in men with erectile dysfunction. <i>BJU International</i> , 2002 , 89, 261-3	5.6	10
39	A study comparing various noninvasive methods of detecting bladder cancer in urine. <i>BJU International</i> , 2002 , 89, 369-73	5.6	93
38	Sildenafil influences lower urinary tract symptoms. <i>BJU International</i> , 2002 , 90, 836-9	5.6	212

37	Ultrasonography and abdominal radiography versus intravenous urography in investigation of urinary tract infection in men: prospective incident cohort study. <i>BMJ, The</i> , 2002 , 324, 454-6	5.9	23
36	Acute periprostatic haematoma following a transrectal ultrasound-guided needle biopsy of the prostate. <i>Prostate Cancer and Prostatic Diseases</i> , 2002 , 5, 63-4	6.2	5
35	LUTS, the Case Is Altered. <i>European Urology Supplements</i> , 2002 , 1, 28-35	0.9	6
34	Delaying the Administration of Intravesical Chemotherapy Improves its Dwell Time. <i>UroOncology</i> , 2002 , 2, 23-26		
33	Lower urinary tract symptoms suggestive of benign prostatic obstruction: what are the current practice patterns?. <i>European Urology</i> , 2001 , 39 Suppl 3, 26-30	10.2	11
32	Increased patient satisfaction from transrectal ultrasonography and biopsy under sedation. <i>BJU International</i> , 2001 , 87, 827-30	5.6	47
31	Prevalence of undiagnosed diabetes mellitus in male erectile dysfunction. <i>BJU International</i> , 2001 , 88, 68-71	5.6	52
30	The early detection and diagnosis of bladder cancer: a critical review of the options. <i>European Urology</i> , 2001 , 39, 619-33	10.2	28
29	Evaluation and comparison of five experimental BPH/prostate cancer treatment modalities 2000 , 10297, 506		1
28	PROTO (Prostate Trials Office). <i>BJU International</i> , 2000 , 85, 1-2	5.6	
27	The use of lasers in benign prostatic enlargement. <i>Current Urology Reports</i> , 2000 , 1, 124-31	2.9	3
26	UK management guidelines for erectile dysfunction. <i>BMJ: British Medical Journal</i> , 2000 , 321, 499-503		67
25	Management of symptomatic BPH in the UK: who is treated and how?. <i>European Urology</i> , 1999 , 36 Suppl 3, 33-9	10.2	32
24	Recurrent calcium stones in Gordon's syndrome. <i>BJU International</i> , 1998 , 82, 925	5.6	10
23	Familial prostate cancer: the evidence and the Cancer Research Campaign/British Prostate Group (CRC/BPG) UK Familial Prostate Cancer Study. <i>British Journal of Urology</i> , 1997 , 79 Suppl 1, 8-14		32
22	Carbamazepine-related ejaculatory failure. <i>BJU International</i> , 1997 , 79, 485	5.6	8
21	Interstitial laser coagulation therapy for benign prostatic hyperplasia 1996 ,		9
20	Screening for carcinoma of the prostate: a GP based study. <i>British Journal of Urology</i> , 1994 , 74, 64-71		22

19	Interstitial laser coagulation of the prostate. An experimental study. <i>British Journal of Urology</i> , 1993 , 71, 439-44	33
18	Recurrent renal angiomyolipoma associated with renal carcinoma in a patient with tuberous sclerosis. <i>British Journal of Urology</i> , 1993 , 72, 983-4	26
17	Long-term results of one-stage scrotal patch urethroplasty. <i>British Journal of Urology</i> , 1992 , 69, 621-8	44
16	Interstitial laser coagulation of the prostate: experimental studies 1991 ,	3
15	Endoscopic YAG laser coagulation for early prostate cancer 1991 ,	2
14	AIDS: the contamination risk in urological surgery. <i>British Journal of Urology</i> , 1989 , 63, 565-8	21
13	Continuous infusion of phenylephrine in the treatment of papaverine-induced priapism. <i>British Journal of Urology</i> , 1989 , 64, 654-5	1
12	Catheters: a knotty problem!. <i>British Journal of Urology</i> , 1989 , 64, 198-9	2
11	Pharmacological management of erections during transurethral surgery. <i>British Journal of Urology</i> , 1989 , 64, 435-6	8
10	Suprapubic endoscopy: a percutaneous approach. <i>British Journal of Urology</i> , 1988 , 61, 221-3	13
9	YAG laser treatment of early carcinoma of the prostate. <i>British Journal of Urology</i> , 1988 , 61, 239-43	27
8	Natural history of localised prostatic cancer. <i>Lancet, The</i> , 1988 , 1, 946-7	40 2
7	Treating renal calculi 1988 , 297, 794-795	
6	AIDS: a bill of rights for the surgical team.. <i>BMJ: British Medical Journal</i> , 1988 , 297, 69-69	
5	The effects of extracorporeal shock wave lithotripsy on urological prostheses and endoprostheses. <i>Urological Research</i> , 1986 , 14, 309-13	2
4	The complications of extracorporeal shockwave lithotripsy: management and prevention. <i>British Journal of Urology</i> , 1986 , 58, 578-80	102
3	Combination of percutaneous surgery and extracorporeal shockwave lithotripsy for the treatment of large renal calculi. <i>British Journal of Urology</i> , 1986 , 58, 581-4	26
2	Intramural rupture and intramural haematoma of the oesophagus. <i>British Journal of Surgery</i> , 1985 , 72, 958-60	5.3 20

- 1 Lymphoid polyps of the rectum. *Journal of Pediatric Gastroenterology and Nutrition*, **1985**, 4, 297-302 2.8 10