

Steven G Chrysant

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2381451/steven-g-chrysant-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

2,834
citations

26
h-index

47
g-index

138
ext. papers

3,114
ext. citations

2.8
avg, IF

5.95
L-index

#	Paper	IF	Citations
125	Renin inhibition with aliskiren provides additive antihypertensive efficacy when used in combination with hydrochlorothiazide. <i>Journal of Hypertension</i> , 2007 , 25, 217-26	1.9	218
124	The combination of olmesartan medoxomil and amlodipine besylate in controlling high blood pressure: COACH, a randomized, double-blind, placebo-controlled, 8-week factorial efficacy and safety study. <i>Clinical Therapeutics</i> , 2008 , 30, 587-604	3.5	216
123	Comparative efficacy of olmesartan, losartan, valsartan, and irbesartan in the control of essential hypertension. <i>Journal of Clinical Hypertension</i> , 2001 , 3, 283-91, 318	2.3	199
122	Evaluation of antihypertensive therapy with the combination of olmesartan medoxomil and hydrochlorothiazide. <i>American Journal of Hypertension</i> , 2004 , 17, 252-9	2.3	119
121	Vascular remodeling: the role of angiotensin-converting enzyme inhibitors. <i>American Heart Journal</i> , 1998 , 135, S21-30	4.9	75
120	The current status of homocysteine as a risk factor for cardiovascular disease: a mini review. <i>Expert Review of Cardiovascular Therapy</i> , 2018 , 16, 559-565	2.5	74
119	New insights into the true nature of the obesity paradox and the lower cardiovascular risk. <i>Journal of the American Society of Hypertension</i> , 2013 , 7, 85-94		67
118	Comparison of amlodipine and benazepril monotherapy to amlodipine plus benazepril in patients with systemic hypertension: a randomized, double-blind, placebo-controlled, parallel-group study. The Benazepril/Amlodipine Study Group. <i>Journal of Clinical Pharmacology</i> , 1995 , 35, 1060-6	2.9	65
117	Abrupt cessation of clonidine administration: a prospective study. <i>American Journal of Cardiology</i> , 1978 , 41, 1285-90	3	58
116	Clinical implications of cardiovascular preventing pleiotropic effects of dipeptidyl peptidase-4 inhibitors. <i>American Journal of Cardiology</i> , 2012 , 109, 1681-5	3	55
115	Comparative effects of candesartan cilexetil and amlodipine in patients with mild systemic hypertension. Comparison of Candesartan and Amlodipine for Safety, Tolerability and Efficacy (CASTLE) Study Investigators. <i>American Journal of Cardiology</i> , 2001 , 87, 727-31	3	52
114	Using fixed-dose combination therapies to achieve blood pressure goals. <i>Clinical Drug Investigation</i> , 2008 , 28, 713-34	3.2	49
113	Telmisartan/Hydrochlorothiazide in comparison with losartan/hydrochlorothiazide in managing patients with mild-to-moderate hypertension. <i>Hypertension Research</i> , 2005 , 28, 555-63	4.7	49
112	Antihypertensive Effectiveness of Low-Dose Lisinopril-Hydrochlorothiazide Combination. <i>Archives of Internal Medicine</i> , 1994 , 154, 737		49
111	Efficacy and safety of long-term treatment with the combination of amlodipine besylate and olmesartan medoxomil in patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2009 , 11, 475-82	2.3	47
110	The pleiotropic effects of angiotensin receptor blockers. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 261-8	2.3	44
109	Effectiveness and safety of phosphodiesterase 5 inhibitors in patients with cardiovascular disease and hypertension. <i>Current Hypertension Reports</i> , 2013 , 15, 475-83	4.7	42

108	Effectiveness of lowering blood pressure to prevent stroke versus to prevent coronary events. <i>American Journal of Cardiology</i> , 2010 , 106, 825-9	3	39
107	Antihypertensive therapy causes erectile dysfunction. <i>Current Opinion in Cardiology</i> , 2015 , 30, 383-90	2.1	38
106	Long-term safety, tolerability and efficacy of aliskiren in combination with valsartan in patients with hypertension: a 6-month interim analysis. <i>Current Medical Research and Opinion</i> , 2008 , 24, 1039-47	2.5	38
105	Severe Reversible Azotemia From Captopril Therapy. <i>Archives of Internal Medicine</i> , 1983 , 143, 437		37
104	24-hour efficacy and safety of Triple-Combination Therapy With Olmesartan, Amlodipine, and Hydrochlorothiazide: the TRINITY ambulatory blood pressure substudy. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 873-80	2.3	30
103	Antihypertensive effectiveness of amlodipine in combination with hydrochlorothiazide. <i>American Journal of Hypertension</i> , 1989 , 2, 537-41	2.3	29
102	Current evidence on the hemodynamic and blood pressure effects of isometric exercise in normotensive and hypertensive persons. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 721-6	2.3	28
101	The pathophysiologic role of the brain renin-angiotensin system in stroke protection: clinical implications. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 454-9	2.3	27
100	The single use of body mass index for the obesity paradox is misleading and should be used in conjunction with other obesity indices. <i>Postgraduate Medicine</i> , 2019 , 131, 96-102	3.7	27
99	New onset diabetes mellitus induced by statins: current evidence. <i>Postgraduate Medicine</i> , 2017 , 129, 430-435	3.7	25
98	Olmesartan/amlodipine/hydrochlorothiazide in participants with hypertension and diabetes, chronic kidney disease, or chronic cardiovascular disease: a subanalysis of the multicenter, randomized, double-blind, parallel-group TRINITY study. <i>Cardiovascular Diabetology</i> , 2012 , 11, 134	8.7	25
97	Effects of the angiotensin II receptor blockers telmisartan versus valsartan in combination with hydrochlorothiazide: a large, confirmatory trial. <i>Blood Pressure Monitoring</i> , 2008 , 13, 21-7	1.3	25
96	The impact of coffee consumption on blood pressure, cardiovascular disease and diabetes mellitus. <i>Expert Review of Cardiovascular Therapy</i> , 2017 , 15, 151-156	2.5	24
95	Proactive compared with passive adverse event recognition: calcium channel blocker-associated edema. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 716-22	2.3	24
94	Current and future status of beta-blockers in the treatment of hypertension. <i>Clinical Cardiology</i> , 2008 , 31, 249-52	3.3	24
93	Herbs Used for the Treatment of Hypertension and their Mechanism of Action. <i>Current Hypertension Reports</i> , 2017 , 19, 77	4.7	23
92	Efficacy and safety of triple-combination therapy with olmesartan, amlodipine, and hydrochlorothiazide in study participants with hypertension and diabetes: a subpopulation analysis of the TRINITY study. <i>Journal of the American Society of Hypertension</i> , 2012 , 6, 132-41		23
91	Fixed combination therapy of hypertension: focus on valsartan/hydrochlorothiazide combination (Diovan/HCT). <i>Expert Review of Cardiovascular Therapy</i> , 2003 , 1, 335-43	2.5	23

90	The pleiotropic effects of phosphodiesterase 5 inhibitors on function and safety in patients with cardiovascular disease and hypertension. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 644-9	2.3	22
89	The treatment of cardiovascular disease continuum: focus on prevention and RAS blockade. <i>Current Clinical Pharmacology</i> , 2010 , 5, 89-95	2.5	22
88	Results of an olmesartan medoxomil-based treatment regimen in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 911-21	2.3	21
87	Perindopril as monotherapy in hypertension: a multicenter comparison of two dosing regimens. The Perindopril Study Group. <i>Clinical Pharmacology and Therapeutics</i> , 1993 , 53, 479-84	6.1	21
86	Current status of dual Renin Angiotensin aldosterone system blockade for the treatment of cardiovascular diseases. <i>American Journal of Cardiology</i> , 2010 , 105, 849-52	3	20
85	Angiotensin II receptor blockers in the treatment of the cardiovascular disease continuum. <i>Clinical Therapeutics</i> , 2008 , 30 Pt 2, 2181-90	3.5	20
84	Antihypertensive efficacy of olmesartan medoxomil alone and in combination with hydrochlorothiazide. <i>Expert Opinion on Pharmacotherapy</i> , 2004 , 5, 657-67	4	20
83	The age-related hemodynamic changes of blood pressure and their impact on the incidence of cardiovascular disease and stroke: new evidence. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 87-90	2.3	19
82	Treatment of hypertension in patients with atherosclerotic renal artery stenosis, updated. <i>Postgraduate Medicine</i> , 2014 , 126, 59-67	3.7	19
81	An update on the cardiovascular pleiotropic effects of milk and milk products. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 503-10	2.3	19
80	Antihypertensive and metabolic effects of single and combined atenolol regimens. <i>Journal of Clinical Pharmacology</i> , 1992 , 32, 61-5	2.9	19
79	Triple-Combination therapy with olmesartan, amlodipine, and hydrochlorothiazide in black and non-black study participants with hypertension: the TRINITY randomized, double-blind, 12-week, parallel-group study. <i>American Journal of Cardiovascular Drugs</i> , 2012 , 12, 233-43	4	18
78	Single-pill triple-combination therapy: an alternative to multiple-drug treatment of hypertension. <i>Postgraduate Medicine</i> , 2011 , 123, 21-31	3.7	18
77	Treatment of white coat hypertension. <i>Current Hypertension Reports</i> , 2000 , 2, 412-7	4.7	18
76	Use of 24-h ambulatory blood pressure monitoring to assess blood pressure control: a comparison of olmesartan medoxomil and amlodipine besylate. <i>Blood Pressure Monitoring</i> , 2006 , 11, 135-41	1.3	17
75	Amlodipine/benazepril combination therapy for hypertensive patients nonresponsive to benazepril monotherapy. <i>American Journal of Hypertension</i> , 2004 , 17, 590-6	2.3	17
74	Hemodynamic and metabolic effects of hypomagnesemia in spontaneously hypertensive rats. <i>Cardiology</i> , 1988 , 75, 81-9	1.6	17
73	Stroke prevention with losartan in the context of other antihypertensive drugs. <i>Drugs of Today</i> , 2004 , 40, 791-801		17

72	Pathophysiology and treatment of obesity-related hypertension. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 555-559	2.3	16
71	Long-term efficacy and safety of triple-combination therapy with olmesartan medoxomil and amlodipine besylate and hydrochlorothiazide for hypertension. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 149-57	2.3	16
70	The role of Angiotensin receptor blocker and calcium channel blocker combination therapy in treating hypertension: focus on recent studies. <i>American Journal of Cardiovascular Drugs</i> , 2010 , 10, 315-20	2.1	16
69	Proton pump inhibitor-induced hypomagnesemia complicated with serious cardiac arrhythmias. <i>Expert Review of Cardiovascular Therapy</i> , 2019 , 17, 345-351	2.5	14
68	The role of angiotensin II receptors in stroke protection. <i>Current Hypertension Reports</i> , 2012 , 14, 202-8	4.7	14
67	Long-term safety and efficacy of aliskiren and valsartan combination with or without the addition of HCT in patients with hypertension. <i>Current Medical Research and Opinion</i> , 2010 , 26, 2841-9	2.5	14
66	Long-term efficacy, safety, and tolerability of valsartan and hydrochlorothiazide in patients with essential hypertension. <i>Current Therapeutic Research</i> , 1998 , 59, 762-772	2.4	14
65	Clinical experience with angiotensin receptor blockers with particular reference to valsartan. <i>Journal of Clinical Hypertension</i> , 2004 , 6, 445-51	2.3	13
64	Antihypertensive effectiveness of a very low fixed-dose combination of moexipril and hydrochlorothiazide. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 31, 384-90	3.1	13
63	Antihypertensive effects of mibefradil: a double-blind comparison with diltiazem CD. <i>Clinical Cardiology</i> , 1997 , 20, 562-8	3.3	12
62	The effects of high-dose amlodipine/benazepril combination therapies on blood pressure reduction in patients not adequately controlled with amlodipine monotherapy. <i>Blood Pressure</i> , 2007 , 1, 10-7	1.7	12
61	Treatment of hypertension in patients with renal artery stenosis due to fibromuscular dysplasia of the renal arteries. <i>Cardiovascular Diagnosis and Therapy</i> , 2014 , 4, 36-43	2.6	12
60	Association of hypomagnesemia with cardiovascular diseases and hypertension. <i>International Journal of Cardiology: Hypertension</i> , 2019 , 1, 100005	1.6	11
59	Pharmacokinetic, pharmacodynamic, and antihypertensive effects of the neprilysin inhibitor LCZ-696: sacubitril/valsartan. <i>Journal of the American Society of Hypertension</i> , 2017 , 11, 461-468		10
58	Aggressive systolic blood pressure control in older subjects: benefits and risks. <i>Postgraduate Medicine</i> , 2018 , 130, 159-165	3.7	10
57	Future of polypill use for the prevention of cardiovascular disease and strokes. <i>American Journal of Cardiology</i> , 2014 , 114, 641-5	3	10
56	Treatment of severe hypertension with atenolol and betaxolol with once-daily regimens. Hemodynamic aspects. <i>Chest</i> , 1989 , 96, 499-504	5.3	10
55	Hemodynamic effects of isometric exercise in normotensive and hypertensive subjects. <i>Angiology</i> , 1978 , 29, 379-85	2.1	10

54	Effects of High Salt Intake on Blood Pressure and Cardiovascular Disease: The Role of COX Inhibitors. <i>Clinical Cardiology</i> , 2016 , 39, 240-2	3.3	10
53	Current status of aggressive blood glucose and blood pressure control in diabetic hypertensive subjects. <i>American Journal of Cardiology</i> , 2011 , 107, 1856-61	3	9
52	Aliskiren-hydrochlorothiazide combination for the treatment of hypertension. <i>Expert Review of Cardiovascular Therapy</i> , 2008 , 6, 305-14	2.5	9
51	Benefits and pitfalls of sacubitril/valsartan treatment in patients with hypertension. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 351-355	2.3	8
50	Perindopril/hydrochlorothiazide dose combinations for the treatment of hypertension: a multicenter study. <i>Journal of Clinical Pharmacology</i> , 1997 , 37, 47-52	2.9	8
49	New evidence for the diastolic J-curve effect challenges the safety of intensive blood pressure control. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 340-343	2.3	7
48	Usefulness of the Polypill for the Prevention of Cardiovascular Disease and Hypertension. <i>Current Hypertension Reports</i> , 2016 , 18, 14	4.7	7
47	The current status of angioplasty of atherosclerotic renal artery stenosis for the treatment of hypertension. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 694-8	2.3	7
46	Combination therapy with olmesartan medoxomil and hydrochlorothiazide: secondary analysis of the proportion of patients achieving recommended blood pressure goals from a randomized, double-blind, factorial study. <i>American Journal of Cardiovascular Drugs</i> , 2009 , 9, 241-51	4	7
45	Clinical utility of long-term enalapril/diltiazem ER in stage 3-4 essential hypertension. Long-term Use of Enalapril/Diltiazem ER in Stage 3-4 Hypertension Group. <i>Journal of Clinical Pharmacology</i> , 1997 , 37, 810-5	2.9	7
44	Pharmacological and clinical profile of moexipril: a concise review. <i>Journal of Clinical Pharmacology</i> , 2004 , 44, 827-36	2.9	7
43	Sustained blood pressure control with controlled-release isradipine (isradipine-CR). <i>Journal of Clinical Pharmacology</i> , 1995 , 35, 239-43	2.9	7
42	Effects of amiloride on arterial pressure and renal function. <i>Journal of Clinical Pharmacology</i> , 1980 , 20, 332-7	2.9	7
41	Stopping the cardiovascular disease continuum: Focus on prevention. <i>World Journal of Cardiology</i> , 2010 , 2, 43-9	2.1	7
40	The current debate over treatment of subclinical hypothyroidism to prevent cardiovascular complications. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13499	2.9	6
39	Cardiovascular benefits and risks of testosterone replacement therapy in older men with low testosterone. <i>Hospital Practice (1995)</i> , 2018 , 46, 47-55	2.2	6
38	Effectiveness of the fixed-dose combination of olmesartan/amlodipine/hydrochlorothiazide for the treatment of hypertension in patients stratified by age, race and diabetes, CKD and chronic CVD. <i>Expert Review of Cardiovascular Therapy</i> , 2013 , 11, 1115-24	2.5	6
37	Irbesartan/hydrochlorothiazide for the treatment of isolated systolic hypertension: a subgroup analysis of the INCLUSIVE trial. <i>Journal of the National Medical Association</i> , 2009 , 101, 300-7	2.3	6

36	Renal functional and organic changes induced by salt and prostaglandin inhibition in spontaneously hypertensive rats. <i>Nephron</i> , 1980 , 25, 151-5	3.3	6
35	The antihypertensive effectiveness and safety of dual RAAS blockade with aliskiren and valsartan. <i>Drugs of Today</i> , 2010 , 46, 151-62	2.5	6
34	Treating blood pressure to prevent strokes: The age factor. <i>World Journal of Cardiology</i> , 2013 , 5, 22-7	2.1	6
33	Obesity-related heart failure with preserved ejection fraction: new treatment strategies. <i>Hospital Practice (1995)</i> , 2019 , 47, 67-72	2.2	5
32	Review of the safety and efficacy of linagliptin as add-on therapy to metformin in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled study. <i>Postgraduate Medicine</i> , 2011 , 123, 183-6	3.7	5
31	Clinical experience with the use of angiotensin receptor blockers in patients with cardiovascular, cerebrovascular and renal diseases. <i>Current Clinical Pharmacology</i> , 2006 , 1, 139-46	2.5	5
30	Olmесartan medoxomil-based antihypertensive therapy evaluated by ambulatory blood pressure monitoring: efficacy in high-risk patient subgroups. <i>American Journal of Cardiovascular Drugs</i> , 2012 , 12, 375-89	4	4
29	Amlodipine besylate/olmesartan medoximil fixed combination for the treatment of hypertension. <i>Expert Review of Cardiovascular Therapy</i> , 2009 , 7, 887-95	2.5	4
28	Niacin-ER/statin combination for the treatment of dyslipidemia: focus on low high-density lipoprotein cholesterol. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 493-9; quiz 500-1	2.3	4
27	Effects of atenolol and diltiazem-SR on exercise and pressure load in hypertensive patients. <i>Clinical Cardiology</i> , 1994 , 17, 670-4	3.3	4
26	The tilt table test is useful for the diagnosis of vasovagal syncope and should not be abolished. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 686-689	2.3	4
25	Amlodipine/ARB fixed-dose combinations for the treatment of hypertension: focus on amlodipine/olmesartan combination. <i>Drugs of Today</i> , 2008 , 44, 443-53	2.5	4
24	Dual renin-angiotensin-aldosterone blockade: promises and pitfalls. <i>Current Hypertension Reports</i> , 2015 , 17, 511	4.7	3
23	The clinical significance of isolated diastolic hypertension. <i>Postgraduate Medicine</i> , 2020 , 132, 624-628	3.7	3
22	Obesity is bad regardless of the obesity paradox for hypertension and heart disease. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 842-846	2.3	3
21	Safety and tolerability of an olmesartan medoxomil-based regimen in patients with stage 1 hypertension: a randomized, double-blind, placebo-controlled study. <i>Clinical Drug Investigation</i> , 2010 , 30, 473-82	3.2	3
20	Pharmacological profile and clinical use of moexipril. <i>Expert Review of Cardiovascular Therapy</i> , 2003 , 1, 345-52	2.5	3
19	Adverse cardiovascular and blood pressure effects of drug-induced hypomagnesemia. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 59-67	4.1	3

18	New and emerging cardiovascular and antihypertensive drugs. <i>Expert Opinion on Drug Safety</i> , 2020 , 19, 1315-1327	4.1	3
17	Treatment of Modifiable Risk Factors Is Associated With Decrease in Coronary Heart Disease Incidence: Time to Use the Polypill. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 840-2	2.3	3
16	The Clinical Significance of N-terminal Pro-brain Natriuretic Peptide in Detecting the Residual Cardiovascular Risk in Hypertension and Other Clinical Conditions and in Predicting Future Cardiovascular Events. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 718-20	2.3	3
15	Noninvasive vascular function tests for the future prediction of primary cardiovascular diseases. <i>Hospital Practice (1995)</i> , 2020 , 48, 113-118	2.2	2
14	Effects of diet on exaggerated natriuresis in hypertension. <i>Clinical and Experimental Hypertension</i> , 1981 , 3, 55-68		2
13	Achieving blood pressure targets for prolonged cardiovascular health: a historical perspective. <i>Expert Review of Cardiovascular Therapy</i> , 2017 , 15, 517-523	2.5	2
12	The Debate Over Egg Consumption and Incident Cardiovascular Disease. <i>Cardiology in Review</i> , 2021 , 29, 238-244	3.2	2
11	In response to: an opposing point of view on the obesity paradox. <i>Postgraduate Medicine</i> , 2019 , 131, 388-389	3.7	1
10	Has the role of calcium channel blockers in treating hypertension finally been defined?. <i>Current Hypertension Reports</i> , 2003 , 5, 295-300	4.7	1
9	The cardiometabolic benefits of exercise in postmenopausal women. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1691-1693	2.3	1
8	Orthostatic hypotension and cardiovascular outcomes: Should we be concerned?. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2161-2162	2.3	1
7	A novel approach for the treatment of hypertension with the soluble guanylate cyclase stimulating drug. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 635-640	4.1	0
6	New noninvasive vascular tests could improve the prediction and early diagnosis and treatment of cardiovascular diseases. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 893-895	2.3	
5	Blood pressure effects of high-dose amlodipine-benazepril combination in Black and White hypertensive patients not controlled on monotherapy. <i>Drugs in R and D</i> , 2012 , 12, 57-64	3.4	
4	P-188: Olmesartan medoxomil lowers blood pressure as rapidly as amlodipine besylate in patients with mild to moderate hypertension: results of a randomized, double-blind, placebo-controlled study. <i>American Journal of Hypertension</i> , 2004 , 17, S102	2.3	
3	Early and sustained blood pressure control is necessary for stroke prevention. <i>Journal of Thoracic Disease</i> , 2015 , 7, 1070-3	2.6	
2	The pathophysiology and management of diuretic resistance in patients with heart failure. <i>Hospital Practice (1995)</i> , 2021 , 1-9	2.2	
1	Authors reply: statins and new onset of diabetes: which one outweighs risk or benefit?. <i>Postgraduate Medicine</i> , 2018 , 130, 147	3.7	

