

# Sarah Ashley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2382019/publications.pdf>

Version: 2024-02-01

15  
papers

421  
citations

1040056

9  
h-index

1199594

12  
g-index

16  
all docs

16  
docs citations

16  
times ranked

971  
citing authors

#	ARTICLE	IF	CITATIONS
1	AMPK and the neuroendocrine regulation of appetite and energy expenditure. <i>Molecular and Cellular Endocrinology</i> , 2013, 366, 215-223.	3.2	79
2	Genome-wide DNA methylation profiling identifies a folate-sensitive region of differential methylation upstream of <i>ZFP57</i> - imprinting regulator in humans. <i>FASEB Journal</i> , 2014, 28, 4068-4076.	0.5	75
3	The skin barrier function gene <i>SPINK5</i> is associated with challenge-proven IgE-mediated food allergy in infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017, 72, 1356-1364.	5.7	56
4	Probiotic peanut oral immunotherapy versus oral immunotherapy and placebo in children with peanut allergy in Australia (PPOIT-003): a multicentre, randomised, phase 2b trial. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 171-184.	5.6	55
5	Genomewide association study of peanut allergy reproduces association with amino acid polymorphisms in <i>HLA-DRB1</i> . <i>Clinical and Experimental Allergy</i> , 2017, 47, 217-223.	2.9	40
6	Epigenetic Regulation in Early Childhood: A Miniaturized and Validated Method to Assess Histone Acetylation. <i>International Archives of Allergy and Immunology</i> , 2015, 168, 173-181.	2.1	31
7	Genetic variation at the Th2 immune gene <i>IL13</i> is associated with IgE-mediated paediatric food allergy. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1032-1037.	2.9	29
8	A Canadian genome-wide association study and meta-analysis confirm HLA as a risk factor for peanut allergy independent of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1513-1516.	2.9	21
9	Food for thought. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2015, 15, 237-242.	2.3	16
10	Remission of peanut allergy is associated with rewiring of allergen-driven T helper 2-related gene networks. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 0, , .	5.7	9
11	Longitudinal antibody responses to peanut following probiotic and peanut oral immunotherapy in children with peanut allergy. <i>Clinical and Experimental Allergy</i> , 2022, 52, 735-746.	2.9	5
12	Probiotic peanut oral immunotherapy is associated with long-term persistence of 8-week sustained unresponsiveness and long-lasting quality of life improvement. <i>Clinical and Experimental Allergy</i> , 2022, 52, 806-811.	2.9	4
13	Candidate Gene Testing in Clinical Cohort Studies with Multiplexed Genotyping and Mass Spectrometry. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	1
14	Skin Barrier Function and Candidate Genes IL-13 & SPINK5 in Food Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, AB384.	2.9	0
15	Health-related quality of life outcomes in a Phase 2b Randomized Trial evaluating the effectiveness and safety of Probiotic Peanut Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, AB317.	2.9	0