

Mehmet Kadri Akboga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/238205/publications.pdf>

Version: 2024-02-01

69
papers

1,079
citations

430442

18
h-index

433756

31
g-index

69
all docs

69
docs citations

69
times ranked

1230
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Monocyte-to-HDL Cholesterol Ratio with Slow Coronary Flow is Linked to Systemic Inflammation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016, 22, 476-482.	0.7	152
2	Association of Platelet to Lymphocyte Ratio With Inflammation and Severity of Coronary Atherosclerosis in Patients With Stable Coronary Artery Disease. <i>Angiology</i> , 2016, 67, 89-95.	0.8	111
3	Association of serum total bilirubin level with severity of coronary atherosclerosis is linked to systemic inflammation. <i>Atherosclerosis</i> , 2015, 240, 110-114.	0.4	106
4	Platelet to lymphocyte ratio as a novel indicator of inflammation is correlated with the severity of metabolic syndrome: A single center large-scale study. <i>Platelets</i> , 2016, 27, 178-183.	1.1	69
5	Usefulness of monocyte to HDL-cholesterol ratio to predict high SYNTAX score in patients with stable coronary artery disease. <i>Biomarkers in Medicine</i> , 2016, 10, 375-383.	0.6	66
6	Assessment of monocyte to high density lipoprotein cholesterol ratio and lymphocyte-to-monocyte ratio in patients with metabolic syndrome. <i>Biomarkers in Medicine</i> , 2017, 11, 535-540.	0.6	55
7	Platelet to Lymphocyte Ratio Can be a Predictor of Infarct-Related Artery Patency in Patients With ST-Segment Elevation Myocardial Infarction. <i>Angiology</i> , 2015, 66, 831-836.	0.8	39
8	Increased Platelet to Lymphocyte Ratio is Related to Slow Coronary Flow. <i>Angiology</i> , 2016, 67, 21-26.	0.8	36
9	Evaluation of Tpâ€œ Interval and Tpâ€œ/QT Ratio in Patients with Aortic Stenosis. <i>Annals of Noninvasive Electrocardiology</i> , 2016, 21, 287-293.	0.5	32
10	Relationship between plasma apelin level and coronary collateral circulation. <i>Atherosclerosis</i> , 2014, 235, 289-294.	0.4	30
11	Effect of serum YKL-40 on coronary collateral development and SYNTAX score in stable coronary artery disease. <i>International Journal of Cardiology</i> , 2016, 224, 323-327.	0.8	29
12	Relationship between Serum Albumin Level and Monocyte-to-High-Density Lipoprotein Cholesterol Ratio with Saphenous Vein Graft Disease in Coronary Bypass. <i>Thoracic and Cardiovascular Surgeon</i> , 2017, 65, 315-321.	0.4	27
13	A novel marker of inflammation in patients with slow coronary flow: lymphocyte-to-monocyte ratio. <i>Biomarkers in Medicine</i> , 2016, 10, 485-493.	0.6	24
14	Relation between lymphocyte to monocyte ratio and shortâ€œterm mortality in patients with acute pulmonary embolism. <i>Clinical Respiratory Journal</i> , 2018, 12, 580-586.	0.6	24
15	A Novel Marker of Impaired Aortic Elasticity in Never Treated Hypertensive Patients: Monocyte/High-Density Lipoprotein Cholesterol Ratio. <i>Acta Cardiologica Sinica</i> , 2017, 33, 41-49.	0.1	22
16	The role of baseline indirect inflammatory markers in prediction of response to cardiac resynchronisation therapy. <i>Kardiologia Polska</i> , 2016, 74, 119-126.	0.3	20
17	The Association Between Serum Procalcitonin Levels and Severity of Coronary Artery Disease Assessed by SYNTAX Score in Patients With Acute Coronary Syndrome. <i>Angiology</i> , 2017, 68, 40-45.	0.8	19
18	Comparison of three diuretic treatment strategies for patients with acute decompensated heart failure. <i>Herz</i> , 2015, 40, 1115-1120.	0.4	18

#	ARTICLE	IF	CITATIONS
19	Relationship between serum vitamin D levels and angiographic severity and extent of coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2015, 45, 940-948.	1.7	16
20	Effect of Vitamin D Replacement on Atrial Electromechanical Delay in Subjects with Vitamin D Deficiency. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 649-655.	0.8	14
21	The Assessment of Tp-e Interval and Tp-e/QT Ratio in Patients With Systemic Sclerosis. <i>Archives of Rheumatology</i> , 2016, 31, 139-144.	0.3	14
22	Evaluation of the Predictive Value of CHA ₂ DS ₂ -VASc Score for In-Stent Restenosis. <i>Angiology</i> , 2018, 69, 38-42.	0.8	14
23	The Prevalence and Risks of Inappropriate Combination of Aspirin and Warfarin in Clinical Practice: Results From WARFARIN-TR Study. <i>Balkan Medical Journal</i> , 2019, 36, 17-22.	0.3	12
24	Prognostic value of CHA ₂ DS ₂ -VASc score in predicting high SYNTAX score and in-hospital mortality for non-ST elevation myocardial infarction in patients without atrial fibrillation. , 2021, 25, 789-795.		11
25	Neutrophil Gelatinase-Associated Lipocalin Levels in Isolated Coronary Artery Ectasia. <i>Canadian Journal of Cardiology</i> , 2011, 27, 773-778.	0.8	10
26	Increased serum YKL-40 level is associated with the presence and severity of metabolic syndrome. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 953-958.	0.5	8
27	Increased red cell distribution width predicts occlusion of the infarct-related artery in STEMI. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 114-118.	0.4	8
28	White Blood Cell Subtypes and Ratios in Cardiovascular Disease. <i>Angiology</i> , 2017, 68, 651-651.	0.8	8
29	The Relationship Between Epicardial Adipose Tissue Thickness and Infarct-Related Artery Patency in Patients With ST-Segment Elevation Myocardial Infarction. <i>Angiology</i> , 2016, 67, 281-286.	0.8	7
30	The association between platelet-to-lymphocyte ratio and inflammatory markers with the severity of aortic stenosis. <i>Biomarkers in Medicine</i> , 2016, 10, 367-373.	0.6	7
31	The association of the platelet-to-lymphocyte ratio with mitral annular calcification. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 351-6.	0.4	7
32	The Assessment of Atrial Electromechanical Delay in Patients With Acromegaly. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1012-1018.	0.8	6
33	Association of lymphocyte-monocyte ratio and monocyte-to-high-density lipoprotein ratio with the presence and severity of rheumatic mitral valve stenosis. <i>Biomarkers in Medicine</i> , 2017, 11, 657-663.	0.6	6
34	Procalcitonin as a New Indicator of Inflammation. <i>Angiology</i> , 2017, 68, 83-83.	0.8	5
35	N-Acetylcysteine and Contrast-Induced Nephropathy. <i>Angiology</i> , 2018, 69, 85-85.	0.8	5
36	Recommendations for Ramadan fasting to patients with cardiovascular diseases; Turkish Society of Cardiology consensus report. <i>Anatolian Journal of Cardiology</i> , 2021, 25, 284-293.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Perceived Benefits of Implantable Cardioverter Defibrillator Implantation among Heart Failure Patients and Its Relation to Quality of Life: A Cross-Sectional Study. <i>Cardiology and Therapy</i> , 2015, 4, 155-165.	1.1	4
38	Predictors of In-Stent Restenosis. <i>Angiology</i> , 2019, 70, 279-279.	0.8	4
39	Red cell distribution width predicts totally occluded infarct-related artery in NSTEMI. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 224-229.	0.4	3
40	PP-062 Acute Coronary Syndrome due to Diclofenac-induced Anaphylaxis: Type 1 Kounis Syndrome. <i>American Journal of Cardiology</i> , 2015, 115, S125.	0.7	2
41	OP-050 Increased Serum Ykl-40 Level is Associated with the Presence and Severity of Metabolic Syndrome. <i>American Journal of Cardiology</i> , 2016, 117, S19-S20.	0.7	2
42	Endocan. <i>Angiology</i> , 2017, 68, 79-79.	0.8	2
43	Resting Heart Rate. <i>Angiology</i> , 2017, 68, 175-175.	0.8	2
44	Is CHA2DS2-VASc Score Related to Inflammation in Patients With In-Stent Restenosis?. <i>Angiology</i> , 2018, 69, 90-90.	0.8	2
45	Is Endocan an Inflammatory Marker or an Angiogenic Marker, or Both or None?. <i>Angiology</i> , 2018, 69, 87-87.	0.8	2
46	Inflammation Parameters in Aortic Aneurysm. <i>Angiology</i> , 2019, 70, 280-280.	0.8	2
47	Systemic Low-Grade Inflammation and Cardiovascular Disease in Systemic Lupus Erythematosus. <i>Angiology</i> , 2019, 70, 374-375.	0.8	2
48	Endocan at the Crossroads: A Vasculoprotective Molecule or Inflammatory Marker?. <i>Angiology</i> , 2019, 70, 669-670.	0.8	2
49	PP-138 Assessment of Tp-e interval and Tp-e/QT Ratio in Patients with Celiac Disease. <i>American Journal of Cardiology</i> , 2016, 117, S88-S89.	0.7	1
50	Endocan to Predict Cardiovascular Events. <i>Angiology</i> , 2017, 68, 84-84.	0.8	1
51	Disease Duration and Inflammation in Psoriasis. <i>Angiology</i> , 2017, 68, 271-272.	0.8	1
52	Transradial or Transfemoral Access for Patients With De Novo Acute Coronary Syndrome? Choosing the Best Approach. <i>Angiology</i> , 2017, 68, 374-374.	0.8	1
53	Predictors of In-Stent Restenosis in Patients With Stable Angina Pectoris. <i>Angiology</i> , 2017, 68, 831-831.	0.8	1
54	Status of Diabetes Mellitus or HbA1c Levels for Burden of Coronary Artery Disease. <i>Angiology</i> , 2019, 70, 185-185.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Cerebrovascular Events in Stenting for Carotid Artery Stenosis. <i>Angiology</i> , 2019, 70, 187-187.	0.8	1
56	Are Endocan and Ischemia-Modified Albumin Reliable Biomarkers for Endothelial Dysfunction in Type 2 Diabetes Mellitus?. <i>Angiology</i> , 2020, 71, 479-480.	0.8	1
57	OP-065 Increased Platelet-to-Lymphocyte Ratio is Related to Slow Coronary Flow. <i>American Journal of Cardiology</i> , 2015, 115, S28-S29.	0.7	0
58	OP-073 Neutrophil to Lymphocyte Ratio is Increased in Patients with Rheumatic Mitral Valve Disease. <i>American Journal of Cardiology</i> , 2015, 115, S32.	0.7	0
59	YKL-40 and other indicators of inflammation in coronary collateral development and SYNTAX score. <i>International Journal of Cardiology</i> , 2017, 229, 66.	0.8	0
60	Oxidative stress biomarkers and burden of coronary atherosclerosis assessed based on SYNTAX score. <i>Biomarkers in Medicine</i> , 2017, 11, 595-596.	0.6	0
61	Atherosclerosis in Inflammatory Bowel Disease. <i>Angiology</i> , 2017, 68, 462-462.	0.8	0
62	Inflammatory Biomarkers for Predicting High SYNTAX and SYNTAX II Scores. <i>Angiology</i> , 2019, 70, 369-370.	0.8	0
63	Is It Possible to Predict Contrast-Induced Nephropathy With Single Parameter or Ratio? Better to Include Easily Available Indices. <i>Angiology</i> , 2019, 70, 988-989.	0.8	0
64	Manual Heating and Prevention of Radial Artery Occlusion. <i>Angiology</i> , 2020, 71, 473-473.	0.8	0
65	Promising Parameters in Predicting High SYNTAX II Score and In-Hospital Mortality for Non-ST-Elevation Myocardial Infarction. <i>Angiology</i> , 2022, 73, 184-184.	0.8	0
66	Letter Circulating microRNA-221 and 222 for the Severity of Coronary Artery Disease in Acute Coronary Syndrome. <i>Angiology</i> , 2021, , 000331972110452.	0.8	0
67	Plasma Leukocyte Cell-Derived Chemotaxin 2 for the Severity of Coronary Artery Disease. <i>Angiology</i> , 2021, , 000331972110473.	0.8	0
68	Pericardial effusion can affect the Tp-e interval and Tp-e/QT ratio. <i>Cardiology Journal</i> , 2016, 23, 360-360.	0.5	0
69	New insights on the "DC shock-reperfusion" in ST elevation myocardial infarction: killing two birds with one stone?. <i>Balkan Medical Journal</i> , 2017, 34, 382-383.	0.3	0