Mehmet Kadri Akboga

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/238205/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Promising Parameters in Predicting High SYNTAX II Score and In-Hospital Mortality for Non-ST-Elevation Myocardial Infarction. Angiology, 2022, 73, 184-184.	0.8	0
2	Recommendations for Ramadan fasting to patients with cardiovascular diseases; Turkish Society of Cardiology consensus report. Anatolian Journal of Cardiology, 2021, 25, 284-293.	0.5	5
3	Prognostic value of CHA2DS2-VASc score in predicting high SYNTAX score and in-hospital mortality for non-ST elevation myocardial infarction in patients without atrial fibrillation. , 2021, 25, 789-795.		11
4	Letter Circulating microRNA-221 and 222 for the Severity of Coronary Artery Disease in Acute Coronary Syndrome. Angiology, 2021, , 000331972110452.	0.8	0
5	Plasma Leukocyte Cell-Derived Chemotaxin 2 for the Severity of Coronary Artery Disease. Angiology, 2021, , 000331972110473.	0.8	0
6	Are Endocan and Ischemia-Modified Albumin Reliable Biomarkers for Endothelial Dysfunction in Type 2 Diabetes Mellitus?. Angiology, 2020, 71, 479-480.	0.8	1
7	Manual Heating and Prevention of Radial Artery Occlusion. Angiology, 2020, 71, 473-473.	0.8	0
8	Inflammation Parameters in Aortic Aneurysm. Angiology, 2019, 70, 280-280.	0.8	2
9	Predictors of In-Stent Restenosis. Angiology, 2019, 70, 279-279.	0.8	4
10	Systemic Low-Grade Inflammation and Cardiovascular Disease in Systemic Lupus Erythematosus. Angiology, 2019, 70, 374-375.	0.8	2
11	Inflammatory Biomarkers for Predicting High SYNTAX and SYNTAX II Scores. Angiology, 2019, 70, 369-370.	0.8	Ο
12	Endocan at the Crossroads: A Vasculoprotective Molecule or Inflammatory Marker?. Angiology, 2019, 70, 669-670.	0.8	2
13	Is It Possible to Predict Contrast-Induced Nephropathy With Single Parameter or Ratio? Better to Include Easily Available Indices. Angiology, 2019, 70, 988-989.	0.8	0
14	Status of Diabetes Mellitus or HbA1c Levels for Burden of Coronary Artery Disease. Angiology, 2019, 70, 185-185.	0.8	1
15	Cerebrovascular Events in Stenting for Carotid Artery Stenosis. Angiology, 2019, 70, 187-187.	0.8	1
16	The Prevalence and Risks of Inappropriate Combination of Aspirin and Warfarin in Clinical Practice: Results From WARFARIN-TR Study. Balkan Medical Journal, 2019, 36, 17-22.	0.3	12
17	Relation between lymphocyte to monocyte ratio and shortâ€ŧerm mortality in patients with acute pulmonary embolism. Clinical Respiratory Journal, 2018, 12, 580-586.	0.6	24
18	Evaluation of the Predictive Value of CHA ₂ DS ₂ -VASc Score for In-Stent Restenosis. Angiology, 2018, 69, 38-42.	0.8	14

Mehmet Kadri Akboga

#	Article	IF	CITATIONS
19	ls CHA2DS2-VASc Score Related to Inflammation in Patients With In-Stent Restenosis?. Angiology, 2018, 69, 90-90.	0.8	2
20	N-Acetylcysteine and Contrast-Induced Nephropathy. Angiology, 2018, 69, 85-85.	0.8	5
21	ls Endocan an Inflammatory Marker or an Angiogenic Marker, or Both or None?. Angiology, 2018, 69, 87-87.	0.8	2
22	The Association Between Serum Procalcitonin Levels and Severity of Coronary Artery Disease Assessed by SYNTAX Score in Patients With Acute Coronary Syndrome. Angiology, 2017, 68, 40-45.	0.8	19
23	Relationship between Serum Albumin Level and Monocyte-to-High-Density Lipoprotein Cholesterol Ratio with Saphenous Vein Graft Disease in Coronary Bypass. Thoracic and Cardiovascular Surgeon, 2017, 65, 315-321.	0.4	27
24	Endocan to Predict Cardiovascular Events. Angiology, 2017, 68, 84-84.	0.8	1
25	Procalcitonin as a New Indicator of Inflammation. Angiology, 2017, 68, 83-83.	0.8	5
26	Disease Duration and Inflammation in Psoriasis. Angiology, 2017, 68, 271-272.	0.8	1
27	Transradial or Transfemoral Access for Patients With De Novo Acute Coronary Syndrome? Choosing the Best Approach. Angiology, 2017, 68, 374-374.	0.8	1
28	Predictors of In-Stent Restenosis in Patients With Stable Angina Pectoris. Angiology, 2017, 68, 831-831.	0.8	1
29	YKL-40 and other indicators of inflammation in coronary collateral development and SYNTAX score. International Journal of Cardiology, 2017, 229, 66.	0.8	0
30	Oxidative stress biomarkers and burden of coronary atherosclerosis assessed based on SYNTAX score. Biomarkers in Medicine, 2017, 11, 595-596.	0.6	0
31	Assessment of monocyte to high density lipoprotein cholesterol ratio and lymphocyte-to-monocyte ratio in patients with metabolic syndrome. Biomarkers in Medicine, 2017, 11, 535-540.	0.6	55
32	Atherosclerosis in Inflammatory Bowel Disease. Angiology, 2017, 68, 462-462.	0.8	0
33	White Blood Cell Subtypes and Ratios in Cardiovascular Disease. Angiology, 2017, 68, 651-651.	0.8	8
34	Endocan. Angiology, 2017, 68, 79-79.	0.8	2
35	Resting Heart Rate. Angiology, 2017, 68, 175-175.	0.8	2
36	Association of lymphocyte-monocyte ratio and monocyte-to-high-density lipoprotein ratio with the presence and severity of rheumatic mitral valve stenosis. Biomarkers in Medicine, 2017, 11, 657-663.	0.6	6

#	Article	IF	CITATIONS
37	A Novel Marker of Impaired Aortic Elasticity in Never Treated Hypertensive Patients: Monocyte/High-Density Lipoprotein Cholesterol Ratio. Acta Cardiologica Sinica, 2017, 33, 41-49.	0.1	22
38	New insights on the "DC shock-reperfusion"in ST elevationmyocardialinfarction: killingtwobirdswithonestone?. Balkan Medical Journal, 2017, 34, 382-383.	0.3	0
39	The Assessment of Tp-e Interval and Tp-e/QT Ratio in Patients With Systemic Sclerosis. Archives of Rheumatology, 2016, 31, 139-144.	0.3	14
40	Increased serum YKL-40 level is associated with the presence and severity of metabolic syndrome. Anatolian Journal of Cardiology, 2016, 16, 953-958.	0.5	8
41	A novel marker of inflammation in patients with slow coronary flow: lymphocyte-to-monocyte ratio. Biomarkers in Medicine, 2016, 10, 485-493.	0.6	24
42	OP-050 Increased Serum Ykl-40 Level is Associated with the Presence and Severity of Metabolic Syndrome. American Journal of Cardiology, 2016, 117, S19-S20.	0.7	2
43	PP-138 Assessment of Tp-e interval and Tp-e/QT Ratio in Patients with Celiac Disease. American Journal of Cardiology, 2016, 117, S88-S89.	0.7	1
44	Effect of serum YKL-40 on coronary collateral development and SYNTAX score in stable coronary artery disease. International Journal of Cardiology, 2016, 224, 323-327.	0.8	29
45	Evaluation of Tpâ€E Interval and Tpâ€E/QT Ratio in Patients with Aortic Stenosis. Annals of Noninvasive Electrocardiology, 2016, 21, 287-293.	0.5	32
46	Increased Platelet to Lymphocyte Ratio is Related to Slow Coronary Flow. Angiology, 2016, 67, 21-26.	0.8	36
47	Increased red cell distribution width predicts occlusion of the infarct-related artery in STEMI. Scandinavian Cardiovascular Journal, 2016, 50, 114-118.	0.4	8
48	The Relationship Between Epicardial Adipose Tissue Thickness and Infarct-Related Artery Patency in Patients With ST-Segment Elevation Myocardial Infarction. Angiology, 2016, 67, 281-286.	0.8	7
49	The association between platelet-to-lymphocyte ratio and inflammatory markers with the severity of aortic stenosis. Biomarkers in Medicine, 2016, 10, 367-373.	0.6	7
50	Usefulness of monocyte to HDL-cholesterol ratio to predict high SYNTAX score in patients with stable coronary artery disease. Biomarkers in Medicine, 2016, 10, 375-383.	0.6	66
51	Red cell distribution width predicts totally occluded infarct-related artery in NSTEMI. Scandinavian Cardiovascular Journal, 2016, 50, 224-229.	0.4	3
52	Association of Monocyte-to-HDL Cholesterol Ratio with Slow Coronary Flow is Linked to Systemic Inflammation. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 476-482.	0.7	152
53	Platelet to lymphocyte ratio as a novel indicator of inflammation is correlated with the severity of metabolic syndrome: A single center large-scale study. Platelets, 2016, 27, 178-183.	1.1	69
54	Association of Platelet to Lymphocyte Ratio With Inflammation and Severity of Coronary Atherosclerosis in Patients With Stable Coronary Artery Disease. Angiology, 2016, 67, 89-95.	0.8	111

#	Article	IF	CITATIONS
55	The role of baseline indirect inflammatory markers in prediction of response to cardiac resynchronisation therapy. Kardiologia Polska, 2016, 74, 119-126.	0.3	20
56	Pericardial effusion can affect the Tp-e interval and Tp-e/QT ratio. Cardiology Journal, 2016, 23, 360-360.	0.5	0
57	Perceived Benefits of Implantable Cardioverter Defibrillator Implantation among Heart Failure Patients and Its Relation to Quality of Life: A Cross-Sectional Study. Cardiology and Therapy, 2015, 4, 155-165.	1.1	4
58	Relationship between serum vitamin D levels and angiographic severity and extent of coronary artery disease. European Journal of Clinical Investigation, 2015, 45, 940-948.	1.7	16
59	Effect of Vitamin D Replacement on Atrial Electromechanical Delay in Subjects with Vitamin D Deficiency. Journal of Cardiovascular Electrophysiology, 2015, 26, 649-655.	0.8	14
60	Association of serum total bilirubin level with severity of coronary atherosclerosis is linked to systemic inflammation. Atherosclerosis, 2015, 240, 110-114.	0.4	106
61	Platelet to Lymphocyte Ratio Can be a Predictor of Infarct-Related Artery Patency in Patients With ST-Segment Elevation Myocardial Infarction. Angiology, 2015, 66, 831-836.	0.8	39
62	Comparison of three diuretic treatment strategies for patients with acute decompensated heart failure. Herz, 2015, 40, 1115-1120.	0.4	18
63	PP-062 Acute Coronary Syndrome due to Diclofenac-induced Anaphylaxis: Type 1 Kounis Syndrome. American Journal of Cardiology, 2015, 115, S125.	0.7	2
64	OP-065 Increased Platelet-to-Lymphocyte Ratio is Related to Slow Coronary Flow. American Journal of Cardiology, 2015, 115, S28-S29.	0.7	0
65	OP-073 Neutrophil to Lymphocyte Ratio is Increased in Patients with Rheumatic Mitral Valve Disease. American Journal of Cardiology, 2015, 115, S32.	0.7	0
66	The Assessment of Atrial Electromechanical Delay in Patients With Acromegaly. Canadian Journal of Cardiology, 2015, 31, 1012-1018.	0.8	6
67	The association of the platelet-to-lymphocyte ratio with mitral annular calcification. Scandinavian Cardiovascular Journal, 2015, 49, 351-6.	0.4	7
68	Relationship between plasma apelin level and coronary collateral circulation. Atherosclerosis, 2014, 235, 289-294.	0.4	30
69	Neutrophil Gelatinase-Associated Lipocalin Levels in Isolated Coronary Artery Ectasia. Canadian Journal of Cardiology, 2011, 27, 773-778.	0.8	10