

Nicholas Parsons

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2382952/publications.pdf>

Version: 2024-02-01

144
papers

4,808
citations

134610

34
h-index

129628

63
g-index

151
all docs

151
docs citations

151
times ranked

5691
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient beliefs and perceptions play a crucial role in the decision-making process when managing a meniscal tear. A qualitative systematic review of the literature. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 619-630.	0.6	1
2	Cemented or Uncemented Hemiarthroplasty for Intracapsular Hip Fracture. <i>New England Journal of Medicine</i> , 2022, 386, 521-530.	13.9	57
3	Arthroscopic hip surgery compared with personalised hip therapy in people over 16 years old with femoroacetabular impingement syndrome: UK FASHIoN RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-236.	1.3	3
4	Moulded cast compared with K-wire fixation after manipulation of an acute dorsally displaced distal radius fracture: the DRAFFT 2 RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-80.	1.3	2
5	Subacromial balloon spacer for irreparable rotator cuff tears of the shoulder (START:REACTS): a group-sequential, double-blind, multicentre randomised controlled trial. <i>Lancet, The</i> , 2022, 399, 1954-1963.	6.3	53
6	Randomised controlled trial comparing intraoperative cell salvage and autotransfusion with standard care in the treatment of hip fractures: a protocol for the WHITE 9 study. <i>BMJ Open</i> , 2022, 12, e062338.	0.8	2
7	Cost-utility analysis of cast compared to removable brace in the management of adult patients with ankle fractures. <i>Bone & Joint Open</i> , 2022, 3, 455-462.	1.1	1
8	The findings of a surgical hip fracture trial were generalizable to the UK national hip fracture database. <i>Journal of Clinical Epidemiology</i> , 2021, 131, 141-151.	2.4	3
9	Meniscal tears are more common than previously identified, however, less than a quarter of people with a tear undergo arthroscopy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3892-3898.	2.3	5
10	The incidence and prevalence of inflammatory bowel disease in UK primary care: a retrospective cohort study of the IQVIA Medical Research Database. <i>BMC Gastroenterology</i> , 2021, 21, 139.	0.8	36
11	The use of magnetic resonance imaging (MRI) of the knee in current clinical practice: A retrospective evaluation of the MRI reports within a large NHS trust. <i>Knee</i> , 2021, 29, 557-563.	0.8	2
12	The risks associated with tourniquet use in lower limb trauma surgery: a systematic review and meta-analysis. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 967-979.	0.6	10
13	Does performance-based remuneration improve outcomes in the treatment of hip fracture?. <i>Bone and Joint Journal</i> , 2021, 103-B, 881-887.	1.9	15
14	Open reduction and internal fixation versus nonoperative treatment for closed, displaced, intra-articular fractures of the calcaneus: long-term follow-up from the HeFT randomized controlled trial. <i>Bone and Joint Journal</i> , 2021, 103-B, 1040-1046.	1.9	15
15	Use of cast immobilisation versus removable brace in adults with an ankle fracture: multicentre randomised controlled trial. <i>BMJ, The</i> , 2021, 374, n1506.	3.0	13
16	Effect of Platelet-Rich Plasma Injection vs Sham Injection on Tendon Dysfunction in Patients With Chronic Midportion Achilles Tendinopathy. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 137.	3.8	41
17	Faecal calprotectin testing in UK general practice: a retrospective cohort study using The Health Improvement Network database. <i>British Journal of General Practice</i> , 2021, 71, e854-e861.	0.7	2
18	Vocational rehabilitation via social firms: a qualitative investigation of the views and experiences of employees with mental health problems, social firm managers and clinicians. <i>BMC Psychiatry</i> , 2021, 21, 566.	1.1	4

#	ARTICLE	IF	CITATIONS
19	Wound photography for evaluation of surgical site infection and wound healing after lower limb trauma. <i>Bone and Joint Journal</i> , 2021, 103-B, 1802-1808.	1.9	4
20	Baseline quality of life in people with hip fracture: results from the multicentre WHiTE cohort study. <i>Bone and Joint Research</i> , 2020, 9, 468-476.	1.3	7
21	Meniscal tear outcome Study (METRO Study): a study protocol for a multicentre prospective cohort study exploring the factors which affect outcomes in patients with a meniscal tear. <i>BMJ Open</i> , 2020, 10, e038681.	0.8	5
22	Meniscal Tear Outcome (METRO) review: a protocol for a systematic review summarising the clinical course and patient experiences of meniscal tears in the current literature. <i>BMJ Open</i> , 2020, 10, e036247.	0.8	3
23	Cost-utility analysis of standard dressing compared with incisional negative-pressure wound therapy among patients with closed surgical wounds following major trauma to the lower limb. <i>Bone and Joint Journal</i> , 2020, 102-B, 1072-1081.	1.9	11
24	The Orthopaedic Trauma Society classification of open fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1469-1474.	1.9	15
25	Infographic: The Orthopaedic Trauma Society classification of open fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1467-1468.	1.9	4
26	Effectiveness and safety of cemented and uncemented hemiarthroplasty in the treatment of intracapsular hip fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1113-1121.	1.9	19
27	Acute Rehabilitation following Traumatic anterior shoulder dISlocAtioN (ARTISAN): protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e040623.	0.8	2
28	Protocol for a randomised controlled trial of Subacromial spacer for Tears Affecting Rotator cuff Tendons: a Randomised, Efficient, Adaptive Clinical Trial in Surgery (START:REACTS). <i>BMJ Open</i> , 2020, 10, e036829.	0.8	11
29	Total hip arthroplasty versus hemiarthroplasty for intracapsular hip fracture. <i>Bone and Joint Journal</i> , 2020, 102-B, 658-660.	1.9	10
30	Economic evaluation plan of a RCT of hydroxyapatite-coated uncemented hemiarthroplasty versus cemented hemiarthroplasty for the treatment of displaced intracapsular hip fractures. <i>Bone & Joint Open</i> , 2020, 1, 8-13.	1.1	2
31	The use of electronic healthcare records for colorectal cancer screening referral decisions and risk prediction model development. <i>BMC Gastroenterology</i> , 2020, 20, 78.	0.8	12
32	Effect of Incisional Negative Pressure Wound Therapy vs Standard Wound Dressing on Deep Surgical Site Infection After Surgery for Lower Limb Fractures Associated With Major Trauma. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 519.	3.8	92
33	Adaptive seamless clinical trials using early outcomes for treatment or subgroup selection: Methods, simulation model and their implementation in R. <i>Biometrical Journal</i> , 2020, 62, 1264-1283.	0.6	21
34	Complications following hip fracture: Results from the World Hip Trauma Evaluation cohort study. <i>Injury</i> , 2020, 51, 1331-1336.	0.7	29
35	Negative-pressure wound therapy compared with standard dressings following surgical treatment of major trauma to the lower limb: the WHiST RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-86.	1.3	10
36	Economic evaluation plan of a RCT of hydroxyapatite-coated uncemented hemiarthroplasty versus cemented hemiarthroplasty for the treatment of displaced intracapsular hip fractures. <i>Bone & Joint Open</i> , 2020, 1, 13-18.	1.1	1

#	ARTICLE	IF	CITATIONS
37	Platelet rich plasma versus placebo for the management of Achilles tendinopathy; protocol for the UK study of Achilles tendinopathy management (ATM) multi-centre randomised trial. <i>BMJ Open</i> , 2020, 10, e034076.	0.8	1
38	Statistical significance and p-values. <i>Bone and Joint Journal</i> , 2019, 101-B, 1179-1183.	1.9	3
39	Intramedullary nails versus distal locking plates for fracture of the distal femur: results from the Trial of Acute Femoral Fracture Fixation (TrAFFix) randomised feasibility study and process evaluation. <i>BMJ Open</i> , 2019, 9, e026810.	0.8	16
40	Ankle injury rehabilitation (AIR): a feasibility randomised controlled trial comparing functional bracing to plaster cast in the treatment of adult ankle fractures. <i>Pilot and Feasibility Studies</i> , 2019, 5, 55.	0.5	4
41	Communicating benign biopsy results by telephone in the NHS Breast Screening Programme: a protocol for a cluster randomised crossover trial. <i>BMJ Open</i> , 2019, 9, e028679.	0.8	0
42	An adaptive two-arm clinical trial using early endpoints to inform decision making: design for a study of sub-acromial spacers for repair of rotator cuff tendon tears. <i>Trials</i> , 2019, 20, 694.	0.7	9
43	The Development of First-Episode Direct Self-Harmful Behavior and Association with Difficulties in Emotional Regulation in Adolescence. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 1266-1280.	0.9	7
44	Retrograde intramedullary nail fixation compared with fixed-angle plate fixation for fracture of the distal femur: the TrAFFix feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-132.	1.3	8
45	Randomised controlled trial comparing hydroxyapatite coated uncemented hemiarthroplasty with cemented hemiarthroplasty for the treatment of displaced intracapsular hip fractures: a protocol for the WHITE 5 study. <i>BMJ Open</i> , 2019, 9, e033957.	0.8	8
46	Adoption of a novel surgical innovation into clinical practice: protocol for a qualitative systematic review examining surgeon views. <i>BMJ Open</i> , 2018, 8, e020486.	0.8	10
47	Modelling and estimation of health-related quality of life after hip fracture. <i>Bone and Joint Research</i> , 2018, 7, 1-5.	1.3	37
48	Risk-adjusted colorectal cancer screening using the FIT and routine screening data: development of a risk prediction model. <i>British Journal of Cancer</i> , 2018, 118, 285-293.	2.9	34
49	Decision-theoretic designs for a series of trials with correlated treatment effects using the Sarmanov multivariate beta-binomial distribution. <i>Biometrical Journal</i> , 2018, 60, 232-245.	0.6	3
50	Cast versus functional brace in the rehabilitation of patients treated for an ankle fracture: protocol for the UK study of ankle injury rehabilitation (AIR) multicentre randomised trial. <i>BMJ Open</i> , 2018, 8, e027242.	0.8	15
51	Comparison of hip function and quality of life of total hip arthroplasty and resurfacing arthroplasty in the treatment of young patients with arthritis of the hip joint at 5 years. <i>BMJ Open</i> , 2018, 8, e018849.	0.8	22
52	Effect of Negative Pressure Wound Therapy vs Standard Wound Management on 12-Month Disability Among Adults With Severe Open Fracture of the Lower Limb. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 2280.	3.8	137
53	Intramedullary nail fixation versus locking plate fixation for adults with a fracture of the distal tibia: the UK FixDT RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-148.	1.3	16
54	Negative-pressure wound therapy versus standard dressings for adults with an open lower limb fracture: the WOLLF RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-162.	1.3	42

#	ARTICLE	IF	CITATIONS
55	Unit of analysis issues in laboratory-based research. <i>ELife</i> , 2018, 7, .	2.8	11
56	The tip-apex distance in the X-Bolt dynamic plating system. <i>Bone and Joint Research</i> , 2017, 6, 204-207.	1.3	3
57	Risk factors for metachronous adenoma in the residual colon of patients undergoing curative surgery for colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1609-1616.	1.0	22
58	Blinded versus unblinded estimation of a correlation coefficient to inform interim design adaptations. <i>Biometrical Journal</i> , 2017, 59, 344-357.	0.6	6
59	Effect of Locking Plate Fixation vs Intramedullary Nail Fixation on 6-Month Disability Among Adults With Displaced Fracture of the Distal Tibia. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1767.	3.8	55
60	Cast versus functional brace in the rehabilitation of patients treated non-operatively for a rupture of the Achilles tendon: protocol for the UK study of tendo achilles rehabilitation (UK STAR) multi-centre randomised trial. <i>BMJ Open</i> , 2017, 7, e019628.	0.8	6
61	A protocol for a feasibility randomised controlled trial to assess the difference between functional bracing and plaster cast for the treatment of ankle fractures. <i>Pilot and Feasibility Studies</i> , 2017, 3, 11.	0.5	3
62	Trial of Acute Femoral Fracture Fixation (TrAFFix): study protocol for a randomised controlled feasibility trial. <i>Trials</i> , 2017, 18, 538.	0.7	4
63	Protocol for a multicentre, parallel-arm, 12-month, randomised, controlled trial of arthroscopic surgery versus conservative care for femoroacetabular impingement syndrome (FASHIoN). <i>BMJ Open</i> , 2016, 6, e012453.	0.8	22
64	The World Hip Trauma Evaluation Study 3. <i>Bone and Joint Research</i> , 2016, 5, 18-25.	1.3	29
65	World Hip Trauma Evaluation (WHiTE): framework for embedded comprehensive cohort studies: TableA1. <i>BMJ Open</i> , 2016, 6, e011679.	0.8	43
66	A comparison of electronic and manual dynamometry and goniometry in patients with fracture of the distal radius and healthy participants. <i>Journal of Hand Therapy</i> , 2016, 29, 73-80.	0.7	7
67	UK FASHIoN: feasibility study of a randomised controlled trial of arthroscopic surgery for hip impingement compared with best conservative care. <i>Health Technology Assessment</i> , 2016, 20, 1-172.	1.3	42
68	Interventions for treating fractures of the distal femur in adults. <i>The Cochrane Library</i> , 2015, , CD010606.	1.5	37
69	Achilles tendon rupture rehabilitation. <i>Bone and Joint Research</i> , 2015, 4, 65-69.	1.3	17
70	Protocol for a randomised controlled trial of standard wound management versus negative pressure wound therapy in the treatment of adult patients with an open fracture of the lower limb: UK Wound management of Open Lower Limb Fractures (UK WOLFF). <i>BMJ Open</i> , 2015, 5, e009087.	0.8	23
71	Meniscal Transplantation and its Effect on Osteoarthritis Risk. <i>Bone and Joint Research</i> , 2015, 4, 93-98.	1.3	10
72	The clinical profile of employees with mental health problems working in social firms in the UK. <i>Journal of Mental Health</i> , 2015, 24, 242-248.	1.0	14

#	ARTICLE	IF	CITATIONS
73	Protocol for a single-centre randomised controlled trial of multimodal periarticular anaesthetic infiltration versus single-agent femoral nerve blockade as analgesia for total knee arthroplasty: Perioperative Analgesia for Knee Arthroplasty (PAKA). <i>BMJ Open</i> , 2015, 5, e009898.	0.8	9
74	Retaining the general practitioner workforce in England: what matters to GPs? A cross-sectional study. <i>BMC Family Practice</i> , 2015, 16, 140.	2.9	56
75	Injection therapies for Achilles tendinopathy. <i>The Cochrane Library</i> , 2015, 2015, CD010960.	1.5	54
76	Flexible selection of a single treatment incorporating short-term endpoint information in a phase II/III clinical trial. <i>Statistics in Medicine</i> , 2015, 34, 3104-3115.	0.8	13
77	Evaluating recovery following hip fracture: a qualitative interview study of what is important to patients. <i>BMJ Open</i> , 2015, 5, e005406-e005406.	0.8	69
78	A Comparison of Methods for Treatment Selection in Seamless Phase II/III Clinical Trials Incorporating Information on Short-Term Endpoints. <i>Journal of Biopharmaceutical Statistics</i> , 2015, 25, 170-189.	0.4	26
79	UK Fixation of Distal Tibia Fractures (UK FixDT): protocol for a randomised controlled trial of locking plate fixation versus intramedullary nail fixation in the treatment of adult patients with a displaced fracture of the distal tibia. <i>BMJ Open</i> , 2015, 5, e009162.	0.8	11
80	Fitness predicts long-term survival after a cardiovascular event: a prospective cohort study. <i>BMJ Open</i> , 2015, 5, e007772.	0.8	19
81	Microvascular blood flow in normal and pathologic rotator cuffs. <i>Journal of Shoulder and Elbow Surgery</i> , 2015, 24, 1954-1960.	1.2	21
82	Adaptive Designs for Confirmatory Clinical Trials with Subgroup Selection. <i>Journal of Biopharmaceutical Statistics</i> , 2014, 24, 168-187.	0.4	55
83	Data-driven treatment selection for seamless phase II/III trials incorporating early outcome data. <i>Pharmaceutical Statistics</i> , 2014, 13, 238-246.	0.7	17
84	Surgery for treating hip impingement (femoroacetabular impingement). <i>The Cochrane Library</i> , 2014, , CD010796.	1.5	29
85	Development of an outcome prediction tool for patients considering a total knee replacement – the Knee Outcome Prediction Study (KOPS). <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 451.	0.8	12
86	Matching patients to an intervention for back pain: classifying patients using a latent class approach. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 544-550.	0.9	10
87	Operative versus non-operative treatment for closed, displaced, intra-articular fractures of the calcaneus: randomised controlled trial. <i>BMJ</i> , 2014, 349, g4483-g4483.	3.0	226
88	The effect of triclosan coated sutures on rate of Surgical Site Infection after hip and knee replacement: a protocol for a double-blind randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 237.	0.8	8
89	Ultrasound and shockwave therapy for acute fractures in adults. <i>The Cochrane Library</i> , 2014, , CD008579.	1.5	45
90	Outcome assessment after hip fracture. <i>Bone and Joint Research</i> , 2014, 3, 69-75.	1.3	106

#	ARTICLE	IF	CITATIONS
91	Designing clinical trials in trauma surgery. Bone and Joint Research, 2014, 3, 123-129.	1.3	13
92	Medial Patellofemoral Ligament Reconstruction for Patellar Dislocation. Orthopaedic Journal of Sports Medicine, 2014, 2, 232596711454402.	0.8	55
93	Mood instability, mental illness and suicidal ideas: results from a household survey. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1431-1437.	1.6	37
94	Social firms as a means of vocational recovery for people with mental illness: a UK survey. BMC Health Services Research, 2013, 13, 270.	0.9	34
95	The effect of high dose antibiotic impregnated cement on rate of surgical site infection after hip hemiarthroplasty for fractured neck of femur: a protocol for a double-blind quasi randomised controlled trial. BMC Musculoskeletal Disorders, 2013, 14, 356.	0.8	10
96	A comparison of artificial neural network, latent class analysis and logistic regression for determining which patients benefit from a cognitive behavioural approach to treatment for non-specific low back pain. , 2013, , .		5
97	The prevalence and clinical associations of mood instability in adults living in England: Results from the Adult Psychiatric Morbidity Survey 2007. Psychiatry Research, 2013, 205, 262-268.	1.7	60
98	What are the primary factors controlling the light fraction and particulate soil organic matter content of agricultural soils?. Biology and Fertility of Soils, 2013, 49, 1001-1014.	2.3	86
99	An exploratory statistical approach to depression pattern identification. Physica A: Statistical Mechanics and Its Applications, 2013, 392, 889-901.	1.2	7
100	Platelet-rich therapy in the treatment of patients with hip fractures: a single centre, parallel group, participant-blinded, randomised controlled trial. BMJ Open, 2013, 3, e002583.	0.8	17
101	Proportional odds models for repeated composite and long ordinal outcome scales. Statistics in Medicine, 2013, 32, 3181-3191.	0.8	7
102	Achilles tendinopathy management. Bone and Joint Research, 2013, 2, 227-232.	1.3	82
103	The effect of surgical approach on the histology of the femoral head following resurfacing of the hip. Bone and Joint Research, 2013, 2, 200-205.	1.3	4
104	The Warwick Hip Trauma Evaluation Two " an abridged protocol for the WHiTE Two Study. Bone and Joint Research, 2013, 2, 210-213.	1.3	12
105	The Warwick Hip Trauma Evaluation One " an abridged protocol for the WHiTE One Study. Bone and Joint Research, 2013, 2, 206-209.	1.3	14
106	Social firms' provision of employment opportunities for people with mental ill health: a UK survey. Mental Health Today (brighton, England), 2013, , 24-7.	0.0	0
107	A randomised pilot trial of "locking plate" fixation versus intramedullary nailing for extra-articular fractures of the distal tibia. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 704-708.	3.4	69
108	Minimum 5-Year Follow-Up after Cormet Hip Resurfacing. A Single Surgeon Series of 234 Hips. HIP International, 2012, 22, 189-194.	0.9	2

#	ARTICLE	IF	CITATIONS
109	The Warwick Hip Trauma Evaluation " an abridged protocol for the WHITE Study. Bone and Joint Research, 2012, 1, 310-314.	1.3	25
110	Scintigraphic assessment of bone status at one year following hip resurfacing. Bone and Joint Research, 2012, 1, 86-92.	1.3	10
111	Cost-effectiveness of total hip arthroplasty versus resurfacing arthroplasty: economic evaluation alongside a clinical trial. BMJ Open, 2012, 2, e001162.	0.8	20
112	A Short Version of the International Hip Outcome Tool (iHOT-12) for Use in Routine Clinical Practice. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 611-618.	1.3	328
113	The Development and Validation of a Self-Administered Quality-of-Life Outcome Measure for Young, Active Patients With Symptomatic Hip Disease: The International Hip Outcome Tool (iHOT-33). Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 595-610.e1.	1.3	387
114	Virtual patients design and its effect on clinical reasoning and student experience: a protocol for a randomised factorial multi-centre study. BMC Medical Education, 2012, 12, 62.	1.0	45
115	Platelet rich therapies for long bone healing in adults. The Cochrane Library, 2012, , CD009496.	1.5	35
116	Ultrasound and shockwave therapy for acute fractures in adults. , 2012, , CD008579.		31
117	An evaluation of the quality of statistical design and analysis of published medical research: results from a systematic survey of general orthopaedic journals. BMC Medical Research Methodology, 2012, 12, 60.	1.4	30
118	An R package for implementing simulations for seamless phase II/III clinical trials using early outcomes for treatment selection. Computational Statistics and Data Analysis, 2012, 56, 1150-1160.	0.7	15
119	The timing of tourniquet release and "retransfusion"™ drains in total knee arthroplasty: A stratified randomised pilot investigation. Knee, 2012, 19, 190-192.	0.8	15
120	The Achilles tendon total rupture score: a study of responsiveness, internal consistency and convergent validity on patients with acute Achilles tendon ruptures. Health and Quality of Life Outcomes, 2012, 10, 24.	1.0	57
121	Femoral Neck Narrowing following Hip Resurfacing using Posterior and Ganz Approaches at Two Years. HIP International, 2011, 21, 596-601.	0.9	1
122	Groin Pain following Hip Resurfacing: A Case-Control Study. HIP International, 2011, 21, 602-609.	0.9	5
123	SPECT/CT bone imaging after hip resurfacing arthroplasty. Nuclear Medicine Communications, 2011, 32, 289-297.	0.5	12
124	The Warwick patellofemoral arthroplasty trial: a randomised clinical trial of total knee arthroplasty versus patellofemoral arthroplasty in patients with severe arthritis of the patellofemoral joint. BMC Musculoskeletal Disorders, 2011, 12, 265.	0.8	28
125	A statistical framework for quantifying clinical equipoise for individual cases during randomized controlled surgical trials. Trials, 2011, 12, 258.	0.7	2
126	A novel adaptive design strategy increases the efficiency of clinical trials in secondary progressive multiple sclerosis. Multiple Sclerosis Journal, 2011, 17, 81-88.	1.4	46

#	ARTICLE	IF	CITATIONS
127	In-Shoe Plantar Pressures Within Ankle-Foot Orthoses. American Journal of Sports Medicine, 2011, 39, 2679-2685.	1.9	13
128	A systematic survey of the quality of research reporting in general orthopaedic journals. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1154-1159.	3.4	49
129	Modelling the effects of the weather on admissions to UK trauma units: a cross-sectional study. Emergency Medicine Journal, 2011, 28, 851-855.	0.4	54
130	Does cementing the femoral component increase the risk of peri-operative mortality for patients having replacement surgery for a fracture of the neck of femur?. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1405-1410.	3.4	53
131	Warwick Hip Trauma Study: a randomised clinical trial comparing interventions to improve outcomes in internally fixed intracapsular fractures of the proximal femur. Protocol for The WHiT Study. BMC Musculoskeletal Disorders, 2010, 11, 184.	0.8	13
132	A Comparison of Harris and Oxford Hip Scores for Assessing Outcome after Resurfacing Arthroplasty of the Hip: Can the Patient Tell us Everything we Need to Know?. HIP International, 2010, 20, 453-459.	0.9	7
133	Narrowing of the Femoral Neck after Resurfacing Arthroplasty of the Hip: A Comparison of Cemented and Uncemented Femoral Components. HIP International, 2010, 20, 542-546.	0.9	7
134	Metal ion levels following resurfacing arthroplasty of the hip. Journal of Bone and Joint Surgery: British Volume, 2010, 92-B, 1642-1647.	3.4	49
135	The Avon patellofemoral joint replacement. Journal of Bone and Joint Surgery: British Volume, 2010, 92-B, 56-60.	3.4	85
136	More on thromboprophylaxis: Quantifying risk for venous thromboembolism. Thrombosis and Haemostasis, 2009, 101, 791-794.	1.8	5
137	Hip Resurfacing using the Trochanteric Flip Osteotomy. HIP International, 2009, 19, 131-135.	0.9	9
138	Survey of the Quality of Experimental Design, Statistical Analysis and Reporting of Research Using Animals. PLoS ONE, 2009, 4, e7824.	1.1	658
139	Analysis of robust design experiments with time-dependent ordinal response characteristics: a quality improvement study from the horticulture industry. Journal of Applied Statistics, 2009, 36, 1037-1054.	0.6	0
140	Repeated measures proportional odds logistic regression analysis of ordinal score data in the statistical software package R. Computational Statistics and Data Analysis, 2009, 53, 632-641.	0.7	33
141	Image analysis and statistical modelling for measurement and quality assessment of ornamental horticulture crops in glasshouses. Biosystems Engineering, 2009, 104, 161-168.	1.9	24
142	Surface Modelling of Plants from Stereo Images. , 2007, , .		10
143	Spatial and Temporal Analysis of the Microbial Community in Slow Sand Filters Used for Treating Horticultural Irrigation Water. Applied and Environmental Microbiology, 2003, 69, 2116-2125.	1.4	72
144	Periarticular analgesia for postoperative pain following total knee replacement. The Cochrane Library, 0, , .	1.5	0