

Patrick Borel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2383637/patrick-borel-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

7,850
citations

52
h-index

84
g-index

159
ext. papers

8,661
ext. citations

5.1
avg. IF

5.9
L-index

#	Paper	IF	Citations
153	Is vitamin A an antioxidant?. <i>International Journal for Vitamin and Nutrition Research</i> , 2022 ,	1.7	
152	β-Carotene Bioavailability and Conversion Efficiency Are Significantly Affected by Sex in Rats: First Observation Suggesting a Possible Hormetic Regulation of Vitamin A Metabolism in Female Rats. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100650	5.9	1
151	Mechanistic aspects of carotenoid health benefits - where are we now?. <i>Nutrition Research Reviews</i> , 2021 , 34, 276-302	7	14
150	From carotenoid intake to carotenoid blood and tissue concentrations - implications for dietary intake recommendations. <i>Nutrition Reviews</i> , 2021 , 79, 544-573	6.4	40
149	Temperature and storage time increase provitamin A carotenoid concentrations and bioaccessibility in post-harvest carrots. <i>Food Chemistry</i> , 2021 , 338, 128004	8.5	2
148	The influence of nutrigenetics on biomarkers of selenium nutritional status. <i>Nutrition Reviews</i> , 2021 , 79, 1259-1273	6.4	2
147	Vitamin A Deficiency during the Perinatal Period and First Weeks of Life Modifies Vitamin A and Lipid Postprandial Metabolism in Both Female and Male Young Rats. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100451	5.9	
146	Using black soldier fly larvae reared on fruits and vegetables waste as a sustainable dietary source of provitamin a carotenoids. <i>Food Chemistry</i> , 2021 , 359, 129911	8.5	1
145	Effects of the apple matrix on the postprandial bioavailability of flavan-3-ols and nutrigenomic response of apple polyphenols in minipigs challenged with a high fat meal. <i>Food and Function</i> , 2020 , 11, 5077-5090	6.1	11
144	Mechanisms Governing the Transfer of Pure and Plant Matrix Carotenoids Toward Emulsified Triglycerides. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900911	5.9	7
143	Phytosterol vehicles used in a functional product modify carotenoid/cholesterol bioaccessibility and uptake by Caco-2 cells. <i>Journal of Functional Foods</i> , 2020 , 68, 103920	5.1	9
142	Influence of soy and whey protein, gelatin and sodium caseinate on carotenoid bioaccessibility. <i>Food and Function</i> , 2020 , 11, 5446-5459	6.1	12
141	A Combination of Single Nucleotide Polymorphisms is Associated with the Interindividual Variability of Cholesterol Bioavailability in Healthy Adult Males. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e2000480	5.9	2
140	Genetic Determinants of Vitamin E Status 2020 , 255-261		
139	Effect of Nutrient and Micronutrient Intake on Chylomicron Production and Postprandial Lipemia. <i>Nutrients</i> , 2019 , 11,	6.7	28
138	Whey protein isolate modulates beta-carotene bioaccessibility depending on gastro-intestinal digestion conditions. <i>Food Chemistry</i> , 2019 , 291, 157-166	8.5	16
137	The Effect of an Iron Supplement on Lycopene Metabolism and Absorption During Digestion in Healthy Humans. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1900644	5.9	4

136	Comparison of the bioavailability and intestinal absorption sites of phytoene, phytofluene, lycopene and β -carotene. <i>Food Chemistry</i> , 2019 , 300, 125232	8.5	18
135	β -Carotene in the human body: metabolic bioactivation pathways - from digestion to tissue distribution and excretion. <i>Proceedings of the Nutrition Society</i> , 2019 , 78, 68-87	2.9	36
134	ABCB1 (P-glycoprotein) regulates vitamin D absorption and contributes to its transintestinal efflux. <i>FASEB Journal</i> , 2019 , 33, 2084-2094	0.9	12
133	Genetic variants in selenoprotein genes modulate biomarkers of selenium status in response to Brazil nut supplementation (the SU.BRA.NUT study). <i>Clinical Nutrition</i> , 2019 , 38, 539-548	5.9	15
132	Opposite Effects of the Spinach Food Matrix on Lutein Bioaccessibility and Intestinal Uptake Lead to Unchanged Bioavailability Compared to Pure Lutein. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800185	5.9	5
131	Molecular interactions governing the incorporation of cholecalciferol and retinyl-palmitate in mixed taurocholate-lipid micelles. <i>Food Chemistry</i> , 2018 , 250, 221-229	8.5	5
130	Les matrices végétales : leurs effets sur la biodisponibilité des caroténoïdes. <i>Cahiers De Nutrition Et De Diététique</i> , 2018 , 53, 114-122	0.2	1
129	SEPP1 polymorphisms modulate serum glucose and lipid response to Brazil nut supplementation. <i>European Journal of Nutrition</i> , 2018 , 57, 1873-1882	5.2	11
128	Magnesium affects spinach carotenoid bioaccessibility in vitro depending on intestinal bile and pancreatic enzyme concentrations. <i>Food Chemistry</i> , 2018 , 239, 751-759	8.5	26
127	Bioavailability of Vitamin E 2018 , 1181-1196		3
126	Bioavailability of Fat-Soluble Vitamins and Phytochemicals in Humans: Effects of Genetic Variation. <i>Annual Review of Nutrition</i> , 2018 , 38, 69-96	9.9	46
125	Production of asymmetric oxidative metabolites of [^{13}C]- β -carotene during digestion in the gastrointestinal lumen of healthy men. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 803-813	7	7
124	Genetic factors involved in the bioavailability of tomato carotenoids. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018 , 21, 489-497	3.8	5
123	Phytoene and Phytofluene Isolated from a Tomato Extract are Readily Incorporated in Mixed Micelles and Absorbed by Caco-2 Cells, as Compared to Lycopene, and SR-BI is Involved in their Cellular Uptake. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800703	5.9	21
122	Host-related factors explaining interindividual variability of carotenoid bioavailability and tissue concentrations in humans. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600685	5.9	129
121	Negative effects of divalent mineral cations on the bioaccessibility of carotenoids from plant food matrices and related physical properties of gastro-intestinal fluids. <i>Food and Function</i> , 2017 , 8, 1008-1019	6.1	29
120	Are lutein, lycopene, and β -carotene lost through the digestive process?. <i>Food and Function</i> , 2017 , 8, 1494-1503	6.1	40
119	Impact of bariatric surgery on apolipoprotein C-III levels and lipoprotein distribution in obese human subjects. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 495-506.e3	4.9	10

118	Overview of carotenoid bioavailability determinants: From dietary factors to host genetic variations. <i>Trends in Food Science and Technology</i> , 2017 , 69, 270-280	15.3	136
117	Neonatal high protein intake enhances neonatal growth without significant adverse renal effects in spontaneous IUGR piglets. <i>Physiological Reports</i> , 2017 , 5, e13296	2.6	6
116	Genetic Variations Associated with Vitamin A Status and Vitamin A Bioavailability. <i>Nutrients</i> , 2017 , 9,	6.7	49
115	Comparison of the Micellar Incorporation and the Intestinal Cell Uptake of Cholecalciferol, 25-Hydroxycholecalciferol and 1- β -Hydroxycholecalciferol. <i>Nutrients</i> , 2017 , 9,	6.7	11
114	A Combination of Single-Nucleotide Polymorphisms Is Associated with Interindividual Variability in Cholecalciferol Bioavailability in Healthy Men. <i>Journal of Nutrition</i> , 2016 , 146, 2421-2428	4.1	14
113	Form of phytosterols and food matrix in which they are incorporated modulate their incorporation into mixed micelles and impact cholesterol micellarization. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 749-59	5.9	17
112	Genetic Variations Involved in Vitamin E Status. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	22
111	Dietary calcium impairs tomato lycopene bioavailability in healthy humans. <i>British Journal of Nutrition</i> , 2016 , 116, 2091-2096	3.6	33
110	Obesity-associated Inflammation Induces microRNA-155 Expression in Adipocytes and Adipose Tissue: Outcome on Adipocyte Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1615-26	5.6	62
109	A Combination of Single-Nucleotide Polymorphisms Is Associated with Interindividual Variability in Dietary β -Carotene Bioavailability in Healthy Men. <i>Journal of Nutrition</i> , 2015 , 145, 1740-7	4.1	44
108	Stability of bacterial carotenoids in the presence of iron in a model of the gastric compartment - comparison with dietary reference carotenoids. <i>Archives of Biochemistry and Biophysics</i> , 2015 , 572, 89-100	4.1	14
107	Lycopene bioavailability is associated with a combination of genetic variants. <i>Free Radical Biology and Medicine</i> , 2015 , 83, 238-44	7.8	60
106	Can genetic variability in β -tocopherol bioavailability explain the heterogeneous response to β -tocopherol supplements?. <i>Antioxidants and Redox Signaling</i> , 2015 , 22, 669-78	8.4	23
105	A meta-analysis to assess the effect of the composition of dietary fat on β -tocopherol blood and tissue concentration in pigs. <i>Journal of Animal Science</i> , 2015 , 93, 1177-86	0.7	4
104	Interactions between Carotenoids from Marine Bacteria and Other Micronutrients: Impact on Stability and Antioxidant Activity. <i>Marine Drugs</i> , 2015 , 13, 7020-39	6	17
103	Dietary fat modulates dl- β -tocopheryl acetate (vitamin E) bioavailability in adult cockerels. <i>British Poultry Science</i> , 2015 , 56, 94-102	1.9	4
102	The postprandial chylomicron triacylglycerol response to dietary fat in healthy male adults is significantly explained by a combination of single nucleotide polymorphisms in genes involved in triacylglycerol metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E484-8	5.6	34
101	Interindividual variability of lutein bioavailability in healthy men: characterization, genetic variants involved, and relation with fasting plasma lutein concentration. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 168-75	7	59

100	β-lactoglobulin as a vector for β-carotene food fortification. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5916-24	5.7	18
99	Effect of the type of dietary triacylglycerol fatty acids on β-copherol concentration in plasma and tissues of growing pigs. <i>Journal of Animal Science</i> , 2014 , 92, 4972-80	0.7	5
98	Iron-induced oxidation of (all-E)-β-carotene under model gastric conditions: kinetics, products, and mechanism. <i>Free Radical Biology and Medicine</i> , 2013 , 63, 195-206	7.8	20
97	Comparable reduction in cholesterol absorption after two different ways of phytosterol administration in humans. <i>European Journal of Nutrition</i> , 2013 , 52, 1215-22	5.2	5
96	Glycosyl carotenoids from marine spore-forming <i>Bacillus</i> sp. strains are readily bioaccessible and bioavailable. <i>Food Research International</i> , 2013 , 51, 914-923	7	12
95	The distribution and relative hydrolysis of tocopheryl acetate in the different matrices coexisting in the lumen of the small intestine during digestion could explain its low bioavailability. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 1237-45	5.9	33
94	Interlocking of β-carotene in beta-lactoglobulin aggregates produced under high pressure. <i>Food Chemistry</i> , 2013 , 139, 253-60	8.5	20
93	Bioavailability of vitamin E in humans: an update. <i>Nutrition Reviews</i> , 2013 , 71, 319-31	6.4	89
92	Inhibition of iron-induced lipid peroxidation by newly identified bacterial carotenoids in model gastric conditions: comparison with common carotenoids. <i>Food and Function</i> , 2013 , 4, 698-712	6.1	20
91	Interactions of β-lactoglobulin variants A and B with Vitamin A. Competitive binding of retinoids and carotenoids. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4114-9	5.7	52
90	CD36 and SR-BI are involved in cellular uptake of provitamin A carotenoids by Caco-2 and HEK cells, and some of their genetic variants are associated with plasma concentrations of these micronutrients in humans. <i>Journal of Nutrition</i> , 2013 , 143, 448-56	4.1	85
89	Effect of type of TAG fatty acids on lutein and zeaxanthin bioavailability. <i>British Journal of Nutrition</i> , 2013 , 110, 1-10	3.6	104
88	Vitamin deficiencies in humans: can plant science help?. <i>Plant Cell</i> , 2012 , 24, 395-414	11.6	171
87	Exploration du statut vitaminique A. <i>Cahiers De Nutrition Et De Dietetique</i> , 2012 , 47, 284-290	0.2	1
86	Grapefruit juices impair the bioaccessibility of β-carotene from orange-fleshed sweet potato but not its intestinal uptake by Caco-2 cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 685-91	5.7	26
85	Exploration du statut vitaminique A. <i>Oleagineux Corps Gras Lipides</i> , 2012 , 19, 216-222		
84	Genetic variations involved in interindividual variability in carotenoid status. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 228-40	5.9	117
83	Effects of physicochemical properties of carotenoids on their bioaccessibility, intestinal cell uptake, and blood and tissue concentrations. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 1385-97	5.9	101

82	The proportion of lycopene isomers in human plasma is modulated by lycopene isomer profile in the meal but not by lycopene preparation. <i>British Journal of Nutrition</i> , 2012 , 107, 1482-8	3.6	45
81	Effets et absorption intestinale des microconstituants lipidiques (vitamines liposolubles, caroténoïdes et phytostérols). <i>Oleagineux Corps Gras Lipides</i> , 2012 , 19, 209-215		1
80	Proteins involved in uptake, intracellular transport and basolateral secretion of fat-soluble vitamins and carotenoids by mammalian enterocytes. <i>Progress in Lipid Research</i> , 2011 , 50, 388-402	14.3	166
79	CD36 is involved in lycopene and lutein uptake by adipocytes and adipose tissue cultures. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 578-84	5.9	68
78	Vitamin D intestinal absorption is not a simple passive diffusion: evidences for involvement of cholesterol transporters. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 691-702	5.9	122
77	Phytosterols can impair vitamin D intestinal absorption in vitro and in mice. <i>Molecular Nutrition and Food Research</i> , 2011 , 55 Suppl 2, S303-11	5.9	42
76	Genetic variants in BCMO1 and CD36 are associated with plasma lutein concentrations and macular pigment optical density in humans. <i>Annals of Medicine</i> , 2011 , 43, 47-59	1.5	73
75	Lycopene inhibits proinflammatory cytokine and chemokine expression in adipose tissue. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 642-8	6.3	103
74	Phytosterol ester processing in the small intestine: impact on cholesterol availability for absorption and chylomicron cholesterol incorporation in healthy humans. <i>Journal of Lipid Research</i> , 2011 , 52, 1256-1264	6.3	37
73	Polymorphisms in the CD36/FAT gene are associated with plasma vitamin E concentrations in humans. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 644-51	7	36
72	Vitamin E decreases endogenous cholesterol synthesis and apo-AI-mediated cholesterol secretion in Caco-2 cells. <i>Journal of Nutritional Biochemistry</i> , 2010 , 21, 1207-13	6.3	46
71	Fasting plasma carotenoids concentrations in Crohn's and pancreatic cancer patients compared to control subjects. <i>International Journal for Vitamin and Nutrition Research</i> , 2009 , 79, 87-94	1.7	9
70	Nutrigenetic Effect on Intestinal Absorption of Fat-Soluble Microconstituents (Vitamins A, E, D and K, Carotenoids and Phytosterols) 2009 , 31-42		1
69	rs5888 variant of SCARB1 gene is a possible susceptibility factor for age-related macular degeneration. <i>PLoS ONE</i> , 2009 , 4, e7341	3.7	44
68	Adiponectin expression is induced by vitamin E via a peroxisome proliferator-activated receptor gamma-dependent mechanism. <i>Endocrinology</i> , 2009 , 150, 5318-25	4.8	96
67	ATP-binding cassette transporter A1 is significantly involved in the intestinal absorption of alpha- and gamma-tocopherol but not in that of retinyl palmitate in mice. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 177-84	7	62
66	Effets et absorption intestinale des microconstituants lipidiques (vitamines liposolubles, caroténoïdes et phytostérols). <i>Cahiers De Nutrition Et De Dietetique</i> , 2009 , 44, 124-131	0.2	2
65	Human fasting plasma concentrations of vitamin E and carotenoids, and their association with genetic variants in apo C-III, cholesteryl ester transfer protein, hepatic lipase, intestinal fatty acid binding protein and microsomal triacylglycerol transfer protein. <i>British Journal of Nutrition</i> , 2009 , 101, 689-7	3.6	52

64	Purified low-density lipoprotein and bovine serum albumin efficiency to internalise lycopene into adipocytes. <i>Food and Chemical Toxicology</i> , 2008 , 46, 3832-6	4.7	38
63	Comparison of different vehicles to study the effect of tocopherols on gene expression in intestinal cells. <i>Free Radical Research</i> , 2008 , 42, 523-30	4	33
62	Lycopene absorption in human intestinal cells and in mice involves scavenger receptor class B type I but not Niemann-Pick C1-like 1. <i>Journal of Nutrition</i> , 2008 , 138, 1432-6	4.1	97
61	Human plasma levels of vitamin E and carotenoids are associated with genetic polymorphisms in genes involved in lipid metabolism. <i>Journal of Nutrition</i> , 2007 , 137, 2653-9	4.1	124
60	Effect of the main dietary antioxidants (carotenoids, gamma-tocopherol, polyphenols, and vitamin C) on alpha-tocopherol absorption. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 1167-73	5.2	48
59	Differential effect of dietary antioxidant classes (carotenoids, polyphenols, vitamins C and E) on lutein absorption. <i>British Journal of Nutrition</i> , 2007 , 97, 440-6	3.6	71
58	Beta-cryptoxanthin from citrus juices: assessment of bioaccessibility using an in vitro digestion/Caco-2 cell culture model. <i>British Journal of Nutrition</i> , 2007 , 97, 883-90	3.6	87
57	Scavenger receptor class B type I (SR-BI) is involved in vitamin E transport across the enterocyte. <i>Journal of Biological Chemistry</i> , 2006 , 281, 4739-45	5.4	186
56	Bioaccessibility of carotenoids and vitamin E from their main dietary sources. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 8749-55	5.7	316
55	Pancreatic lipase and pancreatic lipase-related protein 2, but not pancreatic lipase-related protein 1, hydrolyze retinyl palmitate in physiological conditions. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006 , 1761, 4-10	5	65
54	Lutein transport by Caco-2 TC-7 cells occurs partly by a facilitated process involving the scavenger receptor class B type I (SR-BI). <i>Biochemical Journal</i> , 2005 , 387, 455-61	3.8	207
53	Enrichment of tomato paste with 6% tomato peel increases lycopene and beta-carotene bioavailability in men. <i>Journal of Nutrition</i> , 2005 , 135, 790-4	4.1	54
52	Effect of tomato product consumption on the plasma status of antioxidant microconstituents and on the plasma total antioxidant capacity in healthy subjects. <i>Journal of the American College of Nutrition</i> , 2004 , 23, 148-56	3.5	53
51	Influence of organic versus conventional agricultural practice on the antioxidant microconstituent content of tomatoes and derived purees; consequences on antioxidant plasma status in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 6503-9	5.7	168
50	Processing of vegetable-borne carotenoids in the human stomach and duodenum. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, G913-23	5.1	172
49	Comparison of the postprandial chylomicron carotenoid responses in young and older subjects. <i>European Journal of Nutrition</i> , 2003 , 42, 315-23	5.2	49
48	Short-term supplementation with lutein affects biomarkers of lutein status similarly in young and elderly subjects. <i>Experimental Gerontology</i> , 2003 , 38, 573-82	4.5	34
47	Amounts and types of fatty acids in meals affect the pattern of retinoids secreted in human chylomicrons after a high-dose preformed vitamin A intake. <i>Metabolism: Clinical and Experimental</i> , 2003 , 52, 514-9	12.7	27

46	Factors affecting intestinal absorption of highly lipophilic food microconstituents (fat-soluble vitamins, carotenoids and phytosterols). <i>Clinical Chemistry and Laboratory Medicine</i> , 2003 , 41, 979-94	5.9	162
45	Carotenoids, mostly the xanthophylls, exchange between plasma lipoproteins. <i>International Journal for Vitamin and Nutrition Research</i> , 2002 , 72, 300-8	1.7	44
44	Vegetable-borne lutein, lycopene, and beta-carotene compete for incorporation into chylomicrons, with no adverse effect on the medium-term (3-wk) plasma status of carotenoids in humans. <i>American Journal of Clinical Nutrition</i> , 2002 , 75, 526-34	7	99
43	Définition des limites de flexibilité des apports en acides oléique, linoléique et alphalipolipique sur la lipémie et les paramètres d'athéromatose chez l'homme : interférence des huiles végétales combinées. <i>Oleagineux Corps Gras Lipides</i> , 2002 , 9, 237-243		4
42	Butter differs from olive oil and sunflower oil in its effects on postprandial lipemia and triacylglycerol-rich lipoproteins after single mixed meals in healthy young men. <i>Journal of Nutrition</i> , 2002 , 132, 3642-9	4.1	116
41	Simple method for clinical determination of 13 carotenoids in human plasma using an isocratic high-performance liquid chromatographic method. <i>Biomedical Applications</i> , 2001 , 751, 297-303		94
40	Main factors governing the transfer of carotenoids from emulsion lipid droplets to micelles. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001 , 1533, 285-92	5	164
39	Processing of vitamin A and E in the human gastrointestinal tract. <i>American Journal of Physiology - Renal Physiology</i> , 2001 , 280, G95-G103	5.1	76
38	Valeur santé des caroténoïdes. <i>Sciences Des Aliments</i> , 2001 , 21, 467-480		6
37	Effect of vitamin A status at the end of term pregnancy on the saturation of retinol binding protein with retinol. <i>American Journal of Clinical Nutrition</i> , 2000 , 71, 537-43	7	46
36	Age-related changes in plasma lycopene concentrations, but not in vitamin E, are associated with fat mass. <i>British Journal of Nutrition</i> , 2000 , 84, 711-716	3.6	14
35	Re: Beta-carotene: a miss for epidemiology. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 1014-6	9.7	1
34	Digestion and absorption of 2 fat emulsions with different droplet sizes in the human digestive tract. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 1096-106	7	364
33	Influence of Obesity and Body Fat Distribution on Postprandial Lipemia and Triglyceride-Rich Lipoproteins in Adult Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 184-191	5.6	101
32	Oxidative stress status and antioxidant status are apparently not related to carotenoid status in healthy subjects. <i>Translational Research</i> , 1998 , 132, 61-6		13
31	Susceptibility to oxidation and physicochemical properties of LDL in insulin-dependent diabetics. <i>Atherosclerosis</i> , 1998 , 136, 405-7	3.1	13
30	Comparison of the postprandial plasma vitamin A response in young and older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1998 , 53, B133-40	6.4	31
29	Chylomicron beta-carotene and retinyl palmitate responses are dramatically diminished when men ingest beta-carotene with medium-chain rather than long-chain triglycerides. <i>Journal of Nutrition</i> , 1998 , 128, 1361-7	4.1	94

28	Effects of graded amounts (0-50 g) of dietary fat on postprandial lipemia and lipoproteins in normolipidemic adults. <i>American Journal of Clinical Nutrition</i> , 1998 , 67, 31-8	7	170
27	Low and high responders to pharmacological doses of beta-carotene: proportion in the population, mechanisms involved and consequences on beta-carotene metabolism. <i>Journal of Lipid Research</i> , 1998 , 39, 2250-2260	6.3	97
26	Low and high responders to pharmacological doses of beta-carotene: proportion in the population, mechanisms involved and consequences on beta-carotene metabolism. <i>Journal of Lipid Research</i> , 1998 , 39, 2250-60	6.3	82
25	In vitro and in vivo inhibition of beta-carotene dioxygenase activity by canthaxanthin in rat intestine. <i>Archives of Biochemistry and Biophysics</i> , 1997 , 348, 233-8	4.1	43
24	Postprandial chylomicron and plasma vitamin E responses in healthy older subjects compared with younger ones. <i>European Journal of Clinical Investigation</i> , 1997 , 27, 812-21	4.6	37
23	Rat intestinal beta-carotene dioxygenase activity is located primarily in the cytosol of mature jejunal enterocytes. <i>Journal of Nutrition</i> , 1996 , 126, 2550-6	4.1	43
22	Emulsification and lipolysis of triacylglycerols are altered by viscous soluble dietary fibres in acidic gastric medium in vitro. <i>Biochemical Journal</i> , 1996 , 314 (Pt 1), 269-75	3.8	92
21	Viscous soluble dietary fibers alter emulsification and lipolysis of triacylglycerols in duodenal medium in vitro. <i>Journal of Nutritional Biochemistry</i> , 1996 , 7, 293-302	6.3	70
20	Vitamin A contained in the lipid droplets of rat liver stellate cells is substrate for acid retinyl ester hydrolase. <i>Lipids and Lipid Metabolism</i> , 1995 , 1259, 271-6		18
19	Digestion and absorption of tube-feeding emulsions with different droplet sizes and compositions in the rat. <i>Journal of Parenteral and Enteral Nutrition</i> , 1994 , 18, 534-43	4.2	74
18	Hydrolysis of emulsions with different triglycerides and droplet sizes by gastric lipase in vitro. Effect on pancreatic lipase activity. <i>Journal of Nutritional Biochemistry</i> , 1994 , 5, 124-133	6.3	90
17	Effects of moderate amounts of emulsified dietary fat on postprandial lipemia and lipoproteins in normolipidemic adults. <i>American Journal of Clinical Nutrition</i> , 1994 , 60, 374-82	7	74
16	Cereal dietary fibers affect post-prandial lipoproteins in healthy human subjects. <i>Carbohydrate Polymers</i> , 1993 , 21, 189-194	10.3	15
15	Long-term wheat germ intake beneficially affects plasma lipids and lipoproteins in hypercholesterolemic human subjects. <i>Journal of Nutrition</i> , 1992 , 122, 317-26	4.1	21
14	Effects of oat bran, rice bran, wheat fiber, and wheat germ on postprandial lipemia in healthy adults. <i>American Journal of Clinical Nutrition</i> , 1992 , 55, 81-8	7	159
13	Adaptation of gastric lipase in mini-pigs fed a high-fat diet. <i>Nutrition Research</i> , 1992 , 12, 489-499	4	12
12	Effects of droplet size, triacylglycerol composition, and calcium on the hydrolysis of complex emulsions by pancreatic lipase: an in vitro study. <i>Journal of Nutritional Biochemistry</i> , 1992 , 3, 333-341	6.3	162
11	Gastric lipase: evidence of an adaptive response to dietary fat in the rabbit. <i>Gastroenterology</i> , 1991 , 100, 1582-9	13.3	22

10	Plasma lipid lowering effects of wheat germ in hypercholesterolemic subjects. <i>Plant Foods for Human Nutrition</i> , 1991 , 41, 135-50	3.9	12
9	Effects of increasing levels of raw or defatted wheat germ on liver, feces and plasma lipids and lipoproteins in the rat. <i>Nutrition Research</i> , 1991 , 11, 907-916	4	14
8	Effect of wheat bran and wheat germ on the intestinal uptake of oleic acid, monoolein, and cholesterol in the rat. <i>Journal of Nutritional Biochemistry</i> , 1990 , 1, 28-33	6.3	20
7	Adaptation of lingual lipase to dietary fat in rats. <i>Journal of Nutrition</i> , 1990 , 120, 1148-56	4.1	18
6	Wheat bran and wheat germ: effect on digestion and intestinal absorption of dietary lipids in the rat. <i>American Journal of Clinical Nutrition</i> , 1989 , 49, 1192-202	7	58
5	Isolation and properties of lipolysis inhibitory proteins from wheat germ and wheat bran. <i>Plant Foods for Human Nutrition</i> , 1989 , 39, 339-48	3.9	30
4	Influence of Wheat Bran and Wheat Germ on Triglyceride and Cholesterol Absorption by the Rat Intestinal Mucosa 1988 , 725-729		
3	Effect of pectin, wheat bran and cellulose on serum lipids and lipoproteins in rats fed on a low- or high-fat diet. <i>British Journal of Nutrition</i> , 1987 , 58, 405-13	3.6	47
2	Beneficial effect of wheat germ on circulating lipoproteins and tissue lipids in rats fed a high fat, cholesterol-containing diet. <i>Journal of Nutrition</i> , 1987 , 117, 838-45	4.1	23
1	4.10. La biodisponibilit ^e des micronutriments151-152		