

Celia Requena

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2383683/celia-requena-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

1,266
citations

17
h-index

35
g-index

61
ext. papers

1,478
ext. citations

2.5
avg, IF

4.09
L-index

#	Paper	IF	Citations
57	Stewart-Treves Syndrome. <i>JAMA Dermatology</i> , 2021 , 157, 721	5.1	0
56	Cutaneous intralymphatic histiocytosis associated with breast and orthopedic surgery. <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 725-729	1.7	0
55	Clinical, environmental and histological distribution of BRAF, NRAS and TERT promoter mutations among patients with cutaneous melanoma: a retrospective study of 563 patients. <i>British Journal of Dermatology</i> , 2021 , 184, 504-513	4	9
54	Protocol for the Histologic Diagnosis of Cutaneous Melanoma: Consensus Statement of the Spanish Society of Pathology and the Spanish Academy of Dermatology and Venereology (AEDV) for the National Cutaneous Melanoma Registry. <i>Actas Dermo-sifiliográficas</i> , 2021 , 112, 32-43	0.5	3
53	Tratamiento del angiosarcoma cutáneo. <i>Piel</i> , 2021 , 36, 53-57	0.1	
52	Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. <i>European Journal of Cancer</i> , 2021 , 145, 29-37	7.5	4
51	Angiosarcomas: histology, immunohistochemistry and molecular insights with implications for differential diagnosis. <i>Histology and Histopathology</i> , 2021 , 36, 3-18	1.4	1
50	Prognostic Role of Non-Identification of Sentinel Lymph Node in Cutaneous Melanoma Patients: An Observational Retrospective Study. <i>Cancers</i> , 2020 , 12,	6.6	2
49	Oral Contraceptives in Dermatology. <i>Actas Dermo-sifiliográficas</i> , 2020 , 111, 351-356	0.5	1
48	Mutation Signatures in Melanocytic Nevi Reveal Characteristics of Defective DNA Repair. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 2093-2096.e2	4.3	2
47	Age as a prognostic factor in thick and ultrathick melanomas without lymph node metastasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e513-e517	4.6	1
46	Oral Contraceptives in Dermatology. <i>Actas Dermo-sifiliográficas</i> , 2020 , 111, 351-356	0.5	
45	Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 263-271	3.6	7
44	Multiple facial plaque variant of trichoblastoma. <i>Journal of Cutaneous Pathology</i> , 2019 , 46, 285-289	1.7	4
43	Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. <i>Cancer Medicine</i> , 2019 , 8, 4235-4244	4.8	26
42	TERT promoter mutation subtypes and survival in stage I and II melanoma patients. <i>International Journal of Cancer</i> , 2019 , 144, 1027-1036	7.5	27
41	Histologic Changes During Treatment With Vismodegib in Locally Advanced Basal Cell Carcinoma: A Series of 19 Cases. <i>American Journal of Dermopathology</i> , 2019 , 41, 711-717	0.9	4

40	Sentinel lymph node biopsy versus observation in thick melanoma: A multicenter propensity score matching study. <i>International Journal of Cancer</i> , 2018 , 142, 641-648	7.5	18
39	Immunohistochemical and Fluorescence In Situ Hybridization Analysis of MYC in a Series of 17 Cutaneous Angiosarcomas: A Single-Center Study. <i>American Journal of Dermatopathology</i> , 2018 , 40, 349-354	0.9	10
38	Update on Merkel Cell Carcinoma: Epidemiology, Etiopathogenesis, Clinical Features, Diagnosis, and Staging. <i>Actas Dermo-sifiliográficas</i> , 2017 , 108, 108-119	0.5	24
37	Update on Merkel Cell Carcinoma: Epidemiology, Etiopathogenesis, Clinical Features, Diagnosis, and Staging. <i>Actas Dermo-sifiliográficas</i> , 2017 , 108, 108-119	0.5	3
36	Hereditary progressive mucinous histiocytosis: 3 different phenotypes in 3 family members. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 781-785	1.7	5
35	Cutaneous Angiosarcoma: Clinical and Pathology Study of 16 Cases. <i>Actas Dermo-sifiliográficas</i> , 2017 , 108, 457-465	0.5	12
34	TERT promoter mutations are not always associated with poor prognosis in atypical spitzoid tumors. <i>Pigment Cell and Melanoma Research</i> , 2017 , 30, 265-268	4.5	9
33	Use of Lymph Node Ultrasound Prior to Sentinel Lymph Node Biopsy in 384 Patients with Melanoma: A Cost-Effectiveness Analysis. <i>Actas Dermo-sifiliográficas</i> , 2017 , 108, 931-938	0.5	
32	The intriguing effect of delay time to sentinel lymph node biopsy on survival: a propensity score matching study on a cohort of melanoma patients. <i>European Journal of Dermatology</i> , 2017 , 27, 487-495	0.8	5
31	Use of Lymph Node Ultrasound Prior to Sentinel Lymph Node Biopsy in 384 Patients with Melanoma: A Cost-Effectiveness Analysis. <i>Actas Dermo-sifiliográficas</i> , 2017 , 108, 931-938	0.5	2
30	TERT promoter mutations associate with fast-growing melanoma. <i>Pigment Cell and Melanoma Research</i> , 2016 , 29, 236-8	4.5	32
29	TERT promoter mutations in melanoma survival. <i>International Journal of Cancer</i> , 2016 , 139, 75-84	7.5	79
28	Value of sentinel lymph node biopsy and adjuvant interferon treatment in thick (>4 mm) cutaneous melanoma: an observational study. <i>European Journal of Dermatology</i> , 2016 , 26, 34-48	0.8	5
27	Effect of time to sentinel-node biopsy on the prognosis of cutaneous melanoma. <i>European Journal of Cancer</i> , 2015 , 51, 1780-93	7.5	21
26	BAP1-deficient and VE1-negative atypical Spitz tumor. <i>Journal of Cutaneous Pathology</i> , 2015 , 42, 564-7	1.7	12
25	Adverse reaction to silicone simulating orofacial granulomatosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 998-1001	4.6	5
24	Paraneoplastic Dermatomyositis: A Study of 12 Cases. <i>Actas Dermo-sifiliográficas</i> , 2014 , 105, 675-682	0.5	2
23	Telomerase reverse transcriptase promoter mutations in primary cutaneous melanoma. <i>Nature Communications</i> , 2014 , 5, 3401	17.4	132

22	Paraneoplastic dermatomyositis: a study of 12 cases. <i>Actas Dermo-sifiliográficas</i> , 2014 , 105, 675-82	0.5	27
21	Correlation of histologic regression in primary melanoma with sentinel node status. <i>JAMA Dermatology</i> , 2014 , 150, 828-35	5.1	21
20	Incipient merkel cell carcinoma: a report of 2 cases. <i>Actas Dermo-sifiliográficas</i> , 2013 , 104, 71-4	0.5	4
19	Incipient Merkel Cell Carcinoma: A Report of 2 Cases. <i>Actas Dermo-sifiliográficas</i> , 2013 , 104, 71-74	0.5	
18	Malignant chondroid syringoma of the face with bone invasion. <i>American Journal of Dermatopathology</i> , 2013 , 35, 395-8	0.9	14
17	Fluorescence in situ hybridization for the differential diagnosis between Spitz naevus and spitzoid melanoma. <i>Histopathology</i> , 2012 , 61, 899-909	7.3	37
16	Facial extensive recurrent basal cell carcinoma: successful treatment with photodynamic therapy and imiquimod 5% cream. <i>International Journal of Dermatology</i> , 2012 , 51, 451-4	1.7	7
15	Chrysalis and negative pigment network in Spitz nevi. <i>American Journal of Dermatopathology</i> , 2012 , 34, 188-91	0.9	19
14	Characteristics of spitzoid melanoma and clues for differential diagnosis with spitz nevus. <i>American Journal of Dermatopathology</i> , 2012 , 34, 478-86	0.9	31
13	Acneiform eruptions induced by epidermal growth factor receptor inhibitors: treatment with oral isotretinoin. <i>Cutis</i> , 2012 , 90, 77-80	0.4	13
12	Adverse reactions to injectable soft tissue fillers. <i>Journal of the American Academy of Dermatology</i> , 2011 , 64, 1-34; quiz 35-6	4.5	232
11	Histiocitosis intralinfática y neoplasia de colon. <i>Actas Dermo-sifiliográficas</i> , 2010 , 101, 257-262	0.5	11
10	Claves para el diagnóstico del melanoma spitzoide. <i>Piel</i> , 2009 , 24, 542-548	0.1	1
9	Nódulo angiomatoso epitelioide cutáneo proliferativo. <i>Actas Dermo-sifiliográficas</i> , 2009 , 100, 137-141	0.5	17
8	Perfil clínico y epidemiológico de los pacientes con melanoma cutáneo según el grado de exposición solar de la localización del melanoma. <i>Actas Dermo-sifiliográficas</i> , 2009 , 100, 205-211	0.5	29
7	Spitz nevus: a clinicopathological study of 349 cases. <i>American Journal of Dermatopathology</i> , 2009 , 31, 107-16	0.9	135
6	Sclerosing panniculitis. <i>Dermatologic Clinics</i> , 2008 , 26, 501-4, vii	4.2	10
5	Hypopigmented Reed nevus. <i>Journal of Cutaneous Pathology</i> , 2008 , 35 Suppl 1, 87-9	1.7	13

LIST OF PUBLICATIONS

4	Rhinophyma-like granuloma faciale. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 881-2	4.6	12
3	Pigmented epithelioid Spitz naevus: report of two cases. <i>Histopathology</i> , 2006 , 49, 549-51	7.3	10
2	Hiperplasia angiolinfoide con eosinofilia: respuesta al tratamiento con láser de colorante pulsado. <i>Actas Dermo-sifiliográficas</i> , 2003 , 94, 552-554	0.5	2
1	Adverse reactions to injectable aesthetic microimplants. <i>American Journal of Dermatopathology</i> , 2001 , 23, 197-202	0.9	143