

Cornelis Verhoef

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2385290/publications.pdf>

Version: 2024-02-01

314
papers

9,950
citations

39113

52
h-index

68831

81
g-index

323
all docs

323
docs citations

323
times ranked

13113
citing authors

#	ARTICLE	IF	CITATIONS
1	Hospital variation and outcomes of simultaneous resection of primary colorectal tumour and liver metastases: a population-based study. <i>Hpb</i> , 2022, 24, 255-266.	0.1	4
2	Sarcopenia predicts reduced liver growth and reduced resectability in patients undergoing portal vein embolization before liver resection - A DRAGON collaborative analysis of 306 patients. <i>Hpb</i> , 2022, 24, 413-421.	0.1	5
3	Health-related quality of life after isolated limb perfusion compared to extended resection, or amputation for locally advanced extremity sarcoma: Is a limb salvage strategy worth the effort?. <i>European Journal of Surgical Oncology</i> , 2022, 48, 500-507.	0.5	7
4	Preoperative systemic chemotherapy alters the histopathological growth patterns of colorectal liver metastases. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 48-64.	1.3	23
5	Sarcopenia and long-term survival outcomes after local therapy for colorectal liver metastasis: a meta-analysis. <i>Hpb</i> , 2022, 24, 9-16.	0.1	11
6	Nationwide oncological networks for resection of colorectal liver metastases in the Netherlands: Differences and postoperative outcomes. <i>European Journal of Surgical Oncology</i> , 2022, 48, 435-448.	0.5	7
7	Morbidity and Function Loss After Resection of Malignant Peripheral Nerve Sheath Tumors. <i>Neurosurgery</i> , 2022, 90, 354-364.	0.6	4
8	Fluorescence-guided surgery in colorectal cancer; A review on clinical results and future perspectives. <i>European Journal of Surgical Oncology</i> , 2022, 48, 810-821.	0.5	26
9	Adjuvant intra-arterial chemotherapy for patients with resected colorectal liver metastases: a systematic review and meta-analysis. <i>Hpb</i> , 2022, 24, 299-308.	0.1	10
10	Incidence of unplanned excisions of soft tissue sarcomas in the Netherlands: A population-based study. <i>European Journal of Surgical Oncology</i> , 2022, 48, 994-1000.	0.5	11
11	Outcome after treatment for sebaceous carcinoma: A multicenter study. <i>Journal of Surgical Oncology</i> , 2022, 125, 730-735.	0.8	8
12	Diagnostic value of 18F-FDG PET-CT in detecting malignant peripheral nerve sheath tumors among adult and pediatric neurofibromatosis type 1 patients. <i>Journal of Neuro-Oncology</i> , 2022, 156, 559-567.	1.4	3
13	Differential Diagnosis and Molecular Stratification of Gastrointestinal Stromal Tumors on CT Images Using a Radiomics Approach. <i>Journal of Digital Imaging</i> , 2022, 35, 127-136.	1.6	14
14	Local tumour control after radiofrequency or microwave ablation for colorectal liver metastases in relation to histopathological growth patterns. <i>Hpb</i> , 2022, 24, 1443-1452.	0.1	4
15	Development of a Disease-Specific Health-Related Quality of Life Questionnaire (DTF-QoL) for Patients with Desmoid-Type Fibromatosis. <i>Cancers</i> , 2022, 14, 709.	1.7	8
16	Assessment of Radiofrequency Ablation for Papillary Microcarcinoma of the Thyroid. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2022, 148, 317.	1.2	40
17	Incidence, treatment and survival of malignant pleural and peritoneal mesothelioma: a population-based study. <i>Thorax</i> , 2022, 77, 1260-1267.	2.7	11
18	Histopathological growth patterns of resected non-colorectal, non-neuroendocrine liver metastases: a retrospective multicenter study. <i>Clinical and Experimental Metastasis</i> , 2022, 39, 433-442.	1.7	6

#	ARTICLE	IF	CITATIONS
19	A Colon Resection and Pump Implantation in the Same Surgical Procedure: Is it Safe?. <i>Annals of Surgical Oncology</i> , 2022, 29, 2754.	0.7	0
20	Mesenchymal-epithelial transition factor (MET) immunoreactivity in positive sentinel nodes from patients with melanoma. <i>Annals of Diagnostic Pathology</i> , 2022, 58, 151909.	0.6	1
21	Multimodality treatment of undifferentiated pleomorphic soft tissue sarcoma of the extremity (eUPS) in the elderly. <i>European Journal of Surgical Oncology</i> , 2022, 48, 985-993.	0.5	3
22	In desmoid-type fibromatosis cells sorafenib induces ferroptosis and apoptosis, which are enhanced by autophagy inhibition. <i>European Journal of Surgical Oncology</i> , 2022, 48, 1527-1535.	0.5	7
23	Quality of life of caregivers of breast cancer patients: a cross-sectional evaluation. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 29.	1.0	5
24	The added value of chest imaging after neoadjuvant radiotherapy for soft tissue sarcoma of the extremities and trunk wall: A retrospective cohort study. <i>European Journal of Surgical Oncology</i> , 2022, , .	0.5	1
25	Intraoperative Near-Infrared Fluorescence Imaging with Indocyanine Green for Identification of Gastrointestinal Stromal Tumors (GISTs), a Feasibility Study. <i>Cancers</i> , 2022, 14, 1572.	1.7	2
26	The role of perioperative chemotherapy in primary high-grade extremity soft tissue sarcoma: a risk-stratified analysis using PERSARC. <i>European Journal of Cancer</i> , 2022, 165, 71-80.	1.3	8
27	Interregional practice variations in the use of local therapy for synchronous colorectal liver metastases in the Netherlands. <i>Hpb</i> , 2022, 24, 1651-1658.	0.1	5
28	Predicting 10-year survival after resection of colorectal liver metastases; an international study including biomarkers and perioperative treatment. <i>European Journal of Cancer</i> , 2022, 168, 25-33.	1.3	25
29	Absence of association between CT-assessed skeletal muscle mass and long-term oncological outcomes after curative therapy for colorectal liver metastasis. <i>Hpb</i> , 2022, 24, 1711-1719.	0.1	1
30	Survival Outcomes After Cytoreductive Surgery with Hyperthermic Intraperitoneal Chemotherapy in Patients with Synchronous Versus Metachronous Onset of Peritoneal Metastases of Colorectal Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 6566-6576.	0.7	7
31	Interobserver Variability in CT-based Morphologic Tumor Response Assessment of Colorectal Liver Metastases. <i>Radiology Imaging Cancer</i> , 2022, 4, e210105.	0.7	3
32	Histopathological growth patterns of liver metastasis: updated consensus guidelines for pattern scoring, perspectives and recent mechanistic insights. <i>British Journal of Cancer</i> , 2022, 127, 988-1013.	2.9	30
33	Using a Clinicopathologic and Gene Expression (CP-GEP) Model to Identify Stage II Melanoma Patients at Risk of Disease Relapse. <i>Cancers</i> , 2022, 14, 2854.	1.7	9
34	Use of Merlin Assay to identify patients with a low-risk for SN metastasis in a prospective multicenter Dutch study of a primary melanoma gene-signature (CP-GEP model) to predict sentinel node status during COVID-19.. <i>Journal of Clinical Oncology</i> , 2022, 40, 9571-9571.	0.8	2
35	Unraveling Desmoid-Type Fibromatosis-Specific Health-Related Quality of Life: Who Is at Risk for Poor Outcomes. <i>Cancers</i> , 2022, 14, 2979.	1.7	5
36	Defining Textbook Outcome in liver surgery and assessment of hospital variation: A nationwide population-based study. <i>European Journal of Surgical Oncology</i> , 2022, 48, 2414-2423.	0.5	17

#	ARTICLE	IF	CITATIONS
37	FOLFOXIRI + bevacizumab versus FOLFOX/FOLFIRI + bevacizumab in patients with initially unresectable colorectal liver metastases (CRLM) and right-sided and/or <i>RAS</i> / <i>BRAFV600E</i> mutated primary tumor: Phase III CAIRO5 study of the Dutch Colorectal Cancer Group.. <i>Journal of Clinical Oncology</i> , 2022, 40, LBA3506-LBA3506.	0.8	8
38	Predictive Ability of C-Reactive Protein in Detecting Short-Term Complications After Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy: A Retrospective Cross-Sectional Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 233-243.	0.7	6
39	Machine learning-based analysis of CT radiomics model for prediction of colorectal metachronous liver metastases. <i>Abdominal Radiology</i> , 2021, 46, 249-256.	1.0	47
40	Recurrence After Liver Resection of Colorectal Liver Metastases: Repeat Resection or Ablation Followed by Hepatic Arterial Infusion Pump Chemotherapy. <i>Annals of Surgical Oncology</i> , 2021, 28, 808-816.	0.7	11
41	Can medical imaging identify the histopathological growth patterns of liver metastases?. <i>Seminars in Cancer Biology</i> , 2021, 71, 33-41.	4.3	23
42	A Systematic Review Comparing Emergency Resection and Staged Treatment for Curable Obstructing Right-Sided Colon Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 3545-3555.	0.7	14
43	Hospital variation in combined liver resection and thermal ablation for colorectal liver metastases and impact on short-term postoperative outcomes: a nationwide population-based study. <i>Hpb</i> , 2021, 23, 827-839.	0.1	10
44	A Bayesian approach for diagnostic accuracy of malignant peripheral nerve sheath tumors: a systematic review and meta-analysis. <i>Neuro-Oncology</i> , 2021, 23, 557-571.	0.6	8
45	Case-mix adjustment to compare nationwide hospital performances after resection of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2021, 47, 649-659.	0.5	15
46	Limitations in resectability of colorectal liver metastases 2020 – A systematic approach for clinicians and patients. <i>Seminars in Cancer Biology</i> , 2021, 71, 10-20.	4.3	13
47	Impact of nutritional status and body composition on postoperative outcomes after pelvic exenteration for locally advanced and locally recurrent rectal cancer. <i>BJS Open</i> , 2021, 5, .	0.7	7
48	Histopathological Growth Patterns and Survival After Resection of Colorectal Liver Metastasis: An External Validation Study. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab026.	1.4	28
49	Short-term postoperative outcomes after liver resection in the elderly patient: a nationwide population-based study. <i>Hpb</i> , 2021, 23, 1506-1517.	0.1	9
50	Nasogastric- vs. percutaneous gastrostomy tube for prophylactic gastric decompression after cytoreductive surgery with hyperthermic intraperitoneal chemotherapy. <i>Pleura and Peritoneum</i> , 2021, 6, 57-65.	0.5	0
51	Thermal Ablation as an Alternative for Surgical Resection of Small (≤ 2 cm) Breast Cancers: A Meta-Analysis. <i>Clinical Breast Cancer</i> , 2021, 21, e715-e730.	1.1	30
52	The Accuracy of the Surgical Peritoneal Cancer Index in Patients with Peritoneal Metastases of Colorectal Cancer. <i>Digestive Surgery</i> , 2021, 38, 205-211.	0.6	14
53	Clinical outcome of patients with metastatic melanoma of unknown primary in the era of novel therapy. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 3123-3135.	2.0	6
54	Current Intraoperative Imaging Techniques to Improve Surgical Resection of Laryngeal Cancer: A Systematic Review. <i>Cancers</i> , 2021, 13, 1895.	1.7	27

#	ARTICLE	IF	CITATIONS
55	Factors associated with failure to rescue after liver resection and impact on hospital variation: a nationwide population-based study. <i>Hpb</i> , 2021, 23, 1837-1848.	0.1	9
56	Disease recurrence after colorectal cancer surgery in the modern era: a population-based study. <i>International Journal of Colorectal Disease</i> , 2021, 36, 2399-2410.	1.0	42
57	Management of Soft Tissue Sarcomas in Extremities: Variation in Treatment Recommendations and Surveillance According to Specialty and Continent. <i>Annals of Surgical Oncology</i> , 2021, 28, 7923-7936.	0.7	12
58	Health-related quality of life after isolated limb perfusion compared to extended resection, or amputation for locally advanced extremity sarcoma: Is a limb salvage strategy worth the effort?. <i>Journal of Clinical Oncology</i> , 2021, 39, e23539-e23539.	0.8	0
59	International multicenter propensity score matched study on laparoscopic versus open left lateral sectionectomy. <i>Hpb</i> , 2021, 23, 707-714.	0.1	1
60	The Evaluation of Health-Related Quality of Life Issues Experienced by Patients with Desmoid-Type Fibromatosis (The QUALIFIED Study)â€™A Protocol for an International Cohort Study. <i>Cancers</i> , 2021, 13, 3068.	1.7	9
61	Claudin-2 promotes colorectal cancer liver metastasis and is a biomarker of the replacement type growth pattern. <i>Communications Biology</i> , 2021, 4, 657.	2.0	32
62	Surgical strategies and the use of functional reconstructions after resection of MPNST: An international survey on surgeonsâ€™ perspective. <i>Orthoplastic Surgery</i> , 2021, 4, 12-19.	0.2	1
63	Intraoperative Electron Beam Radiation Therapy (IOERT) Versus High-Dose-Rate Intraoperative Brachytherapy (HDR-IORT) in Patients With an R1 Resection for Locally Advanced or Locally Recurrent Rectal Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 110, 1032-1043.	0.4	7
64	False positive FDG uptake in melanoma patients treated with talimogene laherparepvec (Tâ€™VEC). <i>Journal of Surgical Oncology</i> , 2021, 124, 1161-1165.	0.8	1
65	The incidence, treatment and survival of patients with rare types of rectal malignancies in the Netherlands: A population-based study between 1989 and 2018. <i>European Journal of Cancer</i> , 2021, 152, 183-192.	1.3	2
66	Short-Term Outcomes of Secondary Liver Surgery for Initially Unresectable Colorectal Liver Metastases Following Modern Induction Systemic Therapy in the Dutch CAIRO5 Trial. <i>Annals of Surgery Open</i> , 2021, 2, e081.	0.7	4
67	Histopathological growth patterns modify the prognostic impact of microvascular invasion in non-cirrhotic hepatocellular carcinoma. <i>Hpb</i> , 2021, , .	0.1	4
68	Therapeutic neck dissection in head and neck melanoma patients: Comparing extent of surgery and clinical outcome in two cohorts. <i>European Journal of Surgical Oncology</i> , 2021, 47, 2454-2459.	0.5	0
69	Treatment of early-stage breast cancer with percutaneous thermal ablation, an open-label randomised phase 2 screening trial: rationale and design of the THERMAC trial. <i>BMJ Open</i> , 2021, 11, e052992.	0.8	8
70	Primary Melanoma Characteristics of Metastatic Disease: A Nationwide Cancer Registry Study. <i>Cancers</i> , 2021, 13, 4431.	1.7	12
71	Distinguishing pure histopathological growth patterns of colorectal liver metastases on CT using deep learning and radiomics: a pilot study. <i>Clinical and Experimental Metastasis</i> , 2021, 38, 483-494.	1.7	24
72	An Overview of Liver Directed Locoregional Therapies. <i>Surgical Oncology Clinics of North America</i> , 2021, 30, 103-123.	0.6	8

#	ARTICLE	IF	CITATIONS
73	High-throughput and affordable genome-wide methylation profiling of circulating cell-free DNA by methylated DNA sequencing (MeD-seq) of LpnPI digested fragments. <i>Clinical Epigenetics</i> , 2021, 13, 196.	1.8	10
74	The Association of Metastasis Pattern and Management of Metastatic Disease with Oncological Outcomes in Patients with Malignant Peripheral Nerve Sheath Tumors: A Multicenter Cohort Study. <i>Cancers</i> , 2021, 13, 5115.	1.7	5
75	The Prognostic Value of Total Tumor Volume Response Compared With RECIST1.1 in Patients With Initially Unresectable Colorectal Liver Metastases Undergoing Systemic Treatment. <i>Annals of Surgery Open</i> , 2021, 2, e103.	0.7	3
76	Pathological features of vessel co-option versus sprouting angiogenesis. <i>Angiogenesis</i> , 2020, 23, 43-54.	3.7	51
77	Recurrence Patterns After Resection of Colorectal Liver Metastasis are Modified by Perioperative Systemic Chemotherapy. <i>World Journal of Surgery</i> , 2020, 44, 876-886.	0.8	17
78	Neoadjuvant Chemotherapy for Locally Advanced T4 Colon Cancer: A Nationwide Propensity-Score Matched Cohort Analysis. <i>Digestive Surgery</i> , 2020, 37, 292-301.	0.6	30
79	Prognostic factors for local control and survival for inoperable pulmonary colorectal oligometastases treated with stereotactic body radiotherapy. <i>Radiotherapy and Oncology</i> , 2020, 144, 23-29.	0.3	21
80	Neurofibromatosis-associated malignant peripheral nerve sheath tumors in children have a worse prognosis: A nationwide cohort study. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28138.	0.8	20
81	The impact of hepatic arterial infusion pump chemotherapy on hepatic recurrences and survival in patients with resected colorectal liver metastases. <i>Hpb</i> , 2020, 22, 1271-1279.	0.1	8
82	Identification of a Collagen Marker in Urine Improves the Detection of Colorectal Liver Metastases. <i>Journal of Proteome Research</i> , 2020, 19, 153-160.	1.8	15
83	Primary tumor location and the prognosis of patients after local treatment of colorectal liver metastases: a systematic review and meta-analysis. <i>Hpb</i> , 2020, 22, 351-357.	0.1	17
84	Histopathological growth patterns and positive margins after resection of colorectal liver metastases. <i>Hpb</i> , 2020, 22, 911-919.	0.1	23
85	A Systematic Review and Meta-analysis on Omentoplasty for the Management of Abdominoperineal Defects in Patients Treated for Cancer. <i>Annals of Surgery</i> , 2020, 271, 654-662.	2.1	26
86	A nationwide cohort study on treatment and survival in patients with malignant peripheral nerve sheath tumours. <i>European Journal of Cancer</i> , 2020, 124, 77-87.	1.3	54
87	The PD-1/PD-L1-Checkpoint Restrains T-Cell Immunity in Tumor-Draining Lymph Nodes. <i>Cancer Cell</i> , 2020, 38, 685-700.e8.	7.7	299
88	Patient and diagnostic intervals of survivors of sarcoma: Results from the SURVSARC study. <i>Cancer</i> , 2020, 126, 5283-5292.	2.0	19
89	Histopathological growth patterns as biomarker for adjuvant systemic chemotherapy in patients with resected colorectal liver metastases. <i>Clinical and Experimental Metastasis</i> , 2020, 37, 593-605.	1.7	27
90	Effect of understaging on local recurrence of rectal cancer. <i>Journal of Surgical Oncology</i> , 2020, 122, 1179-1186.	0.8	8

#	ARTICLE	IF	CITATIONS
91	Differentially Methylated Regions in Desmoid-Type Fibromatosis: A Comparison Between CTNNB1 S45F and T41A Tumors. <i>Frontiers in Oncology</i> , 2020, 10, 565031.	1.3	7
92	Age-related differences of oncological outcomes in primary extremity soft tissue sarcoma: a multistate model including 6260 patients. <i>European Journal of Cancer</i> , 2020, 141, 128-136.	1.3	13
93	Active surveillance in desmoid-type fibromatosis: A systematic literature review. <i>European Journal of Cancer</i> , 2020, 137, 18-29.	1.3	21
94	The Perceived Impact of Length of the Diagnostic Pathway Is Associated with Health-Related Quality of Life of Sarcoma Survivors: Results from the Dutch Nationwide SURVSARC Study. <i>Cancers</i> , 2020, 12, 2088.	1.7	7
95	Cost-effectiveness of Breast Cancer Screening With Magnetic Resonance Imaging for Women at Familial Risk. <i>JAMA Oncology</i> , 2020, 6, 1381.	3.4	31
96	Unraveling the Heterogeneity of Sarcoma Survivorsâ€™ Health-Related Quality of Life Regarding Primary Sarcoma Location: Results from the SURVSARC Study. <i>Cancers</i> , 2020, 12, 3083.	1.7	22
97	Differential diagnosis and mutation stratification of desmoid-type fibromatosis on MRI using radiomics. <i>European Journal of Radiology</i> , 2020, 131, 109266.	1.2	11
98	Assessing the Desmoid-Type Fibromatosis Patientsâ€™ Voice: Comparison of Health-Related Quality of Life Experiences from Patients of Two Countries. <i>Sarcoma</i> , 2020, 2020, 1-9.	0.7	7
99	Perineal wound closure using gluteal turnover flap or primary closure after abdominoperineal resection for rectal cancer: study protocol of a randomised controlled multicentre trial (BIOPEX-2) Tj ETQq1 1 0.784314 rgBT1/Overlo	0.7	4
100	A specific microRNA profile as predictive biomarker for systemic treatment in patients with metastatic colorectal cancer. <i>Cancer Medicine</i> , 2020, 9, 7558-7571.	1.3	9
101	Differential quantities of immune checkpoint-expressing CD8 T cells in soft tissue sarcoma subtypes. , 2020, 8, e000271.		29
102	Prognostic Significance of Immunohistochemical Markers and Genetic Alterations in Malignant Peripheral Nerve Sheath Tumors: A Systematic Review. <i>Frontiers in Oncology</i> , 2020, 10, 594069.	1.3	6
103	Population-based study on practice variation regarding preoperative systemic chemotherapy in patients with colorectal liver metastases and impact on short-term outcomes. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1742-1755.	0.5	12
104	Enrichment of the tumour immune microenvironment in patients with desmoplastic colorectal liver metastasis. <i>British Journal of Cancer</i> , 2020, 123, 196-206.	2.9	35
105	The EORTC-DeCOG nomogram adequately predicts outcomes of patients with sentinel nodeâ€“positive melanoma without the need for completion lymph node dissection. <i>European Journal of Cancer</i> , 2020, 134, 9-18.	1.3	11
106	Safety and Feasibility of Additional Tumor Debulking to First-Line Palliative Combination Chemotherapy for Patients with Multiorgan Metastatic Colorectal Cancer. <i>Oncologist</i> , 2020, 25, e1195-e1201.	1.9	7
107	Oncological Treatment Considerations Differ across Surgical Subspecialties Treating Malignant Peripheral Nerve Sheath Tumors: An International Survey. <i>Sarcoma</i> , 2020, 2020, 1-10.	0.7	3
108	B Cells as Prognostic Biomarker After Surgery for Colorectal Liver Metastases. <i>Frontiers in Oncology</i> , 2020, 10, 249.	1.3	7

#	ARTICLE	IF	CITATIONS
109	Machine learning with PROs in breast cancer surgery; caution: Collecting PROs at baseline is crucial. <i>Breast Journal</i> , 2020, 26, 1213-1215.	0.4	6
110	A population-based study on the prognostic impact of primary tumor sidedness in patients with peritoneal metastases from colon cancer. <i>Cancer Medicine</i> , 2020, 9, 5851-5859.	1.3	10
111	A systematic review of functional outcomes after nerve reconstruction in extremity soft tissue sarcomas: A need for general implementation in the armamentarium. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 621-632.	0.5	14
112	MicroRNA expression and DNA methylation profiles do not distinguish between primary and recurrent well-differentiated liposarcoma. <i>PLoS ONE</i> , 2020, 15, e0228014.	1.1	3
113	CD276-Positive Circulating Endothelial Cells Do Not Predict Response to Systemic Therapy in Advanced Colorectal Cancer. <i>Cells</i> , 2020, 9, 124.	1.8	5
114	Patient and diagnostic intervals of sarcoma patients: Results from a survivorship study in the Netherlands. <i>Journal of Clinical Oncology</i> , 2020, 38, e23553-e23553.	0.8	0
115	Adjuvant Hepatic Arterial Infusion Pump Chemotherapy After Resection of Colorectal Liver Metastases: Results of a Safety and Feasibility Study in The Netherlands. <i>Annals of Surgical Oncology</i> , 2019, 26, 4599-4607.	0.7	19
116	ASO Author Reflections: The Prognostic Value of Time to Metastasis in Colorectal Liver Metastasis. <i>Annals of Surgical Oncology</i> , 2019, 26, 798-799.	0.7	0
117	Malignant Peritoneal Mesothelioma: Patterns of Care and Survival in the Netherlands: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2019, 26, 4222-4228.	0.7	16
118	Implementing Patient-Reported Outcome Measures in Clinical Breast Cancer Care: A Systematic Review. <i>Value in Health</i> , 2019, 22, 1197-1226.	0.1	72
119	Outcomes of Resectability Assessment of the Dutch Colorectal Cancer Group Liver Metastases Expert Panel. <i>Journal of the American College of Surgeons</i> , 2019, 229, 523-532e2.	0.2	40
120	Upregulation of intratumoral HLA class I and peritumoral Mx1 in ulcerated melanomas. <i>Oncolimmunology</i> , 2019, 8, e1660121.	2.1	4
121	Impact of primary tumor location on outcome of liposarcoma patients, a retrospective cohort study. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2437-2442.	0.5	13
122	Outcome after surgical treatment of dermatofibrosarcoma protuberans: Is clinical follow-up always indicated?. <i>Cancer</i> , 2019, 125, 735-741.	2.0	33
123	MRI versus mammography for breast cancer screening in women with familial risk (FaMRIsc): a multicentre, randomised, controlled trial. <i>Lancet Oncology</i> , The, 2019, 20, 1136-1147.	5.1	112
124	Activated Signaling Pathways and Targeted Therapies in Desmoid-Type Fibromatosis: A Literature Review. <i>Frontiers in Oncology</i> , 2019, 9, 397.	1.3	31
125	Histopathological growth patterns of colorectal liver metastasis exhibit little heterogeneity and can be determined with a high diagnostic accuracy. <i>Clinical and Experimental Metastasis</i> , 2019, 36, 311-319.	1.7	36
126	Adjuvant dendritic cell based immunotherapy (DCBI) after cytoreductive surgery (CRS) and hyperthermic intraperitoneal chemotherapy (HIPEC) for peritoneal mesothelioma, a phase II single centre open-label clinical trial: rationale and design of the MESOPEC trial. <i>BMJ Open</i> , 2019, 9, e026779.	0.8	11

#	ARTICLE	IF	CITATIONS
127	The Disease-Free Interval Between Resection of Primary Colorectal Malignancy and the Detection of Hepatic Metastases Predicts Disease Recurrence But Not Overall Survival. <i>Annals of Surgical Oncology</i> , 2019, 26, 2812-2820.	0.7	17
128	Survival after local excision for rectal cancer: a population-based overview of clinical practice and outcome. <i>Acta Oncologica</i> , 2019, 58, 1163-1166.	0.8	4
129	Natural history of well-differentiated liposarcoma of the extremity compared to patients treated with surgery. <i>Surgical Oncology</i> , 2019, 29, 84-89.	0.8	10
130	Perioperative systemic therapy and cytoreductive surgery with HIPEC versus upfront cytoreductive surgery with HIPEC alone for isolated resectable colorectal peritoneal metastases: protocol of a multicentre, open-label, parallel-group, phase II-III, randomised, superiority study (CAIRO6). <i>BMC Cancer</i> , 2019, 19, 390.	1.1	83
131	Salvage treatment for recurrences after first resection of colorectal liver metastases: the impact of histopathological growth patterns. <i>Clinical and Experimental Metastasis</i> , 2019, 36, 109-118.	1.7	32
132	Increased survival of non low-grade and deep-seated soft tissue sarcoma after surgical management in high-volume hospitals: a nationwide study from the Netherlands. <i>European Journal of Cancer</i> , 2019, 110, 98-106.	1.3	25
133	Concomitant intraperitoneal and systemic chemotherapy for extensive peritoneal metastases of colorectal origin: protocol of the multicentre, open-label, phase I, dose-escalation INTERACT trial. <i>BMJ Open</i> , 2019, 9, e034508.	0.8	17
134	Minimal Increase in Survival Throughout the Years in Patients with Soft Tissue Sarcoma with Synchronous Metastases: Results of a Population-Based Study. <i>Oncologist</i> , 2019, 24, e526-e535.	1.9	6
135	Acute malignant obstruction in patients with peritoneal carcinomatosis: The role of palliative surgery. <i>European Journal of Surgical Oncology</i> , 2019, 45, 389-393.	0.5	26
136	Wnt targets genes are not differentially expressed in desmoid tumors bearing different activating β -catenin mutations. <i>European Journal of Surgical Oncology</i> , 2019, 45, 691-698.	0.5	4
137	Short-term complications in elderly patients undergoing CRS and HIPEC: A single center's initial experience. <i>European Journal of Surgical Oncology</i> , 2019, 45, 383-388.	0.5	11
138	Angiogenic desmoplastic histopathological growth pattern as a prognostic marker of good outcome in patients with colorectal liver metastases. <i>Angiogenesis</i> , 2019, 22, 355-368.	3.7	94
139	The liver-first approach for locally advanced rectal cancer and synchronous liver metastases. <i>European Journal of Surgical Oncology</i> , 2019, 45, 591-596.	0.5	15
140	Long-term Oncological and Functional Outcomes of Chemoradiotherapy Followed by Organ-Sparing Transanal Endoscopic Microsurgery for Distal Rectal Cancer. <i>JAMA Surgery</i> , 2019, 154, 47.	2.2	151
141	Survival and prognostic factors of pulmonary oligometastases treated with stereotactic body radiotherapy. <i>Acta Oncologica</i> , 2019, 58, 74-80.	0.8	30
142	Liver Resection for Hepatic Metastases from Soft Tissue Sarcoma: A Nationwide Study. <i>Digestive Surgery</i> , 2019, 36, 479-486.	0.6	15
143	CD276-positive circulating endothelial cells in advanced colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 572-572.	0.8	2
144	Prognostic factors for severe diarrhea in patients with locally advanced rectal carcinoma treated with neoadjuvant chemoradiation with capecitabine: A single-center cohort study.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15176-e15176.	0.8	0

#	ARTICLE	IF	CITATIONS
145	Feasibility of a national expert panel to determine resectability in patients with initially unresectable colorectal cancer liver metastases (CRLM).. <i>Journal of Clinical Oncology</i> , 2019, 37, 3562-3562.	0.8	0
146	Abstract 1793: Optimal quantification of a circulating miRNA profile predictive for treatment response with droplet digital PCR in patients with multi-organ metastatic colorectal cancer. , 2019, , .		0
147	Factors affecting local control of pulmonary oligometastases treated with stereotactic body radiotherapy. <i>Acta OncolÃ³gica</i> , 2018, 57, 1031-1037.	0.8	28
148	Risk stratification of sentinel nodeâ€“positive melanoma patients defines surgical management and adjuvant therapy treatment considerations. <i>European Journal of Cancer</i> , 2018, 96, 25-33.	1.3	59
149	Differences in recurrence and survival of extremity liposarcoma subtypes. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1391-1397.	0.5	28
150	Evaluation of cosmetic outcome following breast-conserving therapy in trials: panel versus digitalized analysis and the role of PROMs. <i>Breast Journal</i> , 2018, 24, 519-525.	0.4	12
151	Blockade of LAG3 enhances responses of tumor-infiltrating T cells in mismatch repair-proficient liver metastases of colorectal cancer. <i>Oncolmmunology</i> , 2018, 7, e1448332.	2.1	54
152	Gamma probe and ultrasound-guided fine needle aspiration cytology of the sentinel node (GULF) trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1926-1933.	3.3	5
153	Multicenter Observational Study of Adhesion Formation After Open-and Laparoscopic Surgery for Colorectal Cancer. <i>Annals of Surgery</i> , 2018, 267, 743-748.	2.1	78
154	Does portal vein embolization prior to liver resection influence the oncological outcomes â€“ A propensity score matched comparison. <i>European Journal of Surgical Oncology</i> , 2018, 44, 108-114.	0.5	14
155	Acute toxicity of the bowel after stereotactic robotic radiotherapy for abdominopelvic oligometastases. <i>Acta OncolÃ³gica</i> , 2018, 57, 480-484.	0.8	5
156	Improved stratification of pT1 melanoma according to the 8th American Joint Committee on Cancer staging edition criteria: A Dutch population-based study. <i>European Journal of Cancer</i> , 2018, 92, 100-107.	1.3	8
157	A preliminary prediction model for potentially guiding patient choices between breast conserving surgery and mastectomy in early breast cancer patients; a Dutch experience. <i>Quality of Life Research</i> , 2018, 27, 545-553.	1.5	8
158	The prognosis of colorectal cancer liver metastases associated with inflammatory bowel disease: An exploratory analysis. <i>Journal of Surgical Oncology</i> , 2018, 118, 1074-1080.	0.8	2
159	The value of tumour debulking for patients with extensive multi-organ metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2018, 103, 160-164.	1.3	8
160	Outcome of Nonsurgical Management of Extra-Abdominal, Trunk, and Abdominal Wall Desmoid-Type Fibromatosis: A Population-Based Study in the Netherlands. <i>Sarcoma</i> , 2018, 2018, 1-8.	0.7	14
161	Merkel cell carcinoma: Clinical outcome and prognostic factors in 351 patients. <i>Journal of Surgical Oncology</i> , 2018, 117, 1768-1775.	0.8	36
162	Isolated limb perfusion for unresectable extremity cutaneous squamous cell carcinoma; an effective limb saving strategy. <i>British Journal of Cancer</i> , 2018, 119, 429-434.	2.9	9

#	ARTICLE	IF	CITATIONS
163	Stereotactic body radiotherapy for oligometastatic soft tissue sarcoma. <i>Radiologia Medica</i> , 2018, 123, 871-878.	4.7	19
164	Combination of a six microRNA expression profile with four clinicopathological factors for response prediction of systemic treatment in patients with advanced colorectal cancer. <i>PLoS ONE</i> , 2018, 13, e0201809.	1.1	20
165	Locoregional control and survival after lymph node SBRT in oligometastatic disease. <i>Clinical and Experimental Metastasis</i> , 2018, 35, 625-633.	1.7	28
166	Identification and assessment of health-related quality of life issues in patients with sporadic desmoid-type fibromatosis: a literature review and focus group study. <i>Quality of Life Research</i> , 2018, 27, 3097-3111.	1.5	17
167	Long-term outcomes of bilateral direct-to-implant breast reconstruction in women at high breast cancer risk. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2018, 52, 245-252.	0.4	7
168	Prognostic value of intra-tumoral CD8 ⁺ /FoxP3 ⁺ lymphocyte ratio in patients with resected colorectal cancer liver metastasis. <i>Journal of Surgical Oncology</i> , 2018, 118, 68-76.	0.8	46
169	Interrogation of transcriptomic changes associated with drug-induced hepatic sinusoidal dilatation in colorectal cancer. <i>PLoS ONE</i> , 2018, 13, e0198099.	1.1	9
170	Institutional experience in the treatment of colorectal liver metastases with stereotactic body radiation therapy. <i>Reports of Practical Oncology and Radiotherapy</i> , 2017, 22, 126-131.	0.3	27
171	Long-term results of ultrasound guided fine needle aspiration cytology in conjunction with sentinel node biopsy support step-wise approach in melanoma. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1509-1516.	0.5	13
172	Gamma probe and ultrasound guided fine needle aspiration cytology of the sentinel node (GULF) trial - overview of the literature, pilot and study protocol. <i>BMC Cancer</i> , 2017, 17, 258.	1.1	5
173	Whole liver CT texture analysis to predict the development of colorectal liver metastases: A multicentre study. <i>European Journal of Radiology</i> , 2017, 92, 64-71.	1.2	33
174	Omitting re-excision for focally positive margins after breast-conserving surgery does not impair disease-free and overall survival. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 157-167.	1.1	37
175	Survival after associating liver partition and portal vein ligation for staged hepatectomy (ALPPS) for advanced colorectal liver metastases: A case-matched comparison with palliative systemic therapy. <i>Surgery</i> , 2017, 161, 909-919.	1.0	51
176	Surveillance after curative treatment for colorectal cancer. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 297-315.	12.5	177
177	International consensus guidelines for scoring the histopathological growth patterns of liver metastasis. <i>British Journal of Cancer</i> , 2017, 117, 1427-1441.	2.9	172
178	The influence of hospital volume on long-term oncological outcome after rectal cancer surgery. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1741-1747.	1.0	26
179	The impact of hospital volume on perioperative outcomes of rectal cancer. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1894-1900.	0.5	22
180	Adherence to Guidelines for Adult (Non-GIST) Soft Tissue Sarcoma in the Netherlands: A Plea for Dedicated Sarcoma Centers. <i>Annals of Surgical Oncology</i> , 2017, 24, 3279-3288.	0.7	41

#	ARTICLE	IF	CITATIONS
181	In Search for Optimal Targets for Intraoperative Fluorescence Imaging of Peritoneal Metastasis From Colorectal Cancer. <i>Biomarkers in Cancer</i> , 2017, 9, 1179299X1772825.	3.6	14
182	Low skeletal muscle mass is associated with increased hospital expenditure in patients undergoing cancer surgery of the alimentary tract. <i>PLoS ONE</i> , 2017, 12, e0186547.	1.1	38
183	Safety and feasibility of adding tumor debulking to palliative chemotherapy in multi-organ metastatic colorectal cancer: The ORCHESTRA trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, 3553-3553.	0.8	0
184	Rates of survival throughout the years in soft tissue sarcoma with synchronous metastases: Results of a population-based study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 11068-11068.	0.8	0
185	Patient Satisfaction and Nipple-Areola Sensitivity After Bilateral Prophylactic Mastectomy and Immediate Implant Breast Reconstruction in a High Breast Cancer Risk Population. <i>Annals of Plastic Surgery</i> , 2016, 77, 145-152.	0.5	64
186	The interval between primary melanoma excision and sentinel node biopsy is not associated with survival in sentinel node positive patients – An EORTC Melanoma Group study. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1906-1913.	0.5	25
187	Clinicopathological characteristics predict lymph node metastases in ypT0–2 rectal cancer after chemoradiotherapy. <i>Histopathology</i> , 2016, 69, 839-848.	1.6	10
188	Tailored Beta-catenin mutational approach in extra-abdominal sporadic desmoid tumor patients without therapeutic intervention. <i>BMC Cancer</i> , 2016, 16, 686.	1.1	17
189	Abdominal Desmoid Tumors: Hands Off?. <i>Annals of Surgical Oncology</i> , 2016, 23, 2128-2130.	0.7	5
190	Effects of time interval between primary melanoma excision and sentinel node biopsy on positivity rate and survival. <i>European Journal of Cancer</i> , 2016, 67, 164-173.	1.3	30
191	Hyperbaric oxygen therapy for late radiation-induced tissue toxicity: prospectively patient-reported outcome measures in breast cancer patients. <i>Radiation Oncology</i> , 2016, 11, 130.	1.2	28
192	Disruption of clock gene expression in human colorectal liver metastases. <i>Tumor Biology</i> , 2016, 37, 13973-13981.	0.8	24
193	Posttreatment Surveillance in Patients with Prolonged Disease-Free Survival After Resection of Colorectal Liver Metastasis. <i>Annals of Surgical Oncology</i> , 2016, 23, 3999-4007.	0.7	18
194	Palliative resection of the primary tumor is associated with improved overall survival in incurable stage IV colorectal cancer: A nationwide population-based propensity score adjusted study in the Netherlands. <i>International Journal of Cancer</i> , 2016, 139, 2082-2094.	2.3	55
195	Tissue inhibitor of metalloproteinase-3 (TIMP3) expression decreases during melanoma progression and inhibits melanoma cell migration. <i>European Journal of Cancer</i> , 2016, 66, 34-46.	1.3	20
196	Somatic mutation detection using various targeted detection assays in paired samples of circulating tumor DNA, primary tumor and metastases from patients undergoing resection of colorectal liver metastases. <i>Molecular Oncology</i> , 2016, 10, 1575-1584.	2.1	61
197	Percutaneous Hepatic Perfusion (PHP) with Melphalan as a Treatment for Unresectable Metastases Confined to the Liver. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	8
198	Isolated (hypoxic) hepatic perfusion with high-dose chemotherapy in patients with unresectable liver metastases of uveal melanoma: results from two experienced centres. <i>Melanoma Research</i> , 2016, 26, 588-594.	0.6	17

#	ARTICLE	IF	CITATIONS
199	Management of liver metastases in colorectal cancer patients: A retrospective case-control study of systemic therapy versus liver resection. <i>European Journal of Cancer</i> , 2016, 59, 13-21.	1.3	50
200	Favorable overall survival in stage III melanoma patients after adjuvant dendritic cell vaccination. <i>Oncolmmunology</i> , 2016, 5, e1057673.	2.1	67
201	Prognosis of Primary and Recurrent Chondrosarcoma of the Rib. <i>Annals of Surgical Oncology</i> , 2016, 23, 811-817.	0.7	16
202	Association of TIMP3 expression with vessel density, macrophage infiltration and prognosis in human malignant melanoma. <i>European Journal of Cancer</i> , 2016, 53, 135-143.	1.3	19
203	Transanal minimally invasive surgery: impact on quality of life and functional outcome. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 1184-1187.	1.3	46
204	A hydroxylated collagen peptide in urine as biomarker for the detection of colorectal liver metastases.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15081-e15081.	0.8	1
205	The ORCHESTRA trial: A phase III trial of adding tumor debulking to systemic therapy versus systemic therapy alone in multi-organ metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS788-TPS788.	0.8	2
206	Molecular characteristics of circulating tumor cells resemble the liver metastasis more closely than the primary tumor in metastatic colorectal cancer. <i>Oncotarget</i> , 2016, 7, 59058-59069.	0.8	37
207	The CAIRO4 study: The role of surgery of the primary tumour with few or absent symptoms in patients with synchronous unresectable metastases of colorectal cancerâ€”A randomized phase III study of the Dutch Colorectal Cancer Group (DCCG).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS782-TPS782.	0.8	0
208	Neo-adjuvant chemotherapy followed by surgery versus surgery alone in high-risk patients with resectable colorectal liver metastases: The CHARISMA randomized multicenter clinical trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS790-TPS790.	0.8	1
209	Abstract 4928: MiR expression profiles can predict response to systemic treatment in patients with advanced colorectal cancer. , 2016, , .		0
210	Hydroxylated collagen peptide in urine as biomarker for detecting colorectal liver metastases. <i>American Journal of Cancer Research</i> , 2016, 6, 321-30.	1.4	9
211	Role of neoadjuvant chemotherapy in resectable synchronous colorectal liver metastasis; An international multi-center data analysis using LiverMetSurvey. <i>Journal of Surgical Oncology</i> , 2015, 111, 716-724.	0.8	51
212	Survival benefit in women with <i>BRCA1</i> mutation or familial risk in the <i>MRI</i> screening study (<i>MRISC</i>). <i>International Journal of Cancer</i> , 2015, 137, 1729-1738.	2.3	78
213	Repeated isolated limb perfusion in melanoma patients with recurrent in-transit metastases. <i>Melanoma Research</i> , 2015, 25, 427-431.	0.6	14
214	The Importance of a Minimal Tumor-Free Resection Margin in Locally Recurrent Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2015, 58, 677-685.	0.7	32
215	Perfusion and Infusion for Melanoma In-Transit Metastases in the Era of Effective Systemic Therapy. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2015, , e528-e534.	1.8	19
216	mRNA expression profiles in circulating tumor cells of metastatic colorectal cancer patients. <i>Molecular Oncology</i> , 2015, 9, 920-932.	2.1	37

#	ARTICLE	IF	CITATIONS
217	Treatment modifications in tumour necrosis factor- α (TNF)-based isolated limb perfusion in patients with advanced extremity soft tissue sarcomas. <i>European Journal of Cancer</i> , 2015, 51, 367-373.	1.3	24
218	Stereotactic Body Radiation Therapy for Oligometastases to the Lung: A Phase 2 Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 337-343.	0.4	69
219	Overall survival in patients with a re-excision following breast conserving surgery compared to those without in a large population-based cohort. <i>European Journal of Cancer</i> , 2015, 51, 282-291.	1.3	31
220	Fibrocaps for surgical hemostasis: two randomized, controlled phase II trials. <i>Journal of Surgical Research</i> , 2015, 194, 679-687.	0.8	24
221	Nationwide trends in incidence, treatment and survival of colorectal cancer patients with synchronous metastases. <i>Clinical and Experimental Metastasis</i> , 2015, 32, 457-465.	1.7	377
222	Tumor-infiltrating plasmacytoid dendritic cells promote immunosuppression by Tr1 cells in human liver tumors. <i>Oncolmmunology</i> , 2015, 4, e1008355.	2.1	78
223	Neo-adjuvant chemotherapy followed by surgery versus surgery alone in high-risk patients with resectable colorectal liver metastases: the CHARISMA randomized multicenter clinical trial. <i>BMC Cancer</i> , 2015, 15, 180.	1.1	57
224	Treatment strategies in colorectal cancer patients with initially unresectable liver-only metastases, a study protocol of the randomised phase 3 CAIRO5 study of the Dutch Colorectal Cancer Group (DCCG). <i>BMC Cancer</i> , 2015, 15, 365.	1.1	59
225	Time Trends in the Incidence and Treatment of Extra-Abdominal and Abdominal Aggressive Fibromatosis: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2015, 22, 2817-2823.	0.7	78
226	The Prognostic Value of the Primary Tumor's Nodal Status after Surgery for Colorectal Liver Metastases in the Era of Effective Systemic Therapy. <i>Digestive Surgery</i> , 2015, 32, 208-216.	0.6	4
227	A phase I study on the combination of neoadjuvant radiotherapy plus pazopanib in patients with locally advanced soft tissue sarcoma of the extremities. <i>Acta Oncologica</i> , 2015, 54, 1195-1201.	0.8	53
228	GITR engagement in combination with CTLA-4 blockade completely abrogates immunosuppression mediated by human liver tumor-derived regulatory T cells <i>in vivo</i> . <i>Oncolmmunology</i> , 2015, 4, e1051297.	2.1	45
229	Prognostic Value of CTNNB1 Gene Mutation in Primary Sporadic Aggressive Fibromatosis. <i>Annals of Surgical Oncology</i> , 2015, 22, 1464-1470.	0.7	110
230	Preoperative prediction of cosmetic results in breast conserving surgery. <i>Journal of Surgical Oncology</i> , 2015, 111, 178-184.	0.8	33
231	Treatment strategies in colorectal cancer patients with initially unresectable liver-only metastases: The randomized phase III CAIRO5 study of the Dutch Colorectal Cancer Group.. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS3622-TPS3622.	0.8	2
232	Abstract P2-13-04: The role of preoperative MRI in negative margins after breast conserving surgery in patients with invasive breast cancer or purely DCIS. , 2015, , .		0
233	Comparison of deep sequencing miRNA expression analysis in primary colorectal cancer and paired metastases.. <i>Journal of Clinical Oncology</i> , 2015, 33, e14682-e14682.	0.8	0
234	The ORCHESTRA trial: A phase III trial of adding tumor debulking to systemic therapy versus systemic therapy alone in (mCRC) multi-organ metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS3631-TPS3631.	0.8	0

#	ARTICLE	IF	CITATIONS
235	The CAIRO4 study: The role of surgery of the primary tumour with few or absent symptoms in patients with synchronous unresectable metastases of colorectal cancerâ€”A randomized phase III study of the Dutch Colorectal Cancer Group (DCCG).. Journal of Clinical Oncology, 2015, 33, TPS3630-TPS3630.	0.8	0
236	The CAIRO4 study: the role of surgery of the primary tumour with few or absent symptoms in patients with synchronous unresectable metastases of colorectal cancer â€” a randomized phase III study of the Dutch Colorectal Cancer Group (DCCG). BMC Cancer, 2014, 14, 741.	1.1	86
237	MicroRNA expression profiles distinguish liposarcoma subtypes and implicate miR-145 and miR-451 as tumor suppressors. International Journal of Cancer, 2014, 135, 348-361.	2.3	57
238	Wholeâ€”liver CT texture analysis in colorectal cancer: Does the presence of liver metastases affect the texture of the remaining liver?. United European Gastroenterology Journal, 2014, 2, 530-538.	1.6	56
239	Inguinal Lymph Node Recurrence in the Untreated Groin of Patients with Anal Carcinoma. Diseases of the Colon and Rectum, 2014, 57, 578-584.	0.7	17
240	Prophylactic Nipple-sparing Mastectomy Leaves More Terminal Duct Lobular Units In Situ as Compared With Skin-sparing Mastectomy. American Journal of Surgical Pathology, 2014, 38, 706-712.	2.1	21
241	Pigmentation in the sentinel node correlates with increased sentinel node tumor burden in melanoma patients. Melanoma Research, 2014, 24, 261-266.	0.6	6
242	Lower mitotic activity in BRCA1/2-associated primary breast cancers occurring after risk-reducing salpingo-oophorectomy. Cancer Biology and Therapy, 2014, 15, 371-379.	1.5	6
243	Influence of Preoperative Chemotherapy on CT Volumetric Liver Regeneration Following Right Hemihepatectomy. World Journal of Surgery, 2014, 38, 497-504.	0.8	14
244	Outcome in Patients with Resectable Locally Recurrent Rectal Cancer After Total Mesorectal Excision with and Without Previous Neoadjuvant Radiotherapy for the Primary Rectal Tumor. Annals of Surgical Oncology, 2014, 21, 520-526.	0.7	35
245	Relevance and efficacy of breast cancer screening inBRCA1andBRCA2mutation carriers above 60 years: A national cohort study. International Journal of Cancer, 2014, 135, 2940-2949.	2.3	13
246	Molecular Characterization and Patient Outcome of Melanoma Nodal Metastases and an Unknown Primary Site. Annals of Surgical Oncology, 2014, 21, 4317-4323.	0.7	23
247	The prognostic significance of sentinel node tumour burden in melanoma patients: An international, multicenter study of 1539 sentinel node-positive melanoma patients. European Journal of Cancer, 2014, 50, 111-120.	1.3	127
248	Intraoperative Radiation Therapy Reduces Local Recurrence Rates in Patients With Microscopically Involved Circumferential Resection Margins After Resection of Locally Advanced Rectal Cancer. International Journal of Radiation Oncology Biology Physics, 2014, 88, 1032-1040.	0.4	39
249	Nomograms to predict recurrence and survival in stage IIIB and IIIC melanoma after therapeutic lymphadenectomy. European Journal of Cancer, 2014, 50, 1301-1309.	1.3	24
250	Challenges in determining the benefits of restaging after chemoradiotherapy for locally advanced rectal cancer. Colorectal Cancer, 2014, 3, 121-125.	0.8	0
251	Surgical management of rectal gastrointestinal stromal tumors. Journal of Surgical Oncology, 2013, 107, 320-323.	0.8	57
252	<i><sc>KRAS</sc></i> and <i><sc>BRAF</sc></i> mutation status in circulating colorectal tumor cells and their correlation with primary and metastatic tumor tissue. International Journal of Cancer, 2013, 133, 130-141.	2.3	128

#	ARTICLE	IF	CITATIONS
253	Prediction of tumor stage and lymph node involvement with dynamic contrast-enhanced MRI after chemoradiotherapy for locally advanced rectal cancer. <i>International Journal of Colorectal Disease</i> , 2013, 28, 573-580.	1.0	35
254	Recently introduced biomarkers for screening of hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2013, 7, 59-64.	1.9	58
255	Neoadjuvant Imatinib in Locally Advanced Gastrointestinal Stromal Tumors (GIST): The EORTC STBSG Experience. <i>Annals of Surgical Oncology</i> , 2013, 20, 2937-2943.	0.7	190
256	Is bone scintigraphy indicated in surgical work-up for hepatocellular carcinoma patients?. <i>Journal of Surgical Research</i> , 2013, 181, 256-261.	0.8	9
257	Prognosis of Solitary Fibrous Tumors: A Multicenter Study. <i>Annals of Surgical Oncology</i> , 2013, 20, 4090-4095.	0.7	131
258	Activated tumor-infiltrating CD4+ regulatory T cells restrain antitumor immunity in patients with primary or metastatic liver cancer. <i>Hepatology</i> , 2013, 57, 183-194.	3.6	147
259	Is Restaging with Chest and Abdominal CT Scan after Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer Necessary?. <i>Annals of Surgical Oncology</i> , 2013, 20, 155-160.	0.7	19
260	Outcome in Patients with Locally Recurrent Rectal Cancer After Tme with and Without Neoadjuvant Radiotherapy for the Primary Rectal Tumor. <i>Annals of Oncology</i> , 2013, 24, iv90.	0.6	0
261	Survival After Resection of Colorectal Liver Metastases: is the Primary Nodal Status Still a Prognostic Factor?. <i>Annals of Oncology</i> , 2013, 24, iv29.	0.6	0
262	Immunohistochemical characteristics of hepatocellular carcinoma in non-cirrhotic livers. <i>Journal of Clinical Pathology</i> , 2013, 66, 687-691.	1.0	20
263	Completion lymph node dissection after a positive sentinel node. <i>Current Opinion in Oncology</i> , 2013, 25, 152-159.	1.1	24
264	Hepatic resection for metastatic melanoma in The Netherlands. <i>Melanoma Research</i> , 2013, 23, 27-32.	0.6	11
265	The Importance of the Minimal Resection Margin in Locally Recurrent Rectal Cancer. <i>Annals of Oncology</i> , 2013, 24, iv91.	0.6	0
266	Long-term Results of the "Liver First" Approach in Patients With Locally Advanced Rectal Cancer and Synchronous Liver Metastases. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 281-287.	0.7	57
267	Collagen Peptides in Urine: A New Promising Biomarker for the Detection of Colorectal Liver Metastases. <i>PLoS ONE</i> , 2013, 8, e70918.	1.1	32
268	Hepatocellular adenoma as a risk factor for hepatocellular carcinoma in a non-cirrhotic liver: a plea against. <i>Gut</i> , 2012, 61, 1645-1646.	6.1	15
269	Gallbladder Cancer in the Netherlands: Incidence, Treatment and Survival Patterns since 1989. <i>Digestive Surgery</i> , 2012, 29, 92-98.	0.6	26
270	Surgery after treatment with imatinib and/or sunitinib in patients with metastasized gastrointestinal stromal tumors: is it worthwhile?. <i>World Journal of Surgical Oncology</i> , 2012, 10, 111.	0.8	30

#	ARTICLE	IF	CITATIONS
271	Fibrin Sealant for Prevention of Resection Surface-Related Complications After Liver Resection. <i>Annals of Surgery</i> , 2012, 256, 229-234.	2.1	47
272	Intrahepatic cholangiocarcinoma in a low endemic area: rising incidence and improved survival. <i>Hpb</i> , 2012, 14, 777-781.	0.1	45
273	Comparison of Macroscopic Pathology Measurements With Magnetic Resonance Imaging and Assessment of Microscopic Pathology Extension for Colorectal Liver Metastases. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 159-166.	0.4	27
274	Outcome of four-dimensional stereotactic radiotherapy for centrally located lung tumors. <i>Radiotherapy and Oncology</i> , 2012, 102, 383-387.	0.3	98
275	Breast density as indicator for the use of mammography or MRI to screen women with familial risk for breast cancer (FaMRIsc): a multicentre randomized controlled trial. <i>BMC Cancer</i> , 2012, 12, 440.	1.1	19
276	Variability of Protein and Phosphoprotein Levels in Clinical Tissue Specimens during the Preanalytical Phase. <i>Journal of Proteome Research</i> , 2012, 11, 5748-5762.	1.8	54
277	Increased Alpha-Fetoprotein Serum Level is Predictive for Survival and Recurrence of Hepatocellular Carcinoma in Non-Cirrhotic Livers. <i>Digestive Surgery</i> , 2012, 29, 522-528.	0.6	26
278	20 Years Experience of TNF-Based Isolated Limb Perfusion for In-Transit Melanoma Metastases: TNF Dose Matters. <i>Annals of Surgical Oncology</i> , 2012, 19, 627-635.	0.7	61
279	Histological differentiation grade and microvascular invasion of hepatocellular carcinoma predicted by dynamic contrast-enhanced MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 36, 641-647.	1.9	76
280	Isolated limb perfusion with TNF- α and melphalan for distal parts of the limb in soft tissue sarcoma patients. <i>Journal of Surgical Oncology</i> , 2012, 105, 563-569.	0.8	22
281	Effect of bevacizumab added preoperatively to oxaliplatin on liver injury and complications after resection of colorectal liver metastases. <i>Journal of Surgical Oncology</i> , 2012, 106, 892-897.	0.8	32
282	Outcome of Microscopic Incomplete Resection (R1) of Colorectal Liver Metastases in the Era of Neoadjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , 2012, 19, 1618-1627.	0.7	98
283	Hepatocellular carcinoma in a low-endemic area. <i>European Journal of Gastroenterology and Hepatology</i> , 2012, 24, 1.	0.8	24
284	Abstract 3409: Generation of mRNA and miRNA gene expression profiles in circulating tumor cells of metastatic colorectal cancer patients. , 2012, , .		0
285	Surgical Treatment of Renal Cell Cancer Liver Metastases: A Population-Based Study. <i>Annals of Surgical Oncology</i> , 2011, 18, 1932-1938.	0.7	62
286	Isolated limb perfusion for melanoma in-transit metastases: developments in recent years and the role of tumor necrosis factor alpha. <i>Current Opinion in Oncology</i> , 2011, 23, 183-188.	1.1	28
287	Radiotherapy for Soft Tissue Sarcomas after Isolated Limb Perfusion and Surgical Resection: Essential for Local Control in All Patients?. <i>Annals of Surgical Oncology</i> , 2011, 18, 321-327.	0.7	26
288	Therapeutic Surgical Management of Palpable Melanoma Groin Metastases: Superficial or Combined Superficial and Deep Groin Lymph Node Dissection. <i>Annals of Surgical Oncology</i> , 2011, 18, 3300-3308.	0.7	54

#	ARTICLE	IF	CITATIONS
289	Outcome After Therapeutic Lymph Node Dissection in Patients with Unknown Primary Melanoma Site. <i>Annals of Surgical Oncology</i> , 2011, 18, 3586-3592.	0.7	52
290	Is the Clinical Risk Score for Patients with Colorectal Liver Metastases Still Useable in the Era of Effective Neoadjuvant Chemotherapy?. <i>Annals of Surgical Oncology</i> , 2011, 18, 2757-2763.	0.7	62
291	High tie versus low tie in rectal surgery: comparison of anastomotic perfusion. <i>International Journal of Colorectal Disease</i> , 2011, 26, 1075-1078.	1.0	85
292	Anatomical Versus Nonanatomical Resection of Colorectal Liver Metastases: Is There a Difference in Surgical and Oncological Outcome?. <i>World Journal of Surgery</i> , 2011, 35, 656-661.	0.8	61
293	Hepatic steatosis assessment with CT or MRI in patients with colorectal liver metastases after neoadjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , 2011, 104, 10-16.	0.8	14
294	Treatment of melanoma metastases in a limb by isolated limb perfusion and isolated limb infusion. <i>Journal of Surgical Oncology</i> , 2011, 104, 397-404.	0.8	37
295	Local and intralesional therapy of inâ€transit melanoma metastases. <i>Journal of Surgical Oncology</i> , 2011, 104, 391-396.	0.8	77
296	Long-Term Results of Tumor Necrosis Factor Î± and Melphalan-Based Isolated Limb Perfusion in Locally Advanced Extremity Soft Tissue Sarcomas. <i>Journal of Clinical Oncology</i> , 2011, 29, 4036-4044.	0.8	87
297	Prognosis in Patients With Sentinel Nodeâ€Positive Melanoma Is Accurately Defined by the Combined Rotterdam Tumor Load and Dewar Topography Criteria. <i>Journal of Clinical Oncology</i> , 2011, 29, 2206-2214.	0.8	195
298	Reply to I. Satzger et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 3590-3591.	0.8	1
299	Reply to H. Starz et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 4844-4844.	0.8	0
300	Trends in treatment for synchronous colorectal liver metastases: Differences in outcome before and after 2000. <i>Journal of Surgical Oncology</i> , 2010, 102, 413-418.	0.8	14
301	Outcome of Esophagectomy for Cancer in Elderly Patients. <i>Annals of Thoracic Surgery</i> , 2010, 90, 900-907.	0.7	95
302	Local Treatment for Recurrent Colorectal Hepatic Metastases after Partial Hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2009, 13, 890-895.	0.9	34
303	The "Liver-First Approach" for Patients with Locally Advanced Rectal Cancer and Synchronous Liver Metastases. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 23-30.	0.7	88
304	Quality of Life After Stereotactic Body Radiation Therapy for Primary and Metastatic Liver Tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 70, 1447-1452.	0.4	72
305	Isolated Hypoxic Hepatic Perfusion with Retrograde Outflow in Patients with Irresectable Liver Metastases; A New Simplified Technique in Isolated Hepatic Perfusion. <i>Annals of Surgical Oncology</i> , 2008, 15, 1367-1374.	0.7	22
306	Outcome After Surgical Resections of Recurrent Chest Wall Sarcomas. <i>Journal of Clinical Oncology</i> , 2008, 26, 5113-5118.	0.8	53

#	ARTICLE	IF	CITATIONS
307	Giant Myositis Ossificans of the Leg. <i>International Journal of Surgical Pathology</i> , 2007, 15, 170-171.	0.4	1
308	Isolated Limb Perfusion with Melphalan and TNF- α in the Treatment of Extremity Sarcoma. <i>Current Treatment Options in Oncology</i> , 2007, 8, 417-427.	1.3	63
309	Stereotactic body radiation therapy for primary and metastatic liver tumors: A single institution phase i-ii study. <i>Acta Oncologica</i> , 2006, 45, 831-837.	0.8	459
310	Value of Intraoperative Radiotherapy in Locally Advanced Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2006, 49, 1257-1265.	0.7	59
311	Outcome and prognostic factor analysis of 217 consecutive isolated limb perfusions with tumor necrosis factor- α and melphalan for limb-threatening soft tissue sarcoma. <i>Cancer</i> , 2006, 106, 1776-1784.	2.0	132
312	Salvage Abdominoperineal Resection and Perineal Wound Healing in Local Recurrent or Persistent Anal Cancer. <i>World Journal of Surgery</i> , 2005, 29, 1452-1457.	0.8	74
313	Detection of identical Helicobacter DNA in the stomach and in the non-cirrhotic liver of patients with hepatocellular carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 1171-1174.	0.8	42
314	The Impact of Low Skeletal Muscle Mass on Short- and Long-Term Outcomes After Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy. <i>Annals of Surgical Oncology</i> , 0, , .	0.7	0