

Yibo Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2387065/publications.pdf>

Version: 2024-02-01

60
papers

1,922
citations

257450

24
h-index

265206

42
g-index

60
all docs

60
docs citations

60
times ranked

3389
citing authors

#	ARTICLE	IF	CITATIONS
1	Blood pressure undulation of peripheral thrombolysis period in acute ischemic stroke is associated with prognosis. <i>Journal of Hypertension</i> , 2022, 40, 749-757.	0.5	4
2	Fabrication and Performance of Shape-Stable Phase Change Composites Supported by Environment-Friendly and Economical Loofah Sponge Fibers for Thermal Energy Storage. <i>Energy & Fuels</i> , 2022, 36, 3938-3946.	5.1	11
3	Evaluation of blood pressure lowering effect by generic and brand-name antihypertensive drugs treatment: a multicenter prospective study in China. <i>Chinese Medical Journal</i> , 2021, 134, 292-301.	2.3	6
4	Optimal blood pressure levels in different phases of peripheral thrombolysis period in acute ischemic stroke. <i>Journal of Hypertension</i> , 2021, 39, 1453-1461.	0.5	4
5	Somatic <i>MAP3K3</i> and <i>PIK3CA</i> mutations in sporadic cerebral and spinal cord cavernous malformations. <i>Brain</i> , 2021, 144, 2648-2658.	7.6	52
6	Low <i>THRβ</i> (thyroid hormone receptor beta) Promoter Methylation Levels in Peripheral Blood Leukocytes Induced By Systematic Inflammation Are Involved in Low Thyroid Hormone Function in Metabolic Syndrome. <i>Hypertension</i> , 2021, 78, 1005-1015.	2.7	3
7	<i>ANKRD36</i> Is Involved in Hypertension by Altering Expression of ENaC Genes. <i>Circulation Research</i> , 2021, 129, 1067-1081.	4.5	12
8	Focus on blood pressure levels and variability in the early phase of acute ischemic stroke with hypertension and carotid stenosis. <i>Journal of Clinical Hypertension</i> , 2021, 23, 2089-2099.	2.0	3
9	Metformin therapy confers cardioprotection against the remodeling of gap junction in tachycardia-induced atrial fibrillation dog model. <i>Life Sciences</i> , 2020, 254, 117759.	4.3	10
10	Effect of gene-gene and gene-environment interaction on the risk of first-ever stroke and poststroke death. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e846.	1.2	10
11	High prevalence of <i>KRAS/BRAF</i> somatic mutations in brain and spinal cord arteriovenous malformations. <i>Brain</i> , 2019, 142, 23-34.	7.6	107
12	Prevalence and characteristics of apparent treatment-resistant hypertension in older people in China: a cross-sectional study. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 753-758.	1.3	4
13	Blood pressures immediately following ischemic strokes are associated with cerebral perfusion and neurologic function. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1008-1015.	2.0	9
14	Community-based stroke system of care improves patient outcomes in Chinese rural areas. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 630-635.	3.7	5
15	Effects of Blood Pressure in the Early Phase of Ischemic Stroke and Stroke Subtype on Poststroke Cognitive Impairment. <i>Stroke</i> , 2018, 49, 1610-1617.	2.0	23
16	Mid-Term Blood Pressure Variability Is Associated With Clinical Outcome After Ischemic Stroke. <i>American Journal of Hypertension</i> , 2017, 30, 968-977.	2.0	21
17	Novel <i>FBN1</i> mutations are responsible for cardiovascular manifestations of Marfan syndrome. <i>Molecular Biology Reports</i> , 2016, 43, 1227-1232.	2.3	7
18	Hypertensive epigenetics: from DNA methylation to microRNAs. <i>Journal of Human Hypertension</i> , 2015, 29, 575-582.	2.2	39

#	ARTICLE	IF	CITATIONS
19	Long-term physiological T ₃ supplementation in hypertensive heart disease in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H1059-H1065.	3.2	25
20	A Pharmacogenetics-Based Warfarin Maintenance Dosing Algorithm from Northern Chinese Patients. <i>PLoS ONE</i> , 2014, 9, e105250.	2.5	34
21	Community-Based Stroke System of Care for Chinese Rural Areas. <i>Stroke</i> , 2014, 45, 2385-2390.	2.0	7
22	Orthostatic Blood Pressure Dysregulation and Polymorphisms of β_2 -Adrenergic Receptor Genes in Hypertensive Patients. <i>Journal of Clinical Hypertension</i> , 2014, 16, 207-213.	2.0	11
23	Phenotype-genotype analysis in two Chinese families with Liddle syndrome. <i>Molecular Biology Reports</i> , 2014, 41, 1569-1575.	2.3	20
24	The 9p21 Locus Is Associated with Coronary Artery Disease and Cardiovascular Events in the Presence (but Not in the Absence) of Coronary Calcification. <i>PLoS ONE</i> , 2014, 9, e94823.	2.5	3
25	VKORC1 rs2359612C allele is associated with increased risk of coronary artery disease in the presence of coronary calcification. <i>Human Genetics</i> , 2013, 132, 29-37.	3.8	4
26	Promoter variants of VTN are associated with vascular disease. <i>International Journal of Cardiology</i> , 2013, 168, 163-168.	1.7	7
27	Common Genetic Variants of <i>MGP</i> Are Associated With Calcification on the Arterial Wall but Not With Calcification Present in the Atherosclerotic Plaques. <i>Circulation: Cardiovascular Genetics</i> , 2013, 6, 271-278.	5.1	20
28	Intramural Coronary Arterial Course Is Associated With Coronary Arterial Stenosis and Prognosis of Major Cardiac Events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 439-444.	2.4	13
29	ACE2 gene polymorphism and essential hypertension: an updated meta-analysis involving 11,051 subjects. <i>Molecular Biology Reports</i> , 2012, 39, 6581-6589.	2.3	69
30	A Comparison of Intracoronary with Intravenous Glycoprotein IIb/IIIa Inhibitors During Percutaneous Coronary Intervention in Patients with Acute Coronary Syndrome: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Interventional Cardiology</i> , 2012, 25, 223-234.	1.2	10
31	In vitro inhibition of translation initiation by N,N ² -diaryljureas potential anti-cancer agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 402-409.	2.2	46
32	A functional variant in promoter region of platelet-derived growth factor-D is probably associated with intracerebral hemorrhage. <i>Journal of Neuroinflammation</i> , 2012, 9, 26.	7.2	10
33	Tumor suppression by small molecule inhibitors of translation initiation. <i>Oncotarget</i> , 2012, 3, 869-881.	1.8	91
34	Hypertension associated polymorphisms in WNK1 / WNK4 are not associated with hydrochlorothiazide response. <i>Clinical Biochemistry</i> , 2011, 44, 1045-1049.	1.9	9
35	Association of Intergenic Polymorphism of Organic Anion Transporter 1 and 3 Genes With Hypertension and Blood Pressure Response to Hydrochlorothiazide. <i>American Journal of Hypertension</i> , 2011, 24, 340-346.	2.0	33
36	High plasma homocysteine levels contribute to the risk of stroke recurrence and all-cause mortality in a large prospective stroke population. <i>Clinical Science</i> , 2010, 118, 187-194.	4.3	56

#	ARTICLE	IF	CITATIONS
37	Disorders of Orthostatic Blood Pressure Response Are Associated With Cardiovascular Disease and Target Organ Damage in Hypertensive Patients. <i>American Journal of Hypertension</i> , 2010, 23, 829-837.	2.0	89
38	VKORC1 haplotypes influence the performance characteristics of PIVKAll for screening of hepatocellular carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1475-9.	2.3	2
39	A Functional Variant of <i>NEDD4L</i> Is Associated With Hypertension, Antihypertensive Response, and Orthostatic Hypotension. <i>Hypertension</i> , 2009, 54, 796-801.	2.7	69
40	VEGF Receptor-2 Variants Are Associated With Susceptibility to Stroke and Recurrence. <i>Stroke</i> , 2009, 40, 2720-2726.	2.0	39
41	KCTD10 interacts with proliferating cell nuclear antigen and its down-regulation could inhibit cell proliferation. <i>Journal of Cellular Biochemistry</i> , 2009, 106, 409-413.	2.6	25
42	Association of three-gene interaction among MTHFR, ALOX5AP and NOTCH3 with thrombotic stroke: a multicenter case-control study. <i>Human Genetics</i> , 2009, 125, 649-656.	3.8	33
43	Polymorphisms of angiotensin-converting enzyme (ACE) and ACE2 are not associated with orthostatic blood pressure dysregulation in hypertensive patients. <i>Acta Pharmacologica Sinica</i> , 2009, 30, 1237-1244.	6.1	28
44	Patients with Metabolic Syndrome Have Prolonged Corrected QT Interval (QTc). <i>Clinical Cardiology</i> , 2009, 32, E93-9.	1.8	30
45	Phosphodiesterase 4D gene polymorphism is associated with ischaemic and haemorrhagic stroke. <i>Clinical Science</i> , 2009, 116, 335-340.	4.3	35
46	GADD45B inhibits MKK7-induced cardiac hypertrophy and the polymorphisms of GADD45B is associated with inter-ventricular septum hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 623-628.	2.1	23
47	Sex Differences in Blood Pressure Response to Antihypertensive Therapy in Chinese Patients with Hypertension. <i>Annals of Pharmacotherapy</i> , 2008, 42, 1772-1781.	1.9	19
48	Cardiovascular risk and prevalence of metabolic syndrome by differing criteria. <i>Chinese Medical Journal</i> , 2008, 121, 1532-1536.	2.3	19
49	Ghrelin receptor gene polymorphisms are associated with female metabolic syndrome in Chinese population. <i>Chinese Medical Journal</i> , 2008, 121, 1666-1669.	2.3	11
50	CardioSignal: A database of transcriptional regulation in cardiac development and hypertrophy. <i>International Journal of Cardiology</i> , 2007, 116, 338-347.	1.7	5
51	Polymorphisms of KDR Gene Are Associated With Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2007, 50, 760-767.	2.8	170
52	Polymorphisms of ACE2 Gene are Associated With Essential Hypertension and Antihypertensive Effects of Captopril in Women. <i>Clinical Pharmacology and Therapeutics</i> , 2007, 82, 187-196.	4.7	97
53	A novel epithelial sodium channel β -subunit <i>de novo</i> frameshift mutation leads to Liddle syndrome. <i>Clinical Endocrinology</i> , 2007, 67, 801-804.	2.4	24
54	Interaction of Genetic Risk Factors Confers Higher Risk for Thrombotic Stroke in Male Chinese: A Multicenter Case-Control Study. <i>Annals of Human Genetics</i> , 2007, 71, 620-629.	0.8	28

#	ARTICLE	IF	CITATIONS
55	Abstract 3717: Corrected Qt Interval (qtc) Is Prolonged In Metabolic Syndrome Population. Circulation, 2007, 116, .	1.6	0
56	<i>VKORC1</i> Haplotypes Are Associated With Arterial Vascular Diseases (Stroke, Coronary Heart) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.6	141
57	Vitamin K Epoxide Reductase: A Protein Involved in Angiogenesis. Molecular Cancer Research, 2005, 3, 317-323.	3.4	24
58	NELIN, a new F-actin associated protein, stimulates HeLa cell migration and adhesion. Biochemical and Biophysical Research Communications, 2005, 330, 1127-1131.	2.1	29
59	Elevated Plasma Homocysteine Was Associated With Hemorrhagic and Ischemic Stroke, but Methylenetetrahydrofolate Reductase Gene C677T Polymorphism Was a Risk Factor for Thrombotic Stroke. Stroke, 2003, 34, 2085-2090.	2.0	180
60	Red blood cell distribution width in different time-points of peripheral thrombolysis period in acute ischemic stroke is associated with prognosis. Aging, 0, , .	3.1	4