Torben Moos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2389152/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A novel strategy for delivering <scp>N</scp> iemannâ€ <scp>P</scp> ick type <scp>C2</scp> proteins across the blood–brain barrier using the brain endothelialâ€specific <scp>AAVâ€BR1</scp> virus. Journal of Neurochemistry, 2023, 164, 6-28. | 2.1 | 4 |
| 2 | Sortilin regulates blood–brain barrier integrity. FEBS Journal, 2022, 289, 1062-1079. | 2.2 | 7 |
| 3 | Transport of Transferrin Receptor-Targeted Antibodies Through the Blood-Brain Barrier for Drug Delivery to the Brain. AAPS Advances in the Pharmaceutical Sciences Series, 2022, , 527-549. | 0.2 | 1 |
| 4 | Gene therapy to the blood–brain barrier with resulting protein secretion as a strategy for treatment of Niemann Picks type C2 disease. Journal of Neurochemistry, 2021, 156, 290-308. | 2.1 | 11 |
| 5 | Bloodâ€brain barrier transport using a high affinity, brainâ€selective VNAR antibody targeting transferrin receptor 1. FASEB Journal, 2021, 35, e21172. | 0.2 | 56 |
| 6 | The blood-brain barrier studied in vitro across species. PLoS ONE, 2021, 16, e0236770. | 1.1 | 31 |
| 7 | Post-capillary venules are the key locus for transcytosis-mediated brain delivery of therapeutic nanoparticles. Nature Communications, 2021, 12, 4121. | 5.8 | 58 |
| 8 | Novel Blood-Derived Extracellular Vesicle-Based Biomarkers in Alzheimer's Disease Identified by Proximity Extension Assay. Biomedicines, 2020, 8, 199. | 1.4 | 18 |
| 9 | Conventional Treatment of Glioblastoma Reveals Persistent CD44+ Subpopulations. Molecular Neurobiology, 2020, 57, 3943-3955. | 1.9 | 12 |
| 10 | Epigenetic Regulation of Ferroportin in Primary Cultures of the Rat Blood-Brain Barrier. Molecular Neurobiology, 2020, 57, 3526-3539. | 1.9 | 4 |
| 11 | Astrocytic expression of ZIP14 (SLC39A14) is part of the inflammatory reaction in chronic neurodegeneration with iron overload. Clia, 2020, 68, 1810-1823. | 2.5 | 12 |
| 12 | The Significance of the Choroid Plexus for Cerebral Iron Homeostasis. Physiology in Health and Disease, 2020, , 125-148. | 0.2 | 3 |
| 13 | Hepcidin Mediates Transcriptional Changes in Ferroportin mRNA in Differentiated Neuronal-Like PC12 Cells Subjected to Iron Challenge. Molecular Neurobiology, 2019, 56, 2362-2374. | 1.9 | 4 |
| 14 | Targeting the transferrin receptor for brain drug delivery. Progress in Neurobiology, 2019, 181, 101665. | 2.8 | 204 |
| 15 | Impairment of the Developing Human Brain in Iron Deficiency: Correlations to Findings in Experimental Animals and Prospects for Early Intervention Therapy. Pharmaceuticals, 2019, 12, 120. | 1.7 | 19 |
| 16 | Evaluation of Targeted Delivery to the Brain Using Magnetic Immunoliposomes and Magnetic Force. Materials, 2019, 12, 3576. | 1.3 | 18 |
| 17 | Modulating the antibody density changes the uptake and transport at the blood-brain barrier of both transferrin receptor-targeted gold nanoparticles and liposomal cargo. Journal of Controlled Release, 2019, 295, 237-249. | 4.8 | 112 |
| 18 | The Endo-Lysosomal System of Brain Endothelial Cells Is Influenced by Astrocytes In Vitro. Molecular Neurobiology, 2018, 55, 8522-8537. | 1.9 | 11 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | On the use of liposome controls in studies investigating the clinical potential of extracellular vesicle-based drug delivery systems – A commentary. Journal of Controlled Release, 2018, 269, 10-14. | 4.8 | 66 |
| 20 | Antibody affinity and valency impact brain uptake of transferrin receptor-targeted gold nanoparticles. Theranostics, 2018, 8, 3416-3436. | 4.6 | 101 |
| 21 | Iron deficiency and iron treatment in the fetal developing brain – a pilot study introducing an experimental rat model. Reproductive Health, 2018, 15, 93. | 1.2 | 12 |
| 22 | Transfection of primary brain capillary endothelial cells for protein synthesis and secretion of recombinant erythropoietin: a strategy to enable protein delivery to the brain. Cellular and Molecular Life Sciences, 2017, 74, 2467-2485. | 2.4 | 12 |
| 23 | Bidirectional apical–basal traffic of the cation-independent mannose-6-phosphate receptor in brain endothelial cells. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 2598-2613. | 2.4 | 23 |
| 24 | Targeting transferrin receptors at the blood-brain barrier improves the uptake of immunoliposomes and subsequent cargo transport into the brain parenchyma. Scientific Reports, 2017, 7, 10396. | 1.6 | 171 |
| 25 | The vascular basement membrane in the healthy and pathological brain. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 3300-3317. | 2.4 | 306 |
| 26 | The choroid plexus as a site of damage in hemorrhagic and ischemic stroke and its role in responding to injury. Fluids and Barriers of the CNS, 2017, 14, 8. | 2.4 | 35 |
| 27 | Synthesis and deposition of basement membrane proteins by primary brain capillary endothelial cells in a murine model of the blood–brain barrier. Journal of Neurochemistry, 2017, 140, 741-754. | 2.1 | 67 |
| 28 | Geographical Variation in Antipsychotic Drug Use in Elderly Patients with Dementia: A Nationwide Study. Journal of Alzheimer's Disease, 2016, 54, 1183-1192. | 1.2 | 10 |
| 29 | Metal-Dependent Regulation of ATP7A and ATP7B in Fibroblast Cultures. Frontiers in Molecular Neuroscience, 2016, 9, 68. | 1.4 | 5 |
| 30 | Evaluation of electroporation-induced adverse effects on adipose-derived stem cell exosomes. Cytotechnology, 2016, 68, 2125-2138. | 0.7 | 131 |
| 31 | Expression of Iron-Related Proteins at the Neurovascular Unit Supports Reduction and Reoxidation of Iron for Transport Through the Blood-Brain Barrier. Molecular Neurobiology, 2016, 53, 7237-7253. | 1.9 | 81 |
| 32 | Revisiting nanoparticle technology for blood–brain barrier transport: Unfolding at the endothelial gate improves the fate of transferrin receptor-targeted liposomes. Journal of Controlled Release, 2016, 222, 32-46. | 4.8 | 105 |
| 33 | Transfection of brain capillary endothelial cells in primary culture with defined blood–brain barrier properties. Fluids and Barriers of the CNS, 2015, 12, 19. | 2.4 | 39 |
| 34 | Divalent metal transporter 1 (DMT1) in the brain: implications for a role in iron transport at the blood-brain barrier, and neuronal and glial pathology. Frontiers in Molecular Neuroscience, 2015, 8, 19. | 1.4 | 97 |
| 35 | A Triple Culture Model of the Blood-Brain Barrier Using Porcine Brain Endothelial cells, Astrocytes and Pericytes. PLoS ONE, 2015, 10, e0134765. | 1.1 | 111 |
| 36 | Neurodegeneration with inflammation is accompanied by accumulation of iron and ferritin in microglia and neurons. Neurobiology of Disease, 2015, 81, 108-118. | 2.1 | 87 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Targeted drug delivery to the brain using magnetic nanoparticles. Therapeutic Delivery, 2015, 6, 1145-1155. | 1.2 | 74 |
| 38 | Handling iron in restorative neuroscience. Neural Regeneration Research, 2015, 10, 1558. | 1.6 | 9 |
| 39 | Iron deposits in the chronically inflamed central nervous system and contributes to neurodegeneration. Cellular and Molecular Life Sciences, 2014, 71, 1607-1622. | 2.4 | 124 |
| 40 | A comprehensive overview of exosomes as drug delivery vehicles — Endogenous nanocarriers for targeted cancer therapy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2014, 1846, 75-87. | 3.3 | 430 |
| 41 | <scp>C</scp> riptoâ€1 Expression in Glioblastoma Multiforme. Brain Pathology, 2014, 24, 360-370. | 2.1 | 28 |
| 42 | Accessing Targeted Nanoparticles to the Brain: The Vascular Route. Current Medicinal Chemistry, 2014, 21, 4092-4099. | 1.2 | 10 |
| 43 | Targeted Antiepidermal Growth Factor Receptor (Cetuximab) Immunoliposomes Enhance Cellular Uptake <i>In Vitro</i> and Exhibit Increased Accumulation in an Intracranial Model of Clioblastoma Multiforme. Journal of Drug Delivery, 2013, 2013, 1-13. | 2.5 | 46 |
| 44 | Development of a Novel Lipophilic, Magnetic Nanoparticle for in Vivo Drug Delivery. Pharmaceutics, 2013, 5, 246-260. | 2.0 | 14 |
| 45 | Brain Delivery Systems via Mechanism Independent of Receptor-Mediated Endocytosis and Adsorptive-Mediated Endocytosis. Current Pharmaceutical Biotechnology, 2012, 13, 2349-2354. | 0.9 | 16 |
| 46 | Impairment of Interrelated Iron- and Copper Homeostatic Mechanisms in Brain Contributes to the Pathogenesis of Neurodegenerative Disorders. Frontiers in Pharmacology, 2012, 3, 169. | 1.6 | 65 |
| 47 | Chronic Vitamin <scp>C</scp> Deficiency does not Accelerate Oxidative Stress in Ageing Brains of Guinea Pigs. Basic and Clinical Pharmacology and Toxicology, 2012, 110, 524-529. | 1.2 | 24 |
| 48 | Developmental iron uptake and axonal transport in the retina of the rat. Molecular and Cellular Neurosciences, 2011, 46, 607-613. | 1.0 | 15 |
| 49 | Gene delivery by pullulan derivatives in brain capillary endothelial cells for protein secretion. Journal of Controlled Release, 2011, 151, 45-50. | 4.8 | 66 |
| 50 | Heterogenous distribution of ferroportin-containing neurons in mouse brain. BioMetals, 2011, 24, 357-375. | 1.8 | 48 |
| 51 | Macromolecular drug transport into the brain using targeted therapy. Journal of Neurochemistry, 2010, 113, 1-13. | 2.1 | 62 |
| 52 | Fulminant Lymphocytic Choriomeningitis Virus-Induced Inflammation of the CNS Involves a Cytokine-Chemokine-Cytokine-Chemokine Cascade. Journal of Immunology, 2009, 182, 1079-1087. | 0.4 | 37 |
| 53 | Iron-Metabolism in Neurons of the Motor System of the Central Nervous System: Lessons from Iron Deficiency and Overloading Pathologies. , 2009, , 181-193. | | 1 |
| 54 | Restricted transport of anti-transferrin receptor antibody (OX26) through the blood-brain barrier in the rat. Journal of Neurochemistry, 2008, 79, 119-129. | 2.1 | 138 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Ubxd1 is a novel co-factor of the human p97 ATPase. International Journal of Biochemistry and Cell Biology, 2008, 40, 2927-2942. | 1.2 | 42 |
| 56 | VCAM-1 directed immunoliposomes selectively target tumor vasculature in vivo. Biochimica Et Biophysica Acta - Biomembranes, 2008, 1778, 854-863. | 1.4 | 129 |
| 57 | Oxidative stress and damage in liver, but not in brain, of fischer 344 rats subjected to dietary iron supplementation with lipidâ€soluble [(3,5,5â€ŧrimethylhexanoyl)ferrocene]. Journal of Biochemical and Molecular Toxicology, 2007, 21, 145-155. | 1.4 | 12 |
| 58 | Iron trafficking inside the brain. Journal of Neurochemistry, 2007, 103, 1730-1740. | 2.1 | 363 |
| 59 | Brain capillary endothelial cells mediate iron transport into the brain by segregating iron from transferrin without the involvement of divalent metal transporter 1. Journal of Neurochemistry, 2006, 98, 1946-1958. | 2.1 | 79 |
| 60 | P25?/Tubulin polymerization promoting protein expression by myelinating oligodendrocytes of the developing rat brain. Journal of Neurochemistry, 2006, 99, 333-342. | 2.1 | 50 |
| 61 | Ferroportin in the Postnatal Rat Brain: Implications for Axonal Transport and Neuronal Export of Iron. Seminars in Pediatric Neurology, 2006, 13, 149-157. | 1.0 | 56 |
| 62 | CXCL10 Is the Key Ligand for CXCR3 on CD8+ Effector T Cells Involved in Immune Surveillance of the Lymphocytic Choriomeningitis Virus-Infected Central Nervous System. Journal of Immunology, 2006, 176, 4235-4243. | 0.4 | 129 |
| 63 | Age-dependent change in Vitamin C status: A phenomenon of maturation rather than of ageing. Mechanisms of Ageing and Development, 2005, 126, 892-898. | 2.2 | 32 |
| 64 | Opposing Effects of CXCR3 and CCR5 Deficiency on CD8+ T Cell-Mediated Inflammation in the Central Nervous System of Virus-Infected Mice. Journal of Immunology, 2005, 175, 1767-1775. | 0.4 | 47 |
| 65 | p25α Stimulates α-Synuclein Aggregation and Is Co-localized with Aggregated α-Synuclein in α-Synucleinopathies. Journal of Biological Chemistry, 2005, 280, 5703-5715. | 1.6 | 173 |
| 66 | The significance of the mutated divalent metal transporter (DMT1) on iron transport into the Belgrade rat brain. Journal of Neurochemistry, 2004, 88, 233-245. | 2.1 | 104 |
| 67 | Efficient T-Cell Surveillance of the CNS Requires Expression of the CXC Chemokine Receptor 3. Journal of Neuroscience, 2004, 24, 4849-4858. | 1.7 | 88 |
| 68 | Proteasomal Inhibition by α-Synuclein Filaments and Oligomers. Journal of Biological Chemistry, 2004, 279, 12924-12934. | 1.6 | 341 |
| 69 | Targeting Anti—Transferrin Receptor Antibody (OX26) and OX26-Conjugated Liposomes to Brain Capillary Endothelial Cells Using In Situ Perfusion. Journal of Cerebral Blood Flow and Metabolism, 2004, 24, 1193-1204. | 2.4 | 146 |
| 70 | Absence of prostate apoptosis response-4 protein in substantia nigra of Parkinson's disease autopsies. Acta Neuropathologica, 2004, 107, 23-26. | 3.9 | 8 |
| 71 | The Metabolism of Neuronal Iron and Its Pathogenic Role in Neurological Disease: Review. Annals of the New York Academy of Sciences, 2004, 1012, 14-26. | 1.8 | 211 |
| 72 | Delivery of transferrin and immunoglobulins to the ventricular system of the rat. Frontiers in Bioscience - Landmark, 2003, 8, a102-109. | 3.0 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Mechanism and Developmental Changes in Iron Transport across the Blood-Brain Barrier. Developmental Neuroscience, 2002, 24, 106-113. | 1.0 | 53 |
| 74 | A Morphological Study of the Developmentally Regulated Transport of Iron into the Brain. Developmental Neuroscience, 2002, 24, 99-105. | 1.0 | 50 |
| 75 | Effect of iron status on DMT1 expression in duodenal enterocytes from β2-microglobulin knockout mice. American Journal of Physiology - Renal Physiology, 2002, 283, G687-G694. | 1.6 | 9 |
| 76 | Transferrin and transferrin receptor function in brain barrier systems. Cellular and Molecular Neurobiology, 2000, 20, 77-95. | 1.7 | 313 |
| 77 | CNS Wound Healing Is Severely Depressed in Metallothionein I- and II-Deficient Mice. Journal of Neuroscience, 1999, 19, 2535-2545. | 1.7 | 147 |
| 78 | Strongly compromised inflammatory response to brain injury in interleukin-6-deficient mice. , 1999, 25, 343-357. | | 171 |
| 79 | Metallothionein (MT)-III: Generation of Polyclonal Antibodies, Comparison With MT-I+II in the Freeze Lesioned Rat Brain and in a Bioassay With Astrocytes, and Analysis of Alzheimer's Disease Brains. Journal of Neurotrauma, 1999, 16, 1115-1129. | 1.7 | 79 |
| 80 | Expression of ferritin protein and subunit mRNAs in normal and iron deficient rat brain. Molecular Brain Research, 1999, 65, 186-197. | 2.5 | 36 |
| 81 | Impaired Inflammatory Response to Glial Cell Death in Genetically Metallothionein-I- and -II-Deficient Mice. Experimental Neurology, 1999, 156, 149-164. | 2.0 | 58 |
| 82 | Strongly compromised inflammatory response to brain injury in interleukin-6-deficient mice. , 1999, 25, 343. | | 4 |
| 83 | Kinetics and distribution of [59Fe–125I]transferrin injected into the ventricular system of the rat. Brain Research, 1998, 790, 115-128. | 1.1 | 58 |
| 84 | Evidence for low molecular weight, non-transferrin-bound iron in rat brain and cerebrospinal fluid. , 1998, 54, 486-494. | | 105 |
| 85 | Expression of the neuronal transferrin receptor is age dependent and susceptible to iron deficiency. Journal of Comparative Neurology, 1998, 398, 420-430. | 0.9 | 77 |
| 86 | Increased astrocytic expression of metallothioneins I+II in brainstem of adult rats treated with 6-aminonicotinamide. Brain Research, 1997, 774, 256-259. | 1.1 | 34 |
| 87 | Immunohistochemical localization of intraneuronal transferrin receptor immunoreactivity in the adult mouse central nervous system. , 1996, 375, 675-692. | | 149 |
| 88 | Nerve Growth Factor Receptor Expression in Heterotransplanted Vestibular Schwannoma in Athymic Nude Mice. Acta Oto-Laryngologica, 1996, 116, 59-63. | 0.3 | 13 |
| 89 | Disruption of the blood-brain interface in neonatal rat neocortex induces a transient expression of metallothionein in reactive astrocytes. Glia, 1995, 13, 217-227. | 2.5 | 68 |
| 90 | Age-dependent uptake and retrograde axonal transport of exogenous albumin and transferrin in rat motor neurons. Brain Research, 1995, 672, 14-23. | 1.1 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Developmental profile of non-heme iron distribution in the rat brain during ontogenesis. Developmental Brain Research, 1995, 87, 203-213. | 2.1 | 30 |
| 92 | Simultaneous application of Timm's sulphide silver method and immunofluorescence histochemistry. Journal of Neuroscience Methods, 1993, 48, 149-156. | 1.3 | 10 |
| 93 | GAP43 identifies developing muscle cells in human embryos. NeuroReport, 1993, 4, 1299-1302. | 0.6 | 6 |
| 94 | Retrograde axonal transport of albumin-gold complex in rat motor neurons: A light and electron microscopic study. Micron and Microscopica Acta, 1992, 23, 111-112. | 0.2 | 0 |
| 95 | Immunocytochemical evidence for retrograde axonal transport of exogenous albumin in adult rat brain stem motor neurons. Neuroscience Letters, 1991, 127, 1-4. | 1.0 | 11 |