

Tomasz Hawro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2389679/publications.pdf>

Version: 2024-02-01

63
papers

2,704
citations

185998

28
h-index

189595

50
g-index

65
all docs

65
docs citations

65
times ranked

2331
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and validation of the Urticaria Control Test: A patient-reported outcome instrument for assessing urticaria control. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1365-1372.e6.	1.5	268
2	Omalizumab for the treatment of chronic spontaneous urticaria: A meta-analysis of randomized clinical trials. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1742-1750.e4.	1.5	220
3	Serum autoreactivity predicts time to response to omalizumab therapy in chronic spontaneous urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1059-1061.e1.	1.5	167
4	The clinical response to omalizumab in chronic spontaneous urticaria patients is linked to and predicted by IgE levels and their change. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 705-712.	2.7	150
5	Interleukin-31 does not induce immediate itch in atopic dermatitis patients and healthy controls after skin challenge. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 113-117.	2.7	108
6	The role of the IL-33/IL-1RL1 axis in mast cell and basophil activation in allergic disorders. <i>Molecular Immunology</i> , 2015, 63, 80-85.	1.0	103
7	Eosinopenia, in Chronic Spontaneous Urticaria, Is Associated with High Disease Activity, Autoimmunity, and Poor Response to Treatment. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 318-325.e5.	2.0	93
8	New treatments for chronic urticaria. <i>Annals of Allergy, Asthma and Immunology</i> , 2020, 124, 2-12.	0.5	81
9	The Urticaria Activity Score—Validity, Reliability, and Responsiveness. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1185-1190.e1.	2.0	78
10	Total IgE levels are linked to the response of chronic spontaneous urticaria patients to omalizumab. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2406-2408.	2.7	74
11	Responsiveness and minimal important difference of the urticaria control test. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1710-1713.e11.	1.5	68
12	Narrow band ultraviolet B irradiations cause alteration in interleukin-31 serum level in psoriatic patients. <i>Archives of Dermatological Research</i> , 2013, 305, 191-195.	1.1	66
13	C-reactive protein is linked to disease activity, impact, and response to treatment in patients with chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 940-948.	2.7	64
14	Substance P Is Upregulated in the Serum of Patients with Chronic Spontaneous Urticaria. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2833-2836.	0.3	61
15	Lesions on the back of hands and female gender predispose to stigmatization in patients with psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 648-654.e2.	0.6	59
16	Combined occurrence of filaggrin mutations and IL-10 or IL-13 polymorphisms predisposes to atopic dermatitis. <i>Experimental Dermatology</i> , 2011, 20, 491-495.	1.4	52
17	Comparison and interpretability of the available urticaria activity scores. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 251-255.	2.7	50
18	Validation of the Angioedema Control Test (AECT)—A Patient-Reported Outcome Instrument for Assessing Angioedema Control. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2050-2057.e4.	2.0	50

#	ARTICLE	IF	CITATIONS
19	Development of the Angioedema Control Test – A patient-reported outcome measure that assesses disease control in patients with recurrent angioedema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1165-1177.	2.7	47
20	Autoimmune Diseases Are Linked to Type IIb Autoimmune Chronic Spontaneous Urticaria. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 545.	1.1	46
21	Increased IgE levels are linked to faster relapse in patients with omalizumab-discontinued chronic spontaneous urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1749-1751.	1.5	45
22	Successful omalizumab treatment in chronic spontaneous urticaria is associated with lowering of serum IL-31 levels. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 454-455.	1.3	41
23	Psychiatric disorders in patients with systemic lupus erythematosus: association of anxiety disorder with shorter disease duration. <i>Rheumatology International</i> , 2011, 31, 1387-1391.	1.5	40
24	Role of Substance P and Its Receptor Neurokinin 1 in Chronic Prurigo: A Randomized, Proof-of-Concept, Controlled Trial with Topical Aprepitant. <i>Acta Dermato-Venereologica</i> , 2018, 98, 26-31.	0.6	40
25	In psoriasis, levels of hope and quality of life are linked. <i>Archives of Dermatological Research</i> , 2014, 306, 661-666.	1.1	35
26	Clinical Measures of Chronic Urticaria. <i>Immunology and Allergy Clinics of North America</i> , 2017, 37, 35-49.	0.7	34
27	Impact of psoriasis severity on family income and quality of life. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 438-443.	1.3	32
28	Pruritus and sleep disturbances in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2020, 312, 103-111.	1.1	32
29	Intractable Headaches, Ischemic Stroke, and Seizures Are Linked to the Presence of Anti- β 2GPI Antibodies in Patients with Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2015, 10, e0119911.	1.1	31
30	A group of cationic amphiphilic drugs activates MRGPRX2 and induces scratching behavior in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 506-522.e8.	1.5	29
31	Polidocanol inhibits cowhage – but not histamine – induced itch in humans. <i>Experimental Dermatology</i> , 2014, 23, 922-923.	1.4	28
32	The characteristics and impact of pruritus in adult dermatology patients: A prospective, cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 691-700.	0.6	28
33	In chronic spontaneous urticaria, IgE against staphylococcal enterotoxins is common and functional. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1497-1504.	2.7	26
34	Diagnosis and treatment of chronic inducible urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2550-2553.	2.7	26
35	Cholinergic urticaria patients of different age groups have distinct features. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1609-1614.	1.4	24
36	Antinuclear antibodies are common and linked to poor response to omalizumab treatment in patients with CSU. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 468-470.	2.7	23

#	ARTICLE	IF	CITATIONS
37	Sexual Functioning Is Frequently and Markedly Impaired in Female Patients with Chronic Spontaneous Urticaria. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1074-1082.	2.0	23
38	Updosing of bilastine is effective in moderate to severe chronic spontaneous urticaria: A real-life study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2073-2075.	2.7	22
39	The Diagnostic Workup in Chronic Spontaneous Urticaria—What to Test and Why. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2274-2283.	2.0	21
40	Interleukin-33 promotes the proliferation of mouse mast cells through ST2/MyD88 and p38 MAPK-dependent and Kit-independent pathways. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2014, 28, 575-85.	0.7	21
41	Patients with chronic cold urticaria may benefit from doxycycline therapy. <i>British Journal of Dermatology</i> , 2017, 176, 259-261.	1.4	19
42	A novel histopathological scoring system to distinguish urticarial vasculitis from chronic spontaneous urticaria. <i>Clinical and Translational Allergy</i> , 2021, 11, e12031.	1.4	18
43	Skin provocation tests may help to diagnose atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1745-1752.	2.7	17
44	Disease activity and stress are linked in a subpopulation of chronic spontaneous urticaria patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 224-226.	2.7	15
45	Omalizumab in chronic inducible urticaria: A real-life study of efficacy, safety, predictors of treatment outcome and time to response. <i>Clinical and Experimental Allergy</i> , 2021, 51, 730-734.	1.4	15
46	Prevalence and factors associated with sleep disturbance in adult patients with psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 688-697.	1.3	15
47	Serum neuron specific enolase—a novel indicator for neuropsychiatric systemic lupus erythematosus?. <i>Lupus</i> , 2015, 24, 1492-1497.	0.8	10
48	The response to treatment in chronic spontaneous urticaria depends on how it is measured. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2055-2056.e4.	2.0	9
49	Symptomatic Dermographism: A Systematic Review of Treatment Options. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 3141-3161.	2.0	9
50	Sleep disturbance in adult dermatologic patients: A cross-sectional study on prevalence, burden, and associated factors. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 910-922.	0.6	9
51	Automatic screening of self-evaluation apps for urticaria and angioedema shows a high unmet need. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 3810-3813.	2.7	8
52	A comprehensive, tri-national, cross-sectional analysis of characteristics and impact of pruritus in psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 2064-2075.	1.3	8
53	Prevalence of nonspecific cutaneous vascular lesions and association with antiphospholipid antibodies in patients with systemic lupus erythematosus. <i>British Journal of Dermatology</i> , 2013, 168, 213-215.	1.4	7
54	Comparison of pruritus and sensory qualities induced by capsaicin, histamine and cowhage. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1755-1761.	1.3	7

#	ARTICLE	IF	CITATIONS
55	Chronic spontaneous urticaria activity, impact and control as well as their changes are strongly linked, and these links are not affected by angioedema or comorbid inducible urticaria – Results from the validation of the Polish Urticaria Control Test. <i>World Allergy Organization Journal</i> , 2022, 15, 100635.	1.6	6
56	H1-antihistamine inhibition of histamine- and codeine-induced wheals does not predict response in chronic cold urticaria. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2043-2044.	2.0	5
57	Characterization of cowhage-induced pruritus in inflamed and non-inflamed skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 202-206.	1.3	5
58	Somatic-type Delusional Disorder: A Case Report and Comments. <i>Acta Dermato-Venereologica</i> , 2011, 91, 193-194.	0.6	3
59	Flare Size but Not Intensity Reflects Histamine-Induced Itch. <i>Skin Pharmacology and Physiology</i> , 2020, 33, 244-252.	1.1	3
60	Exaggerated neurophysiological responses to stressor in patients with chronic spontaneous urticaria. <i>Clinical and Experimental Allergy</i> , 2021, 51, 936-938.	1.4	2
61	Worsening of chronic spontaneous urticaria after intake of hot pepper. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2021, 39, 25-30.	0.2	1
62	Proteases and itch – a human and animal model of non-histaminergic itch using cysteine protease Ficin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1156-1156.	1.3	1
63	Reply to the letter to the editor on: “In psoriasis, levels of hope and quality of life are linked”. <i>Archives of Dermatological Research</i> , 2016, 308, 457-458.	1.1	0