

# Tomasz Hawro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2389679/publications.pdf>

Version: 2024-02-01

63  
papers

2,704  
citations

185998

28  
h-index

189595

50  
g-index

65  
all docs

65  
docs citations

65  
times ranked

2331  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and factors associated with sleep disturbance in adult patients with psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 688-697.	1.3	15
2	Chronic spontaneous urticaria activity, impact and control as well as their changes are strongly linked, and these links are not affected by angioedema or comorbid inducible urticaria – Results from the validation of the Polish Urticaria Control Test. <i>World Allergy Organization Journal</i> , 2022, 15, 100635.	1.6	6
3	A comprehensive, tri-national, cross-sectional analysis of characteristics and impact of pruritus in psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 2064-2075.	1.3	8
4	Proteases and itch – a human and animal model of non-histaminergic itch using $\gamma$ -cysteine protease Ficin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1156-1156.	1.3	1
5	The characteristics and impact of pruritus in adult dermatology patients: A prospective, cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 691-700.	0.6	28
6	Worsening of chronic spontaneous urticaria after intake of hot pepper. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2021, 39, 25-30.	0.2	1
7	Autoimmune Diseases Are Linked to Type IIb Autoimmune Chronic Spontaneous Urticaria. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 545.	1.1	46
8	Omalizumab in chronic inducible urticaria: A real-life study of efficacy, safety, predictors of treatment outcome and time to response. <i>Clinical and Experimental Allergy</i> , 2021, 51, 730-734.	1.4	15
9	Exaggerated neurophysiological responses to stressor in patients with chronic spontaneous urticaria. <i>Clinical and Experimental Allergy</i> , 2021, 51, 936-938.	1.4	2
10	A novel histopathological scoring system to distinguish urticarial vasculitis from chronic spontaneous urticaria. <i>Clinical and Translational Allergy</i> , 2021, 11, e12031.	1.4	18
11	The Diagnostic Workup in Chronic Spontaneous Urticaria – What to Test and Why. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2274-2283.	2.0	21
12	A group of cationic amphiphilic drugs activates MRGPRX2 and induces scratching behavior in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 148, 506-522.e8.	1.5	29
13	Automatic screening of self-evaluation apps for urticaria and angioedema shows a high unmet need. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 3810-3813.	2.7	8
14	Sleep disturbance in adult dermatologic patients: A cross-sectional study on prevalence, burden, and associated factors. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 910-922.	0.6	9
15	Pruritus and sleep disturbances in patients with psoriasis. <i>Archives of Dermatological Research</i> , 2020, 312, 103-111.	1.1	32
16	Disease activity and stress are linked in a subpopulation of chronic spontaneous urticaria patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 224-226.	2.7	15
17	Characterization of cowhage-induced pruritus in inflamed and non-inflamed skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 202-206.	1.3	5
18	New treatments for chronic urticaria. <i>Annals of Allergy, Asthma and Immunology</i> , 2020, 124, 2-12.	0.5	81

#	ARTICLE	IF	CITATIONS
19	Antinuclear antibodies are common and linked to poor response to omalizumab treatment in patients with CSU. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 468-470.	2.7	23
20	Eosinopenia, in Chronic Spontaneous Urticaria, Is Associated with High Disease Activity, Autoimmunity, and Poor Response to Treatment. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 318-325.e5.	2.0	93
21	Development of the Angioedema Control Test – A patient-reported outcome measure that assesses disease control in patients with recurrent angioedema. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1165-1177.	2.7	47
22	Sexual Functioning Is Frequently and Markedly Impaired in Female Patients with Chronic Spontaneous Urticaria. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1074-1082.	2.0	23
23	Flare Size but Not Intensity Reflects Histamine-Induced Itch. <i>Skin Pharmacology and Physiology</i> , 2020, 33, 244-252.	1.1	3
24	Symptomatic Dermographism: A Systematic Review of Treatment Options. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 3141-3161.	2.0	9
25	Validation of the Angioedema Control Test (AECT) – A Patient-Reported Outcome Instrument for Assessing Angioedema Control. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2050-2057.e4.	2.0	50
26	Comparison of pruritus and sensory qualities induced by capsaicin, histamine and cowhage. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1755-1761.	1.3	7
27	Diagnosis and treatment of chronic inducible urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2550-2553.	2.7	26
28	The response to treatment in chronic spontaneous urticaria depends on how it is measured. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2055-2056.e4.	2.0	9
29	H1-antihistamine inhibition of histamine- and codeine-induced wheals does not predict response in chronic cold urticaria. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2043-2044.	2.0	5
30	The Urticaria Activity Score – Validity, Reliability, and Responsiveness. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1185-1190.e1.	2.0	78
31	In chronic spontaneous urticaria, IgE against staphylococcal enterotoxins is common and functional. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1497-1504.	2.7	26
32	The clinical response to omalizumab in chronic spontaneous urticaria patients is linked to and predicted by IgE levels and their change. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 705-712.	2.7	150
33	Comparison and interpretability of the available urticaria activity scores. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 251-255.	2.7	50
34	C-reactive protein is linked to disease activity, impact, and response to treatment in patients with chronic spontaneous urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 940-948.	2.7	64
35	Total IgE levels are linked to the response of chronic spontaneous urticaria patients to omalizumab. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2406-2408.	2.7	74
36	Role of Substance P and Its Receptor Neurokinin 1 in Chronic Prurigo: A Randomized, Proof-of-Concept, Controlled Trial with Topical Aprepitant. <i>Acta Dermato-Venereologica</i> , 2018, 98, 26-31.	0.6	40

#	ARTICLE	IF	CITATIONS
37	Updosing of bilastine is effective in moderate to severe chronic spontaneous urticaria: A real-life study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2073-2075.	2.7	22
38	Lesions on the back of hands and female gender predispose to stigmatization in patients with psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 648-654.e2.	0.6	59
39	Responsiveness and minimal important difference of the urticaria control test. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1710-1713.e11.	1.5	68
40	Increased IgE levels are linked to faster relapse in patients with omalizumab-discontinued chronic spontaneous urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1749-1751.	1.5	45
41	Cholinergic urticaria patients of different age groups have distinct features. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1609-1614.	1.4	24
42	Clinical Measures of Chronic Urticaria. <i>Immunology and Allergy Clinics of North America</i> , 2017, 37, 35-49.	0.7	34
43	Serum autoreactivity predicts time to response to omalizumab therapy in chronic spontaneous urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1059-1061.e1.	1.5	167
44	Patients with chronic cold urticaria may benefit from doxycycline therapy. <i>British Journal of Dermatology</i> , 2017, 176, 259-261.	1.4	19
45	Omalizumab for the treatment of chronic spontaneous urticaria: A meta-analysis of randomized clinical trials. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 1742-1750.e4.	1.5	220
46	Reply to the letter to the editor on: "In psoriasis, levels of hope and quality of life are linked". <i>Archives of Dermatological Research</i> , 2016, 308, 457-458.	1.1	0
47	Skin provocation tests may help to diagnose atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1745-1752.	2.7	17
48	Successful omalizumab treatment in chronic spontaneous urticaria is associated with lowering of serum IL-31 levels. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 454-455.	1.3	41
49	Intractable Headaches, Ischemic Stroke, and Seizures Are Linked to the Presence of Anti- $\beta$ 2GPI Antibodies in Patients with Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2015, 10, e0119911.	1.1	31
50	Serum neuron specific enolase "a novel indicator for neuropsychiatric systemic lupus erythematosus?". <i>Lupus</i> , 2015, 24, 1492-1497.	0.8	10
51	Impact of psoriasis severity on family income and quality of life. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 438-443.	1.3	32
52	The role of the IL-33/IL-1RL1 axis in mast cell and basophil activation in allergic disorders. <i>Molecular Immunology</i> , 2015, 63, 80-85.	1.0	103
53	Polidocanol inhibits cowhage "but not histamine"-induced itch in humans. <i>Experimental Dermatology</i> , 2014, 23, 922-923.	1.4	28
54	Interleukin-31 does not induce immediate itch in atopic dermatitis patients and healthy controls after skin challenge. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 113-117.	2.7	108

#	ARTICLE	IF	CITATIONS
55	Development and validation of the Urticaria Control Test: A patient-reported outcome instrument for assessing urticaria control. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1365-1372.e6.	1.5	268
56	In psoriasis, levels of hope and quality of life are linked. <i>Archives of Dermatological Research</i> , 2014, 306, 661-666.	1.1	35
57	Substance P Is Upregulated in the Serum of Patients with Chronic Spontaneous Urticaria. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2833-2836.	0.3	61
58	Interleukin-33 promotes the proliferation of mouse mast cells through ST2/MyD88 and p38 MAPK-dependent and Kit-independent pathways. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2014, 28, 575-85.	0.7	21
59	Narrow band ultraviolet B irradiations cause alteration in interleukin-31 serum level in psoriatic patients. <i>Archives of Dermatological Research</i> , 2013, 305, 191-195.	1.1	66
60	Prevalence of nonspecific cutaneous vascular lesions and association with antiphospholipid antibodies in patients with systemic lupus erythematosus. <i>British Journal of Dermatology</i> , 2013, 168, 213-215.	1.4	7
61	Combined occurrence of filaggrin mutations and IL-10 or IL-13 polymorphisms predisposes to atopic dermatitis. <i>Experimental Dermatology</i> , 2011, 20, 491-495.	1.4	52
62	Psychiatric disorders in patients with systemic lupus erythematosus: association of anxiety disorder with shorter disease duration. <i>Rheumatology International</i> , 2011, 31, 1387-1391.	1.5	40
63	Somatic-type Delusional Disorder: A Case Report and Comments. <i>Acta Dermato-Venereologica</i> , 2011, 91, 193-194.	0.6	3