## Richard LeBlanc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2389724/publications.pdf

Version: 2024-02-01

29 papers 944 citations

1040056 9 h-index 26 g-index

29 all docs

29 docs citations

times ranked

29

1488 citing authors

| #  | Article  | IF         | CITATIONS    |
|----|--|------------|--------------|
| 1  | Management of Myeloma Manifestations and Complications: The Cornerstone of Supportive Care: Recommendation of the Canadian Myeloma Research Group (formerly Myeloma Canada Research) Tj ETQq1 1 0. e41-e56.  | .784314 rg | gBT/Overlock |
| 2  | Outcomes in newly diagnosed young or high-risk myeloma patients receiving tandem autologous/allogeneic transplant followed by bortezomib maintenance: a phase II study. Bone Marrow Transplantation, 2022, 57, 252-260.  | 2.4        | 6            |
| 3  | Once weekly selinexor, carfilzomib and dexamethasone in carfilzomib non-refractory multiple myeloma patients. British Journal of Cancer, 2022, 126, 718-725.   | 6.4        | 21           |
| 4  | Early free light chain reduction following treatment initiation predicts favorable outcome in intact immunoglobulin myeloma. Blood Cancer Journal, 2022, 12, 3.  | 6.2        | 5            |
| 5  | Efficacy of Daratumumab-Containing Regimens Among Patients With Multiple Myeloma Progressing on Lenalidomide Maintenance: Retrospective Analysis. Frontiers in Oncology, 2022, 12, 826342.   | 2.8        | 3            |
| 6  | Survival and Outcomes of Newly Diagnosed Multiple Myeloma Patients Stratified by Transplant Status 2007-2018: Retrospective Analysis from the Canadian Myeloma Research Group Database. Clinical Lymphoma, Myeloma and Leukemia, 2022, 22, 608-617.  | 0.4        | 4            |
| 7  | Sequential Use of Carfilzomib and Pomalidomide in Relapsed Multiple Myeloma: A Report from the Canadian Myeloma Research Group (CMRG) Database. Current Oncology, 2022, 29, 1575-1582.   | 2.2        | 3            |
| 8  | Outcomes of daratumumab in the treatment of multiple myeloma: A retrospective cohort study from the Canadian Myeloma Research Group Database. British Journal of Haematology, 2022, 198, 93-102.   | 2.5        | 3            |
| 9  | The impact of lenalidomide maintenance on secondâ€line chemotherapy in transplant eligible patients with multiple myeloma. European Journal of Haematology, 2021, 106, 673-681.  | 2.2        | 2            |
| 10 | Realâ€world outcomes with bortezomibâ€containing regimens and lenalidomide plus dexamethasone for the treatment of transplantâ€ineligible multiple myeloma: a multiâ€institutional report from the Canadian Myeloma Research Group database. British Journal of Haematology, 2021, 193, 532-541. | 2.5        | 9            |
| 11 | Once weekly selinexor, carfilzomib, and dexamethasone (XKd) in carfilzomib nonrefractory multiple myeloma (MM) patients Journal of Clinical Oncology, 2021, 39, 8038-8038.   | 1.6        | 6            |
| 12 | Oral selinexor, pomalidomide, and dexamethasone (XPd) at recommended phase 2 dose in relapsed refractory multiple myeloma (MM) Journal of Clinical Oncology, 2021, 39, 8018-8018.  | 1.6        | 13           |
| 13 | Selinexor containing regimens in patients with multiple myeloma (MM) previously treated with anti-CD38 monoclonal antibodies (αCD38 mAbs) Journal of Clinical Oncology, 2021, 39, e20020-e20020.   | 1.6        | 0            |
| 14 | Retrospective study of treatment patterns and outcomes postâ€lenalidomide for multiple myeloma in Canada. European Journal of Haematology, 2021, 107, 416-427.   | 2.2        | 4            |
| 15 | The survival impact of maintenance lenalidomide: an analysis of real-world data from the Canadian Myeloma Research Group national database. Haematologica, 2021, 106, 1733-1736.   | 3.5        | 11           |
| 16 | Selinexor-Based Regimens in Patients with Multiple Myeloma after Prior Anti-B-Cell Maturation Antigen Treatment. Blood, 2021, 138, 2751-2751.  | 1.4        | 3            |
| 17 | Once Weekly Oral Selinexor, Pomalidomide, and Dexamethasone in Relapsed Refractory Multiple Myeloma. Blood, 2021, 138, 2748-2748.  | 1.4        | 8            |
| 18 | Lenalidomide Dosing and Outcomes in Transplant-Ineligible Patients with Newly-Diagnosed Multiple Myeloma: A Multi-Institutional Report from the Canadian Myeloma Research Group (CMRG) Database. Blood, 2021, 138, 4721-4721.  | 1.4        | 0            |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Clinicopathologic predictors of renal outcomes in light chain cast nephropathy: a multicenter retrospective study. Blood, 2020, 135, 1833-1846.   | 1.4  | 42        |
| 20 | Selinexor, daratumumab, and dexamethasone in patients with relapsed/refractory multiple myeloma (MM) Journal of Clinical Oncology, 2020, 38, 8510-8510.   | 1.6  | 15        |
| 21 | Once weekly selinexor, carfilzomib, and dexamethasone (SKd) in patients with relapsed/refractory multiple myeloma (MM) Journal of Clinical Oncology, 2020, 38, 8530-8530.   | 1.6  | 13        |
| 22 | Newly diagnosed multiple myeloma patients treated with tandem autoâ€allogeneic stem cell transplant have better overall survival with similar outcomes at time of relapse compared to patients who received autologous transplant only. Clinical Transplantation, 2020, 34, e14099.                                 | 1.6  | 4         |
| 23 | Sequential Use of Carfilzomib and Pomalidomide in Relapsed Multiple Myeloma: A Multi-Institutional Report from the Canadian Myeloma Research Group (CMRG) Database. Blood, 2020, 136, 5-7.  | 1.4  | 0         |
| 24 | Selinexor Shows Synergy in Combination with Pomalidomide and Low Dose Dexamethasone in Patients with Relapsed / Refractory Multiple Myeloma. Blood, 2016, 128, 3330-3330.   | 1.4  | 6         |
| 25 | Atypical Chronic Lymphocytic Leukemia with CD200 Expression Shares Similar Outcomes to Classical Chronic Lymphocytic Leukemia. Blood, 2016, 128, 5572-5572.   | 1.4  | 4         |
| 26 | Selinexor in Combination with Bortezomib and Dexamethasone (SdB) Demonstrates Significant Activity in Patients with Refractory Multiple Myeloma (MM) Including Proteasome-Inhibitor Refractory Patients: Results of the Phase I Stomp Trial. Blood, 2016, 128, 977-977.   | 1.4  | 15        |
| 27 | IgD Heavy-Chain Deposition Disease. Journal of the American Society of Nephrology: JASN, 2015, 26, 784-790.   | 6.1  | 35        |
| 28 | FIRST study: Updated overall survival (OS) in stem cell transplant (SCT)-ineligible newly diagnosed multiple myeloma (NDMM) patients (pts) treated with continuous lenalidomide plus low-dose dexamethasone (Rd) vs melphalan, prednisone, and thalidomide (MPT) Journal of Clinical Oncology, 2015, 33, 8524-8524. | 1.6  | 3         |
| 29 | Panobinostat plus bortezomib and dexamethasone versus placebo plus bortezomib and dexamethasone in patients with relapsed or relapsed and refractory multiple myeloma: a multicentre, randomised, double-blind phase 3 trial. Lancet Oncology, The, 2014, 15, 1195-1206.  | 10.7 | 695       |