## Chin-Chen Pan

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2390047/publications.pdf

Version: 2024-02-01

147801 155660 3,366 89 31 55 h-index citations g-index papers 91 91 91 3981 docs citations times ranked citing authors all docs

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Clinicopathological and molecular characterisation of papillary renal neoplasm with reverse polarity and its renal papillary adenoma analogue. Histopathology, 2021, 78, 1019-1031.  | 2.9  | 24        |
| 2  | Intraductal carcinoma of the prostate is not a diagnostic entity. Histopathology, 2021, 78, 342-344.   | 2.9  | 6         |
| 3  | Ossifying low grade endometrial stromal sarcoma with PHF1-BRD8 fusion. Cancer Genetics, 2021, 256-257, 81-85.  | 0.4  | 1         |
| 4  | Reexamining the molecular findings in specialized stromal tumors of the prostate. Modern Pathology, 2021, 34, 2080-2081.   | 5.5  | 1         |
| 5  | AKT1 internal tandem duplications and point mutations are the genetic hallmarks of sclerosing pneumocytoma. Modern Pathology, 2020, 33, 391-403.   | 5.5  | 23        |
| 6  | Artificial intelligence for diagnosis and grading of prostate cancer in biopsies: a population-based, diagnostic study. Lancet Oncology, The, 2020, 21, 222-232.   | 10.7 | 364       |
| 7  | HIV-1 Tat Interacts with a Kaposi's Sarcoma-Associated Herpesvirus Reactivation-Upregulated Antiangiogenic Long Noncoding RNA, LINC00313, and Antagonizes Its Function. Journal of Virology, 2020, 94, .                                   | 3.4  | 12        |
| 8  | Intraductal carcinoma of the prostate is an aggressive form of invasive carcinoma and should be graded. Pathology, 2020, 52, 192-196.  | 0.6  | 29        |
| 9  | A great malignancy mimicker: Testicular epidermoid cysts with atypical sonographic and MRI appearance. Urology Case Reports, 2020, 33, 101366.   | 0.3  | O         |
| 10 | ALK rearranged renal cell carcinoma (ALK-RCC): a multi-institutional study of twelve cases with identification of novel partner genes CLIP1, KIF5B and KIAA1217. Modern Pathology, 2020, 33, 2564-2579.                                    | 5.5  | 49        |
| 11 | Identification of areas of grading difficulties in prostate cancer and comparison with artificial intelligence assisted grading. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 777-786. | 2.8  | 20        |
| 12 | Granular necrosis: a distinctive form of cell death in malignant tumours. Pathology, 2020, 52, 507-514.  | 0.6  | 20        |
| 13 | Differential expression analysis of clear cell renal cell carcinomas in The Cancer Genome Atlas distinguishes an aggressive subset enriched with chromosomes 7 and 12 gains. Histopathology, 2020, 76, 950-958.                            | 2.9  | 1         |
| 14 | ALK-rearranged renal cell carcinoma with a novel PLEKHA7-ALK translocation and metanephric adenoma-like morphology. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 921-929.              | 2.8  | 20        |
| 15 | Controversial issues in Gleason and International Society of Urological Pathology (ISUP) prostate cancer grading: proposed recommendations for international implementation. Pathology, 2019, 51, 463-473.                                 | 0.6  | 47        |
| 16 | Histogram analysis of prostate cancer on dynamic contrast-enhanced magnetic resonance imaging: A preliminary study emphasizing on zonal difference. PLoS ONE, 2019, 14, e0212092.  | 2.5  | 1         |
| 17 | Gene amplification and tumor grading in parosteal osteosarcoma. Journal of the Chinese Medical Association, 2019, 82, 889-894.   | 1.4  | 7         |
| 18 | Symmetric nephromegaly. Clinical and Experimental Nephrology, 2019, 23, 427-428.   | 1.6  | 0         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Utility of Pathology Imagebase for standardisation of prostate cancer grading. Histopathology, 2018, 73, 8-18.  | 2.9  | 36        |
| 20 | Whole-exome sequencing demonstrates recurrent somatic copy number alterations and sporadic mutations in specialized stromal tumors of the prostate. Human Pathology, 2018, 76, 9-16.  | 2.0  | 4         |
| 21 | The value of molecular markers in classification and prediction of progression in non-muscle-invasive bladder cancer. Translational Andrology and Urology, 2018, 7, 736-739.  | 1.4  | 5         |
| 22 | HOTAIR is a REST-regulated IncRNA that promotes neuroendocrine differentiation in castration resistant prostate cancer. Cancer Letters, 2018, 433, 43-52.   | 7.2  | 45        |
| 23 | Clear cell papillary renal cell carcinoma – An indolent subtype of renal tumor. Journal of the Chinese<br>Medical Association, 2018, 81, 878-883.   | 1.4  | 11        |
| 24 | REST is a crucial regulator for acquiring EMT-like and stemness phenotypes in hormone-refractory prostate cancer. Scientific Reports, 2017, 7, 42795.   | 3.3  | 36        |
| 25 | MAOA-a novel decision maker of apoptosis and autophagy in hormone refractory neuroendocrine prostate cancer cells. Scientific Reports, 2017, 7, 46338.  | 3.3  | 30        |
| 26 | High expression of heat shock proteins and heat shock factor†distinguishes an aggressive subset of clear cell renal cell carcinoma. Histopathology, 2017, 71, 711-718.  | 2.9  | 15        |
| 27 | Absence of GNAS and BRAF mutations but presence of KRAS mutation in urachal adenocarcinoma. Pathology, 2017, 49, 316-317.   | 0.6  | 9         |
| 28 | MAOA-Dependent Activation of Shh-IL6-RANKL Signaling Network Promotes Prostate Cancer Metastasis by Engaging Tumor-Stromal Cell Interactions. Cancer Cell, 2017, 31, 368-382.   | 16.8 | 102       |
| 29 | Human papillomavirusâ€related carcinoma with adenoid cysticâ€like features: a series of five cases expanding the pathological spectrum. Histopathology, 2017, 71, 887-896.  | 2.9  | 27        |
| 30 | Pathology Imagebaseâ€"a reference image database for standardization of pathology. Histopathology, 2017, 71, 677-685.   | 2.9  | 19        |
| 31 | Response to: Absence of GNAS and BRAF mutations but presence of KRAS mutation in urachal adenocarcinoma: author reply. Pathology, 2017, 49, 562-563.  | 0.6  | 1         |
| 32 | Prognostic factors of primary resected retroperitoneal soft tissue sarcoma: Analysis from a single asian tertiary center and external validation of gronchi's nomogram. Journal of Surgical Oncology, 2016, 113, 355-360.   | 1.7  | 26        |
| 33 | Molecular typing for detection of highâ€risk human papillomavirus is a useful tool for distinguishing primary bladder carcinoma from secondary involvement of uterine cervical carcinoma in the urinary bladder. Histopathology, 2016, 68, 513-519.                     | 2.9  | 7         |
| 34 | $Kr\tilde{A}\frac{1}{4}$ ppel-like factor 4 is a novel prognostic predictor for urothelial carcinoma of bladder and it regulates TWIST1-mediated epithelial-mesenchymal transition. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 485.e15-485.e24. | 1.6  | 19        |
| 35 | Squamous Cell Carcinoma Arising From a Renal Calyceal Diverticulum. Urology, 2016, 95, e5-e6.   | 1.0  | 5         |
| 36 | Epidermoid cyst of the testis: An atypical sonographic appearance. Journal of Clinical Ultrasound, 2016, 44, 448-451.   | 0.8  | 7         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 37 | REST reduction is essential for hypoxia-induced neuroendocrine differentiation of prostate cancer cells by activating autophagy signaling. Oncotarget, 2016, 7, 26137-26151.               | 1.8 | 49        |
| 38 | Lung Adenocarcinoma Metastasizing Into a Renal Angiomyolipoma. International Journal of Surgical Pathology, 2015, 23, 230-233.   | 0.8 | 5         |
| 39 | The International Society of Urological Pathology/Vancouver Classification of Renal Neoplasia: New entities of adult renal cell carcinoma. Urological Science, 2015, 26, 77-80.            | 0.6 | 3         |
| 40 | SH3BGRL3 Protein as a Potential Prognostic Biomarker for Urothelial Carcinoma: A Novel Binding Partner of Epidermal Growth Factor Receptor. Clinical Cancer Research, 2015, 21, 5601-5611. | 7.0 | 34        |
| 41 | Calreticulin activates $\hat{l}^21$ integrin via fucosylation by fucosyltransferase 1 in J82 human bladder cancer cells. Biochemical Journal, 2014, 460, 69-80.                            | 3.7 | 24        |
| 42 | The prognostic value of combined clinicopathological and biomarker modelling for nonâ€muscleâ€invasive bladder cancer. Histopathology, 2014, 65, 207-215.                                  | 2.9 | 2         |
| 43 | Raman spectral analysis of renal tissue: a novel application. Journal of Raman Spectroscopy, 2014, 45, 788-793.  | 2.5 | 3         |
| 44 | Mediastinal Angiomatosis. Annals of Thoracic Surgery, 2014, 98, 1116.  | 1.3 | 3         |
| 45 | Her2 amplification distinguishes a subset of non-muscle-invasive bladder cancers with a high risk of progression. Journal of Clinical Pathology, 2013, 66, 113-119.                        | 2.0 | 54        |
| 46 | The 2004 World Health Organization/International Society of Urological Pathology classification system for non-muscle-invasive bladder cancer. Urological Science, 2013, 24, 96-100.       | 0.6 | 6         |
| 47 | Multicenter Validation of Cyclin D1, MCM7, TRIM29, and UBE2C as Prognostic Protein Markers in Non-Muscle–Invasive Bladder Cancer. American Journal of Pathology, 2013, 182, 339-349.       | 3.8 | 71        |
| 48 | Common chromosomal aberrations detected by array comparative genomic hybridization in specialized stromal tumors of the prostate. Modern Pathology, 2013, 26, 1536-1543.                   | 5.5 | 19        |
| 49 | Prognostic significance of heat shock proteins in urothelial carcinoma of the urinary bladder.<br>Histopathology, 2013, 62, 788-798.   | 2.9 | 20        |
| 50 | An interobserver reproducibility study on invasiveness of bladder cancer using virtual microscopy and heatmaps. Histopathology, 2013, 63, 756-766.   | 2.9 | 35        |
| 51 | Prognostic Significance in Substaging of T1 Urinary Bladder Urothelial Carcinoma on Transurethral Resection. American Journal of Surgical Pathology, 2012, 36, 454-461.                    | 3.7 | 73        |
| 52 | Prostatic ductal adenocarcinoma. Urological Science, 2012, 23, 87-88.  | 0.6 | 1         |
| 53 | Significance of prostatic capsular status in radical prostatectomy. Urological Science, 2012, 23, 15-17.   | 0.6 | 1         |
| 54 | Trends in prostate needle biopsy diagnosis. A ten year experience of a medical center in Taiwan. Pathology International, 2012, 62, 191-198.   | 1.3 | 4         |

| #  | Article   | IF  | Citations  |
|----|---|-----|------------|
| 55 | Acquired cystic disease–associated renal cell carcinoma with sarcomatoid change and rhabdoid features. Annals of Diagnostic Pathology, 2011, 15, 462-466.   | 1.3 | 44         |
| 56 | Prostatic adenocarcinoma infiltrating intraprostatic adipose tissue. Human Pathology, 2011, 42, 759.  | 2.0 | 0          |
| 57 | Activation of the PI3K/Akt/mTOR pathway correlates with tumour progression and reduced survival in patients with urothelial carcinoma of the urinary bladder. Histopathology, 2011, 58, 1054-1063.  | 2.9 | 116        |
| 58 | PML protein as a prognostic molecular marker for patients with esophageal squamous cell carcinomas receiving primary surgery. Journal of Surgical Oncology, 2011, 103, 761-767.   | 1.7 | 9          |
| 59 | A unique renal cell carcinoma with features of papillary renal cell carcinoma and thyroidâ€ike carcinoma: a morphological, immunohistochemical and genetic study. Histopathology, 2010, 57, 494-497.  | 2.9 | 18         |
| 60 | Constructing prognostic model incorporating the 2004 WHO/ISUP classification for patients with non-muscle-invasive urothelial tumours of the urinary bladder. Journal of Clinical Pathology, 2010, 63, 910-915.   | 2.0 | 28         |
| 61 | Prognostic Significance of the 2004 WHO/ISUP Classification for Prediction of Recurrence, Progression, and Cancer-Specific Mortality of Non–Muscle-Invasive Urothelial Tumors of the Urinary Bladder. American Journal of Clinical Pathology, 2010, 133, 788-795. | 0.7 | 126        |
| 62 | Detection of chromosome copy number alterations in metanephric adenomas by array comparative genomic hybridization. Modern Pathology, 2010, 23, 1634-1640.  | 5.5 | 20         |
| 63 | Renal Cell Carcinoma Associated With End-stage Renal Disease and Acquired Cystic Disease of the Kidney. Urological Science, 2010, 21, 139-141.  | 0.6 | O          |
| 64 | Histopathology and Biology of Testicular Germ Cell Tumor. Urological Science, 2010, 21, 55-57.  | 0.6 | 0          |
| 65 | Immunohistochemical and molecular genetic profiling of acquired cystic diseaseâ€associated renal cell carcinoma. Histopathology, 2009, 55, 145-153.   | 2.9 | <b>7</b> 2 |
| 66 | Cathepsin-K immunoreactivity distinguishes MiTF/TFE family renal translocation carcinomas from other renal carcinomas. Modern Pathology, 2009, 22, 1016-1022.   | 5.5 | 155        |
| 67 | Comparative genomic hybridization study of perivascular epithelioid cell tumor: molecular genetic evidence of perivascular epithelioid cell tumor as a distinctive neoplasm. Human Pathology, 2006, 37, 606-612.  | 2.0 | 99         |
| 68 | Differential Immunoprofiles of Hepatocellular Carcinoma, Renal Cell Carcinoma, and Adrenocortical Carcinoma. Applied Immunohistochemistry and Molecular Morphology, 2005, 13, 347-352.  | 1.2 | 72         |
| 69 | Comparative genomic hybridization analysis of thymic neuroendocrine tumors. Modern Pathology, 2005, 18, 358-364.  | 5.5 | 19         |
| 70 | Copy number changes of target genes in chromosome 3q25.3-qter of esophageal squamous cell carcinoma: <i>TP63</i> is amplified in early carcinogenesis but down-regulated as disease progressed. World Journal of Gastroenterology, 2005, 11, 1267.                | 3.3 | 37         |
| 71 | Cytoplasmic Immunoreactivity for Thyroid Transcription Factor-1 in Hepatocellular Carcinoma.<br>American Journal of Clinical Pathology, 2004, 121, 343-349.   | 0.7 | 49         |
| 72 | KIT(CD117) is frequently overexpressed in thymic carcinomas but is absent in thymomas. Journal of Pathology, 2004, 202, 375-381.  | 4.5 | 174        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | An Easy Method for Manual Construction of High-density Tissue Arrays. Applied Immunohistochemistry and Molecular Morphology, 2004, 12, 370-372.   | 1.2 | 36        |
| 74 | Overexpression of KIT (CD117) in Chromophobe Renal Cell Carcinoma and Renal Oncocytoma. American Journal of Clinical Pathology, 2004, 121, 878-883.   | 0.7 | 29        |
| 75 | Cytoplasmic Immunoreactivity for Thyroid Transcription Factor-1 in Hepatocellular Carcinoma: A Comparative Immunohistochemical Analysis of Four Commercial Antibodies Using a Tissue Array Technique. American Journal of Clinical Pathology, 2004, 121, 343-349. | 0.7 | 10        |
| 76 | Primary renal synovial sarcoma with inferior vena cava and right atrium invasion. International Journal of Urology, 2003, 10, 657-660.  | 1.0 | 18        |
| 77 | Epstein-Barr virus-associated lymphoepithelioma-like carcinoma of the esophagus. Human Pathology, 2003, 34, 407-410.  | 2.0 | 35        |
| 78 | Expression of calretinin and other mesothelioma-related markers in thymic carcinoma and thymoma. Human Pathology, 2003, 34, 1155-1162.  | 2.0 | 96        |
| 79 | Clear Cell Myomelanocytic Tumor of the Urinary Bladder. American Journal of Surgical Pathology, 2003, 27, 689-692.  | 3.7 | 79        |
| 80 | Malignant Perivascular Epithelioid Cell Tumor Involving the Prostate. Archives of Pathology and Laboratory Medicine, 2003, 127, e96-e98.  | 2.5 | 68        |
| 81 | Diagnosing minimal adenocarcinoma on prostate needle biopsy by real-time dynamic telepathology through the internet: Evaluation of an economic technology for remote consultation. Human Pathology, 2002, 33, 242-246.  | 2.0 | 6         |
| 82 | Detection of Epstein–Barr virus genome within thymic epithelial tumours in Taiwanese patients by nested PCR, PCR <i>in situ</i> hybridization, and RNA <i>in situ</i> hybridization. Journal of Pathology, 2002, 197, 684-688.                                    | 4.5 | 38        |
| 83 | Spindle Cell and Mixed Spindle/Lymphocytic Thymomas. American Journal of Surgical Pathology, 2001, 25, 111-120.   | 3.7 | 61        |
| 84 | Thymoma is associated with an increased risk of second malignancy. Cancer, 2001, 92, 2406-2411.   | 4.1 | 100       |
| 85 | The Prognostic Significance of Tertiary Gleason Patterns of Higher Grade in Radical Prostatectomy Specimens. American Journal of Surgical Pathology, 2000, 24, 563-569.   | 3.7 | 195       |
| 86 | Tubulocystic Clear Cell Adenocarcinoma Arising Within the Prostate. American Journal of Surgical Pathology, 2000, 24, 1433-1436.  | 3.7 | 24        |
| 87 | Expression of E-cadherin and $\hat{l}_{\pm}$ - and $\hat{l}_{\pm}$ -catenins in thymoma. , 1998, 184, 207-211.  |     | 13        |
| 88 | Contribution of immunocytochemistry in routine diagnostic cytology., 1996, 14, 221-225.   |     | 15        |
| 89 | The clinicopathological correlation of epithelial subtyping in thymoma: A study of 112 consecutive cases. Human Pathology, 1994, 25, 893-899.   | 2.0 | 68        |