Curtis Tatsuoka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2390320/publications.pdf

Version: 2024-02-01

55 papers 1,444 citations

361045 20 h-index 35 g-index

57 all docs 57 docs citations

57 times ranked

2502 citing authors

#	Article	IF	Citations
1	Diagnostic and prognostic value of human prion detection in cerebrospinal fluid. Annals of Neurology, 2017, 81, 79-92.	2.8	184
2	Rapidly progressive Alzheimer's disease features distinct structures of amyloid-β. Brain, 2015, 138, 1009-1022.	3.7	166
3	Skin α-Synuclein Aggregation Seeding Activity as a Novel Biomarker for Parkinson Disease. JAMA Neurology, 2021, 78, 30.	4.5	125
4	Streamlined alpha-synuclein RT-QuIC assay for various biospecimens in Parkinson's disease and dementia with Lewy bodies. Acta Neuropathologica Communications, 2021, 9, 62.	2.4	79
5	A 6â€month prospective randomized controlled trial of remotely delivered group format epilepsy selfâ€management versus waitlist control for highâ€risk people with epilepsy. Epilepsia, 2018, 59, 1684-1695.	2.6	48
6	Diagnostic value of skin RT-QuIC in Parkinson's disease: a two-laboratory study. Npj Parkinson's Disease, 2021, 7, 99.	2.5	41
7	A 60-Week Prospective RCT of a Self-Management Intervention for Individuals With Serious Mental Illness and Diabetes Mellitus. Psychiatric Services, 2017, 68, 883-890.	1.1	39
8	Targeted Self-Management of Epilepsy and Mental Illness for individuals with epilepsy and psychiatric comorbidity. Epilepsy and Behavior, 2016, 64, 152-159.	0.9	35
9	Patient-rated versus proxy-rated cognitive and functional measures in older adults. Patient Related Outcome Measures, 2017, Volume 8, 33-42.	0.7	34
10	Early inspired oxygen and intermittent hypoxemic events in extremely premature infants are associated with asthma medication use at 2 years of age. Journal of Perinatology, 2019, 39, 203-211.	0.9	34
11	Use of a surgical rehearsal platform and improvement in aneurysm clipping measures: results of a prospective, randomized trial. Journal of Neurosurgery, 2017, 126, 838-844.	0.9	32
12	Enhanced Exercise Therapy in Parkinson's disease: A comparative effectiveness trial. Journal of Science and Medicine in Sport, 2016, 19, 12-17.	0.6	31
13	Modeling the heterogeneity in risk of progression to Alzheimer's disease across cognitive profiles in mild cognitive impairment. Alzheimer's Research and Therapy, 2013, 5, 14.	3.0	28
14	Quality of routine diagnostic abdominal images generated from a novel detector-based spectral CT scanner: a technical report on a phantom and clinical study. Abdominal Radiology, 2017, 42, 2752-2759.	1.0	27
15	A Targeted Self-Management Approach for Reducing Stroke Risk Factors in African American Men Who Have Had a Stroke or Transient Ischemic Attack. American Journal of Health Promotion, 2018, 32, 282-293.	0.9	27
16	A troponin study on patients with ischemic stroke, intracerebral hemorrhage and subarachnoid hemorrhage: Type II myocardial infarction is significantly associated with stroke severity, discharge disposition and mortality. Journal of Clinical Neuroscience, 2019, 64, 83-88.	0.8	27
17	Use of automated medication adherence monitoring in bipolar disorder research: pitfalls, pragmatics, and possibilities. Therapeutic Advances in Psychopharmacology, 2015, 5, 76-87.	1.2	26
18	Correlates of quality of life among individuals with epilepsy enrolled in self-management research. Epilepsy and Behavior, 2017, 69, 177-180.	0.9	24

Symptom severity, selfa€reported adherence, and electronic pill monitoring in poorly adherent patients with bipolar disorder. Bipolar Disorders, 2015, 17, 653-661. Cardiovascular risk and prevention in patients with head and neck cancer treated with radiotherapy. Head and Neck, 2017, 39, 527-532. Evaluating PROMIS(®) applied cognition items in a sample of older adults at risk for cognitive decline. Psychiatry Research, 2017, 247, 39-42. Depressive symptoms and suicidality among individuals with epilepsy enrolled in self-management studies: Results from the US Centers for Disease Control and Prevention Managing Epilepsy Well (MEW) Network. Epilepsy and Behavior, 2018, 87, 235-240. Detecting Change over Time: A Comparison of the <scp>SLUMS </scp> Examination and the <scp>MMSE </scp> in Older Adults at Risk for Cognitive Decline. CNS Neuroscience and Therapeutics, 2016, 22, 413-419. Electronic medical record analysis of emergency room visits and hospitalizations in individuals with epilepsy and mental illness comorbidity. Epilepsy and Behavior, 2015, 50, 55-60. 1.5 Trajectories of medication attitudes and adherence behavior change in non-adherent bipolar patients. Comprehensive Psychiatry, 2015, 58, 29-36.	23 23 23 22 21 20
Head and Neck, 2017, 39, 527-532. Evaluating PROMIS(®) applied cognition items in a sample of older adults at risk for cognitive decline. Psychiatry Research, 2017, 247, 39-42. Depressive symptoms and suicidality among individuals with epilepsy enrolled in self-management studies: Results from the US Centers for Disease Control and Prevention Managing Epilepsy Well (MEW) Network. Epilepsy and Behavior, 2018, 87, 235-240. Detecting Change over Time: A Comparison of the <scp>SLUMS</scp> Examination and the <scp>MMSE</scp> in Older Adults at Risk for Cognitive Decline. CNS Neuroscience and Therapeutics, 2016, 22, 413-419. Electronic medical record analysis of emergency room visits and hospitalizations in individuals with epilepsy and mental illness comorbidity. Epilepsy and Behavior, 2015, 50, 55-60. Trajectories of medication attitudes and adherence behavior change in non-adherent bipolar patients.	23 22 21
Depressive symptoms and suicidality among individuals with epilepsy enrolled in self-management studies: Results from the US Centers for Disease Control and Prevention Managing Epilepsy Well (MEW) Network. Epilepsy and Behavior, 2018, 87, 235-240. Detecting Change over Time: A Comparison of the <scp>SLUMS</scp> Examination and the <scp>MMSE</scp> in Older Adults at Risk for Cognitive Decline. CNS Neuroscience and Therapeutics, 2016, 22, 413-419. Electronic medical record analysis of emergency room visits and hospitalizations in individuals with epilepsy and mental illness comorbidity. Epilepsy and Behavior, 2015, 50, 55-60. Trajectories of medication attitudes and adherence behavior change in non-adherent bipolar patients.	22
studies: Results from the US Centers for Disease Control and Prevention Managing Epilepsy Well (MEW) Network. Epilepsy and Behavior, 2018, 87, 235-240. Detecting Change over Time: A Comparison of the <scp>SLUMS</scp> Examination and the <scp>MMSE</scp> in Older Adults at Risk for Cognitive Decline. CNS Neuroscience and Therapeutics, 2016, 22, 413-419. Electronic medical record analysis of emergency room visits and hospitalizations in individuals with epilepsy and mental illness comorbidity. Epilepsy and Behavior, 2015, 50, 55-60. Trajectories of medication attitudes and adherence behavior change in non-adherent bipolar patients.	21
 23 <scp>MMSE</scp> in Older Adults at Risk for Cognitive Decline. CNS Neuroscience and Therapeutics, 2016, 22, 413-419. 24 Electronic medical record analysis of emergency room visits and hospitalizations in individuals with epilepsy and mental illness comorbidity. Epilepsy and Behavior, 2015, 50, 55-60. 26 Trajectories of medication attitudes and adherence behavior change in non-adherent bipolar patients. 	
epilepsy and mental illness comorbidity. Epilepsy and Behavior, 2015, 50, 55-60. Trajectories of medication attitudes and adherence behavior change in non-adherent bipolar patients.	20
	20
Mixed-methods analysis of internalized stigma correlates in poorly adherent individuals with bipolar disorder. Comprehensive Psychiatry, 2016, 70, 174-180.	20
Resting-State Quantitative Electroencephalography Demonstrates Differential Connectivity in Adolescents with Major Depressive Disorder. Journal of Child and Adolescent Psychopharmacology, 0.7 2019, 29, 370-377.	20
Effects of extreme prematurity on numerical skills and executive function in kindergarten children: An application of partially ordered classification modeling. Learning and Individual Differences, 2016, 49, 332-340.	18
Comparing Patient-Reported Outcomes Measure Information System Depression Scale with Legacy Depression Measures in a Community Sample of Older Adults with Varying Levels of Cognitive O.6 Functioning. American Journal of Geriatric Psychiatry, 2015, 23, 1134-1143.	16
Altered Maturation Status and Possible Immune Exhaustion of CD8 T Lymphocytes in the Peripheral Blood of Patients Presenting With Acute Coronary Syndromes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 389-397.	14
Correlates of epilepsy self-management in MEW Network participants. Epilepsy and Behavior, 2018, 85, 0.9	14
Morbidity and Mortality After Burr Hole Craniostomy Versus Craniotomy for Chronic Subdural Hematoma Evacuation: A Single-Center Experience. World Neurosurgery, 2020, 134, e196-e203.	14
A 6-Month, Prospective, Randomized Controlled Trial of Customized Adherence Enhancement Versus Bipolar-Specific Educational Control in Poorly Adherent Individuals With Bipolar Disorder. Journal of Clinical Psychiatry, 2018, 79, .	14
Demographic and Clinical Correlates of Seizure Frequency: Findings from the Managing Epilepsy Well	

#	Article	IF	CITATIONS
37	Have Changing Palivizumab Administration Policies Led to More Respiratory Morbidity in Infants Born at 32-35 Weeks?. Journal of Pediatrics, 2016, 171, 31-37.	0.9	11
38	Adherence to Psychotropic and Nonpsychotropic Medication Among Patients With Bipolar Disorder and General Medical Conditions. Psychiatric Services, 2016, 67, 342-345.	1.1	11
39	Selfâ€management for adults with epilepsy: Aggregate Managing Epilepsy Well Network findings on depressive symptoms. Epilepsia, 2019, 60, 1921-1931.	2.6	11
40	Age-Related Differences in Medication Adherence, Symptoms, and Stigma in Poorly Adherent Adults With Bipolar Disorder. Journal of Geriatric Psychiatry and Neurology, 2020, 33, 250-255.	1.2	11
41	Insight: An ontology-based integrated database and analysis platform for epilepsy self-management research. International Journal of Medical Informatics, 2016, 94, 21-30.	1.6	10
42	Autonomic neurophysiologic implications of disorders comorbid with bladder pain syndrome vs myofascial pelvic pain. Neurourology and Urodynamics, 2019, 38, 1370-1377.	0.8	9
43	Depressive Symptom Severity in Individuals With Epilepsy and Recent Health Complications. Journal of Nervous and Mental Disease, 2019, 207, 284-290.	0.5	8
44	Impact of Patient Size and Radiation Dose on Accuracy and Precision of Iodine Quantification and Virtual Noncontrast Values in Dual-layer Detector CT—A Phantom Study. Academic Radiology, 2020, 27, 409-420.	1.3	8
45	Understanding Aging in Bipolar Disorder by Integrating Archival Clinical Research Datasets. American Journal of Geriatric Psychiatry, 2019, 27, 1122-1134.	0.6	7
46	Comparing learning retention in medical students using mixed-reality to supplement dissection: a preliminary study. International Journal of Medical Education, 2022, 13, 107-114.	0.6	7
47	Assessing depression severity with a self-rated vs. rater-administered instrument in patients with epilepsy. Epilepsy and Behavior, 2018, 85, 52-57.	0.9	5
48	Correlates of disability in depressed older adults with bipolar disorder. Cutting Edge Psychiatry in Practice, 2013, 2013, 332-338.	0.0	5
49	Post-hoc analysis of two clinical trials examining Customized Adherence Enhancement plus long acting injectable antipsychotic (CAE-L) in high-risk individuals with serious mental illness. Schizophrenia Research, 2018, 202, 433-434.	1.1	4
50	Patient choice as a driver of medication-switching in non-adherent individuals with bipolar disorder. Patient Preference and Adherence, 2014, 8, 487.	0.8	2
51	Rater Training for a Multi-Site, International Clinical Trial: What Mood Symptoms may be most Difficult to Rate?. Psychopharmacology Bulletin, 2011, 44, 5-14.	0.0	2
52	Computing Functional Brain Connectivity in Neurological Disorders: Efficient Processing and Retrieval of Electrophysiological Signal Data. AMIA Summits on Translational Science Proceedings, 2019, 2019, 107-116.	0.4	2
53	Comparative Evaluation for Brain Structural Connectivity Approaches: Towards Integrative Neuroinformatics Tool for Epilepsy Clinical Research. AMIA Summits on Translational Science Proceedings, 2016, 2016, 446-54.	0.4	1
54	Cingulum bundle connectivity in treatment-refractory compared to treatment-responsive patients with bipolar disorder and healthy controls: a tractography and surgical targeting analysis. Journal of Neurosurgery, 2022, 137, 709-721.	0.9	1

#	Article	IF	CITATIONS
55	Reliable Identification of Benign Clinical Course in Aneurysmal Subarachnoid Hemorrhage: A Simple and Qualitative Algorithm. Neurosurgery, 2018, 83, 948-956.	0.6	O